



## **Beautification Committee Meeting**

**Thursday, January 15, 2026 at 9:00 AM**

**Theodore D. Washington Municipal Building, Okatie River Conference Room, 20 Bridge Street,  
Bluffton, SC**

### **AGENDA**

#### **I. CALL TO ORDER**

#### **II. ROLL CALL**

#### **III. ADOPTION OF MINUTES**

#### **IV. PUBLIC COMMENT**

#### **V. OLD BUSINESS**

1. Paint Out Pollution Storm Drain Art Project Update
2. Holiday Decorating / Undecorating Update
3. Steve Doocy's Main Street USA Tour Submission Update

#### **VI. NEW BUSINESS**

1. Non Toxic Neighborhoods Program Implementation
2. Linear Trail Renovation
3. Wright Family Park Tree Planting
4. White Goods Pickup

#### **VII. DISCUSSION**

#### **VIII. ADJOURNMENT**

**NEXT MEETING DATE: THURSDAY, FEBRUARY 19, 2026**

*“FOIA Compliance – Public notification of this meeting has been published and posted in compliance with the Freedom of Information Act and the Town of Bluffton policies.”*

*In accordance with the requirements of Title II of the Americans with Disabilities Act of 1990 ("ADA"), the Town of Bluffton will not discriminate against qualified individuals with disabilities on the basis of disability in its services, programs, or activities. The Town of Bluffton Council Chambers are ADA compatible. Auditory accommodations are available. Any person requiring further accommodation should contact the Town of Bluffton ADA Coordinator at 843.706.4500 or [adacoordinator@townofbluffton.com](mailto:adacoordinator@townofbluffton.com) as soon as possible but no later than 48 hours before the scheduled event.*

*Executive Session – The public body may vote to go into executive session for any item identified for action on the agenda.*

*\*Please note that each member of the public may speak at one public comment session and a form must be filled out and given to the Town Clerk. To submit a public comment online, please click here:*

*<https://www.townofbluffton.sc.gov/FormCenter/Town-15/Public-Comment-60>*

*Public comment is limited to 3 minutes per speaker.*