



**CARTERSVILLE
HISTORIC PRESERVATION COMMISSION
MEETING**

Council Chambers, Third Floor of City Hall
Tuesday, September 19, 2023 at 5:30 PM

AGENDA

COMMISSIONERS:

Greg Frisbee – Chair
Brad Galland – Vice Chair
Becky Carr
Larry Gregory
Vandi White
Lisa Ellis
David Elder

CITY PLANNER:

David Hardegree

CITY CLERK:

Julia Drake

DEPUTY CITY CLERK:

Ashley Peters

CITY ATTORNEY:

Keith Lovell

CALL TO ORDER

ROLL CALL

APPROVAL OF MINUTES

1. HPC Meeting Minutes from Aug. 15th meeting.

CERTIFICATE OF PRESERVATION

2. COP23-18. 126 Cassville Rd. Applicant: Gabriela Salas
3. COP23-20. 11 Luckie St. Applicant: Gary L. White
4. COP23-21. 406 West Ave. Applicant: Amanda Jo Ingwell/ Edward Boyd

STAFF OR COMMITTEE COMMENTS

OTHER

The next meeting of the Historic Preservation Commission will be Oct. 17th. 5:30pm.

ADJOURNMENT

Persons with disabilities needing assistance to participate in any of these proceedings should contact the human resources office, ADA coordinator, 48 hours in advance of the meeting at 770-387-5616.

P.O Box 1390 – 10 N. Public Square – Cartersville, Georgia 30120
Telephone: 770-387-5616 – Fax 770-386-5841 – www.cityofcartersville.org



HISTORIC PRESERVATION COMMISSION ITEM SUMMARY

MEETING DATE:	September 19, 2023
SUBCATEGORY:	HPC Minutes
DEPARTMENT NAME:	Planning and Development
AGENDA ITEM TITLE:	HPC Meeting Minutes from Aug. 15 th meeting.
DEPARTMENT SUMMARY RECOMMENDATION:	August meeting minutes for review and approval.
LEGAL:	N/A

Historic Preservation Commission Meeting
 10 N. Public Square
 August 11, 2023
 5:30 P.M.

I. Open Meeting

Called to order by Chairman Greg Frisbee at 5:30 PM.

Present: Greg Frisbee, Larry Gregory, Becky Carr, David Elder, Lisa Ellis, and Vandi White
 Staff Present: David Hardegree, Zack Arnold, Ashley Peters, and Keith Lovell
 Absent: Brad Galland

1. Approval of Minutes

Chairman Frisbee called for a motion to approve the minutes of the meeting. Board Member Carr made a motion to approve the meeting minutes from June 20, 2023. Board Member Elder seconded the motion. The motion carried unanimously. Vote: 5-0

Certificate of Preservation:

2. COP23-17.

Applicant: Conscience Bay LLC

Chairman Frisbee called for the next item on the agenda. David Hardegree, Planning and Development Assistant Director, stated per the original application COP23-17, the intent is to construct two houses on 38 Walker Street on the corner lot. Currently the lot is undeveloped.

History of Property- This is currently a vacant lot. The original house was demolished around 2008 per BP08-152. However, a copy of the permit is not in the city records. Basic information on the original house was documented in the GHRS.

The applicant wishes to construct two new houses on an undeveloped site. The site will have to be subdivided and re-addressed with Lee St addresses. The two houses will be allowed on the site with an area of approx. 5,300sf as a zoning density bonus will be applied. The developer will certify the houses as EarthCraft houses per the density bonus requirement. Min. lot area is 7,000 sf.

The lot sizes, site placement and house configurations comply with the West End Infill Overlay District requirements.

The applicant has provided floor plans and elevations of the proposed new houses. The new structures will have a footprint of approximately 41'-10" x 24' with a 2nd floor and single car

garage. The heated floor area will be approx. 1,503sf. The houses will have a slab foundation. A site plan is not provided, but the structures will be oriented to Lee Street and meet the minimum building setbacks: 20ft- front; 20ft- rear; 8ft. side.

Exterior materials will be a 5" lap, cement board siding on all sides and 1st and 2nd stories apart from cement panel Board and Batten to be used on the front wall of the 2nd story.

Windows will be a vinyl window, 3/1 configuration, single hung.

An asphalt, architectural style shingle is shown. The roof will have a 6/12 pitch.

Trim Boards are expected to be wood, cement board or composite material.

Concrete driveways are planned.

The materials will be similar, if not identical, to the materials used at 16 and 20 Walker St., COP23-01 and -02, approved January 2023.

There are a mix of housing types along Lee and Walker Streets, but many of the original houses appear to be constructed as Central Hallway and Bungalow types. Some cottage and ranch styled houses are present. No style is identified for home along Lee Street.

Project Scope:

1. Currently a vacant lot
2. Construct a new home per place. Similar or identical to 16 Walker St., COP23-01 (form COP20-26)

Chairman Frisbee opened the floor for a public hearing as well as brought the first question for clarification purposes. Based on the plans, Chairman Frisbee wanted to confirm what would happen with the Walker St address once the houses were built. Mr. Hardegree stated that the houses will open to Lee St. creating 2 new Lee St. addresses and the Walker St. address would go away.

David Munisteri, 38 Walker St., came forward to speak on the type of dwellings that would be built on the lots. Explained these homes will be EarthCraft Style homes that are built to last and that are energy efficient.

Vice Chairman Galland closed the public hearing for discussion.

Vandi White asked if these homes would be rentals or for purchase. Mr. Munisteri stated they would be rentals.

No additional questions were asked.

Board Member Elder made a motion to approve the application as submitted. Board Member Carr seconded the motion. Motion carried unanimously. Vote: 5-0

II. OTHER

Mr. Hardegree reminded the board members of the training conference they have on Monday 8/21/2023 in Canton GA.

Chairman Frisbee asked about the variance sign that is listed at the library. Mr. Hardegree stated they have made changes to their original scope of work and will be bringing it back to the HPC for approval. Chairman Frisbee then clarified that they are to only vote on the actual architectural structure and that any conditions are to be had outside of the HPC Meeting. Mr. Hardegree stated that was correct that if there are any issues with the proposed plan it should be handled in the Board of Zoning meeting on September 12, 2023, before being brought to the HPC meeting on September 19, 2023

Keith Lovell, City Attorney, wanted to bring to the board’s attention that the parking garage that is being redone will not be brought back in front of the board for approval. He is uncertain that the new parking garage will be brought to the HPC board for review as well. Even though the city prefers it be brought in front for review, the County may or may not look for the City’s input.

Date Approved:

/s/ _____
Greg Frisbee, Chairman



HISTORIC PRESERVATION COMMISSION ITEM SUMMARY

MEETING DATE:	September 19, 2023
SUBCATEGORY:	HPC
DEPARTMENT NAME:	Planning and Development
AGENDA ITEM TITLE:	COP23-18. 126 Cassville Rd. Applicant: Gabriela Salas
DEPARTMENT SUMMARY RECOMMENDATION:	Applicant wishes to demolish the existing house.
LEGAL:	N/A



City of Cartersville Historic Preservation Commission COP Application Staff Report
Case: COP 23-18

HPC Meeting 09/19/2023

Application Information

Address: 126 Cassville Rd
 Applicant: Gabriela Salas
 Historic District: Cherokee- Cassville
 Zoning: M-U (Multiple Use)
 Setbacks: Front= 10ft. Rear= 20ft. Side=10ft.

Summary Description: Demolish existing house

Applicable Guidelines to Consider:

Residential Design Guidelines	
<i>Part One: Maintaining, Repairing, Replacing Structures Contributing to a Historic District.</i>	
A. Wood	K. Utilities and Energy Retrofit
B. Masonry	L. Accessibility, Health, and Safety Considerations
C. Architectural Metals	M. Additions to Historic Buildings
D. Paint	N. Aesthetic Recommendations
E. Roofs	
F. Exterior Walls	PART TWO: New Construction
G. Driveways, Walkways, and Off-Street Parking	
H. Lighting	PART THREE: Relocation
I. Windows and Doors	
J. Entrances, Porches and Balconies	<input checked="" type="checkbox"/> PART FOUR: Demolition
Commercial Design Guidelines (Historic Downtown Business District)	
PART ONE: General Guidelines for Structures Contributing to the District.	
PART TWO: Guidelines for New Construction –	

Project Scope:

1. Demolish existing house; and,
2. Grade, grass and stabilize site.

Staff Comments:

History of the Property- The house was constructed in 1906 per the Bartow County Tax records. No GHRS for this location.

No previous COPs on file.

Analysis of the COP:

The house is historic, contributing. The house type is gabled-wing cottage. The housing style is undetermined. Site visits were performed on 8/7 and 8/15. Photos are included.

A rear addition to the house including a deck was made, but no documentation could be found notating the date of the additions.

The house is in need of many exterior and interior repairs. Most notably, a new roof is required, but this may require repairs or modifications to the rafters in addition to decking and shingles. Water damage is evident throughout the house in the ceiling, on the floors and on the porch. The rear addition to the house is missing much of the roof and flooring and is pulling away from the original house thereby allowing weather and insect intrusion. The original rear walls and floor structure are compromised. The main floor is soft and flexes when walked on indicating the subfloor and support structures are failing. There is large hole in the floor near the front door. Mold and mildew exist throughout the interior.

The original windows are, generally, intact. The original fireplace mantle and cast iron features are intact on either side of the central chimney.

Charley Waits, Building official, inspected the house on/ about Monday, Aug. 28th, and offered that the investment required would greatly surpass the value of the house. The tax record report is included along with a repair estimate. The repair estimate is probably low for the repair of walls and floors. The chimney stacks appear to have been removed or at least lowered below the roof line.

No plans have been presented for replacement or future development. Since the lot is zoned M-U, other development options do exist.

HPC Ordinance Section.

Sec. 9.25-55. Cherokee-Cassville Historic District.

PART FOUR—DEMOLITION

- 1. Before demolition, submit a site plan to the Commission illustrating proposed site development or plantings to follow demolition.
- 2. During demolition, ensure the safety of any adjacent properties and historic resources. Also, during and after demolition, protect the trees on the site from damage due to compaction of the soil by equipment or materials.
- 3. After demolition, clear the site promptly and thoroughly.
- 4. After demolition, plant or develop the site promptly as approved in the proposed site plan.

(e) *Effective date.* This district shall become effective on November 1, 2007.

(Ord. No. 40-07, § 2, 9-6-07; Ord. No. 06-20, § 1, 3-5-20)

Commissioners Work Sheet

Materials:

	Existing Materials	Materials to be Used
Roof	Asphalt shingle	
Siding	Wood Lapp, approx. 8in. reveal	
Windows	2/2 & 6/6, Wood	
Doors	Wood	
Exterior Lighting		
Foundation	Crawlspace- brick/block	
Deck		
Steps	Concrete	
Porches	Wood/ brick	
Driveway		

Notes:

Sec. 9.25-55. Cherokee-Cassville Historic District.

The City Council of the City of Cartersville adopts the Cherokee-Cassville Historic District as indicated herein.

- (a) *Boundaries.* The boundaries of the Cherokee-Cassville Historic District as indicated herein.

The Cherokee-Cassville District encompasses an area beginning at Bartow Street on the east; the proposed district extends to the west, centered along West Cherokee Avenue, to School Street. It then extends to the west and northwest, lying between West Cherokee Avenue, west to Jackson Street, and Wofford Street, northwest to Saint Francis Street. From approximately Saint Francis Street, the district continues to the northwest along both sides of Cassville Road to the Seaboard Railroad track. The proposed district is an area of predominantly historic residential development that lies along and in the vicinity of the West Cherokee Avenue - Cassville Road corridor. It lies west of the previously designated Downtown Business Historic District and north of the previously designated West End Historic District.

This proposed local historic district contains approximately 87.75 acres within the city limits of Cartersville, Georgia.

- (b) *Designation of contributing and non-contributing and owner list.* The following is a list of all properties and property owners of the Cherokee-Cassville Historic District and designation of each property as contributing or noncontributing pursuant to the City of Cartersville Historic Preservation Ordinance.

[ADDRESS TABLE OMITTED]

- (c) *Overlay map.* The zoning map of the City of Cartersville shall be amended to show the Cherokee-Cassville Historic District as an overlay on said zoning map and said overlay on said zoning map and said overlay shall be designated as the H-1C-C Historic District.

- (d) *Design standards.* The following design standards are adopted for the Cherokee-Cassville Historic District:

DESIGN STANDARDS FOR STRUCTURES
CONTRIBUTING TO THE RESIDENTIAL HISTORIC DISTRICTS

INTRODUCTION

The following Residential Design Standards are intended to identify the character-defining features of a site or structure used in determining the compatibility of the proposed alteration, repair, renovation, rehabilitation or restoration of an existing structure or the construction of a new structure regarding the appropriateness of the size, location, materials, style, rhythm, and any other quality deemed as contributing to the character of a historic property or structure as determined by the Historic Preservation Commission (Commission).

For items not addressed by the following standards or guidelines, the Commission will refer to the U.S. Department of the Interior, Secretary of the Interior Standards for the Treatment of Historic Properties, latest edition, for guidance.

In filing for a Certificate of Preservation all standards shall be complied with and so demonstrated on said application and supporting documentation. Guidelines, as indicated herein, may or may not be demonstrated in the application or supporting documentation for a Certificate of Preservation. Maintenance recommendations, if any, are included for informational purposes only and are not required to be included in an application for a Certificate of Preservation and, as such, shall not be considered by the Commission in reviewing said applications.

Generally:

1. It is not appropriate to introduce structures or contemporary equipment such as satellite dishes, solar collectors, playground equipment, heating and air units, storage units, and swimming pools, in locations that compromise the historic character of the building or site. Locate such features unobtrusively, and screen them from view.
2. When planning to alter the topography of a site substantially through grading, filling, or excavation, one shall contact the Cartersville Planning and Development Department to confirm that the proposed changes comply with the city building code and development regulations.
3. When remodeling historic structures or constructing new structures in historic districts, care shall be taken in retaining and preserving the historic relationship between buildings and related features of the district, to include but not be limited to, site topography, retaining walls, foundation plantings, hedges, walkways, driveways, parking lots, trees, gardens, yards, arbors, ground cover, fences, accessory buildings, patios, terraces, and significant vistas and views.

PART ONE—MAINTAINING, REPAIRING, AND REPLACING EXISTING STRUCTURES

A. *Wood:*

1. Repair historic wooden features using the recognized preservation methods for patching, consolidating, splicing, and reinforcing.
2. If replacement of a deteriorated detail or element of a wooden feature is necessary, replace only the deteriorated detail or element in kind rather than the entire feature. Match the original detail or element in design, dimension, texture, and material. Use compatible substitute materials only if using the original material is not feasible.
3. If replacement of an entire wooden feature is necessary, replace it in kind, matching the original in design, dimension, detail, and texture. Use compatible substitute materials only if using the original material is not feasible.
4. If a wooden feature is completely missing, replace it with a new feature based on accurate documentation of the original feature or a new design compatible in scale, size, material, and texture with the historic building and district.
5. One shall not clean wooden features and surfaces with destructive methods such as sandblasting, power washing, and using propane or butane torches. Clean using gentle methods such as low-pressure washing with detergents and natural bristle brushes. Chemical strippers can be used only if gentler methods are ineffective.
6. One shall not strip historically painted surfaces down to bare wood and apply clean stains or finishes to create a natural wood appearance.
7. One shall not replace painted wooden siding that is sound with new siding to achieve a uniformly smooth wooden surface.
8. One shall not replace or cover wooden siding, trim, or window sashes with contemporary substitute materials such as aluminum, masonite or vinyl without approval from the Commission. However, in order to maintain continuity, material for additions, as well as out buildings, shall closely match the house.
9. One shall not introduce wooden features or details to a historic building to create a false historic appearance.

10. Preserve wooden features that contribute to the overall historic character of a building and site, including such functional and decorative elements as siding, shingles, cornices, architrave, brackets, pediments, columns, balustrades, and architectural trim.
11. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed.
 - a. When retaining and cleaning painted surfaces, it is required that the gentlest means possible be used. It is further required that historic structures be painted only when the paint film is damaged or deteriorated.
 - b. Protect and maintain wooden surfaces and features through appropriate methods. Inspect for and repair signs of moisture damage, mildew, and fungal or insect infestation. Keep wooden joints properly sealed or caulked to prevent moisture infiltration.
 - c. Treat traditionally unpainted, exposed wooden features with chemical preservatives to prevent or slow their decay and deterioration.
 - d. Retain protective surface coatings, such as paint, to prevent damage from ultraviolet light and moisture.

B. *Masonry:*

1. Retain and preserve masonry features that contribute to the overall historic character of a building and a site, including walls, foundations, roofing materials, chimneys, cornices, quoins, steps, buttresses, piers, columns, lintels, arches, and sills.
2. Protect and maintain historic masonry materials, such as brick, terra cotta, limestone, granite, stucco, slate, concrete, cement block, and clay tile, and their constructive features, including bond patterns, corbels, water tables, and unpainted surfaces.
3. Repair historic masonry surfaces and features using recognized preservation methods for piecing-in, consolidating, patching damaged or deteriorated masonry. One shall not apply a waterproof coating to exposed masonry.
4. Repoint masonry mortar joints if the mortar is cracked, crumbling, or missing or if damp walls or damaged plaster indicate moisture penetration.
5. Before repointing, carefully remove deteriorated mortar using hand tools. Replace the mortar with new mortar that duplicates the original in strength, texture, and composition. Match the original mortar joints in width and profile.
6. If replacement of a deteriorated detail, module, or element of a masonry feature or surface is necessary, replace only the deteriorated portion in kind rather than the entire surface or feature. Use compatible substitute materials only if using the original material is not technically feasible.
7. If replacement of a large masonry surface or entire feature is necessary, replace it in kind, with matching, substitute materials only if using the original material is not technically feasible.
8. If a masonry feature is completely missing, replace it with a new feature based on accurate documentation of the original feature or a new design compatible with the scale, size, and material of the historic building and district.
9. One shall not paint, coat, or waterproof unpainted masonry surfaces. Do not sandblast exterior surfaces. Use the gentlest means possible to clean exterior materials.
10. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:

- a. Inspect surfaces and features for signs of moisture damage, vegetation, structural cracks or settlement, deteriorated mortar, and loose or missing masonry units.
 - b. Provide adequate drainage to prevent water from standing on flat, horizontal surfaces, collecting on decorative elements or along foundations and piers, and rising through capillary action.
 - c. Clean masonry only when necessary to remove heavy soiling or prevent deterioration. Use the gentlest means possible.
 - d. Repaint painted masonry surfaces when needed.
 - e. Test any cleaning technique, including chemical solutions, on an inconspicuous sample area well in advance of the proposed cleaning to evaluate its effects. One shall not clean masonry features and surfaces with destructive methods, including sandblasting, high-pressure water blasting, and power washing.
- C. *Architectural metals:*
1. Retain and preserve architectural metal features that contribute to the overall historic character of a building and a site, including such functional and decorative elements as roofing, flashing, cornices, railings, hardware, casement windows, and fences.
 2. Retain and preserve architectural metals, such as copper, tin, brass, cast iron, wrought iron, lead, and terneplate, which contribute to the overall historic character of the district.
 3. If replacement of deteriorated detail or element of an architectural metal feature is necessary, replace only the deteriorated portion in kind rather than the entire feature. Match the original detail or element in design, dimension, texture, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 4. If replacement of an entire architectural feature is necessary, replace it in kind, matching the original feature in design, dimension, detail, texture, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 5. If an architectural metal feature is completely missing, replace it with a new feature based on accurate documentation of the original design or a new design compatible in scale, size, and material with the historic building and district.
 6. Repair deteriorating architectural metal features and surfaces using recognized preservation methods for splicing, patching, and reinforcing.
 7. One shall not introduce architectural metal features or details to a historic building in an attempt to create a false historical appearance.
 8. One shall not patch metal roofs or flashing with tar or asphalt products.
 9. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. Protect and maintain architectural metal surfaces and features through appropriate methods:
 1. Inspect for signs of moisture damage, corrosion, structural failure or fatigue, galvanic action, and paint film failure.
 2. Provide adequate drainage to prevent water from standing on flat, horizontal surfaces and collecting on decorative elements.
 3. Clear metal roofs and gutters of leaves and debris.
 - b. Retain protective surface coatings, such as paint and lacquers, to prevent corrosion.

- c. Clean when necessary to remove corrosion or to prepare for recoating. Use the gentlest effective method.
 - d. Repaint promptly when paint film deteriorates.
 - e. Clean soft metals, including lead, tin, terneplate, and copper, with chemical solutions after pretesting them to ensure that they do not damage the metal surface. It is not appropriate to clean soft metal surfaces with destructive methods like grit blasting.
 - f. Clean hard metals such as cast iron, wrought iron, and steel using the gentlest means possible. Consider low-pressure glass bead blasting only if hand scraping and wire brushing have been ineffective.
- D. *Paint:*
- 1. Preserve and protect original exterior building surfaces and site features that were painted by maintaining a sound paint film on them.
 - 2. One shall not paint brick, stone, copper, bronze, concrete, or cement block surfaces that were historically unpainted. Do not sandblast exterior surfaces. Use the gentlest means possible to clean exterior materials.
 - 3. One shall not replace painted wooden siding that is sound with new siding to achieve a uniformly smooth wooden surface.
 - 4. One shall not remove paint films through destructive methods such as sandblasting, water blasting, power washing, or the use of propane or butane torches.
 - 5. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. Protect and maintain previously painted exterior surfaces in appropriate ways:
 - 1. Inspect painted surfaces for signs of discoloration, moisture damage, mildew, and dirt buildup.
 - 2. Clean painted surfaces to avoid unnecessary repainting. Use the gentlest means possible.
 - 3. Remove deteriorated and peeling paint films to the first sound paint layer before repainting. Use the gentlest means possible, such as hand scraping and hand sanding. Use electric heat guns and plates with caution and only if gentler methods are ineffective.
 - 4. Ensure that surfaces to be repainted are clean and dry, and that any exposed wood or metal surface has been primed so that new paint will bond properly.
 - b. Repaint previously painted surfaces with compatible paint.
- E. *Roofs:*
- 1. Retain and preserve roofs and roof forms that contribute to the overall historic character of a building, including their functional and decorative features, such as roofing materials, cresting, dormers, chimneys, cupolas, and cornices, unless approved by the Commission.
 - 2. If replacement of a partially deteriorated roof feature is necessary, replace only the deteriorated portion in kind to match the original feature in design, dimension, detail, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.

3. If full replacement of a deteriorated historic roofing material or feature is necessary, replace it in kind, matching the original in scale, detail, pattern, design, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
4. If a roof feature is completely missing, replace it with a new feature based on accurate documentation of the original feature or a new design compatible in scale, size, and material, with the historic building and district.
5. One shall not remove a roof feature that is important in defining the overall historic character of a building rather than repair and replace it.
6. If new gutters and downspouts are needed, install them so that no architectural features are lost or damaged. Retain the shape of traditional half-round gutters and downspouts if replacing them.
7. One shall not replace concealed, built-in gutter systems with exposed gutters.
8. One shall not introduce new roof features such as skylights, dormers, or vents if they will compromise the historic roof design, or damage character-defining roof materials or the character of the historic district.
9. One shall not install ventilators, solar collectors, antenna, skylights, or mechanical equipment in locations that compromise character defining roofs or on roof slopes prominently visible from the street.
10. One shall not install exposed tarpaper rolls as a finished roofing material or roofing tar as a replacement for valley flashing.
11. One shall not patch any roofing or flashing with tar or asphalt product.
12. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. Protect and maintain the metal, wooden, and masonry elements of historic roofs through appropriate methods:
 1. Inspect for signs of deterioration and moisture penetration.
 2. Clean gutters and downspouts to ensure proper drainage.
 3. Replace deteriorated flashing as necessary.
 4. Reapply appropriate protective coats to metal roofs as necessary.
 5. Maintain adequate ventilation of roof sheathing to prevent moisture damage.
 6. Ensure that roofing materials are adequately anchored to resist wind and water.
 7. Re-fasten loose (or replace damaged) shingles, slates, or tiles.
 - b. Repair historic roofs and their distinctive features through recognized preservation methods for resetting or reinforcing.

F. *Exterior walls:*

1. Retain and preserve exterior walls that contribute to the overall historic form and character of a building, including their functional and decorative features, such as cornices, foundations, bays, quoins, arches, water tables, brackets, and entablatures.
2. Retain and preserve exterior wall materials that contribute to the overall historic character of a building, including brickwork, stucco, stone, wooden shingles, wooden siding, asbestos siding, and metal, wooden, or masonry trim work.

3. Repair exterior wall surfaces, details, and features using recognized preservation repair methods for the surface material or coating.
 4. If the replacement of a deteriorated detail or element of an exterior wall is necessary, replace only the deteriorated portion in kind rather than the entire feature. Match the original in design, dimension, detail, texture, pattern, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 5. If replacement of an entire exterior wall or feature is necessary because of deterioration, replace it in kind, matching the original in design, dimension, detail, texture, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 6. If an exterior wall or feature is completely missing, replace it with a new wall or feature based on accurate documentation of the original or new design compatible with the historic character of the building and the district.
 7. One shall not introduce new features such as window or door openings, bays, vents, balconies, or chimneys to character-defining exterior walls if this will compromise the architectural integrity of the building.
 8. One shall not remove or cover any material detail associated with exterior walls, including decorative shingles, panels, brackets, bargeboards, and corner boards unless supported by historic documentation.
 9. One shall not cover historic wall material, including wooden siding, wooden shingles, stucco, brick, and stonework, with coatings or contemporary substitute materials.
 10. It is not appropriate to introduce features or details to an exterior wall that would create a false historical appearance.
- G. *Driveways, walkways and off-street parking:*
1. During rehabilitation and/or repair which requires a Certificate of Preservation the following standards shall be observed:
 - a. Driveways, walkways and off-street parking should be gravel, brick, concrete, or paved with appropriate textured asphalt.
 - b. Care should be taken not to injure nearby trees by intruding on the root areas.
 - c. Design new driveways, walkways to be compatible in location, spacing, configuration, and dimension with existing walkways and driveways that contribute to the overall historic character of the district.
 - d. One shall not locate new parking areas where they are visible from the street, or to significantly alter the proportion of built area to yard area.
 - e. One shall not locate parking where it will obstruct the principal structure.
- H. *Lighting:*
1. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. Lighting of walkways, driveways and off-street parking shall retain and preserve mechanically sound exterior fixtures that contribute to the overall historic character of a building, site or streetscape.

- b. If replacing missing or deteriorated historical exterior fixtures, replace with fixtures that are similar in appearance, scale, and material to the original.
 - c. The introduction of indiscriminate permanent area lighting, illuminating facades of houses with harsh floodlight, or creating a runway effect with multiple footlights along front walks is not allowed unless approved by the Commission.
- I. *Windows and doors:*
1. Retain and preserve windows that contribute to the overall historic character of a building, including their functional and decorative features, such as frames, sash, muntins, sills, heads, moldings, surrounds, hardware, shutters, and blinds.
 2. Retain and preserve doors that contribute to the overall historic character of a building, including their functional and decorative features, such as frames, glazing, panels, sidelights, fanlights, surrounds, thresholds, and hardware.
 3. If replacement of a deteriorated window or door feature or detail is necessary, replace only the deteriorated feature in kind rather than the entire unit. Match the original in design, dimension, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 4. If replacement of a deteriorated window or door unit is necessary, replace the unit in kind, matching the design and dimension of the original sash or panels, pane configuration, architectural trim, detailing, and materials. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 5. If a window or a door is completely missing, replace it with a new unit based on accurate documentation of the original or a new design compatible with the original opening and the historic character of the building.
 6. Replace deteriorated or missing wooden shutters with historically appropriate wooden shutters sized to fit the opening. Do not introduce shutters on a historic building if no evidence of earlier shutters exists.
 7. If additional windows and doors are necessary for a new use, install them on a rear or non-character-defining facade of the building, but only if they do not compromise the architectural integrity of the building. Design such units to be compatible with the overall design of the building, but not to duplicate the original.
 8. One shall not remove original doors, windows, shutters, hardware, and without approval from the Commission.
 9. One shall not remove any detail material associated with windows and doors, such as stained glass, beveled glass, textured glass, or tracery, unless supported by historic documentation.
 10. One shall not use snap-in muntins to create false divided-light appearance.
 11. One shall not replace clear glazing with tinted or opaque glazing.
 12. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. Protect and maintain the wood and metal elements of historic windows and doors through appropriate methods:
 1. Inspect regularly for deterioration, moisture damage, air infiltration, paint failure, and corrosion.

2. Clean the surface using the gentlest means possible.
 3. Limit paint removal and reapply protective coatings as necessary.
 4. Reglaze sash as necessary to prevent moisture infiltration.
 5. Weather-strip windows and doors to reduce air infiltration and increase energy efficiency.
- b. Repair historic windows and doors and their distinctive features through recognized preservation methods for patching, consolidating, splicing, and reinforcing.
 - c. If desired, introduce narrow-profile exterior or interior storm windows so that they do not obscure or damage the existing sash and frame. Select exterior storm windows with a painted or baked-enamel finish that is compatible with the sash. For double-hung windows, operable storm window dividers should align with the existing meeting rail.
 - d. If desired, introduce full-light storm doors constructed of wood or aluminum that do not obscure or damage the existing door and frame. Select storm doors with a painted, stained, or baked-enamel finish that is compatible with the existing door. Bare aluminum storm doors are not appropriate.
 - e. If desired and where historically appropriate, install fabric awnings over window, door or porch openings with care to ensure that historic features are not damaged or obscured.
- J. *Entrances, porches, and balconies:*
1. Retain and preserve entrances, porches, and balconies that contribute to the overall historic character of a building, including such functional and decorative elements as columns, pilasters, piers, entablatures, balustrades, sidelights, fanlights, transoms, steps, railings, floors, and ceilings.
 2. When repairing historic entrances, porches, balconies and their distinctive features and materials, use recognized preservation methods for patching, consolidating, splicing, and reinforcing.
 3. If replacement of a deteriorated detail or element of an entrance, porch or balcony feature is necessary, replace only the deteriorated detail or element in kind rather than the entire feature. Match the original in design, dimension, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 4. If replacement of an entire entrance, porch or balcony feature is necessary because of deterioration, replace in kind, matching the original in design, dimension, detail, texture, and material. Use compatible substitute materials as determined by the Commission only if using original materials is not technically feasible.
 5. If a feature or an entire entrance, porch or balcony is missing, replace it with a feature based on accurate historic documentation or a new design compatible with the historic character of the building and the district.
 6. One shall not enclose a front porch or balcony without approval from the Commission.
 7. One shall not remove any detail material associated with entrances and porches, such as graining, spindle-work, beveled glass, or beaded board, unless supported by historic documentation.
 8. One shall not remove an original entrance or porch or add a new entrance or porch on a primary facade.
 9. One shall not introduce features or details to a historic entrance, porch or balcony that would create a false historical appearance.
- K. *Utilities and energy retrofit:*

1. If a new mechanical system is needed, install it so that it causes the least amount of alteration to the building's exterior facades, historic building fabric, and site features.
2. Increase the thermal efficiency of historic buildings by observing appropriate traditional practices, such as weather stripping and caulking, and by introducing energy-efficient features, such as awnings, operable shutters, and storm windows and doors, where appropriate.
3. Retain and preserve the inherent energy-conserving features of historic buildings and their sites, including shade trees, porches, awnings, and operable windows, transoms, shutters, and blinds.
4. Locate portable window air-conditioning units on rear facades or inconspicuous side facades.
5. During rehabilitation and/or repair which requires a Certificate of Preservation, the following standards shall be observed:
 - a. If desired, introduce narrow-profile exterior or interior storm windows so that they do not obscure or damage the existing sash and frame. Select exterior storm windows with a painted or baked-enamel finish that is compatible with the sash. For double-hung windows, operable storm window dividers should align with existing meeting rails.
 - b. If desired, introduce full-light storm doors constructed of wood or aluminum that do not obscure or damage the existing door or frame. Select storm doors with a painted, stained, or baked-enamel finished that is compatible with the existing door. Bare aluminum storm doors and storm windows are not appropriate.
 - c. If desired and where historically appropriate, install fabric awnings over window, door or porch openings with care to ensure that historic features are not damaged or obscured.
 - d. In general, the introduction of underground utility lines to reduce the intrusion of additional overhead lines and poles is encouraged. However, in trenching, take care to avoid archaeological resources and the roots of trees.

L. *Accessibility, health, and safety considerations:*

1. In considering changes to a historic building, review accessibility and life safety code implications to determine if the proposed change is compatible with the building's historic character and setting or will compromise them.
2. Meet accessibility and life-safety building code requirements in such a way that the historic building's character-defining facades, features, and finishes are preserved.
3. Determine appropriate solutions to accessibility with input from the Commission, historic preservation specialists and local disability groups.
4. Introduce new or additional means of access that are reversible and that do not compromise the original design of a historic entrance or porch.
5. Work with code officials to explore alternative methods of equal or superior effectiveness in meeting safety code requirements while preserving significant historic features.
6. Locate fire doors, exterior fire stairs, or elevator additions on side or rear facades. Design such elements to be compatible in character, materials, scale, proportion, and finish with the historic building.

M. *Aesthetic recommendations:*

1. Survey in advance and limit any disturbance to the site's terrain during construction to minimize the possibility of destroying unknown archaeological resources.

2. Protect large trees and other significant site features from immediate damage during construction and from delayed damage due to construction activities, such as loss of root area or compaction of the soil by equipment. It is especially critical to avoid compaction of the soil within the drip lines of trees.
3. Limit the size and scale of an addition in relationship to the historic building so that it does not diminish or visually overpower the building.

PART TWO—ADDITIONS AND NEW BUILDING CONSTRUCTION

A. *Additions to historic buildings:*

1. Design an addition to be compatible with the historic building in mass, materials, and relationship of solids to windows and doors in the exterior walls, yet make the addition discernible from the original.
2. One shall not construct an addition if it will detract from the overall historic character of the principal building and the site, or if it will require the removal of a significant building element or site feature.
3. One shall not construct an addition that significantly changes the proportion of built mass to open space on the individual site.
4. Construct new additions so that there is the least possible loss of historic fabric and so that the character-defining features of the historic building are not destroyed, damaged, or obscured.
5. Design new additions so that the overall character of the site, site topography, character-defining site features, trees, and significant district vistas and view are retained.
6. Locate a new addition on an inconspicuous elevation of the historic building, usually the rear one.

B. *New building construction:*

1. New site construction shall be compatible with surrounding buildings that contribute to the overall character of the historic district in terms of orientation, and distance from adjacent buildings.
2. Design new construction so that the overall character of the site, site topography, character-defining site features, trees, and significant district vistas and views are retained.
3. Evaluate in advance and limit any disturbance to the site's terrain during construction to minimize the possibility of destroying unknown archaeological resources.
4. Design new buildings to be compatible with surrounding buildings that contribute to the overall character of the historic district in terms of height, form, size, scale, massing, proportion, and roof shape.
5. Design the proportion of the proposed new building's front facade to be compatible with the front facade proportion of surrounding buildings.
6. Design the spacing, placement, scale, orientation, proportion, and size of window and door openings in proposed new construction to be compatible with surrounding buildings that contribute to the special character of the historic district.
7. Select windows and doors for proposed new building that are compatible in material, subdivision, proportion, pattern, and detail with the windows and the doors of surrounding buildings that contribute to the special character of the historic district.
8. Select materials and finishes for proposed new buildings that are compatible with historic materials and finishes found in surrounding buildings that contribute to the special character of the historic district in terms of composition, scale, module, pattern, detail, texture, finish and sheen.
9. Design new buildings so that they are compatible with, but discernible from, historic buildings in the district.

Recommendations:

1. Protect large trees and other significant site features from immediate damage during construction and from delayed damage due to construction activities, such as loss of root area or compaction of the soil by equipment. It is especially critical to avoid compaction of the soil within the drip line of trees.

PART THREE—RELOCATION OF STRUCTURES

1. Before moving a historic structure, document its original setting and context. Use photographs, site plans, or other graphic or written statements to record existing site conditions.
2. Enlist contractors experienced in moving historic buildings to do the following:
 - a. Determine the structural condition of the property before the move.
 - b. Coordinate the move with the utility companies and appropriate city departments.
 - c. Protect the structure from vandalism or weather damage before, during and after the move.
 - d. Minimize structural damage during the move.
3. Relocate a structure within the historic district only if it is determined to be architecturally compatible with the adjacent buildings according to the guidelines for new construction.
4. Relocate a structure on a site within a historic district according to new construction guidelines for siting, orientation, plantings, and other pertinent aspects of site and setting.
5. Ensure that the relocation of a structure will not diminish or damage existing historic district buildings or the overall character of the district. Pay particular attention to the tree canopy along the route of the move.
6. Provide the HPC with site plan information for the proposed site features and plantings of the new setting, including information on accessory buildings, driveways, site lighting, and parking areas.
7. If the original site of the structure to be relocated is within a historic district, before the move, submit to the Commission a site plan for proposed site features and plantings of the original site after the relocation.
8. Protect significant site features of the original site, the new site, and the route of the move during relocation.

PART FOUR—DEMOLITION


1. Before demolition, submit a site plan to the Commission illustrating proposed site development or plantings to follow demolition.
2. During demolition, ensure the safety of any adjacent properties and historic resources. Also, during and after demolition, protect the trees on the site from damage due to compaction of the soil by equipment or materials.
3. After demolition, clear the site promptly and thoroughly.
4. After demolition, plant or develop the site promptly as approved in the proposed site plan.

(e) *Effective date.* This district shall become effective on November 1, 2007.

(Ord. No. 40-07, § 2, 9-6-07; Ord. No. 06-20, § 1, 3-5-20)



Overview



Legend


- Parcels
- Roads

Parcel ID	C013-0007-006	Alternate ID	33583	Owner Address	ALADAY INVESTMENT CORP
Sec/Twp/Rng	n/a	Class	Residential		155 W PUTNAM FERRY RD
Property Address	126 CASSVILLE RD	Acreage	1.7		WOODSTOCK, GA 30189
District	Cartersville				
Brief Tax Description	LL 380-413 D 4				

(Note: Not to be used on legal documents)

Date created: 7/31/2023
 Last Data Uploaded: 7/28/2023 9:03:38 PM

Developed by **Schneider**
 GEOSPATIAL



- Legend**
- Parcels
 - Roads
- Cartersville Zoning**
- AG
 - DBD
 - G-C
 - G-C*
 - H-I
 - H-I*
 - L-I
 - L-I*
 - M-U
 - M-U*
 - MF-14
 - MF-14*
 - MN
 - O-C
 - O-C*
 - P-D
 - P-D*
 - P-I
 - P-S
 - P-S*
 - R-10
 - R-10*
 - R-15
 - R-15*
 - R-20
 - R-20*
 - R-7
 - R-7*
 - R-D
 - RA-12
 - RA-12*
 - RSL

Parcel ID C013-0007-006
 Sec/Twp/Rng n/a
 Property Address 126 CASSVILLE RD

Alternate ID 33583
 Class Residential
 Acreage 1.7

Owner Address ALADAY INVESTMENT CORP
 155 W PUTNAM FERRY RD
 WOODSTOCK, GA 30189

District Cartersville
Brief Tax Description LL 380-413 D 4
(Note: Not to be used on legal documents)

Date created: 7/31/2023
Last Data Uploaded: 7/28/2023 9:03:38 PM

Developed by  **Schneider**
GEOSPATIAL

Bartow County, GA

Summary

Parcel Number C013-0007-006
Location Address 126 CASSVILLE RD
Legal Description LL 380-413 D 4
 (Note: Not to be used on legal documents)
Class R3-Residential
 (Note: This is for tax purposes only. Not to be used for zoning.)
Tax District Cartersville (District 01)
Millage Rate 29.65
Acres 1.7
Neighborhood 3 - Cville Intown B Market (000003)
Account Number 33583
Homestead Exemption No (S0)
Landlot/District N/A

[View Map](#)



Owner

ALADAY INVESTMENT CORP
155 W PUTNAM FERRY RD
WOODSTOCK, GA 30189

Land

Type	Description	Calculation Method	Square Footage	Frontage	Depth	Acres	Lots
Residential	3016 - B MARKET COM -AC	Acres	76,282	345	221	1.7	1

Residential Improvement Information

Style SingleFamily
Heated Square Feet 1664
Interior Walls Plaster
Exterior Walls Aluminum/Vinyl Siding
Foundation Continous Ft
Attic Square Feet 0
Basement Square Feet 0
Year Built 1906
Roof Type Asphalt Comp Shg
Flooring Type Sheet Vinyl
Heating Type Miini-Split/Air-Not Ducted
Number Of Rooms 0
Number Of Bedrooms 3
Number Of Full Bathrooms 1
Number Of Half Bathrooms 0
Number Of Plumbing Extras 0
Value \$10,200
Condition Poor
Fireplaces\Appliances 1 Story Fireplace 1
House Address 126 CASSVILLE RD

Style SingleFamily
Heated Square Feet 600
Interior Walls Plywood Panel
Exterior Walls Aluminum/Vinyl Siding
Foundation Slab
Attic Square Feet 0
Basement Square Feet 0
Year Built 1980
Roof Type Asphalt Comp Shg
Flooring Type Sheet Vinyl
Heating Type Central heat & air
Number Of Rooms 0
Number Of Bedrooms 0
Number Of Full Bathrooms 0
Number Of Half Bathrooms 1
Number Of Plumbing Extras 0
Value \$16,432
Condition Poor
House Address 126 CASSVILLE RD

Permits

Permit Date	Permit Number	Type	Description
03/10/2010	bp10-17	Residential Renovati	CARD NO: 1 SEQ NO: 1

Valuation

2023 Values are Preliminary and subject to change until Certified.

	2023	2022	2021	2020
Fair Market Land Value	\$255,000	\$190,000	\$190,000	\$157,500
+ Fair Market Improvement Value	\$43,943	\$26,632	\$20,656	\$54,005
+ Fair Market Accessory Value	\$0	\$0	\$0	\$0
= Fair Market Value	\$298,943	\$216,632	\$210,656	\$211,505
Assessed Land Value	\$102,000	\$76,000	\$76,000	\$63,000
+ Assessed Improvement Value	\$17,577	\$10,653	\$8,262	\$21,602
+ Assessed Accessory Value	\$0	\$0	\$0	\$0
= Assessed Value (40% FMV)	\$119,577	\$86,653	\$84,262	\$84,602

Assessment Notice 2023

[2023 Assessment Notice \(PDF\)](#)

Assessment Notice 2022

[2022 Assessment Notice \(PDF\)](#)

Assessment Notice 2021

[2021 Assessment Notice \(PDF\)](#)


Assessment Notice 2020


[2020 Assessment Notice \(PDF\)](#)

Assessment Notice 2019

[Assessment Notice 2019 \(PDF\)](#)

Sketches





Photos



Sales

Sale Date	Deed Book / Page	Plat Book / Page	Sale Price	Reason	Grantor	Grantee
7/15/2022	3482 75		\$0	Deed Shows \$3 or less in revenue stamps	LEARY VERA OLAUGHLIN	ALADAY INVESTMENT CORP
1/1/1983	940 122	NULL NULL	\$0	Other, Unknown, Please add notes	NULL	NULL
11/1/1981	412 39		\$0	Other, Unknown, Please add notes	NULL	NULL

Comp Search (Residential)

Start Comp Search

No data available for the following modules: Online Appeal, Comp Search (Vacant), Rural Land, Conservation Use Rural Land, Commercial Improvement Information, Mobile Homes, Accessory Information, Prebill Mobile Homes, Comp Search (Commercial).

The Bartow County Board of Assessors makes every effort to produce the most accurate information possible. No warranties, expressed or implied are provided for the data herein, its use or interpretation. The assessment information is from the last certified tax roll. All other data is subject to change.

[User Privacy Policy](#) | [GDPR Privacy Notice](#)
Last Data Upload: 7/28/2023, 9:03:38 PM

Contact Us





Cartersville Historic Preservation Commission
CERTIFICATE OF PRESERVATION APPLICATION

*Applicant: Gabriela Salas
Project Address: 126 Cassville Rd Cartersville GA
Mailing Address (if different than project address):
155 W Putnam Ferry Rd GA 30109
Phone: 678 748 9111
Email: aladay72@hotmail.com

*NOTE: If applicant is not the owner, as listed on the property deed, a letter from the owner authorizing the proposed work must be included along with the owners phone number and address.

PROCEDURE

Application Requirements
All Applications must be complete and include support materials listed on the reverse of this form and a \$25 non-refundable application fee.

Application Deadlines
See 3rd page of application for application submittal deadlines.

Application Representation
The applicant or authorized representative of the applicant should attend the public hearing to support the application.

Building Permits Requirements
In Addition to a COP application, building permits must be acquired from the Community Development Department. **Building permits will not be issued without proof of a COP.**

Deadline for Project Completion
After approval, the COP is valid for 18 months and void if construction does not begin within 6 months of approval.

Office Use Only	
Case Number	COP23-18
Date Received	7-31-23
Contributing	Y-c.1906
Zoning	M-U
Legal Advertisement	8-8-23
Notified Adjacent	
HPC Hearing	8-15-23
HPC Decision	
COP Expiration	
Project Completion	
Tax Parcel	C013-0007-006

**P
R
O
J
E
C
T

I
N
F
O
R
M
A
T
I
O
N**

Existing Building Type:
 Residential One, Two or Multi-family _____
 Commercial Garage, Storage _____
 Other _____
Brief Project Description (example: addition of sunroom, installation of fence)

Type of Project (check all that apply):
 New building
 Addition to building
 Relocation of building(s)
 Demolition
 Fence(s), wall(s), landscaping
 Minor exterior change
 Major restoration, rehabilitation, or remodeling
 Other _____

Start Date: 08-03-2023
Anticipated Completion: _____

Contractor/Consultant/Architect: _____

AUTHORIZATION
In consideration for the City of Cartersville's review of this application for a proposed change to a locally designated property, the applicant agrees to hereby indemnify and hold harmless the City and its' agents and employees from and against any and all claims, damages, and/or liability arising from or related to this application or any issuance of a permit hereunder.
Date _____ Signature _____

APPLICATION CHECKLIST

The following list includes the support material necessary for review of a particular project.

New Buildings and New Additions

- site plan
- architectural elevations
- floor plan
- landscape plan (vegetation not required)
- description of construction materials
- photographs of proposed site and adjoining properties

Major Restoration, Rehabilitation, or Remodeling

- architectural elevations or sketches
- description of proposed changes
- description of construction materials
- photographs of existing building
- documentation of earlier historic appearances (restoration only)

Minor Exterior Changes

- description of proposed changes
- description of construction materials
- photographs of existing building

Site Changes – Parking areas, Drives, Walks

- site plan or sketch of site
- description of construction materials
- photographs of site

Site Changes – Fences, Walls, Systems

- site plan or sketch of site
- architectural elevations or sketches
- description of construction materials
- photographs of site

Site Changes – Signs

- specifications
- description of construction materials and illumination

Demolition

Must include a complete plan for the new development:

- timetable
- demolition budget
- new construction budget
- evidence of adequate financing

NOTE: Only complete applications will be placed on the agenda for design review. Submit to:

City of Cartersville
Planning and Development Department
P.O. Box 1390
Cartersville, GA 30120

PROJECT DESCRIPTION

Item 2.

Include support materials and attach additional sheets if needed. If the proposed scope of work will involve more than one type of project, please divide the description. [Example: (1) Addition to rear (2) New roof]

We will be demolishing property, and leaving everything clean from property.

PRECEDENCE OF DECISIONS

Each application will be considered on its own merit with reference to the Secretary of the Interior's Standards and the Commission's published Design Standards. While the Historic Preservation Commission may consider past actions when making decisions on an Application for a Certificate of Preservation, it is not held by those decisions when considering new application that may appear similar in character.

AVHandyman

155 W Putnam Ferry Rd
Woodstock, GA 30189

TO:
Gabriela Salas
Job:
126 cassville road
Cartersville, 30120

UNIT	DESCRIPTION	UNIT PRICE
	Roofing	\$15,000.00
	Floor	\$15,000.00
	Walls and siding	\$18,000.00
	Windows	\$5,000.00
	Doors	\$2,500.00
	A/C	\$7,500.00
	Electricity	\$18,000.00
	Plumbing	\$28,000.00
	1 year warranty	
	Material and labor included	
	Total Due:	\$109,000.00

Make all checks payable to **AV Plumbing**

If you have any questions concerning this invoice, contact

alan.avplumbing@gmail.com | letzi.avplumbing@gmail.com | villalobos5739@icloud.com |

THANK YOU FOR YOUR BUSINESS!



Front of House/ Porch.



Roof from NE corner.



North wall of porch. ^{4cm?}
Water Damage.



North wall of porch. Water Damage.



View to south wall from SE corner



View to south wall from SE corner



View to south wall from SW corner



View to south wall from SW corner



View to rear of home from SW corner



View to rear of home from SW corner. Roof missing on addition.



View to northern wall from NW corner



View to rear of home from NW corner




View to rear of home from NW corner



Left rear room abutting addition.




Left rear room. Door to laundry room in center rear of house.



Center rear Laundry room abutting addition.



View into addition from Left rear room.



View into addition from Left rear room.



View across Right front room from corner.



Right front room at entry door. Roof leak.

Item 2.



Foyer- Front Center Room at front door.. Rotted floor from water damage



Foyer- Front Center Room at front door.. Rotted ceiling above rotted floor from water damage



Fire place mantle and cast iron front. Center of House.



Fire place mantle and cast iron front. Center of House.



HISTORIC PRESERVATION COMMISSION ITEM SUMMARY

MEETING DATE:	September 19, 2023
SUBCATEGORY:	HPC
DEPARTMENT NAME:	Planning and Development
AGENDA ITEM TITLE:	COP23-20. 11 Luckie St. Applicant: Gary L. White
DEPARTMENT SUMMARY RECOMMENDATION:	Applicant wishes to demolish the existing house due to a fallen tree through house.
LEGAL:	N/A



City of Cartersville Historic Preservation Commission COP Application Staff Report
Case: COP 23-20

HPC Meeting 09/19/2023

Application Information

Address: 11 Luckie St.
 Applicant: Gary L. White
 Historic District: Olde Town
 Zoning: R-7 (Residential)
 Setbacks: Front= 10ft. Rear= 20ft. Side=8ft.

Summary Description: Demolish existing house and rebuild a house.

Applicable Guidelines to Consider:

Residential Design Guidelines	
<i>Part One: Maintaining, Repairing, Replacing Structures Contributing to a Historic District.</i>	
A. Wood	K. Utilities and Energy Retrofit
B. Masonry	L. Accessibility, Health, and Safety Considerations
C. Architectural Metals	M. Additions to Historic Buildings
D. Paint	N. Aesthetic Recommendations
E. Roofs	
F. Exterior Walls	PART TWO: New Construction
G. Driveways, Walkways, and Off-Street Parking	
H. Lighting	PART THREE: Relocation
I. Windows and Doors	
J. Entrances, Porches and Balconies	<input checked="" type="checkbox"/> PART FOUR: Demolition
Commercial Design Guidelines (Historic Downtown Business District)	
PART ONE: General Guidelines for Structures Contributing to the District.	
PART TWO: Guidelines for New Construction –	

Project Scope:

1. Demolish existing house; and,
2. Grade, grass and stabilize site.
3. New house plans to be presented at future HPC meeting for review.

Staff Comments:

History of the Property- The house was constructed in 1968 per the Bartow County Tax records. No GHRS for this location.

No previous COPs on file.

Analysis of the COP:

The house is historic, non-contributing. The house type is ranch. The housing style is undetermined. Site visits were performed on 9/12. Photos are included.

On April 1st, a large oak tree fell diagonally across the house from the left rear corner to near the front door. Damaging at least half the house including the roof, floor and walls. A structural engineers' report dated 6/23/23 is included with the application. The report recommends repair of the structure; however, the applicant would like to replace the structure in its' entirety.

Per the applicant, the original house burned soon after it was purchased by the applicant's father c. 1965. The current ranch house was built by the father following the fire, c. 1966. The original house was similar in appearance to the current house at 16 Luckie St.

Three building plans and elevations have been provided with the application. The applicant will need to eliminate two of the options and return to the Board for review at a future date. The applicant will be asking for the Boards recommendations on an appropriate plan and style for Leake St area of the district.

Since the house is not identified as "Contributing" the Board may have flexibility in addressing the demo and advising on the type and style of a new house.

Commissioners Work Sheet


Materials:

	Existing Materials	Materials to be Used
Roof	Asphalt shingle	
Siding	Wood Bd & Batten	
Windows	Wood. Grid varies. Mostly 2/2.	
Doors	Wood/ metal	
Exterior Lighting		
Foundation	Crawlspace/Basement- conc.	
Deck		
Steps	Concrete	
Porches	Front-Wood	
Driveway	Conc.	

Notes:



Overview



Legend

- Parcels
- Roads

Parcel ID	C016-0004-009	Alternate ID	33965	Owner Address	WHITE GARY LEE & WHITE KAYE M 19 TOPRIDGE DRIVE CARTERSVILLE, GA 30120
Sec/Twp/Rng	n/a	Class	Residential		
Property Address	11 LUCKIE ST	Acreage	0.31		
District	Cartersville				
Brief Tax Description	11 LUCKIE STREET LL526 D4 <i>(Note: Not to be used on legal documents)</i>				

Date created: 9/12/2023
 Last Data Uploaded: 9/11/2023 9:02:19 PM

Developed by  Schneider
 GEOSPATIAL

Bartow County, GA

Summary

Parcel Number C016-0004-009
 Location Address 11 LUCKIE ST
 Legal Description 11 LUCKIE STREET LL526 D4
 (Note: Not to be used on legal documents)
 Class R3-Residential
 (Note: This is for tax purposes only. Not to be used for zoning.)
 Tax District Cartersville (District 01)
 Millage Rate 29.65
 Acres 0.31
 Neighborhood 3 - CVille Intown B Market (000003)
 Account Number 33965
 Homestead Exemption No (S0)
 Landlot/District N/A

[View Map](#)



Owner

WHITE GARY LEE &
 WHITE KAYE M
 19 TOPRIDGE DRIVE
 CARTERSVILLE, GA 30120

Land

Type	Description	Calculation Method	Square Footage	Frontage	Depth	Acres	Lots
Residential	Cville B Market -LT	Lot	13,300	100	133	0.31	1

Residential Improvement Information

Style SingleFamily
 Heated Square Feet 960
 Interior Walls Plywood Panel
 Exterior Walls T1-11 OSB or Plywood
 Foundation Continous Ft
 Attic Square Feet 0
 Basement Square Feet 0
 Year Built 1968
 Roof Type Asphalt Comp Shg
 Flooring Type Carpet
 Heating Type Central heat & air
 Number Of Rooms 0
 Number Of Bedrooms 2
 Number Of Full Bathrooms 1
 Number Of Half Bathrooms 0
 Number Of Plumbing Extras 0
 Value \$77,462
 Condition Good
 Fireplaces\Appliances BATH - FULL 1
 House Address 11 LUCKIE ST

Valuation

2023 Values are Preliminary and subject to change until Certified.

	2023	2022	2021	2020
Fair Market Land Value	\$75,000	\$75,000	\$60,000	\$60,000
+ Fair Market Improvement Value	\$127,812	\$77,462	\$55,068	\$55,068
+ Fair Market Accessory Value	\$0	\$0	\$0	\$0
= Fair Market Value	\$202,812	\$152,462	\$115,068	\$115,068
Assessed Land Value	\$30,000	\$30,000	\$24,000	\$24,000
+ Assessed Improvement Value	\$51,125	\$30,985	\$22,027	\$22,027
+ Assessed Accessory Value	\$0	\$0	\$0	\$0
= Assessed Value (40% FMV)	\$81,125	\$60,985	\$46,027	\$46,027

Assessment Notice 2023

[2023 Assessment Notice \(PDF\)](#)

Assessment Notice 2022

2022 Assessment Notice (PDF)

Assessment Notice 2021

2021 Assessment Notice (PDF)


Assessment Notice 2020

2020 Assessment Notice (PDF)

Assessment Notice 2019

Assessment Notice 2019 (PDF)

Sketches



Photos



Sales

Sale Date	Deed Book / Page	Plat Book / Page	Sale Price	Reason	Grantor	Grantee
9/1/2003	1709 475	NULL NULL	\$0	Other, Unknown, Please add notes	NULL	NULL
11/1/2002	1586 62		\$0	Other, Unknown, Please add notes	NULL	NULL
4/1/1993	765 333		\$0	Other, Unknown, Please add notes	NULL	NULL
12/1/1992	765 332		\$0	Other, Unknown, Please add notes	NULL	NULL
1/1/1900	162 513		\$0	Other, Unknown, Please add notes	NULL	NULL

Comp Search (Residential)

[Start Comp Search](#)

No data available for the following modules: Online Appeal, Comp Search (Vacant), Rural Land, Conservation Use Rural Land, Commercial Improvement Information, Mobile Homes, Accessory Information, Prebill Mobile Homes, Permits, Comp Search (Commercial).

The Bartow County Board of Assessors makes every effort to produce the most accurate information possible. No warranties, expressed or implied are provided for the data herein, its use or interpretation. The assessment information is from the last certified tax roll. All other data is subject to change.

[User Privacy Policy](#) | [GDPR Privacy Notice](#)
 Last Data Upload: 8/11/2023, 9:09:31 PM

[Contact Us](#)

Developed by
 Schneider
 GEOSPATIAL



Cartersville Historic Preservation Commission CERTIFICATE OF PRESERVATION APPLICATION

*Applicant: GARY L. WHITE
Project Address: 11 LUCKIE ST
Mailing Address (if different than project address):
19 TOPRIDGE DRIVE
Phone: 678-409-1454
Email: topridge19@gmail.com

*NOTE: If applicant is not the owner, as listed on the property deed, a letter from the owner authorizing the proposed work must be included along with the owners phone number and address.

PROCEDURE

Application Requirements

All Applications must be complete and include support materials listed on the reverse of this form and a \$25 non-refundable application fee.

Application Deadlines

See 3rd page of application for application submittal deadlines.

Application Representation

The applicant or authorized representative of the applicant should attend the public hearing to support the application.

Building Permits Requirements

In Addition to a COP application, building permits must be acquired from the Community Development Department. Building permits will not be issued without proof of a COP.

Deadline for Project Completion

After approval, the COP is valid for 18 months and void if construction does not begin within 6 months of approval.

Office Use Only

Case Number COP 23-20
Date Received 8-1-23
Contributing NE-1968
Zoning R-7
Legal Advertisement 9-7-23
Notified Adjacent _____
HPC Hearing 9-14-23
HPC Decision _____
COP Expiration _____
Project Completion _____
Tax Parcel 016-0004-009

P
R
O
J
E
C
T

I
N
F
O
R
M
A
T
I
O
N

Existing Building Type:

- Residential One, Two or Multi-family _____
Garage, Storage _____
- Commercial _____
- Other _____

Brief Project Description (example: addition of sunroom, installation of fence)

DEMO EXISTING STRUCTURE

Type of Project (check all that apply)

- New building
- Addition to building
- Relocation of building(s)
- Demolition
- Fence(s), wall(s), landscaping
- Minor exterior change
- Major restoration, rehabilitation, or remodeling
- Other _____

Start Date: MID SEPT 2023

Anticipated Completion: MID OCT 2023

Contractor/Consultant/Architect: _____

AUTHORIZATION

In consideration for the City of Cartersville's review of this application for a proposed change to a locally designated property, the applicant agrees to hereby indemnify and hold harmless the City and its' agents and employees from and against any and all claims, damages, and/or liability arising from or related to this application or any issuance of a permit hereunder.

Date 8/1/2023 Signature Gary L. White

APPLICATION CHECKLIST

The following list includes the support material necessary for review of a particular project.

New Buildings and New Additions

- site plan
- architectural elevations
- floor plan
- landscape plan (vegetation not required)
- description of construction materials
- photographs of proposed site and adjoining properties

Major Restoration, Rehabilitation, or Remodeling

- architectural elevations or sketches
- description of proposed changes
- description of construction materials
- photographs of existing building
- documentation of earlier historic appearances (restoration only)

Minor Exterior Changes

- description of proposed changes
- description of construction materials
- photographs of existing building

Site Changes – Parking areas, Drives, Walks

- site plan or sketch of site
- description of construction materials
- photographs of site

Site Changes – Fences, Walls, Systems

- site plan or sketch of site
- architectural elevations or sketches
- description of construction materials
- photographs of site

Site Changes – Signs

- specifications
- description of construction materials and illumination

Demolition

Must include a complete plan for the new development.

- timetable
- demolition budget
- new construction budget
- evidence of adequate financing

NOTE: Only complete applications will be placed on the agenda for design review. Submit to:

City of Cartersville
 Planning and Development Department
 P.O. Box 1390
 Cartersville, GA 30120

PROJECT DESCRIPTION

Include support materials and attach additional sheets if needed. If the proposed scope of work will involve more than one type of project, please divide the description. [Example: (1) Addition to rear (2) New roof]

① DEMO EXISTING DAMAGED STRUCTURE (TREE STRIKE)
PHOTOS ATTACHED

② DEMO TO BE COMPLETE MID OCT
DEMO BUDGET \$ 5,000⁰⁰

③ NEW CONST BUDGET \$ 360,000⁰⁰

④ BANKING LETTER ATTACHED

PRECEDENCE OF DECISIONS

Each application will be considered on it's own merit with reference to the Secretary of the Interior's Standards and the Commission's published Design Standards. While the Historic Preservation Commission may consider past actions when making decisions on an Application for a Certificate of Preservation, it is not held by those decisions when considering new application that may appear similar in character.



July 31, 2023

To Whom It May Concern:

The purpose of this letter is to verify that as of 7/31/2023, Gary L. White has \$500,000.00 currently on deposit at Century Bank of Georgia that could be used for the demolition/construction of 11 Luckie St. Cartersville, GA. If further information is needed, please contact me at 678-721-7365.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jay Slaughter". The signature is fluid and cursive.

Jay Slaughter
Sr. Vice President
Century Bank of Georgia

Mailing Address:
P. O. Box 580, Cartersville, GA 30120
Phone (770) 387-1922 Fax (770) 387-9161
www.centurybankofga.com Member FDIC

GA Professional Engineering Firm (PEF) 4308
Expires 6/30/24

Office: (770) 886-5033
Fax: (770) 886-8084

June 23, 2023

Gary White
gwhite@specialtyfinishes.com

RE: The Residence at 11 Luckey Street, Cartersville, Ga. 30120
Assessment due to tree strike

Dear: Mr. White:

Following your request our Engineer Technician visited the site for the undersigned initially on June 23, 2023, to evaluate the structure due to a tree strike.

Mr. Jim Wages met the homeowner Mr. Gary White at the undersigned site to evaluate the roof system and surrounding framing due to a tree strike from a recent storm.

OBSERVATIONS:

Upon arriving Mr. Wages found a single level Ranch style home with wood siding. The home is constructed over a partial basement to the rear left corner and remainder is constructed over a crawl space approximately 36-inches to 24-inches in height, with the basement area approximately 7-feet in height. The foundation walls were constructed with 8-inch CMU block. Mr. Wages found the floor system to be constructed with 2"x6" floor joists with spans of approximately 11-feet and spacing of 16-inches on center. The center girder beam consists of a built up 2"x8" (3)-ply beam constructed with SYP. The girder beam is supported approximately 8-feet on center with 16"x16" CMU columns. The walls located on the main level consists of 2"x4" SYP studs with spacing of 16-inches on center. The roof system consists of 2"x6" stick-built style framing spanning approximately 11-feet and spaced at 16-inches on center. The impact occurred on April 1, 2023. The location of the impact is approximately rear left corner travelling towards the front central location, near the front stoop. Mr. Wages found extensive damage at the left portion of the home starting at the left side to the central location of the home. The complete roof system was damaged over the two left bedrooms and traveled to the right approximately 20-feet. Due to the impact of the 40-inch diameter tree, the damage travelled from the roof system down through the wall system and complete to the floor framing, breaking approximately (12) floor joists. Along with the floor joists Mr. Wages noted the center built up girder beam suffered damage, approximately 12-16-feet from the left side. Mr. Wages noted the damage to the interior and exterior walls travelled approximately 20-feet from the left side to the central area of the home. Mr. Wages checked the remaining intact walls of the home and found slight displacement to the remainder of the home. The wall to the right of the front entry door was out of plumb approximately 1/4" to the

right for the full height of the wall but is intact. The load path from the tree strike travelled across the lateral bracing found at the center span of the Great room ceiling. This is the determined cause of the displacement of the Great room wall. The remainder of the interior walls were found to be plumb and stable. Mr. Wages found the impact to the front stoop of the home to have suffered damage as well. The impact fractured the roof framing and shifted the roof structure approximately 2-inches out of plumb.

RECOMMENDATIONS:

We recommend removal and replacement of the floor system from the left side of the home to the right approximately 14-feet. We recommend using #2-SYP 2"x10" floor joists and replace center girder beam with new 3-ply #2-SYP 2"x10" for approximately 16-feet starting at the left side to the right. We recommend removal and replacement of the complete left wall with new stud grade or better with the spacing of 16-inches on center. We recommend removal and replacement of the front wall starting at the left side to the right approximately 18-feet. We recommend removal and replacement of the rear wall starting at the left side to the right approximately 12-feet. We recommend removal and replacement of the roof framing, and decking starting from the left side to the right approximately 20-feet, using new #2 or better SFP or SYP 2"x6" rafters with the spacing of 16-inches on center. We recommend removal and replacement of the 5-feet x 5-feet front stoop.

NOTE: Due to the drywall covering still intact on the ceiling and walls once the demolition process and rebuild begins if issues arise Palmer CCI shall be notified and can assess any damage that could not be seen due to the wall framing inaccessible at the time of the initial inspection.

Once repairs are completed the roof system and all supporting structure should support all anticipated and design loads.

Should you have any questions regarding this report, or if we can be of further assistance, please call me at your convenience.

Sincerely,



Albert J. Palmer P.E.
15301
RP/JW
















Cartersville, Georgia
Google Street View
Jun 2022 See more dates

Image capture: Jun 2022 © 2023 Google



16 Luckie St. (16) as of 2007.

Per applicant, the original house at 11 Luckie St (11) looked like 16. 11 burned in 1965-66 and the current ranch house was built in it's place.

Item 3.




OPTION 1



Plan 75137 | Order Code: GOEXP | Elevation

↻ REVERSE PLAN



Plan 75137 | Order Code: GOEXP | First Floor Plan

↻ REVERSE PLAN



Open the door to your dream house! (800)977-5267

Call Monster House Plans to learn more about buying and customizing house plans in our collection. 6am-6pm Pacific Time

OPTION 2



All images are copyrighted by designer. Do not reproduce or publish without permission.

Plan 2-171 Features

Lot Characteristics:
Suited for a back view

Bedrooms & Baths:
Split bedrooms

Kitchen:
Island
Eating bar

Interior Features:
Bonus room
Great room
Open concept floor plan
No formal living/dining
Den / office / computer
Unfinished/future space
Flex Space

Exterior Features:
Covered front porch
Covered rear porch

Unique Features:
Vaulted/Volume/Dramatic ceilings

Garage:
Workshop

Plan 2-171 Detail

Bedrooms: 3	Total Sq. Ft.: 1800	Width: 65' 0"
Full Baths: 2	Main floor: 1800	Depth: 56' 8"
Levels/Stories: 1	Bonus Room: 326	Height: 23' 7"
Garage Stalls: 2	Garage: 680	Roof Pitch (primary): 8:12
	Porches: 429	Roof Pitch (secondary): 12:12
		Walls: 2"x4"
		Ceiling Height (Main): 9'

Short Description

- A cheerful Craftsman, complete with spacious front and back porches and one of our best sellers.
- Entry foyer whisks you into the vaulted Great Room which opens to the casual breakfast room and kitchen with Island and eating bar.
- A 'flex space' off the entry awaits your decision for an office /study, formal dining, home school, you name it!
- Master bedroom is set apart from the secondary bedrooms for privacy and is referred to as a 'split' design or just 'split-bedrooms'.
- Garage incorporates a spacious storage room or work-shop area.
- An optional bonus room is accessed inside to the optional bonus room above the garage.
- This floor plan is so popular that several spin-offs have been created. Be sure to check out those plan under 'Design Comments' below if this one isn't 'quite' what you want but almost there!

Design Comments


See plan [2-306](#) for Basement version of this plan.



Open the door to your dream house! (800)977-5267

Call Monster House Plans to learn more about buying and customizing house plans in our collection. 6am-6pm Pacific Time

Main Floor



Exclusive Farmhouse with Bonus Room and Side Load Garage



1,988
 Heated S.F.



3-4
 Beds



2 - 3
 Baths



1-2
 Floors



2
 Car Garage

PDF - Single-Build
\$1,345

5 Sets +PDF Single-Build
\$1,595

PDF - Unlimited Build
\$2,045

Buy This Plan

CAD + PDF - Unlimited

View all purchase options online

About This Plan

- Amazing 3 or 4 bedroom home design with features galore.
- This plan offers 3 bedrooms along with an optional bonus room which can be used as a 4th bedroom or flex area.
- First floor offers volume ceilings and open design perfect for entertaining.
- All bedrooms enjoy walk-in-closets and both bathrooms are large with room to move.
- The rear porch is spacious and offers an optional outdoor kitchen.
- The garage is oversized and includes needed storage space.
- All of this is packed into a plan that is less than 2000 square feet and very economical to build.

Floor Plans


Main Level




Bonus Level



Basement Stair Location



2-Car Front Garage Option













HISTORIC PRESERVATION COMMISSION ITEM SUMMARY

MEETING DATE:	September 19, 2023
SUBCATEGORY:	HPC
DEPARTMENT NAME:	Planning and Development
AGENDA ITEM TITLE:	COP23-21. 406 West Ave. Applicant: Amanda Jo Ingwell/ Edward Boyd
DEPARTMENT SUMMARY RECOMMENDATION:	Applicant wishes to demolish existing asphalt driveway and replace with a concrete driveway. Some grading required to improve drainage.
LEGAL:	N/A



**City of Cartersville Historic Preservation Commission
COP Application Staff Report**

Case: COP 23-21

HPC Meeting 09/19/2023

Application Information

Address: 406 West Ave
 Applicant: Amanda Jo Ingwell/ Edward Boyd
 Historic District: Olde Town
 Zoning: R-7 (Residential)
 Setbacks: Front= 10ft. Rear= 20ft. Side=8ft.

Summary Description: Replace asphalt driveway with concrete driveway.

Applicable Guidelines to Consider: Sec. 9.25-53. Olde Town Historic District

Residential Design Guidelines		
X	<i>Part One: Maintaining, Repairing, Replacing Structures Contributing to a Historic District.</i>	
	A. Wood	K. Utilities and Energy Retrofit
	B. Masonry	L. Accessibility, Health, and Safety Considerations
	C. Architectural Metals	M. Additions to Historic Buildings
	D. Paint	N. Aesthetic Recommendations
	E. Roofs	
	F. Exterior Walls	PART TWO: New Construction
X	G. Driveways, Walkways, and Off-Street Parking	
	H. Lighting	PART THREE: Relocation
	I. Windows and Doors	
	J. Entrances, Porches and Balconies	PART FOUR: Demolition
Commercial Design Guidelines (Historic Downtown Business District)		
	PART ONE: General Guidelines for Structures Contributing to the District.	
	PART TWO: Guidelines for New Construction –	

Project Scope:

1. Demolish existing asphalt driveway;
2. Add ne concrete driveway; and
3. Grade driveway area to improve drainage issues.

Staff Comments:

History of the Property- The house was constructed in 1950 per the Bartow County Tax records. GHRS dates house c. 1940.

COP06-10. Remove windows, close in porch for sunroom). Approved 8-15-06.

Analysis of the COP:

The house is historic, contributing. The house type is central hallway. The housing style is undetermined. A site visit was performed on 4-19-23. Photos are included.

The applicant would like to correct drainage issues by removing the asphalt driveway, regrading, and installing a concrete driveway from the curb to the detached garage in the backyard.

No change to width dimensions or location. Length- approx. 100ft. Width- Approx. 12ft

The applicant has been made aware of the natural gas line under the driveway that also feeds the neighbors gas meter.

Sec. 9.25-53. Olde Town. Part 1 (G):

G. Driveways, walkways and off-street parking:

1. During rehabilitation and/or repair which requires a Certificate of Preservation the following standards shall be observed:

- a. Driveways, walkways and off-street parking should be gravel, brick, concrete, or paved with appropriate textured asphalt.
- b. Care should be taken not to injure nearby trees by intruding on the root areas.
- c. Design new driveways, walkways to be compatible in location, spacing, configuration, and dimension with existing walkways and driveways that contribute to the overall historic character of the district.
- d. One shall not locate new parking areas where they are visible from the street, or to significantly alter the proportion of built area to yard area.
- e. One shall not locate parking where it will obstruct the principal structure.

Commissioners Work Sheet

Materials:

Existing Materials

Materials to be Used

- Roof
- Siding
- Windows
- Doors
- Exterior Lighting
- Foundation
- Deck
- Steps
- Porches
- Driveway


Asphalt.

Concrete

Notes:



Overview



Legend

- Parcels
- Roads

Parcel ID	C016-0020-026	Alternate ID	34183	Owner Address	INGWELL AMANDA JO
Sec/Twp/Rng	n/a	Class	Residential		406 WEST AVE
Property Address	406 WEST AVE	Acreage	0.26		CARTERSVILLE, GA 30120
District	Cartersville				
Brief Tax Description	CITY LL527 LD4				
	(Note: Not to be used on legal documents)				

Date created: 9/12/2023
 Last Data Uploaded: 9/11/2023 9:02:19 PM

Developed by **Schneider**
 GEOSPATIAL



Item 4.

Cartersville Historic Preservation Commission
CERTIFICATE OF PRESERVATION APPLICATION

*Applicant: Amanda Jo Ingwell/ Edward Boyd

Project Address: 406 West Ave

Mailing Address (if different than project address):

Phone: 770-235-9387

Email: amandaingwell@yahoo.com

*NOTE: If applicant is not the owner, as listed on the property deed, a letter from the owner authorizing the proposed work must be included along with

PROCEDURE

Application Requirements

All Applications must be complete and include support materials listed on the reverse of this form and a \$25 non-refundable application fee.

Application Deadlines

See 3rd page of application for application submittal deadlines.

Application Representation

The applicant or authorized representative of the applicant should attend the public hearing to support the application.

Building Permits Requirements

In Addition to a COP application, building permits must be acquired from the Community Development Department. **Building permits will not be issued without proof of a COP.**

Deadline for Project Completion

After approval, the COP is valid for 18 months and void if construction does not begin within 6 months of approval.

<i>Office Use Only</i>	
Case Number	<u>COP23-21</u>
Date Received	<u>8-22-23</u>
Contributing	<u>Y. c. 1950</u>
Zoning	<u>R-7</u>
Legal Advertisement	<u>9-12-23</u>
Notified Adjacent	_____
HPC Hearing	<u>9-19-23</u>
HPC Decision	_____
COP Expiration	_____
Project Completion	_____
Tax Parcel	<u>C016-0020-026</u>

P
R
O
J
E
C
T

I
N
F
O
R
M
A
T
I
O
N

Existing Building Type:

- Residential One, Two or Multi-family
- Commercial Garage, Storage _____
- Other _____

Brief Project Description (example: addition of sunroom, installation of fence):
Replacement/ Update of Driveway

Type of Project (Check all that apply):

- New building
- Addition to building
- Relocation of building(s)
- Demolition
- Fence(s), wall(s), landscaping
- Minor exterior change
- Major restoration, rehabilitation, or remodeling
- Other Driveway replacement update

Start Date: as soon as approved

Anticipated Completion: Depends upon start and contractor availability

Contractor/Consultant/Architect: Northwest Landscaping Co.

AUTHORIZATION

In consideration for the City of Cartersville's review of this application for a proposed change to a locally designated property, the applicant agrees to hereby indemnify and hold harmless the City and its' agents and employees from and against any and all claims, damages, and/or liability arising from or related to this application or any issuance of a permit hereunder.

Date _____ Signature _____





