



**PUBLIC SAFETY COMMISSION MEETING  
TUESDAY, FEBRUARY 26, 2019  
8:30 AM  
CITY HALL COUNCIL CHAMBERS**

**A G E N D A**

**Call to Order**

**Agenda Approval**

**Personnel Matters**

- [1.](#) Fire Department - Lieutenant Recognition Matt Daniel
- [2.](#) Police Department - Life Saving Awards
- [3.](#) Police Department - Traffic safety Officer of the Year

**Approval of Minutes**

- [4.](#) January 22, 2019

**Alcohol Applications**

- [5.](#) (2) 2019 Alcohol Applications

**Police Department**

- [6.](#) Crime/Traffic Statistics January 2019
- [7.](#) Financial Statistics January 2019
- [8.](#) Policy January 2019

**Fire Department**

- [9.](#) Monthly Statistical Report for January, 2019
- [10.](#) Monthly Financial Report for January, 2019
- [11.](#) New SOG: AO-1 Moving and Driving Fire Apparatus
- [12.](#) New SOP: SCBA-04 Daily PPE Inspection
- [13.](#) Resolution 19-03

**Adjournment**

# DALTON FIRE DEPARTMENT

**TODD PANGLE**  
Fire Chief  
Telephone 706-278-7363  
Fax 706-272-7107  
tpangle@cityofdalton-ga.gov

404 School Street  
Dalton, GA 30720



**PUBLIC SAFETY COMMISSION**  
Bill Weaver  
Keith Whitworth  
Terry Mathis  
Kenneth E. Willis  
Anthony Walker

February 26, 2018

Chairman Bill Weaver

Public Safety Commission

RE: Prevention Division Coordinator Matt Daniel Lieutenant Recognition

Greetings,

I am making a recommendation for the recognition of Prevention Division Coordinator Matt Daniel to the rank of lieutenant. The recognition of this rank is representative of the career path for his position. Matt has met the required prerequisites set forth for this recognition.

Matt has been employed with Dalton Fire Department since January 2003. Matt was promoted to Preventions Division Coordinator in November 2017. Over the past year Matt has shown his ability to lead as the head of a division, and move the prevention division forward as according to the vision of the department. Matt has a level 3 NICET (National Institute for Certification in Engineering Technologies) which compliments his abilities working in inspections. Since being promoted to lead the division I have received several compliments concerning Matt both internal and from the public. He has implemented a schedule of inspections, electronic inspection program, and many other procedures in the inspection division since taking it over that has proved to be very efficient and productive.

I would appreciate your support in recognizing Matt with the rank of lieutenant.

Thank you all for your consideration

Todd Pangle  
Chief

**William C Cason III**  
Chief of Police  
[www.daltonpd.com](http://www.daltonpd.com)  
[www.cityofdaltongga.gov/police](http://www.cityofdaltongga.gov/police)



**Public Safety Commission**

Terry Mathis  
Keith Whitworth  
Bill Weaver  
Kenneth E. Willis  
Anthony Walker

**DALTON POLICE DEPARTMENT**  
301 Jones Street, Dalton, Georgia 30720  
Phone: 706-278-9085 • Fax: 706-272-7905

February 5, 2019

Officer Justin Smith  
Dalton Police Department  
301 Jones Street  
Dalton GA 30720

Dear Officer Smith:

I am happy to inform you of your selection for the Dalton Police Department Life Saving Award. Your selection was based on your actions when responding to a structure fire at an apartment building on January 20, 2019. You and Officer Andrew Sell responded to the apartment fire on Avenue F. Upon arriving on the scene you began the process of making sure the apartments were evacuated. You were made aware that an elderly female was still in one of the upstairs apartments. You quickly made entry into the apartment and helped evacuate the female. Your actions at the scene prevented this female from being injured by the fire.

Your actions and performance reflect positively on you and the entire department. I am proud of your highly professional actions, and the high quality of your work on a daily basis. Congratulations on this well-deserved award.

Best Regards,

A handwritten signature in blue ink, appearing to read "William C. Cason III", with a stylized flourish at the end.

Cliff Cason  
Chief of Police

**William C Cason III**  
Chief of Police  
[www.daltonpd.com](http://www.daltonpd.com)  
[www.cityofdalton-ga.gov/police](http://www.cityofdalton-ga.gov/police)



**DALTON POLICE DEPARTMENT**

301 Jones Street, Dalton, Georgia 30720  
Phone: 706-278-9085 • Fax: 706-272-7905

**Public Safety Commission**

Terry Mathis  
Keith Whitworth  
Bill Weaver  
Kenneth E. Willis  
Anthony Walker

February 5, 2019

Officer Michael Bowen  
Dalton Police Department  
301 Jones Street  
Dalton GA 30720

Dear Officer Bowen:

I am happy to inform you of your selection for the Dalton Police Department Life Saving Award. Your selection was based on your actions when rendering life-saving medical care to a female on January 26, 2019. You and Officer Jacob Allen responded to an apartment on Brookwood Lane in reference to a female who had threatened to commit suicide. Upon arriving on the scene you quickly made entry into the locked residence to render aid. Your actions at the scene led to a successful outcome for this subject.

Your actions and performance reflect positively on you and the entire department. I am proud of your highly professional actions, and the high quality of your work on a daily basis. Congratulations on this well-deserved award.

Best Regards,

A handwritten signature in blue ink, which appears to read 'William C. Cason III', is written over a light blue horizontal line.

Cliff Cason  
Chief of Police

**William C Cason III**  
Chief of Police  
[www.daltonpd.com](http://www.daltonpd.com)  
[www.cityofdalton-ga.gov/police](http://www.cityofdalton-ga.gov/police)



**Public Safety Commission**  
Terry Mathis  
Keith Whitworth  
Bill Weaver  
Kenneth E. Willis  
Anthony Walker

**DALTON POLICE DEPARTMENT**  
301 Jones Street, Dalton, Georgia 30720  
Phone: 706-278-9085 • Fax: 706-272-7905

February 5, 2019

Officer Jacob Allen  
Dalton Police Department  
301 Jones Street  
Dalton GA 30720

Dear Officer Allen:

I am happy to inform you of your selection for the Dalton Police Department Life Saving Award. Your selection was based on your actions when rendering life-saving medical care to a female on January 26, 2019. You and Officer Michael Bowen responded to an apartment on Brookwood Lane in reference to a female who had threatened to commit suicide. Upon arriving on the scene you quickly made entry into the locked residence to render aid. Your actions at the scene led to a successful outcome for this subject.

Your actions and performance reflect positively on you and the entire department. I am proud of your highly professional actions, and the high quality of your work on a daily basis. Congratulations on this well-deserved award.

Best Regards,

A handwritten signature in blue ink, appearing to read "William C. Cason III".

Cliff Cason  
Chief of Police

Each year, the Dalton Police Department recognizes a patrol officer that works diligently to keep the motorists on Dalton's roadways safe. The Traffic Safety Officer of the Year is selected by reviewing activity in the following seven areas:

- Presenting traffic-related classes and programs
- Receiving traffic-related certifications
- Attending traffic-related classes
- Enforcement of Impaired Driving laws
- Enforcement of Distracted Driving laws
- Enforcement of Speed laws
- Enforcement of Occupant Safety laws

After reviewing all of last year's data, Officer Jacob Allen has been selected as the Traffic Safety Officer of the Year for 2018.

Lt. Shaun Scott  
Dalton Police Department  
Operations, Patrol Division

CITY OF DALTON  
PUBLIC SAFETY COMMISSION  
MINUTES  
JANUARY 22, 2019

The regular meeting for the Public Safety Commission was held today in the Council Chambers of City Hall at 8:30 a.m. Present were Chairman Bill Weaver, Commissioners Terry Mathis, Fire Chief Todd Pangle, Police Chief Cliff Cason, Councilmember Annalee Harlan, and Interim City Attorney Jonathan Bledsoe. Commissioner Kenneth Willis, and Keith Whitworth were absent.

PSC MEMBER – SWEARING IN

Chairman Bill Weaver asked interim City Attorney, Jonathan Bledsoe to please swear in Anthony Walker as the Public Safety Commission's new member. Mr. Walker replaced Carlos Calderin. No motion was needed.

AGENDA APPROVAL

On the motion of Commissioner Walker, second Commissioner Mathis, the Public Safety Commission's Agenda was approved as presented. The vote was unanimous in favor.

PERSONNEL MATTERS

Fire Department – 2019 Firefighter of the Year Recognition

Fire Chief Todd Pangle recognized Engineer Dale Reed as the Dalton Fire Department's 2019 Firefighter of the Year. No motion was needed.

Police Department – New Officer Confirmation

On the motion of Commissioner Mathis, second Commissioner Walker, the Commission approved Officer Timothy McCarver as a new Dalton Police Officer. The vote was unanimous in favor.

Police Department – Life Saving Award

Police Chief Cliff Cason presented the Police Department's Life Saving Award to Officer Caleb Morang for his actions when rendering life-saving medical care to a child injured during an automobile accident on September 27, 2018. No motion was needed.

MINUTES

The Commissioners were presented written copies of the regular called meeting minutes of December 18, 2018. On the motion of Commissioner Mathis, second Commissioner Walker, the minutes were approved. The vote was unanimous in favor.

ELECTION OF OFFICERS

Chairman

On the motion of Commissioner Whitworth, second Commissioner Mathis, Bill Weaver was nominated the Chairman of the Public Safety Commission of the City of Dalton for 2019.

Secretary

On the motion of Commissioner Walker, second Chairman Weaver, Terry Mathis was nominated the Secretary of the Public Safety Commission of the City of Dalton for 2019.

(1) 2019 ALCOHOL APPLICATION

On the motion of Commissioner Walker, second Commissioner Mathis, third Chairman Weaver, the following alcohol application was approved. The vote was unanimous in favor.

- |                    |   |
|--------------------|---|
| 1. Business Owner: | Jeff Moses  |
| d/b/a:             | MBF Company                                       |
| Applicant:         | Jeff Moses  |
| Business Address:  | 302 Dayton St.                                    |
| Type:              | Wholesale Beer, Wine, and Liquor (Mini Warehouse) |
| Disposition:       | New   |

## POLICE DEPARTMENT

### Crime and Crash Statistics for December 2018

Police Chief Cliff Cason presented the Crime and Crash Statistical Reports for the month of December, 2018. Chief Cason gave a written and oral summary of the crime and crash statistics. As noted in the written summary, Chief Cason reported the rate of Year to Date Part I crimes are down by 1.43% when compared to the same month in 2017. Chief Cason further reported crashes and injuries decreased from November 2018.

On the motion of Commissioner Walker, second Commissioner Mathis, the report was approved. The complete report in its entirety is a part of these minutes. The vote was unanimous in favor.

### Financial Statistics for December 2018

Police Chief Cliff Cason presented the Financial Report for all divisions within the Dalton Police Department for the month of December 2018. Chief Cason reported that the department expended 96.2% of their 2018 budget and are 3.8% under budget for the end of the year.

On the motion of Commissioner Mathis, second Commissioner Walker, the financial report was approved. The complete report in its entirety is a part of these minutes. The vote was unanimous in favor.

### Policy Updates December 2018

On the motion of Commissioner Walker, second Commissioner Mathis, the Commission approved the following Police Department policy updates. The updates are a part of these minutes. The vote was unanimous in favor.

- GOP91-7.5 – Missing Person
- GOP92-7.4 – Criminal Investigation Organization and Administration
- GOP98-7.18 – Search and Raid Procedures

## FIRE DEPARTMENT

### Monthly Financial Report – December 2018

Fire Chief Todd Pangle presented the Financial Report for the month of December, 2018 to the Commission. Chief Pangle stated the department is around 3.8% under budget for the month and on track for the end of the year.

On the motion of Commissioner Walker, second Commissioner Mathis, the Commissioners approved the Financial Report for the Fire Department. A copy of the report is a part of these minutes. The vote was unanimous in favor.

### Monthly Statistical Report – December 2018

Fire Chief Todd Pangle presented the December, 2018 Statistical Report to the Commission. Chief Pangle outlined details of the complete report that included the Incident Type Report, Dollar Value Saved & Loss Analysis, NFPA Fire Experience Survey, Incident List by Incident Number, Training Division Monthly Report, Fire Safety Division Monthly Report, Engine Company Pre-Plan Updates, and the Inspection Summary.

On the motion of Commissioner Mathis, second Commissioner Walker, the Commissioners approved the December, 2018 Statistical Report for the Fire Department. A copy of the report is a part of these minutes. The vote was unanimous in favor.



ADJOURNMENT

There being no further business to come before the Commissioners, the meeting was adjourned at 9:31 a.m.

\_\_\_\_\_  
Bill Weaver, Chairman

ATTEST:

\_\_\_\_\_  
Terry Mathis, Secretary

**2019 ALCOHOL BEVERAGE APPLICATION**

**PSC TUESDAY FEBRUARY 26, 2019**  
**M&C MONDAY MARCH 4, 2019**

**(2) 2019 ALCOHOL APPLICATION(S)**

1. Business Owner: Fatima Quintero  
d/b/a: Las Chikas Bar  
Applicant: Fatima Quintero  
Business Address: 600 MLK St Suite A  
Type: Pouring Beer  
Disposition: **New**
  
2. Business Owner: The Thinkers, Inc  
d/b/a: Road Runners  
Applicant: Heta Patel  
Business Address: 1016 N. Glenwood Ave  
Type: Package Beer, Package Wine  
Disposition: **New**

**DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019**

**SUMMARY OF DATA AND CRIME STATISTICS FOR JANUARY 2019**

**General**

There were 101 Part 1 crimes reported in January 2019 versus 109 in January of 2018. January 2019 had approximately 33.3% less burglaries than the same time in 2018. In January 2019 there were approximately 5.19% more larcenies reported than in 2018. Year to date Part 1 crimes are down 7.34% from 2018.

DALTON POLICE DEPARTMENT CRIME STATISTICS												
Part I Offenses	INCIDENTS				CLEARANCES				ARRESTS			
			2019	2018			2019	2018			2019	2018
	1/19	1/18	YTD	YTD	1/19	1/18	YTD	YTD	1/19	1/18	YTD	YTD
Homicide	0	0	0	0	0	0	0	0	0	0	0	0
Rape	2	0	2	0	4	0	4	0	0	0	0	0
Robbery	1	3	1	3	0	4	0	4	0	4	0	4
Aggravated Assault	1	2	1	2	4	2	4	2	4	1	4	1
Burglary	12	18	12	18	3	2	3	2	3	2	3	2
Larceny - Theft	81	77	81	77	43	24	43	24	40	18	40	18
Motor Vehicle Theft	4	8	4	8	1	0	1	0	0	0	0	0
Arson	0	1	0	1	0	0	0	0	0	0	0	0
PART I SUBTOTAL	101	109	101	109	55	32	55	32	47	25	47	25

<b>Part 2 Offenses</b>	<b>Total</b>
Controlled Substance Offenses	106
Warrant Served	94
Traffic Offense	48
Code Violation	38
Battery/Assault - Non-aggravated	38
Public Peace Violations	37
Forgery/Fraud	32
Trespass of Real Property	29
Destruct/Damage/Vandalize Property	29
Obstruction	29


















Controlled substance offenses decreased by approximately 15.20% in January 2019 when compared to December 2018. Calls for service increased by 21.88% when compared to 2018. Citations increased by approximately 57.55% in January 2019 when compared to January 2018.

	<b>January 2019</b>	<b>January 2018</b>
Calls for Service	4,485	3,680
Traffic Crashes	112	112
Citations	1,867	1,185

**DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019**

DALTON POLICE DEPARTMENT CRIME DASHBOARD YTD 2015-2019

**January 2019**

	2015	2016	2017	2018	2019	TREND
Part I Crimes YTD	114	106	105	109	101	
Homicides	0	0	0	0	0	
Rape	3	0	1	0	2	
Robbery	1	3	2	3	1	
Aggravated Assault	3	5	7	2	1	
<b>Violent Crime Totals</b>	<b>7</b>	<b>8</b>	<b>10</b>	<b>5</b>	<b>4</b>	
Burglary	14	18	17	18	12	
Larceny-Theft	87	74	70	77	81	
Motor Vehicle Theft	6	6	8	8	4	
Arson	0	0	0	1	0	
<b>Property Crime Totals</b>	<b>107</b>	<b>98</b>	<b>95</b>	<b>104</b>	<b>97</b>	
Violent Crime Clearance	71%	150%	40%	120%	200%	
Property Crime Clearance	38%	34%	28%	25%	48%	
Part I Arrests	34	37	26	25	47	
Citations	1,335	1,262	1,349	1,185	1,867	
Calls for Service	3,705	3,800	3,533	3,680	4,485	
Traffic Crashes	102	95	119	112	112	

## Analysis

In the year to date 2019 there have been 101 Part 1 crimes reported versus 109 in 2018 which shows an approximate decrease of 7.34%. There were 2 rapes reported in January of 2019 compared to 0 reported in January of 2018. There were 4 more larcenies reported in January of 2019 compared to 2018.

There have been 4 violent crimes reported 2019 YTD compared to 5 reported violent crimes YTD 2018. That is a decrease of one violent crime on the year. Year to date property crimes have shown a decrease of approximately 6.73% when compared to 2018 YTD statistics.

Based on the statistics from the previous 5 years, property crime numbers are in the normal range and show no significant deviation. Violent crime numbers are within the normal range and show no significant deviation.

**DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019**

DALTON POLICE DEPARTMENT CRIME STATISTICS												
	INCIDENTS				CLEARANCES				ARRESTS			
	1/19	1/18	2019 YTD	2018 YTD	1/19	1/18	2019 YTD	2018 YTD	1/19	1/18	2019 YTD	2018 YTD
Part I Offenses												
Homicide	0	0	0	0	0	0	0	0	0	0	0	0
Rape	2	0	2	0	4	0	4	0	0	0	0	0
Robbery	1	3	1	3	0	4	0	4	0	4	0	4
Aggravated Assault	1	2	1	2	4	2	4	2	4	1	4	1
Burglary	12	18	12	18	3	2	3	2	3	2	3	2
Larceny - Theft	81	77	81	77	43	24	43	24	40	18	40	18
Motor Vehicle Theft	4	8	4	8	1	0	1	0	0	0	0	0
Arson	0	1	0	1	0	0	0	0	0	0	0	0
PART I SUBTOTAL	101	109	101	109	55	32	55	32	47	25	47	25
Part II Offenses												
Other Assaults - not agg.	37	25	37	25	33	18	33	18	20	13	20	13
Forgery/Counterfeiting	13	13	13	13	7	3	7	3	7	3	7	3
Fraud	27	28	27	28	11	4	11	4	11	4	11	4
Embezzlement	1	3	1	3	1	1	1	1	0	1	0	1
Stolen Property	3	0	3	0	1	0	1	0	1	0	1	0
Vandalism	28	37	28	37	13	5	13	5	11	5	11	5
Weapons Violations	3	6	3	6	3	6	3	6	3	6	3	6
Commercial Sex	0	0	0	0	0	0	0	0	0	0	0	0
Other Sex Offenses	6	7	6	7	4	6	4	6	0	1	0	1
Drug Sales	11	11	11	11	8	20	8	20	8	20	8	20
Drug Possession	65	56	65	56	70	57	70	57	70	56	70	56
Gambling	1	0	1	0	0	0	0	0	0	0	0	0
Offenses Against Family/Children	2	3	2	3	1	3	1	3	1	2	1	2
Liquor Violations	6	7	6	7	4	6	4	6	4	6	4	6
Drunkenness	6	10	6	10	6	10	6	10	6	10	6	10
Other Disorderly Conduct	28	18	28	18	21	8	21	8	19	7	19	7
Curfew Violations	4	3	4	3	7	0	7	0	7	0	7	0
All Other Offenses	315	244	315	244	277	185	277	185	275	179	275	179
DUI	21	16	21	16	22	15	22	15	22	15	22	15
Human Trafficking	0	0	0	0	0	0	0	0	0	0	0	0
PART II SUBTOTAL	577	487	577	487	489	347	489	347	465	328	465	328
PART I AND II TOTAL	678	596	678	596	544	379	544	379	512	353	512	353
Crashes	2019 YTD				2018 YTD				Enforcement			
	1/19	1/18	YTD	YTD					1/19	1/18	2019 YTD	2018 YTD
Public Roadway	112	112	112	112	Citations				1,046	630	1,046	
					Warnings				821	555	821	
911 Calls	4,485	3,680	4,485	3,680	Totals				1,867	1,185	1,867	1,185

<b>Part 2 Offense</b>	<b>Sun</b>	<b>Mon</b>	<b>Tue</b>	<b>Wed</b>	<b>Thu</b>	<b>Fri</b>	<b>Sat</b>	<b>Grand Total</b>
Affray				1	1	1		3
All Other Offenses	1		1		1	3	1	7
Animal Problem					2			2
Assault, Intimidation					1	1		2
Assault, Othr Weap	1					1		2
Assault, Simple	2		1		1	1		5
Battery	2	1	4		4	3	1	15
Child Abuse or Neglect		1				1		2
CODE VIOLATION		3	7	17	9	2		38
Cont Subs, Other	1		1			3		5
Cont Subs, Other, Marijuana						1		1
Cont Subs, Possess, Marijuana	5	3	4	7	2	5	3	29
Cont Subs, Possess, Narc Equip	4	2	5	7	3	7	5	33
Cont Subs, Possess, Other			1					1
Cont Subs, Possess, Synthetic	2		2			4		8
Cont Subs, Sale/Mfg, Marijuana				1				1
Cont Subs, Sale/Mfg, Synthetic			1	1				2
Cont Subs,Possess,Amphetamine	1	1	5	1	4	6	3	21
Cont Subs,Sale/Mfg,Amphetamine		2	2			1		5
Curfew or Loitering	1	1				1	1	4
Damage - Government Property	1		1					2
Damage - Private Property		1	1	1				3
Destruct/Damage/Vandalize Prop	2	2	4	4	5	3	3	23
Disorderly Conduct	5			3	2	2		12
Drunkenness	1		2	2		1		6
DUI Alcohol or Drugs	5	2	2	2	1	4	5	21
Embezzlement-Business Property				1				1
False Information or Report			1		1			2
Forgery - Checks			1					1
Forgery - Forgery - Other	1	1					1	3
Forgery-Counterfeiting-Other		2	2	2	1	2		9
Fraud - Other			1					1
Fraud - Prescription					1			1
Fraud, Bad/Worthless Checks			1	2		1		4
Fraud, Credit Card or ATM		1		2	1			4

Fraud, Impersonation		2	1	2	1			6
Fraud/Swindle/Confidence Game				1		2		3
Gambling, Operat/Promot/Assist			1					1
Juvenile Problem					1			1
Juvenile Runaway				1	1			2
Liquor - Other	2					1		3
Liquor - Possess					1		1	2
Liquor - Sell			1					1
Littering or Pollution Problem			1					1
Loitering				1		1		2
Obstructing, Court Order					1			1
Obstructing, False Report	1	2	1		2	1	1	8
Obstructing, Other, Justice	1				1			2
Obstructing, Other, Police	3	1	1	2	3	1	4	15
Obstructing, Resisting Officer					1	1	1	3
Prop Damage, Not Vandalism					1			1
Public Peace, Disturbing Peace	2	1	1	2	1	1	3	11
Public Peace, Harassing Comm	2	1	4	1	4	1		13
Public Peace, Other						1		1
Receive or Possess Stolen Prop			1					1
Recovered Stolen Prop					2			2
Sex - Child Molestation				1		2		3
Sexual Battery			1					1
Simple Battery	2	1	2	2		4	2	13
Simple Battery Against Law Enf	1							1
Stalking			1		1			2
Suspicious Person or Circumst				1				1
Threatening			1	1				2
Tobacco Problem			1					1
Traffic Accident, Prop Damage						1		1
Traffic Offense	9	4	10	4	10	6	5	48
Trafficking of Controlled subs						1	2	3
Trespass of Real Prop	6	6	2	6	2	6	1	29
Vagrancy				2	4	1	1	8
Warrant Served	5	13	15	20	21	13	7	94
Weapon - Carrying Prohibited			1			1		2

Weapon - Other - Possess						1		1
<b>Grand Total</b>	<b>69</b>	<b>54</b>	<b>96</b>	<b>101</b>	<b>98</b>	<b>100</b>	<b>51</b>	<b>569</b>



DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019

Summary of Significant Events for January 2019

During the month of January 2019 there was an identified crime series in the city involving the same suspects and included various crimes from entering auto to financial transaction card fraud. The suspects were identified and warrants were issued. The suspects are currently incarcerated in another jurisdiction. There were four reports of stolen vehicles during the month. There were twelve burglaries reported during this time frame. There was one reported aggravated assault.

---

19-000504

Vehicle Theft / Aggravated Assault

818 Shugart Rd

The complainant advised that two male subjects approached him behind the apartments. The complainant advised that the male subjects took his vehicle at gunpoint. Investigators began working on the case based on the complainant's statements. Officers received a call a few days later advising the stolen vehicle was returned to the apartments. Upon further investigation it was discovered the complainant filed a false police report in reference to the theft of the vehicle. It was also discovered the vehicle's VIN had been altered and the complainant, along with others, have been conducting this scheme in multiple jurisdictions. Warrants were issued for the complainant and another subject in reference to this case.

19-000021

Kidnapping

600 Wilkins St

The complainant stated that on the evening of New Year's Eve he was kidnapped at gun point by two Hispanic males. He stated a hood was placed over his head. He was questioned all night about his knowledge of several people and a drug bust that had occurred. He was released the following morning and walked from the area of New Hope to Hamilton St. The complainant ate at Providence before calling 911. The kidnappers also stopped and bought him cigarettes during the incident. The complainant did not arrive for his arranged interview and would not return investigators calls.

19-000687

Vehicle Theft

1501 W Walnut Ave

An employee from Ed Kirby Chevrolet reported the theft of a white 2018 Jeep Grand Cherokee valued at \$99,760. The complainant believes that a key may have been taken during a recent burglary at the dealership. The vehicle was entered into GCIC as stolen.

19-000728

Robbery

Meeting St. & Parkside Pl

The complainant reported that unknown persons approached her and by force took her purse from her and ran off. Officers canvassing the area were able to identify a suspect. After investigation the suspect was arrested and charged with robbery.

19-000022

Assault

1522 W Walnut Ave

Officer Scruggs stopped a vehicle that had been called in as a possible DUI. Officer Cook arrived to provide back up for field sobriety. During the stop the passenger, who was highly intoxicated retrieved a handgun from the glove box and was seen by Officer Cook with the weapon in his hand. The subject did not notice Officer Cook standing by the door. Officer Cook drew his weapon and was able to grab the suspect's handgun and take him into custody. Officers tried to question the suspect but due to his intoxication and highly emotional state he could not provide any reason for retrieving the gun.

DALTON POLICE DEPARTMENT

## PUBLIC SAFETY COMMISSION MEETING

FEBRUARY 26, 2019

## Entering Auto

The complainant reported that someone entered his unlocked vehicle in the morning hours in the parking lot. Video footage of the suspect vehicle was obtained. During investigation of the incident a suspect was identified based on pawn records. It was determined that the same suspects involved in this entering auto were also responsible for several other crimes ranging from entering autos to financial transaction card fraud in Dalton and other jurisdictions. Warrants were issued for the suspects.

## Auto Theft

The caller reported that unknown subjects stole his vehicle from the parking lot of the motel. The vehicle was later located by the complainant.

## Aggravated Assault

Officers responded to the ER in reference to a subject that had a cut on his abdomen. He initially stated that it happened because he fell on a piece of glass in a back yard. As the officers continued to question him and his girlfriend it was learned that her mother had stabbed him. Detective Yarbrough responded to assist. While he was in route Officer Williams stopped the suspect vehicle and was able to take the mother into custody. In an interview with Detective Yarbrough she admitted to the assault. She was transported to the jail and charged.

## Entering Auto

Unknown suspect(s) entered the victim's Honda Accord by prying on the window gasket and then removed items from inside the vehicle. There was a Michael Kors wallet and a pink purse taken along with keys and several other items. Some items believed to have been stolen from this vehicle were located during the investigation of case 19-000085.

## Vehicle Theft

The complainant reported that sometime during the last 2 weeks while he was out of town his 1997 tan Ford Contour was taken from in front of his residence. He did advise the keys were left in it so a neighbor could crank it occasionally while he was gone.

## Burglary

The complainant reported that sometime overnight someone entered her residence and took a television, Xbox One and approximately 50 DVDs. The complainant named a suspect as being responsible for the theft. She stated that the suspect had stayed at the apartment a few weeks ago and since she left she has been unable to locate the key to the front door.

## Entering Auto

The complainant reported that his mother Maribel Gonzalez had parked her car for a brief moment at a business during the morning. She was not sure if she locked the car but believes that she had left it unlocked. While the car was parked someone entered the vehicle and took her purse from the front passenger seat. During the investigation it was discovered that the suspects from case 19-000085 used the complainant's debit card that had been stolen from her vehicle. One suspect was arrested and warrants were issued for the other suspect.

## Battery

Officers were dispatched to Hamilton Medical Center in reference to an assault that occurred on January 12, 2019. The complainant reported that she traveled to Cleveland, TN with a male subject when the subject be

DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019

to smoke methamphetamine. The complainant stated they went to a residence on Crawford St and the suspect continued smoking meth. The complainant refused to use meth and the suspect called her a snitch, then assaulted her. The case is currently under investigation.

19-000356

Sex Offense

130 Scenic Valley Pl; 28

The complainant reported his girlfriend had possibly been drugged and sexually assaulted after taking a co-worker home. When officer's arrived his girlfriend was unresponsive, but breathing. The victim advised officers that she had not been feeling well after dropping the co-worker off and does not remember some of the events while in Calhoun. She also advised her pelvic area was hurting. After investigation it was determined the case was unfounded and turned over to Gordon County for further.

19-000485

Sex Offense

436 Whitener Dr

The complainant reported that a male subject had forced her to perform oral sex two days ago. She did not provide a lot of details, but did give a possible name of the male. The case is currently under investigation.

19-000481

Burglary


1212 W Walnut Ave

The complainant reported she believed someone had entered her residence and stole 2 iPads, a TV, and some clothes. She could not say when this would have occurred but believed her ex's new girlfriend was responsible. She could not say why she thought this other than she had been talking bad about her. She could not provide a name for the girlfriend either.

# DALTON POLICE DEPARTMENT PUBLIC SAFETY COMMISSION MEETING FEBRUARY 26, 2019

## January 2019 Crash Statistics

In January 2019 there were 112 non-private property crashes reported. Injury crashes and injuries decreased from December 2018. There were no serious injuries reported in January 2019. Rear end and angle crashes were the most prevalent during January 2019. Following too close was the leading contributing factor in both injury and non-injury crashes. Walnut Ave and Thornton Ave were the roadways where the majority of the crashes occurred. In January 2019 approximately 26% of all crashes in the city occurred on Walnut Ave. In January 2019, Chattanooga Rd/Bypass and Walnut Ave were the roadways with the most injury crashes.



### 112 Crashes Reported in December 2018

- There were 15 less crashes in January 2019 than in December 2018.
  - 12 Crashes reported in which injuries occurred.
  - That is one injury crash for every 9.33 crashes reported.
  - Multiple injuries were reported in 3 crashes.

DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019

- Total Injuries Reported
  - 15 injuries were reported.
  - 0 serious injuries were reported.

Top 5 Streets

- Walnut Avenue
  - 29 Total Crashes
  - 25.89 % of Total Crashes
  - 33.33 % of Injuries Reported (5 Injuries Reported on the Roadway)
- Thornton Ave
  - 12 Total Crashes
  - 10.71 % of Total Crashes
  - 0 % of Injuries Reported (0 Injuries Reported on this Roadway)
- Glenwood Ave
  - 9 Total Crashes
  - 8.04 % of Total Crashes
  - 6.67 % of Injuries Reported (1 Injuries Reported on this Roadway)
- Chattanooga Rd/N Bypass
  - 7 Total Crashes
  - 6.25 % of Total Crashes
  - 26.67 % of Injuries Reported (4 Injuries Reported on the Roadway)
- Airport Rd
  - 4 Total Crashes
  - 3.57 % of Total Crashes
  - 0 % of Injuries Reported (0 Injury Reported on the Roadway)

Crashes Involving DUI

- 6 Reported Crashes involving DUI

Crashes Involving Speed

- 9 Reported Crashes involving Speed (Includes Too Fast for Conditions)

Crashes Involving Distracted or Inattentive Driver

- 9 Crashes Reported with Distracted or Inattentive Driver

DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019

Crashes Involving Drivers Following One Another Too Closely

- 26 Crashes Reported involving Following Too Closely

Crashes by Type

- Rear End 51 / 45.54%
- Angle Crash 40 / 35.71%
- Sideswipe – Same Direction 14 / 12.50%
- Non-Vehicle 5 / 4.46%
- Head On 2 / 1.79%

Days of the Week

- 13 crashes occurred on Mondays
- 16 crashes occurred on Tuesdays
- 15 crashes occurred on Wednesdays
- 24 crashes occurred on Thursdays
- 20 crashes occurred on Fridays
- 17 crashes occurred on Saturdays
- 7 crashes occurred on Sundays

Time of Day

- 0000-0559-4
- 0600-0859-17
- 0900-1059-4
- 1100-1359-26
- 1400-1559-18
- 1600-1859-23
- 1900-2159-18
- 2200-2359-2

Top Contributing Factors

- Following Too Closely: 26 (23.21 % of all crashes)
- Failure to Yield: 20 (17.86 % of all crashes)
- Other: 11 (9.82 % of all crashes)
- Changed Lanes Improperly: 10 (8.93 % of all crashes)
- Changed Lanes Improperly: 9 (8.04 % of all crashes)

DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING  
FEBRUARY 26, 2019

Based on the crash data from December 2018, Selective Enforcement Details were conducted in the following areas in January 2019:

- **Glenwood Ave**
- **Chattanooga Rd**
- **Walnut Ave**

There were 34 total Enforcement Details conducted in January 2019, resulting in 473 total violations being identified.

Comparing the crash data compiled and the enforcement activities conducted for the month of January 2019, details will be conducted in February 2019 in the following areas:

- **Glenwood Ave**
- **Thornton Ave**
- **Walnut Ave**

DALTON POLICE DEPARTMENT  
PUBLIC SAFETY COMMISSION MEETING

February 26, 2019

SUMMARY OF THE FINANCIAL STATISTICS FOR JANUARY 2019

The police department budget is on track for FY 2019, and at the time of this report we have expended approximately 7.2% of our 2019 budget. We are currently 1.13% under budget for the year.

At this time, we believe sufficient funds are available within our existing budget to cover our operating cost for the remainder of the year.



02/04/2019 08:47  
628abrow  
The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

FOR 2019 99

	ORIGINAL APPROP	TRANSFRS/ ADJSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
0010 GENERAL FUND - OPERATING							
141501 PD ADMINISTRATION							
141501 000010 SALARIES-REGULAR	448,140	-50,169	397,971	26,988.80	.00	370,982.20	6.8%
141501 000011 SALARIES OVERTIME	2,600	-1,085	1,515	.00	.00	1,515.00	.0%
141501 000017 RAISE POOL - GROS	13,700	0	13,700	.00	.00	13,700.00	.0%
141501 000020 FICA	34,470	-3,942	30,528	3,020.98	.00	27,507.02	9.9%
141501 000030 PENSION	7,100	-2,576	4,524	16,609.62	.00	3,914.38	13.5%
141501 000032 PENSION - DB PLAN	181,400	0	181,400	16,316.94	.00	165,083.06	9.0%
141501 000040 HOSPITALIZATION I	63,600	-11,000	52,600	4,335.95	.00	48,264.05	8.2%
141501 000045 EE LIFE & DISABIL	2,575	-286	2,289	252.22	.00	2,036.78	11.0%
141501 000046 RAISE POOL - BENE	4,630	0	4,630	.00	.00	4,630.00	.0%
141501 000050 GENERAL INSURANCE	104,280	0	104,280	.00	.00	104,280.00	.0%
141501 000060 WORKER COMPENSATI	5,630	0	5,630	.00	.00	5,630.00	.0%
141501 000080 OFFICE EQUIPMENT	5,000	0	5,000	.00	.00	5,000.00	.0%
141501 000110 TELEPHONE	45,000	0	45,000	1,208.23	.00	43,791.77	2.7%
141501 000120 TRAINING EXPENSES	20,450	0	20,450	180.00	.00	20,270.00	.9%
141501 000130 VEHICLE EXPENSES	2,000	0	2,000	.00	.00	2,000.00	.0%
141501 000140 COPIER RENTAL/SUP	9,000	0	9,000	956.39	.00	8,043.61	10.6%
141501 000150 PRINTING	4,000	0	4,000	197.50	.00	3,802.50	4.9%
141501 000160 POSTAGE	3,000	0	3,000	135.00	.00	2,865.00	4.5%
141501 000360 LEGAL FEES	15,000	0	15,000	.00	.00	15,000.00	.0%
141501 000410 GAS & OIL	5,800	0	5,800	.00	.00	5,800.00	.0%
141501 000440 SUPPLIES	800	0	800	.00	.00	800.00	.0%
141501 000450 CLEANING ALLOWANC	1,700	0	1,700	.00	.00	1,700.00	.0%
141501 000455 CLOTHING ALLOWANC	2,400	-600	1,800	.00	.00	1,800.00	.0%
141501 001010 OFFICE SUPPLIES	1,500	0	1,500	.00	.00	1,500.00	.0%
141501 001030 COMPUTER SOFTWARE	157,040	0	157,040	12,841.90	.00	144,198.10	8.2%
141501 001300 MEALS	2,000	0	2,000	.00	.00	2,000.00	.0%
141501 001410 DUES/FEES/SUBSCRI	4,400	0	4,400	450.00	.00	3,950.00	10.2%
141501 001665 RADIO SUBSCRIBER	22,460	0	22,460	21,561.60	.00	898.40	96.0%
141501 001990 MISCELLANEOUS	2,000	0	2,000	.00	.00	2,000.00	.0%
141501 003226 CUSTODY OF PRISIO	140,000	0	140,000	.00	.00	140,000.00	.0%
TOTAL PD ADMINISTRATION	1,311,675	-69,658	1,242,017	89,055.13	.00	1,152,961.87	7.2%

02/04/2019 08:47  
628abrowThe City of Dalton  
YEAR-TO-DATE BUDGET REPORTP  
glytdbud 2

FOR 2019 99

	ORIGINAL APPROP	TRANFRS/ ADJUSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
141503 PD PATROL							
141503 000010 SALARIES-REGULAR	3,287,945	0	3,287,945	237,528.97	.00	3,050,416.03	7.2%
141503 000011 SALARIES OVERTIME	71,420	0	71,420	6,787.78	.00	64,632.22	9.5%
141503 000017 RAISE POOL - GROS	103,900	0	103,900	.00	.00	103,900.00	.0%
141503 000020 FICA	257,120	0	257,120	25,706.44	.00	231,413.56	10.0%
141503 000030 PENSION	126,460	0	126,460	11,360.31	.00	115,099.69	9.0%
141503 000032 PENSION - DB PLAN	305,135	0	305,135	36,649.47	.00	268,485.53	12.0%
141503 000040 HOSPITALIZATION I	510,910	0	510,910	55,373.69	.00	455,536.31	10.8%
141503 000045 EE LIFE & DISABIL	19,420	0	19,420	1,357.92	.00	18,062.08	7.0%
141503 000046 RAISE POOL - HENE	33,400	0	33,400	.00	.00	33,400.00	.0%
141503 000060 WORKER COMPENSATI	51,490	0	51,490	.00	.00	51,490.00	.0%
141503 000120 TRAINING EXPENSES	95,000	0	95,000	6,032.14	.00	88,967.86	6.3%
141503 000130 VEHICLE EXPENSES	115,500	0	115,500	.00	.00	115,500.00	.0%
141503 000400 EQUIPMENT MAINT &	12,500	0	12,500	.00	.00	12,500.00	.0%
141503 000410 GAS & OIL	173,990	0	173,990	.00	.00	173,990.00	.0%
141503 000440 SUPPLIES	5,500	0	5,500	.00	.00	5,500.00	.0%
141503 000450 CLEANING ALLOWANC	10,000	0	10,000	10.00	.00	9,990.00	.1%
141503 000450 UNIFORMS	61,000	0	61,000	2,575.69	.00	58,424.31	4.2%
141503 001010 OFFICE SUPPLIES	3,000	0	3,000	.00	.00	3,000.00	.0%
141503 001300 MEALS	2,000	0	2,000	.00	.00	2,000.00	.0%
141503 001410 DUES/FEES/SUBSCRI	3,750	0	3,750	75.00	.00	3,675.00	2.0%
141503 001660 COMMUNICATION EOU	2,500	0	2,500	.00	.00	2,500.00	.0%
141503 001990 MISCELLANEOUS	5,000	0	5,000	.00	.00	5,000.00	.0%
141503 039980 CAPITAL OUTLAY <	26,420	0	26,420	.00	.00	26,420.00	.0%
TOTAL PD PATROL	5,283,360	0	5,283,360	383,457.41	.00	4,899,902.59	7.3%

02/04/2019 08:47  
628abrow

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

FOR 2019 99

	ORIGINAL APPROP	TRANFRS/ ADJUSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
141504 PD CRIMINAL INVESTIGATION DIV							
141504 000010 SALARIES-REGULAR	776,290	50,169	826,459	58,171.98	.00	768,287.02	7.0%
141504 000011 SALARIES OVERTIME	32,540	1,085	33,625	272.73	.00	33,352.27	.8%
141504 000017 RAISE POOL - GROS	24,500	0	24,500	.00	.00	24,500.00	.0%
141504 000020 FICA	61,840	3,942	65,782	6,026.21	.00	59,755.79	9.2%
141504 000030 PENSION	13,025	2,576	15,601	1,366.03	.00	14,234.97	8.8%
141504 000032 PENSION - DB PLAN	321,510	0	321,510	32,598.53	.00	288,911.47	10.1%
141504 000040 HOSPITALIZATION I	117,850	11,000	128,850	15,302.41	.00	113,547.59	11.9%
141504 000045 EE LIFE & DISABIL	4,580	286	4,866	325.22	.00	4,540.78	6.7%
141504 000046 RAISE POOL - BENE	7,700	0	7,700	.00	.00	7,700.00	.0%
141504 000060 WORKER COMPENSATI	12,145	0	12,145	.00	.00	12,145.00	.0%
141504 000120 TRAINING EXPENSES	42,110	0	42,110	974.50	.00	41,135.50	2.3%
141504 000130 VEHICLE EXPENSES	7,000	0	7,000	.00	.00	7,000.00	.0%
141504 000400 EQUIPMENT MAINT &	1,500	0	1,500	.00	.00	1,500.00	.0%
141504 000410 GAS & OIL	19,390	0	19,390	203.97	.00	19,186.03	1.1%
141504 000440 SUPPLIES	3,000	0	3,000	.00	70.00	2,930.00	2.3%
141504 000450 CLEANING ALLOWANC	4,000	0	4,000	.00	.00	4,000.00	.0%
141504 000455 CLOTHING ALLOWANC	8,400	600	9,000	.00	.00	9,000.00	.0%
141504 001010 OFFICE SUPPLIES	4,000	0	4,000	.00	.00	4,000.00	.0%
141504 001300 MEALS	700	0	700	.00	.00	700.00	.0%
141504 001410 DUES/FEES/SUBSCRI	2,860	0	2,860	150.00	.00	2,710.00	5.2%
141504 001650 PURCHASE EVIDENCE	30,000	0	30,000	.00	.00	30,000.00	.0%
141504 001660 COMMUNICATION EQU	1,500	0	1,500	.00	.00	1,500.00	.0%
141504 001990 MISCELLANEOUS	5,000	0	5,000	190.00	.00	4,810.00	3.8%
141504 039980 CAPITAL OUTLAY <	5,445	0	5,445	.00	.00	5,445.00	.0%
TOTAL PD CRIMINAL INVESTIGATION DIV	1,506,885	69,658	1,576,543	115,581.58	70.00	1,460,891.42	7.3%

02/04/2019 08:47  
638abrow

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

munis  
a cyber app solution

P 4  
glytdbud

FOR 2019 99

141507 PD SUPPORT SERVICES

	ORIGINAL APPROP	TRANSFRS/ ADJUSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
141507 000010 SALARIES-REGULAR	558,335	-12,000	546,335	35,460.46	.00	510,874.54	6.5%
141507 000011 SALARIES OVERTIME	5,880	0	5,880	66.20	.00	5,813.80	1.1%
141507 000012 SALARIES-PART TIM	0	12,000	12,000	510.67	.00	11,489.33	4.3%
141507 000017 RAISE POOL - GROS	17,000	0	17,000	.00	.00	17,000.00	0.0%
141507 000020 FICA	43,140	0	43,140	3,745.51	.00	39,394.49	8.7%
141507 000030 PENSION	15,040	0	15,040	738.20	.00	14,301.80	4.9%
141507 000040 HOSPITALIZATION I	149,840	0	149,840	16,984.49	.00	132,855.51	11.3%
141507 000045 EE LIFE & DISABIL	97,150	0	97,150	8,745.24	.00	88,404.76	9.0%
141507 000046 RAISE POOL - BENE	3,150	0	3,150	200.17	.00	2,949.83	6.4%
141507 000060 WORKER COMPENSATI	5,600	0	5,600	.00	.00	5,600.00	0.0%
141507 000120 TRAINING EXPENSES	8,470	0	8,470	.00	.00	8,470.00	0.0%
141507 000130 VEHICLE EXPENSES	42,000	0	42,000	.00	.00	42,000.00	0.0%
141507 000330 UTILITIES	2,000	0	2,000	.00	.00	2,000.00	0.0%
141507 000410 GAS & OIL	45,500	0	45,500	3,728.92	.00	41,771.08	8.2%
141507 000440 SUPPLIES	7,300	0	7,300	102.76	.00	7,300.00	0.0%
141507 000450 CLEANING ALLOWANC	3,000	0	3,000	.00	.00	2,897.24	3.4%
141507 000455 CLOTHING ALLOWANC	2,400	0	2,400	.00	.00	2,400.00	0.0%
141507 000460 UNIFORMS	600	0	600	.00	.00	600.00	0.0%
141507 001010 OFFICE SUPPLIES	4,000	0	4,000	38.91	.00	3,961.09	1.0%
141507 001300 MEALS	2,500	0	2,500	129.58	.00	2,370.42	5.2%
141507 001410 DURS/FEES/SUBSCRI	500	0	500	.00	.00	500.00	0.0%
141507 001415 CREDIT CARD & BAN	2,100	0	2,100	.00	.00	2,100.00	0.0%
141507 001610 APPLICANT TESTING	600	0	600	.00	.00	600.00	0.0%
141507 001880 COMMUNITY SERVICE	6,500	0	6,500	165.00	.00	6,335.00	2.5%
141507 001990 MISCELLANEOUS	12,500	0	12,500	.00	.00	12,500.00	0.0%
141507 084725 BUILDING/GROUNDS M	1,500	0	1,500	50.00	.00	1,450.00	3.3%
TOTAL PD SUPPORT SERVICES	109,145	0	109,145	7,760.35	.00	101,384.65	7.1%
TOTAL GENERAL FUND - OPERATING	1,145,750	0	1,145,750	78,426.46	.00	1,067,323.54	6.8%
TOTAL EXPENSES	9,247,670	0	9,247,670	666,520.58	70.00	8,581,079.42	7.2%
GRAND TOTAL	9,247,670	0	9,247,670	666,520.58	70.00	8,581,079.42	7.2%

\*\* END OF REPORT - Generated by Alethea Brown \*\*

02/04/2019 15:46  
628abrow  
The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

FOR 2019 99

	ORIGINAL APPROP	TRANSFRS/ ADJSTMTS	REVISED BUDGET	YTD ACTUAL	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
0210 CONFISCATED ASSETS							
210000 CONFISCATED FIXED ASSETS-SP RV							
210000 361100 JUSTI INTEREST EAR	-30	0	-30	.00	.00	-30.00	.0%
210000 361100 STATE INTEREST EAR	-30	0	-30	.00	.00	-30.00	.0%
210000 361100 TREAS INTEREST EAR	-600	0	-600	.00	.00	-600.00	.0%
TOTAL CONFISCATED FIXED ASSETS-SP RV	-660	0	-660	.00	.00	-660.00	.0%

02/04/2019 15:46  
628abrow

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

P  
glytdbud 2

FOR 2019 99

	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD ACTUAL	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
210001 REVENUES							
210001 351102 JUSTI FORFEIT JUST	-20,000	0	-20,000	.00	.00	-20,000.00	.0%
210001 351102 TREAS FORFEIT TREA	-20,000	0	-20,000	.00	.00	-20,000.00	.0%
210001 351103 STATE DRUG SEIZURE	-60,000	0	-60,000	.00	.00	-60,000.00	.0%
210001 392100 STATE PROCEEDS FRO	-10,000	0	-10,000	.00	.00	-10,000.00	.0%
TOTAL REVENUES	-110,000	0	-110,000	.00	.00	-110,000.00	.0%

02/04/2019 15:46  
628abrow

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

P 3  
glytdbud

FOR 2019 99

	ORIGINAL APPROP	TRANSFERS/ ADJUSTMTS	REVISED BUDGET	YTD ACTUAL	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
210415 EXPENDITURES							
210415 000070 STATE ADVERTISING	2,000	0	2,000	.00	.00	2,000.00	.0%
210415 000120 STATE TRAINING EXP	30,000	0	30,000	.00	.00	30,000.00	.0%
210415 000370 STATE COURT COSTS	12,500	0	12,500	310.00	.00	12,190.00	2.5%
210415 001990 JUSTI MISCELLANEOU	200	0	200	.00	.00	200.00	.0%
210415 001990 STATE MISCELLANEOU	6,150	0	6,150	.00	.00	6,150.00	.0%
210415 001990 TREAS MISCELLANEOU	26,400	0	26,400	.00	.00	26,400.00	.0%
210415 021910 STATE COMMUNICATIO	26,380	0	26,380	.00	.00	26,380.00	.0%
210415 021910 TREAS COMMUNICATIO	100	0	100	.00	.00	100.00	.0%
210415 039980 JUSTI CAPITAL OUTL	1,700	0	1,700	.00	.00	1,700.00	.0%
210415 039980 STATE CAPITAL OUTL	1,000	0	1,000	.00	.00	1,000.00	.0%
210415 039980 TREAS CAPITAL OUTL	2,300	0	2,300	.00	.00	2,300.00	.0%
TOTAL EXPENDITURES	82,730	0	82,730	310.00	.00	82,420.00	.4%
TOTAL CONFISCATED ASSETS	-27,930	0	-27,930	310.00	.00	-28,240.00	-1.1%
TOTAL REVENUES	-110,660	0	-110,660	.00	.00	-110,660.00	
TOTAL EXPENSES	82,730	0	82,730	310.00	.00	82,420.00	
GRAND TOTAL	-27,930	0	-27,930	310.00	.00	-28,240.00	-1.1%

\*\* END OF REPORT - Generated by Alethea Brown \*\*



**DALTON POLICE DEPARTMENT  
REVENUE ACCOUNT DEPOSITS  
YEAR-TO-DATE**

DATE	392100 392200 GAIN FROM SALES ON GOV DEALS	369097 COPIES/ CRIMINAL HIST.		369098 FALSE ALARM FEES	320505 DEFENSIVE DRIVING CLASS	MISCELLANEOUS ACCOUNT 369099:						I. I. TASK FORCE OVERTIME	334000 S. S. TASK FORCE OVERTIME ***	342101 DALTON PUBLIC SCHOOLS	PROPERTY DAMAGE	TOTAL DEPOSIT
		Records Unit	GEARS Reports			PARADE/ SOUND PERMITS	TAXI PERMITS	OPEN RECORDS	*	GRANT REIM. **	GRANT NAME					
<b>JANUARY</b>																
1/2/2019		15.00					100.00									115.00
1/3/2019							100.00									100.00
1/4/2019							25.00									25.00
1/7/2019		30.00					125.00									155.00
1/8/2019		30.00		150.00			175.00									355.00
1/9/2019							25.00									25.00
1/10/2019								38.60								38.60
1/11/2019		70.00					50.00									120.00
1/14/2019				725.00			25.00									750.00
1/16/2019		15.00														15.00
1/17/2019		15.00					25.00									40.00
1/18/2019		30.00														30.00
1/22/2019		30.00														30.00
1/23/2019		45.00	565.00	100.00												710.00
1/24/2019		45.00					25.00									70.00
1/25/2019		30.00														30.00
1/28/2019				575.00												575.00
1/30/2019		60.00		225.00			25.00									310.00
1/31/2019		45.00		100.00												145.00
<b>JANUARY TOTALS</b>		<b>460.00</b>	<b>565.00</b>	<b>1,875.00</b>	<b>0.00</b>	<b>0.00</b>	<b>700.00</b>	<b>38.60</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>3,638.60</b>
<b>JUSTICE - Federal Forfeiture Funds:</b>				0.48												
<b>TREASURY - Federal Forfeiture Funds:</b>				26,886.50												
<b>State Drug Seizure Funds:</b>				122,151.32												
						<b>GOV DEALS SALE OF ASSETS VEHICLES</b>			<b>NONE</b>			<b>GOV DEALS SALE OF ASSETS CELL PHONES</b>		<b>NONE</b>		



[illegible]

**Federal Forfeitures Fund**

[illegible]

[illegible][illegible]

# DALTON POLICE DEPARTMENT

		Effective Date	Number
			GO03-7.7
Subject <b>Surveillance and Undercover Procedures</b>			
Reference		Revised	
		<del>January 24, 2017</del> <u>February 26, 2019</u>	
Distribution	Re-evaluation Date	No. Pages	
All Personnel	<del>January 24, 2019</del> <u>February 2021</u>	4	

## I. Policy

It is the policy of the Dalton Police Department to detect and deter criminal activity. In order to do so, surveillance and undercover guidelines must be followed to accomplish the mission, ensure the safety of both civilians and officers, and to protect the Constitutional rights of all citizens.

## II. Operations Plans

Surveillance or undercover operations which meet the following criteria shall require an operations plan:

- A. "Buy / Bust" operations where, once a purchase is made, an arrest will be affected immediately.
- B. Any operation where an Officer of the Dalton Police Department or an undercover Officer from another agency is directly involved in the transaction.
- C. An operation with a known violent offender or known armed offenders, or where current information suggests an elevated risk to Officers.
- D. Any operation where an illegal substance or item is purchased in an amount that requires authorization from the Chief of Police or his / her designee.
- E. Any surveillance operation where the intent is to affect an arrest during the operation.

## III. Surveillance Operations

### A. Preparation

A detailed plan of the surveillance target is a critical beginning to every successful surveillance or stakeout operation.

#### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON POLICE DEPARTMENT

		<i>Effective Date</i> <b>February 24, 2004</b>	<i>Number</i> <b>GO03-7.8</b>
<i>Subject</i> <b>Covert Electronic Recording and Monitoring</b>			
<i>Reference</i> <b>O.C.G.A. 16-11-64</b>		<i>Revised</i> <del>January 24, 2017</del> <u>February 26, 2019</u>	
<i>Distribution</i> <b>All Personnel</b>	<i>Re-evaluation Date</i> <del>January 24, 2019</del> <u>February 2021</u>	<i>No. Pages</i> <b>3</b>	

## I. Policy

It is the policy of the Dalton Police Department to restrict covert electronic monitoring or recording activities to investigations where a reasonable suspicion of criminal activity exists.

## II. Definitions

- A. *Covert* - An electronic device is *covert*, when it is hidden from normal view or otherwise secreted away, and at least one of the individuals to be recorded has a reasonable expectation of privacy. Examples of covert recording devices are body recorders or transmitters, miniature closed circuit television [CCTV], or parabolic microphones.
- B. *Consensual Monitoring and / or Recording* - Monitoring and / or recording of private conversations of an individual, or group of individuals, and the consenting party is present during the monitoring and / or recording of such conversations. This may be achieved by telephone recorders, body recorders, or transmitters that are recorded on magnetic tape, digital media, or other electronic recording equipment. To be consensual, at least one of the parties to the conversation(s) must be aware that the conversation(s) is being electronically monitored or recorded, and agree to the monitoring or recording.
- C. *Non-Consensual Monitoring and / or Recording* - The monitoring and / or recording of private conversations of individuals or groups of individuals and where no party involved in the conversation consents to the recording or such monitoring of the conversation.
- D. *Overt surveillance* - Is the use of electronic or photographic equipment that is not hidden from general view, regardless of whether or not the suspect actually sees the monitoring device or knows of its' existence. Examples of overt surveillance devices include:
  1. Video / Audio recording equipment mounted in interview rooms, hallways, parking lots, waiting rooms, etc;

### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

- B. ~~All original recordings tapes will be duplicated as needed, sealed and stored as evidence.~~ Recordings made on digital devices ~~not using removable memory cards~~ will be downloaded to a Departmental computer with a CD writer. The recording will then be saved on the CD and the CD will be treated as the original recording for evidence. In addition, recordings may be stored on a secure portion of the Department's computer system.
- C. The Officer will complete a thorough investigative report after each operation in which a covert monitoring / recording device is used.
- D. Information gathered by covert electronic monitoring / recording devices will only be disseminated on a strict need to know basis.

V. **Approval and Device Inventory Control**

- A. Approval for the use of any Departmental covert monitoring / recording device in a criminal investigation will be given by the unit Supervisor of the investigating Officer.
- B. The approving Supervisor will insure that the requesting Officer uses the device in accordance with Departmental policy and the manufacturer's recommended procedures.
- C. The Criminal Investigations Division Commander, or his / her designee, will maintain a log and inventory of all Departmental covert electronic monitoring / recording equipment maintained in the Criminal Investigations Division. The Patrol Division Commander, or his / her designee, will maintain a log and inventory of all Departmental covert monitoring / recording equipment maintained in the Patrol Division.

VI. **Non-Consensual Covert Surveillance**

- A. Prior to using any covert recording device in a non-consensual surveillance, the Officer, through the prosecuting attorney having jurisdiction or the Attorney General, will obtain a court order in compliance with O.C.G.A. 16-11-64.
- B. Under no circumstances will an Officer of this Department conduct or be associated with a non-consensual covert monitoring or recording activity that is not authorized by a court order.

*This policy supersedes any previous policies issued.*

**BY ORDER OF**

---

**CHIEF OF POLICE**

**RESTRICTED LAW ENFORCEMENT DATA**

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON POLICE DEPARTMENT

		Effective Date <b>February 24, 2004</b>	Number <b>GO03-7.9</b>
Subject <b>Overt Electronic Recording and Monitoring</b>			
Reference		Revised <del>January 24, 2017</del> <u>February 26, 2019</u>	
Distribution <b>All Personnel</b>	Re-evaluation Date <del>January 24, 2019</del> <u>February 2021</u>		No. Pages <b>7</b>

## I. Policy

It is the policy of the Dalton Police Department that mobile video / audio recording equipment in patrol vehicles be routinely used for the purposes of collecting evidence, which could be used in prosecuting those who violate the law, to evaluate an Officer's performance, and as a training aid. Other overt electronic surveillance techniques and equipment will be used whenever reasonably necessary to deter crime and provide a record of events that might be used as evidence in a criminal case.

## II. Definitions

- A. *Covert* - An electronic device is *covert*, when it is hidden from normal view or otherwise secreted away, and at least one of the individuals to be recorded has a reasonable expectation of privacy. Examples of covert recording devices are body recorders or transmitters, miniature closed circuit television [CCTV], or parabolic microphones. For Department guidelines on covert surveillance see GO03-7.8, Covert Electronic Recording and Monitoring.
- B. *Overt* surveillance - Is the use of electronic or photographic equipment that is not hidden from general view, regardless of whether or not the suspect actually sees the monitoring device or knows of its existence. Examples of overt surveillance devices include:
  - 1. Video / Audio recording equipment mounted in interview rooms, hallways, parking lots, waiting rooms, etc;
  - 2. Recording devices used openly and in a non-concealed manner;
  - 3. Video / Audio recording equipment mounted in a patrol car; or
  - 4. Use of handheld video camera.
- C. *No or low expectation of privacy* – In some instances persons have no or low expectation of privacy to include but not limited to:

### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON POLICE DEPARTMENT

		Effective Date <b>January 27, 2004</b>	Number <b>GO04-4.6</b>
Subject <b>Search of Motor Vehicles</b>			
Reference 		Revised <del>July 25, 2017</del> <u>February 26, 2019</u>	
Distribution   <b>All Personnel</b>		Re-evaluation Date <del>July 25, 2019</del> <u>February 2021</u>	No. Pages <b>4</b>

## I. Policy

The Dalton Police Department will only conduct searches that are legal and thorough, while strictly observing the constitutional rights of drivers and other occupants. Searches will only be conducted with due regard for the safety of officers, other persons, and the property involved.

## II. Procedures

### A. Officer Safety

Officers **will not search vehicles alone**. At least two (2) Officers will be present in order to allow one (1) Officer to search and one (1) Officer to monitor vehicle occupants. Officers may make all occupants exit the vehicle while interviewing or searching, in order to protect their safety.

### B. General Provisions for Vehicle Searches

There are three conditions under which law enforcement Officers may search a vehicle. These conditions are *warrant*, *warrantless*, and *consent searches*. When conducting a vehicle search, officers of the Dalton Police Department will:

1. Obtain a search warrant, if feasible. If a warrant is used then all search warrant guidelines shall be used;
2. Request owner or operator's consent, if feasible;
3. Avoid vehicle damage unless reasonably necessary to carry out a safe and thorough search;
4. Search all areas of the vehicle, unless specified otherwise in the warrant, or in the consent; and
5. With the exception of the items seized, leave the vehicle and its contents in the same condition as found.

### C. Warrant Searches

#### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.



# DALTON POLICE DEPARTMENT

		<i>Effective Date</i> <b>February 24, 2004</b>	<i>Number</i> <b>GO04-4.24</b>
<i>Subject</i> <b>Arrest and Detection of Persons Driving Under the Influence</b>			
<i>Reference</i>		<i>Revised</i> <del>July 25, 2017</del> <a href="#">February 26, 2019</a>	
<i>Distribution</i> <b>All Personnel</b>	<i>Re-evaluation Date</i> <del>July 25, 2019</del> <a href="#">February 2021</a>	<i>No. Pages</i> <b>4</b>	

## I. Policy

To reduce the total number of crashes and injuries the Dalton Police Department will actively investigate and enforce all suspected cases of persons driving under the influence of alcohol and / or drugs.

## II. Detection of Impaired Drivers

The detection of impaired driver's begins with the Officer's perception that the person's driving behavior is indicative of driving under the influence of alcohol and / or drugs. These indicators include, but are not limited to:

- A. Weaving
- B. Straddling the lane line
- C. Turning with wide radius
- D. Almost striking a vehicle or another object
- E. Swerving
- F. Drifting
- G. Problems with stopping
- H. Accelerating or decelerating for no apparent reason
- I. Varying speed
- J. Slow speed (10 or more mph under the limit)
- K. Driving in opposite lanes
- L. Driving the wrong way on a one way street
- M. Slow response to traffic signals
- N. Slow or failure to respond to officer's signals

### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON POLICE DEPARTMENT

		Effective Date July 26, 2005	Number GO05-3.17
Subject <b>Performance Evaluations</b>			
Reference		Revised <del>March 28, 2017</del> <u>February 26, 2019</u>	
Distribution <b>All Personnel</b>	Re-evaluation Date <del>March 28, 2019</del> <u>February 2021</u>		No. Pages <b>5</b>

## I. Policy

It is the policy of the Dalton Police Department to conduct annual, and more often if necessary, evaluations of work performance of all employees in order to assess proficiency and provide employees with feedback to improve work performance.

## II. Definitions

A. *Performance Evaluation* - The process of periodically evaluating an employee's job performance.

B. *Performance ~~Evaluation~~ Tracking Software* - Computer software used to track and assess employee job performance.

C. *Job Task Analysis* - The process of determining essential employee job tasks, and their criticality and frequency performed.

~~D. *Task Weight* - The process of determining the weight (value for scoring purposes) of each task and function measured during a performance evaluation.~~

~~E. D.~~ *Task* - An essential function the employee is expected to perform as part of regular duties.

~~F. E.~~ *Proficiency Rating* - This is the level of efficiency to which an employee performs a job task or a related function of that task.

~~G. F.~~ *Rater* - A Departmental Supervisor.

## III. Procedures

### A. Rater Training

1. All Departmental Supervisors and System Administrators will receive training on the proper operation of the performance ~~evaluation~~ tracking software.

#### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

2. Supervisors shall review the performance evaluation process and performance ~~evaluation~~-tracking software at the beginning of each evaluation period with each employee they will be evaluating.

B. Measurement Criteria

1. Employee job performance will be measured against pre-established standards in the areas of job tasks; policy compliance; proficiency; and individual yearly goals.
2. The pre-established standards are based on a job task analysis completed for each respective position.
3. All employees will be notified in writing concerning the performance standards for his / her position.
4. All criteria used in the performance evaluation must be specific to the assignment of the employee for the rating period.

C. Measurement Definitions

The Supervisor will enter the appropriate rating into the system for each area according to the following scale:

1. Excellent: An employee who receives this rating has consistently demonstrated performance which rises to a level of excellence that when demonstrated sets him / her apart from others in that he / she deserves special praise or awards.
- ~~4.~~ 2. Above Standard: An employee who receives this rating has consistently demonstrated effective performance above and beyond the normal, expected level of achievement. When this rating is assigned, the employee's Supervisor shall provide explanatory comments as to why the employee received the rating.
- ~~2.~~ 3. Meets Standard: An employee who receives this rating meets the standard for this area according to the position and assignment during the evaluation period. The standard required for this rating will be defined in each task area.
- ~~3.~~ 4. Below Standard: An employee who receives this rating has demonstrated performance that is below the normal expectations, but not requiring formal corrective action beyond supervisory guidance.
5. Requires Improvement: This rating is assigned when an employee fails to perform a task or proficiency according to standard. When this rating is assigned, the employee's Supervisor shall provide explanatory comments as to why the employee received the rating to include, at a minimum:

- a. The date of the incident that caused the rating

**RESTRICTED LAW ENFORCEMENT DATA**

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

- b. Any remedial training
- c. The date of expected improvement
- d. The resolution plan
- e. Whether it was accomplished and, if so, when

4.6. ~~Not Evaluated:-~~ Not Observed: Supervisors will assign this rating to areas where the employee did not complete the task during the rating period, or the Supervisor did not observe / cannot verify the employee performed the task.

5.7. Not Applicable: Supervisors will assign this rating when the task or dimension being evaluated does not apply to the employee's position and / or assignment. Note: If this rating is assigned, the System Administrator should be notified to modify the job position description.

D. Notations and Entries to the System

- 1. A fair and equitable evaluation relies on the observations and notations into the ~~software evaluation program-~~ performance tracking software by Departmental Supervisors.
- 2. Supervisors will constantly monitor employee performance and make corresponding entries into the system when employees are observed performing a task or other evaluated dimension.
- 3. ~~Entries-~~ Comments or information entered by Supervisors or peers will be placed into the comments section of ~~each individual task or dimension observed~~ any created entry within the performance tracking software.
- 4. These entries will include the date the duty or task was performed and specific comments or facts surrounding the entry, ~~and the Supervisor's employee number.~~
- 5. ~~Other entries may be made into the Notes section of the evaluation, but this requires transfer of this data to a specific task or dimension prior to scoring the evaluation at the end of the rating period.~~
- 6.5. Any Supervisor or peer may make entries and notations to evaluation folders of employees to which they have authorization through the system.

E. Frequency of Evaluation

- 1. Formal ~~computer-scored-~~ weighted evaluations will be conducted with all full-time Departmental Personnel at least annually, with the exception of the Chief of Police. Except for probationary employees, the evaluation period will cover one year, beginning and ending on their employment anniversary.

RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

2. Probationary employees and Department members on promotional probation shall have a quarterly performance report completed and signed each quarter and attached to the evaluation system by their current supervisor.
3. Supervisors will conduct documented quarterly performance meetings with employees to provide feedback on work performance and progress towards goals.
4. Supervisors will notify employees in a timely manner whenever their performance is deemed to be unsatisfactory. When providing this notice, Supervisors will make a notation in the ~~PMP-and/or-Guardian~~ [performance tracking](#) software of any problem(s) that currently exist and provide a copy to the employee.

F. Conclusion of Rating Period

1. At the conclusion of each rating period, and at least annually, employees will be counseled by their Supervisor on matters to include the following:
  - a. Results of the performance evaluation just completed;
  - b. Level of performance expected, rating criteria or goals for the new reporting period; and
  - c. Career counseling relative to such topics as advancement, specialization, or training appropriate for the employee's position.
2. The employee shall sign and date the evaluation. This signature does not necessarily mean that the employee agrees with the evaluation, only that it has been discussed with him / her.
3. Space shall be provided on the performance evaluation for the employee to write any comments concerning the evaluation. Additional sheets may be attached if required.
4. Employees shall be given a copy of the completed performance evaluation after it is approved by the Chief of Police.
5. All formal evaluations will be reviewed and signed by the rater's Supervisor prior to becoming final.
6. All performance evaluations shall be retained in accordance with the State of Georgia's retention guidelines.
7. To ensure uniform, fair, and impartial evaluations; raters shall be monitored and evaluated by their Supervisors. Raters will be evaluated on their ability to be fair and impartial as well as their ability to carry out their role as a rater.

**RESTRICTED LAW ENFORCEMENT DATA**

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON POLICE DEPARTMENT

		Effective Date	May 1, 1998	Number	GO95-7.13
Subject <b>Polygraph Examination Procedures</b>					
Reference				Revised <del>January 24, 2017</del> <u>February 26, 2019</u>	
Distribution <b>All Personnel</b>		Re-evaluation Date <del>January 24, 2019</del> <u>February 2021</u>		No. Pages <b>5</b>	

## I. Policy

It is the policy of the Dalton Police Department to maintain the highest level of criminal and background investigations. This directive is to establish procedures for polygraph examinations. The polygraph examination will be used as a supplement to the criminal investigation, but not as a substitute for sound investigative practices.

## II. Administration

- A. The polygraph section of the Dalton Police Department shall fall under the direct supervision of the Commander of the division to which they are assigned.
- B. Personnel assigned as polygraph examiners shall have successfully completed a basic course of polygraph instruction at a polygraph school accredited by the American Polygraph Association and meet all requirements set forth by the American Polygraph Association.
- C. Examiners must conduct their official duties in a manner, which reflects the highest standards of ethical conduct as a polygraph examiner and Peace Officer.
- D. The function of the polygraph examiner is to gather all facts concerning the details of the examination in both pre-employment and specific issue exams.
  1. Review all facts with the examinee prior to the examination and all questions to be asked
  2. Record chart tracings and interpret the results of examination
  3. Advise examinee of the results
  4. Generate and maintain all required documents concerning examination

## III. Operational Procedures

- A. There are two types of polygraph examinations, issue examinations and pre-employment examinations.

### RESTRICTED LAW ENFORCEMENT DATA

The data contained in this manual is confidential for internal department use only, and will not be divulged outside the department without the written approval of the Chief of Police.

# DALTON FIRE DEPARTMENT

**TODD PANGLE**  
Fire Chief  
Telephone 706-278-7363  
Fax 706-272-7107  
tpangle@cityofdalton-ga.gov

404 School Street  
Dalton, GA 30720



**PUBLIC SAFETY COMMISSION**  
Bill Weaver  
Keith Whitworth  
Terry Mathis  
Kenneth E. Willis  
Anthony Walker

## City of Dalton Fire Department Monthly Response Synopsis January 2019

<u>Category</u>	<u>Responses</u>	<u>Percentage</u>
Fire	14	4.82%
Overpressure, Explosion, Overheat	1	0.34%
Rescue/Medical	190	65.51%
Hazardous Condition	9	3.10%
Service Call	9	3.10%
Good Intent	39	13.44%
False Alarm	28	9.65%
<b>Total Responses</b>	<b>290</b>	
<b>Average Response Time</b>	<b>3:25</b>	
<b>Estimated Loss</b>	<b>\$828,858.00</b>	

# DALTON

## Incident Type Period Comparisons

Alarm Date Between {01/01/2019} and {01/31/2019}

Incident Type	01/01/2019	01/01/2018	01/01/2017	01/01/2016
	to 01/31/2019	to 01/31/2018	to 01/31/2017	to 01/31/2016
111 Building fire	6	7	2	2
113 Cooking fire, confined to container	0	0	1	2
114 Chimney or flue fire, confined to chimney or	0	0	1	0
116 Fuel burner/boiler malfunction, fire confined	0	0	0	1
118 Trash or rubbish fire, contained	0	0	1	1
131 Passenger vehicle fire	1	1	2	1
132 Road freight or transport vehicle fire	2	0	0	2
141 Forest, woods or wildland fire	0	1	0	0
142 Brush or brush-and-grass mixture fire	1	7	0	0
143 Grass fire	0	2	2	0
151 Outside rubbish, trash or waste fire	4	1	1	2
154 Dumpster or other outside trash receptacle fire	0	0	3	0
160 Special outside fire, Other	0	1	0	0
251 Excessive heat, scorch burns with no ignition	1	1	1	1
311 Medical assist, assist EMS crew	183	226	193	137
322 Motor vehicle accident with injuries	4	2	12	13
323 Motor vehicle/pedestrian accident (MV Ped)	0	0	1	2
324 Motor Vehicle Accident with no injuries	3	2	8	4
352 Extrication of victim(s) from vehicle	0	1	1	1
353 Removal of victim(s) from stalled elevator	0	0	1	0
412 Gas leak (natural gas or LPG)	2	2	4	2
413 Oil or other combustible liquid spill	0	0	1	0
424 Carbon monoxide incident	1	0	1	1
440 Electrical wiring/equipment problem, Other	0	0	0	3
441 Heat from short circuit (wiring), defective/worn	1	2	0	5
442 Overheated motor	1	1	2	0
444 Power line down	1	1	2	1



# DALTON

## Incident Type Period Comparisons

Alarm Date Between {01/01/2019} and {01/31/2019}

Incident Type	01/01/2019	01/01/2018	01/01/2017	01/01/2016
	to 01/31/2019	to 01/31/2018	to 01/31/2017	to 01/31/2016
445 Arcing, shorted electrical equipment	3	2	0	4
461 Building or structure weakened or collapsed	0	1	0	1
500 Service Call, other	1	1	0	0
511 Lock-out	0	0	2	0
520 Water problem, Other	0	1	1	0
522 Water or steam leak	0	7	5	0
531 Smoke or odor removal	0	2	3	0
551 Assist police or other governmental agency	1	0	1	1
553 Public service	4	1	2	4
554 Assist invalid	1	0	0	1
561 Unauthorized burning	2	0	1	1
600 Good intent call, Other	0	1	0	1
611 Dispatched & cancelled en route	26	28	13	17
622 No Incident found on arrival at dispatch address	5	4	4	5
651 Smoke scare, odor of smoke	5	4	1	6
652 Steam, vapor, fog or dust thought to be smoke	2	2	2	0
671 HazMat release investigation w/no HazMat	1	1	0	0
714 Central station, malicious false alarm	1	0	0	0
715 Local alarm system, malicious false alarm	0	1	1	0
721 Bomb scare - no bomb	0	0	0	1
731 Sprinkler activation due to malfunction	0	8	2	1
732 Extinguishing system activation due to	0	3	0	0
733 Smoke detector activation due to malfunction	2	4	5	4
734 Heat detector activation due to malfunction	2	3	0	0
735 Alarm system sounded due to malfunction	2	7	3	5
736 CO detector activation due to malfunction	0	0	1	3
740 Unintentional transmission of alarm, Other	1	0	1	0

DALTON

Incident Type Period Comparisons

Alarm Date Between {01/01/2019} and {01/31/2019}

Incident Type	01/01/2019 to 01/31/2019	01/01/2018 to 01/31/2018	01/01/2017 to 01/31/2017	01/01/2016 to 01/31/2016
741 Sprinkler activation, no fire - unintentional	1	9	0	1
743 Smoke detector activation, no fire -	9	9	9	7
744 Detector activation, no fire - unintentional	1	1	5	7
745 Alarm system activation, no fire - unintentional	8	3	8	6
746 Carbon monoxide detector activation, no CO	1	0	0	0
Totals	290	361	310	257

## DALTON

## Incident Type Report (Monthly Summary )

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	6	2.06%	\$804,035	97.00%
131 Passenger vehicle fire	1	0.34%	\$3,223	0.38%
132 Road freight or transport vehicle fire	2	0.68%	\$21,600	2.60%
142 Brush or brush-and-grass mixture fire	1	0.34%	\$0	0.00%
151 Outside rubbish, trash or waste fire	4	1.37%	\$0	0.00%
	<b>14</b>	<b>4.82%</b>	<b>\$828,858</b>	<b>100.00%</b>
2 Overpressure Rupture, Explosion, Overheat(no fire)				
251 Excessive heat, scorch burns with no	1	0.34%	\$0	0.00%
	<b>1</b>	<b>0.34%</b>	<b>\$0</b>	<b>0.00%</b>
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	183	63.10%	\$0	0.00%
322 Motor vehicle accident with injuries	4	1.37%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	3	1.03%	\$0	0.00%
	<b>190</b>	<b>65.51%</b>	<b>\$0</b>	<b>0.00%</b>
4 Hazardous Condition (No Fire)				
412 Gas leak (natural gas or LPG)	2	0.68%	\$0	0.00%
424 Carbon monoxide incident	1	0.34%	\$0	0.00%
441 Heat from short circuit (wiring),	1	0.34%	\$0	0.00%
442 Overheated motor	1	0.34%	\$0	0.00%
444 Power line down	1	0.34%	\$0	0.00%
445 Arcing, shorted electrical equipment	3	1.03%	\$0	0.00%
	<b>9</b>	<b>3.10%</b>	<b>\$0</b>	<b>0.00%</b>
5 Service Call				
500 Service Call, other	1	0.34%	\$0	0.00%
551 Assist police or other governmental agency	1	0.34%	\$0	0.00%
553 Public service	4	1.37%	\$0	0.00%
554 Assist invalid	1	0.34%	\$0	0.00%
561 Unauthorized burning	2	0.68%	\$0	0.00%
	<b>9</b>	<b>3.10%</b>	<b>\$0</b>	<b>0.00%</b>
6 Good Intent Call				
611 Dispatched & cancelled en route	26	8.96%	\$0	0.00%

## DALTON

## Incident Type Report (Monthly Summary )

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
6 Good Intent Call				
622 No Incident found on arrival at dispatch	5	1.72%	\$0	0.00%
651 Smoke scare, odor of smoke	5	1.72%	\$0	0.00%
652 Steam, vapor, fog or dust thought to be	2	0.68%	\$0	0.00%
671 HazMat release investigation w/no HazMat	1	0.34%	\$0	0.00%
	<b>39</b>	<b>13.44%</b>	<b>\$0</b>	<b>0.00%</b>
7 False Alarm & False Call				
714 Central station, malicious false alarm	1	0.34%	\$0	0.00%
733 Smoke detector activation due to	2	0.68%	\$0	0.00%
734 Heat detector activation due to malfunction	2	0.68%	\$0	0.00%
735 Alarm system sounded due to malfunction	2	0.68%	\$0	0.00%
740 Unintentional transmission of alarm, Other	1	0.34%	\$0	0.00%
741 Sprinkler activation, no fire -	1	0.34%	\$0	0.00%
743 Smoke detector activation, no fire -	9	3.10%	\$0	0.00%
744 Detector activation, no fire -	1	0.34%	\$0	0.00%
745 Alarm system activation, no fire -	8	2.75%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	1	0.34%	\$0	0.00%
	<b>28</b>	<b>9.65%</b>	<b>\$0</b>	<b>0.00%</b>

Total Incident Count: 290

Total Est Loss:

\$828,858

DALTON

Dollar Value Saved & Loss Analysis (Monthly)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident Type	Count	Total Values	Total Losses	Total Saved	Percent Lost	Percent Saved
111 Building fire	6	\$17,072,000	\$804,035	\$16,267,965	4.71%	95.29%
131 Passenger vehicle fire	1	\$2,923	\$3,223	\$-300	110.26%	-10.26%
132 Road freight or	2	\$33,000	\$21,600	\$11,400	65.45%	34.55%
Grand Totals	9	\$17,107,923	\$828,858	\$16,279,065		

Total Percent Lost: 4.84 %

Total Percent Saved: 95.16 %

**Dalton Fire Department  
Medical Incident Study  
EMS On scene/Not on scene Prior to DFD Comparison  
1/1/19 –1/31/19**

**Total incidents in time period – 198**

**EMS on-scene prior to DFD – 51**

**EMS not on-scene prior – 147**

**During the month of January, Dalton Fire Department arrived on-scene prior to Hamilton EMS on 74% of medical responses.**

DALTON

Monthly Unit Response Time Analysis

Alarm Date Between {01/01/2019} And {01/31/2019}  
and Response Code = "1 " (Emergency)

Response		Count	Percentage
Hrs	Mins		
	< 01	16	4.6%
	01	47	13.6%
	02	84	24.4%
	03	98	28.4%
	04	54	15.6%
	05	27	7.8%
	06	7	2.0%
	07	5	1.4%
	08	1	0.2%
	09	2	0.5%
	11	1	0.2%
	12	1	0.2%
	16	1	0.2%

Overall Average Response Time: 00:03:25

DALTON

Monthly Unit Response Time Analysis

Alarm Date Between {01/01/2019} And {01/31/2019}  
and Response Code = "2 " (Non-Emergency)

Response		Count	Percentage
Hrs	Mins		
	< 01	5	12.5%
	02	6	15.0%
	03	7	17.5%
	04	5	12.5%
	05	6	15.0%
	06	4	10.0%
	07	4	10.0%
	08	2	5.0%
	13	1	2.5%

Overall Average Response Time: 00:04:37



DALTON

Civilian Casualties by Incident (Monthly)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident-Exp#	Alm Date	Alm Time	Resp Time	Location	Incident Type
19-0000120-00	01/13/2019	23:46:09	00:07:33	210 Howell DR /Viridian Fibers	111 Building fire
Cas #:	1	Gomez, Jorge		Gender: Male	DOB:
				Cause: Undetermined	Age: 30
				Severity: Minor	Affil:

Total Civilian Casualty Count 1

DALTON

Fire Service Casualties by Incident (Monthly)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Alm Date	Alm Time	Response	Location	Incident Type
19-0000180-000	01/19/2019	09:02:55	00:04:01	108 Spencer (South) ST /B	424 Carbon monoxide incident
Cas #:	1 Harris, Jason L			Sex: Male      Age: 42	
				Cause: 4 Exposure to hazard	
				Activity: 65 Providing EMS care	
				Severity: 2 First aid only	

Total Fire Svc Casualty Count      1

DALTON

Incident List by Incident Number w/Est Loss (Month)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Exp	Alm Date	Time		Location	Incident Type	Est Loss
19-0000001	0	01/01/2019	00:15:04	319	Hamilton (North)	743 Smoke detector activation, no fire	
19-0000002	0	01/01/2019	02:25:17	933	Market	311 Medical assist, assist EMS crew	
19-0000003	0	01/01/2019	06:16:13	1898	North Summit	311 Medical assist, assist EMS crew	
19-0000004	0	01/01/2019	11:11:19	601	Woodland (West)	311 Medical assist, assist EMS crew	
19-0000005	0	01/01/2019	14:53:46	1432	Heather	311 Medical assist, assist EMS crew	
19-0000006	0	01/01/2019	17:36:47	501	Tibbs (South)	734 Heat detector activation due to	
19-0000007	0	01/01/2019	17:40:50	2220	Chattanooga	311 Medical assist, assist EMS crew	
19-0000008	0	01/01/2019	20:57:05	515	McAfee	151 Outside rubbish, trash or waste	
19-0000009	0	01/01/2019	21:06:56	515	Pentz (South)	733 Smoke detector activation due to	
19-0000010	0	01/02/2019	06:22:18	1257	Glenwood (North)	412 Gas leak (natural gas or LPG)	
19-0000011	0	01/02/2019	07:19:06	744	Jackson	311 Medical assist, assist EMS crew	
19-0000012	0	01/02/2019	08:47:10	744	Jackson	311 Medical assist, assist EMS crew	
19-0000013	0	01/02/2019	08:52:47	1518	Walnut (West)	311 Medical assist, assist EMS crew	
19-0000014	0	01/02/2019	09:54:55	817	Willow Park (East)	311 Medical assist, assist EMS crew	
19-0000015	0	01/02/2019	10:12:19	1320	Winton	743 Smoke detector activation, no fire	
19-0000016	0	01/02/2019	10:13:53	1304	May	311 Medical assist, assist EMS crew	
19-0000017	0	01/02/2019	11:56:29	MM	I-75 N. Bound	132 Road freight or transport vehicle	\$21,000
19-0000018	0	01/02/2019	12:19:52	1905	Middle Summit	311 Medical assist, assist EMS crew	
19-0000019	0	01/02/2019	13:07:56	900	Shugart	311 Medical assist, assist EMS crew	
19-0000020	0	01/02/2019	14:51:13		Waugh (East)	311 Medical assist, assist EMS crew	
19-0000021	0	01/02/2019	15:12:59	405	School	611 Dispatched & cancelled en route	
19-0000022	0	01/02/2019	20:40:48	403	Live Oak	611 Dispatched & cancelled en route	
19-0000023	0	01/02/2019	21:01:28	616	Walnut (East)	743 Smoke detector activation, no fire	
19-0000024	0	01/02/2019	21:10:53	1502	Anthony	611 Dispatched & cancelled en route	
19-0000025	0	01/02/2019	22:15:26	506	Parkside	311 Medical assist, assist EMS crew	
19-0000026	0	01/03/2019	00:13:59		I-75 N. Bound	611 Dispatched & cancelled en route	
19-0000027	0	01/03/2019	06:13:17	1225	Broadrick	311 Medical assist, assist EMS crew	
19-0000028	0	01/03/2019	10:38:21	1300	Waugh (West)	311 Medical assist, assist EMS crew	
19-0000029	0	01/03/2019	11:59:14	526	Stillwood	311 Medical assist, assist EMS crew	
19-0000030	0	01/03/2019	17:15:45	301	Glenwood (North)	311 Medical assist, assist EMS crew	

**DALTON**

**Incident List by Incident Number w/Est Loss (Month)**

**Alarm Date Between {01/01/2019} And {01/31/2019}**

Incident	Exp	Alm Date	Time		Location	Incident Type	Est Loss
19-0000031	0	01/03/2019	18:02:46	810	Luckie	311 Medical assist, assist EMS crew	
19-0000032	0	01/03/2019	20:14:46		Walnut (East)	622 No Incident found on arrival at	
19-0000033	0	01/03/2019	21:27:53	1510	Calloway	311 Medical assist, assist EMS crew	
19-0000034	0	01/04/2019	00:10:02	1104	Walston	311 Medical assist, assist EMS crew	
19-0000035	0	01/04/2019	01:37:12	623	Fourth	311 Medical assist, assist EMS crew	
19-0000036	0	01/04/2019	12:56:16	900	Thornton (South)	740 Unintentional transmission of	
19-0000037	0	01/04/2019	13:01:17	700	Autumn	311 Medical assist, assist EMS crew	
19-0000038	0	01/04/2019	13:08:23	906	MLK Jr.	311 Medical assist, assist EMS crew	
19-0000039	0	01/04/2019	15:40:21	1404	Pierce	311 Medical assist, assist EMS crew	
19-0000040	0	01/04/2019	17:46:57	1012	May	311 Medical assist, assist EMS crew	
19-0000041	0	01/04/2019	17:57:05	300	Cappes	445 Arcing, shorted electrical	
19-0000042	0	01/04/2019	20:25:26		I-75 S. Bound	611 Dispatched & cancelled en route	
19-0000043	0	01/05/2019	00:02:21	815	Shugart	311 Medical assist, assist EMS crew	
19-0000044	0	01/05/2019	03:43:26	1218	Hamilton (North)	311 Medical assist, assist EMS crew	
19-0000045	0	01/05/2019	06:15:14	700	Autumn	311 Medical assist, assist EMS crew	
19-0000046	0	01/05/2019	10:18:23	1734	Brighton	311 Medical assist, assist EMS crew	
19-0000047	0	01/05/2019	10:40:55	1510	Walnut (West)	311 Medical assist, assist EMS crew	
19-0000048	0	01/05/2019	10:50:11		Wilding	622 No Incident found on arrival at	
19-0000049	0	01/05/2019	11:15:10	315	Grade (South)	445 Arcing, shorted electrical	
19-0000050	0	01/05/2019	12:43:42	815	Shugart	311 Medical assist, assist EMS crew	
19-0000051	0	01/05/2019	12:54:32		Winton	611 Dispatched & cancelled en route	
19-0000052	0	01/05/2019	15:35:44	1320	Winton	743 Smoke detector activation, no fire	
19-0000053	0	01/05/2019	18:06:54	506	Vernon	151 Outside rubbish, trash or waste	
19-0000054	0	01/06/2019	04:43:53	815	Shugart	311 Medical assist, assist EMS crew	
19-0000055	0	01/06/2019	09:09:26	1906	Bedford	743 Smoke detector activation, no fire	
19-0000056	0	01/06/2019	11:14:33	2220	Chattanooga	311 Medical assist, assist EMS crew	
19-0000057	0	01/06/2019	12:14:04	1117	Roan	311 Medical assist, assist EMS crew	
19-0000058	0	01/06/2019	18:32:49	1704	Briarcliff	561 Unauthorized burning	
19-0000059	0	01/06/2019	18:49:37		Briarcliff	444 Power line down	
19-0000060	0	01/06/2019	21:44:48	404	Lesley	311 Medical assist, assist EMS crew	

DALTON

Incident List by Incident Number w/Est Loss (Month)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Exp	Alm Date	Time		Location	Incident Type	Est Loss
19-0000061	0	01/06/2019	22:24:53	883	Shugart	311 Medical assist, assist EMS crew	
19-0000062	0	01/07/2019	10:43:07	939	Avenue F	311 Medical assist, assist EMS crew	
19-0000063	0	01/07/2019	11:49:30	1107	Memorial	311 Medical assist, assist EMS crew	
19-0000064	0	01/07/2019	12:24:43	1308	Walnut (West)	745 Alarm system activation, no fire -	
19-0000065	0	01/07/2019	15:44:28	107	Spencer (South)	311 Medical assist, assist EMS crew	
19-0000066	0	01/07/2019	17:30:15	1200	Memorial	744 Detector activation, no fire -	
19-0000067	0	01/07/2019	18:02:09	903	Liddell	311 Medical assist, assist EMS crew	
19-0000068	0	01/07/2019	21:49:12	1014	Bonanza	311 Medical assist, assist EMS crew	
19-0000069	0	01/08/2019	03:42:57	432	Fourth	311 Medical assist, assist EMS crew	
19-0000070	0	01/08/2019	06:53:06	310	Chestnut	311 Medical assist, assist EMS crew	
19-0000071	0	01/08/2019	13:56:05	2435	Chattanooga	611 Dispatched & cancelled en route	
19-0000072	0	01/08/2019	16:17:12	403	Bristol	311 Medical assist, assist EMS crew	
19-0000073	0	01/08/2019	18:11:58	2225	Walnut (East)	311 Medical assist, assist EMS crew	
19-0000074	0	01/08/2019	21:17:43	1700	Pin Oak	311 Medical assist, assist EMS crew	
19-0000075	0	01/09/2019	04:49:50	1104	Willowdale	714 Central station, malicious false	
19-0000076	0	01/09/2019	06:11:18	310	Chestnut	311 Medical assist, assist EMS crew	
19-0000077	0	01/09/2019	13:31:03	109	Waterworks (West)	311 Medical assist, assist EMS crew	
19-0000078	0	01/09/2019	14:25:21	629	Fireside	311 Medical assist, assist EMS crew	
19-0000079	0	01/09/2019	16:17:08	744	Jackson	311 Medical assist, assist EMS crew	
19-0000080	0	01/10/2019	08:36:22	2580	Abutment	311 Medical assist, assist EMS crew	
19-0000081	0	01/10/2019	08:43:31		Thornton (South)	651 Smoke scare, odor of smoke	
19-0000082	0	01/10/2019	11:51:57	441	Fourth	311 Medical assist, assist EMS crew	
19-0000083	0	01/10/2019	12:42:31		I-75 N. Bound	311 Medical assist, assist EMS crew	
19-0000084	0	01/10/2019	13:44:01	1250	Cross Plains	311 Medical assist, assist EMS crew	
19-0000085	0	01/10/2019	15:38:20	362	Northgate	311 Medical assist, assist EMS crew	
19-0000086	0	01/10/2019	15:53:49	623	Fourth	311 Medical assist, assist EMS crew	
19-0000087	0	01/10/2019	16:06:42	1002	Underwood	311 Medical assist, assist EMS crew	
19-0000088	0	01/10/2019	17:16:39	1122	Orman	441 Heat from short circuit (wiring),	
19-0000089	0	01/10/2019	17:35:48	1218	Broadrick	311 Medical assist, assist EMS crew	
19-0000090	0	01/10/2019	18:57:46	514	Straight	151 Outside rubbish, trash or waste	

DALTON

Incident List by Incident Number w/Est Loss (Month)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000091	0	01/10/2019	19:16:55	1810 Bridgewater	311 Medical assist, assist EMS crew	
19-0000092	0	01/10/2019	20:28:54	900 Shugart	311 Medical assist, assist EMS crew	
19-0000093	0	01/11/2019	06:23:30	1803 Waterford	311 Medical assist, assist EMS crew	
19-0000094	0	01/11/2019	06:25:12	609 Thornton (South)	551 Assist police or other	
19-0000095	0	01/11/2019	09:14:48	829 Beirut	311 Medical assist, assist EMS crew	
19-0000096	0	01/11/2019	09:19:17	872 College	745 Alarm system activation, no fire -	
19-0000097	0	01/11/2019	10:04:31	1308 Walnut (West)	745 Alarm system activation, no fire -	
19-0000098	0	01/11/2019	13:25:12	1005 Cartwright	311 Medical assist, assist EMS crew	
19-0000099	0	01/11/2019	13:29:36	Hamilton Conn.	324 Motor Vehicle Accident with no	
19-0000100	0	01/11/2019	14:42:02	520 Waugh (West)	111 Building fire	\$3,000
19-0000101	0	01/11/2019	14:58:26	1325 Walnut (West)	311 Medical assist, assist EMS crew	
19-0000102	0	01/11/2019	15:05:21	421 Underwood	311 Medical assist, assist EMS crew	
19-0000103	0	01/11/2019	16:54:13	1426 Westover	553 Public service	
19-0000104	0	01/11/2019	23:48:42	924 Avenue F	311 Medical assist, assist EMS crew	
19-0000105	0	01/12/2019	02:51:18	706 Sheridan	311 Medical assist, assist EMS crew	
19-0000106	0	01/12/2019	03:11:23	MM I-75 S. Bound	251 Excessive heat, scorch burns with	
19-0000107	0	01/12/2019	10:13:58	1116 Willowdale	311 Medical assist, assist EMS crew	
19-0000108	0	01/12/2019	11:45:49	1116 Willowdale	311 Medical assist, assist EMS crew	
19-0000109	0	01/12/2019	12:10:05	1104 Walston	311 Medical assist, assist EMS crew	
19-0000110	0	01/12/2019	12:32:27	307 Grimes (North)	553 Public service	
19-0000111	0	01/12/2019	12:32:40	1108 Walston	311 Medical assist, assist EMS crew	
19-0000112	0	01/13/2019	01:23:34	1308 Desota	311 Medical assist, assist EMS crew	
19-0000113	0	01/13/2019	04:26:43	404 Wrinkle	311 Medical assist, assist EMS crew	
19-0000114	0	01/13/2019	05:44:55	I-75 N. Bound	611 Dispatched & cancelled en route	
19-0000115	0	01/13/2019	14:19:21	897 East Summit	412 Gas leak (natural gas or LPG)	
19-0000116	0	01/13/2019	14:30:02	422 Chattanooga	311 Medical assist, assist EMS crew	
19-0000117	0	01/13/2019	14:46:17	519 Hawthorne (West)	311 Medical assist, assist EMS crew	
19-0000118	0	01/13/2019	21:05:52	303 Fernwood	671 HazMat release investigation w/no	
19-0000119	0	01/13/2019	22:21:41	785 Fielding	311 Medical assist, assist EMS crew	
19-0000120	0	01/13/2019	23:46:09	210 Howell	111 Building fire	\$750,000

**DALTON**

**Incident List by Incident Number w/Est Loss (Month)**

**Alarm Date Between {01/01/2019} And {01/31/2019}**

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000121	0	01/14/2019	00:40:43	1300 Waugh (West)	311 Medical assist, assist EMS crew	
19-0000122	0	01/14/2019	07:19:02	814 Red Clay	651 Smoke scare, odor of smoke	
19-0000123	0	01/14/2019	10:22:15	130 Scenic Valley Pl	311 Medical assist, assist EMS crew	
19-0000124	0	01/14/2019	13:49:24	1945 Meadowbrook	611 Dispatched & cancelled en route	
19-0000125	0	01/14/2019	16:34:55	Glenwood (North)	652 Steam, vapor, fog or dust thought	
19-0000126	0	01/14/2019	17:37:09	905 Liddell	311 Medical assist, assist EMS crew	
19-0000127	0	01/15/2019	00:03:15	1218 Broadrick	311 Medical assist, assist EMS crew	
19-0000128	0	01/15/2019	00:06:49	1822 Dug Gap	622 No Incident found on arrival at	
19-0000129	0	01/15/2019	00:21:21	416 Cedar	311 Medical assist, assist EMS crew	
19-0000130	0	01/15/2019	01:55:48	1222 MLK Jr.	311 Medical assist, assist EMS crew	
19-0000131	0	01/15/2019	11:25:48	Abutment	324 Motor Vehicle Accident with no	
19-0000132	0	01/15/2019	12:39:40	512 Parkside	311 Medical assist, assist EMS crew	
19-0000133	0	01/15/2019	13:11:01	1300 Waugh (West)	745 Alarm system activation, no fire -	
19-0000134	0	01/15/2019	14:29:40	913 Lakeshore (West)	132 Road freight or transport vehicle	\$600
19-0000135	0	01/15/2019	16:06:13	1205 Georgian	311 Medical assist, assist EMS crew	
19-0000136	0	01/15/2019	18:21:17	306 Paige	311 Medical assist, assist EMS crew	
19-0000137	0	01/15/2019	21:50:14	817 Willow Park (East)	311 Medical assist, assist EMS crew	
19-0000138	0	01/16/2019	05:54:56	801 Rucky	311 Medical assist, assist EMS crew	
19-0000139	0	01/16/2019	06:50:17	1523 Walnut (West)	311 Medical assist, assist EMS crew	
19-0000140	0	01/16/2019	09:58:02	900 Shugart	311 Medical assist, assist EMS crew	
19-0000141	0	01/16/2019	11:21:51	111 Glenwood (North)	311 Medical assist, assist EMS crew	
19-0000142	0	01/16/2019	12:26:17	1125 Walnut (East)	611 Dispatched & cancelled en route	
19-0000143	0	01/16/2019	12:30:09	1713 Cleveland	311 Medical assist, assist EMS crew	
19-0000144	0	01/16/2019	13:12:42	1225 Broadrick	311 Medical assist, assist EMS crew	
19-0000145	0	01/16/2019	13:46:45	1404 Pierce	311 Medical assist, assist EMS crew	
19-0000146	0	01/16/2019	14:01:57	1306 Underwood	151 Outside rubbish, trash or waste	
19-0000147	0	01/16/2019	14:21:38	310 Chestnut	311 Medical assist, assist EMS crew	
19-0000148	0	01/16/2019	16:22:37	1503 Morris (East)	311 Medical assist, assist EMS crew	
19-0000149	0	01/16/2019	17:48:29	402 Sixth	311 Medical assist, assist EMS crew	
19-0000150	0	01/16/2019	18:32:02	906 Thornton (South)	324 Motor Vehicle Accident with no	

**DALTON**

**Incident List by Incident Number w/Est Loss (Month)**

**Alarm Date Between {01/01/2019} And {01/31/2019}**

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000151	0	01/16/2019	19:16:09	Grimes (North)	322 Motor vehicle accident with	
19-0000152	0	01/17/2019	00:59:07	1600 MLK Jr.	733 Smoke detector activation due to	
19-0000153	0	01/17/2019	02:54:02	1616 Beechland	311 Medical assist, assist EMS crew	
19-0000154	0	01/17/2019	03:51:23	1816 Brady	311 Medical assist, assist EMS crew	
19-0000155	0	01/17/2019	11:28:34	713 Morris (East)	311 Medical assist, assist EMS crew	
19-0000156	0	01/17/2019	11:47:01	620 Lafayette	311 Medical assist, assist EMS crew	
19-0000157	0	01/17/2019	13:16:35	1365 Walnut (West)	311 Medical assist, assist EMS crew	
19-0000158	0	01/17/2019	13:51:01	1420 Mineral Springs	311 Medical assist, assist EMS crew	
19-0000159	0	01/17/2019	14:18:21	1896 Middle Summit	311 Medical assist, assist EMS crew	
19-0000160	0	01/17/2019	16:08:37	1416 Thornton (North)	311 Medical assist, assist EMS crew	
19-0000161	0	01/17/2019	17:51:19	2103 Walnut (East)	311 Medical assist, assist EMS crew	
19-0000162	0	01/17/2019	20:42:08	209 Henderson (South)	311 Medical assist, assist EMS crew	
19-0000163	0	01/18/2019	05:57:18	1517 Covie	311 Medical assist, assist EMS crew	
19-0000164	0	01/18/2019	06:10:26	897 East Summit	554 Assist invalid	
19-0000165	0	01/18/2019	07:43:59	Glenwood (North)	322 Motor vehicle accident with	
19-0000166	0	01/18/2019	07:59:49	2450 Abutment	622 No Incident found on arrival at	
19-0000167	0	01/18/2019	08:15:24	2738 Underwood	311 Medical assist, assist EMS crew	
19-0000168	0	01/18/2019	08:53:33	1500 Manly	311 Medical assist, assist EMS crew	
19-0000169	0	01/18/2019	10:37:51	1807 Wood Valley	311 Medical assist, assist EMS crew	
19-0000170	0	01/18/2019	12:27:49	Walnut (West)	322 Motor vehicle accident with	
19-0000171	0	01/18/2019	16:37:42	1524 Morris (East)	611 Dispatched & cancelled en route	
19-0000172	0	01/18/2019	16:42:55	1100 Autumn	611 Dispatched & cancelled en route	
19-0000173	0	01/18/2019	17:50:04	1708 Chestnut Oak	311 Medical assist, assist EMS crew	
19-0000174	0	01/18/2019	20:55:24	1302 Underwood	311 Medical assist, assist EMS crew	
19-0000175	0	01/18/2019	22:00:21	310 Cappes	652 Steam, vapor, fog or dust thought	
19-0000176	0	01/18/2019	22:45:52	1306 Underwood	611 Dispatched & cancelled en route	
19-0000177	0	01/18/2019	23:32:28	1300 Waugh (West)	311 Medical assist, assist EMS crew	
19-0000178	0	01/18/2019	23:47:43	98 Walnut (West)	311 Medical assist, assist EMS crew	
19-0000179	0	01/19/2019	00:07:24	715 Juniper	311 Medical assist, assist EMS crew	
19-0000180	0	01/19/2019	09:02:55	108 Spencer (South)	424 Carbon monoxide incident	



DALTON

Incident List by Incident Number w/Est Loss (Month)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Exp	Alm Date	Time		Location	Incident Type	Est Loss
19-0000181	0	01/19/2019	11:00:59	519	Hawthorne (West)	311 Medical assist, assist EMS crew	
19-0000182	0	01/19/2019	11:15:31	1800	Underwood	311 Medical assist, assist EMS crew	
19-0000183	0	01/19/2019	14:53:57	1602	Beverly	111 Building fire	\$5,000
19-0000184	0	01/19/2019	16:06:11	2220	Chattanooga	311 Medical assist, assist EMS crew	
19-0000185	0	01/19/2019	22:22:20		I-75 S. Bound	611 Dispatched & cancelled en route	
19-0000186	0	01/20/2019	00:35:03	937	Avenue F	111 Building fire	\$8,000
19-0000187	0	01/20/2019	03:50:27	1325	Walnut (West)	734 Heat detector activation due to	
19-0000188	0	01/20/2019	08:06:26	1906	Brady	611 Dispatched & cancelled en route	
19-0000189	0	01/20/2019	12:23:07	907	Valentine	311 Medical assist, assist EMS crew	
19-0000190	0	01/20/2019	18:06:51	604	Red Bird	311 Medical assist, assist EMS crew	
19-0000191	0	01/20/2019	18:15:37	307	Grimes (North)	445 Arcing, shorted electrical	
19-0000192	0	01/20/2019	21:10:17	2007	Southview	311 Medical assist, assist EMS crew	
19-0000193	0	01/21/2019	02:08:20	1212	Morris (East)	611 Dispatched & cancelled en route	
19-0000194	0	01/21/2019	03:40:48	1121	Riverbend	311 Medical assist, assist EMS crew	
19-0000195	0	01/21/2019	07:12:45		Broadrick	311 Medical assist, assist EMS crew	
19-0000196	0	01/21/2019	08:50:22	1247	Broadrick	735 Alarm system sounded due to	
19-0000197	0	01/21/2019	10:48:36	339	Ivy Gate	553 Public service	
19-0000198	0	01/21/2019	13:50:24		North Bypass	311 Medical assist, assist EMS crew	
19-0000199	0	01/21/2019	15:45:16	1320	Winton	311 Medical assist, assist EMS crew	
19-0000200	0	01/21/2019	15:52:27	1300	Waugh (West)	311 Medical assist, assist EMS crew	
19-0000201	0	01/21/2019	16:16:22	1034	Factory	311 Medical assist, assist EMS crew	
19-0000202	0	01/21/2019	17:06:47	1247	Broadrick	735 Alarm system sounded due to	
19-0000203	0	01/21/2019	17:09:40	1802	Shadow	561 Unauthorized burning	
19-0000204	0	01/21/2019	18:23:05	407	Vann	311 Medical assist, assist EMS crew	
19-0000205	0	01/21/2019	21:50:35	711	Hamilton (South)	745 Alarm system activation, no fire -	
19-0000206	0	01/21/2019	23:18:34	815	Shugart	311 Medical assist, assist EMS crew	
19-0000207	0	01/22/2019	00:49:01	2150	Arbordale	311 Medical assist, assist EMS crew	
19-0000208	0	01/22/2019	01:21:10	407	Roberts	651 Smoke scare, odor of smoke	
19-0000209	0	01/22/2019	03:20:04	2220	Chattanooga	743 Smoke detector activation, no fire	
19-0000210	0	01/22/2019	07:55:49	1222	MLK Jr.	311 Medical assist, assist EMS crew	

**DALTON**

**Incident List by Incident Number w/Est Loss (Month)**

**Alarm Date Between {01/01/2019} And {01/31/2019}**

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000211	0	01/22/2019	10:42:42	1465 Westover	311 Medical assist, assist EMS crew	
19-0000212	0	01/22/2019	10:51:40	204 Industrial (West)	311 Medical assist, assist EMS crew	
19-0000213	0	01/22/2019	12:00:51	136 Nickie	745 Alarm system activation, no fire -	
19-0000214	0	01/22/2019	16:13:26	101 Selvidge St. (South)	746 Carbon monoxide detector	
19-0000215	0	01/22/2019	17:07:48	814 Red Clay	311 Medical assist, assist EMS crew	
19-0000216	0	01/22/2019	17:12:44	104 Fort Hill	311 Medical assist, assist EMS crew	
19-0000217	0	01/22/2019	19:12:40	1506 Summer Gate Way	311 Medical assist, assist EMS crew	
19-0000218	0	01/23/2019	01:47:30	1903 Summit View	311 Medical assist, assist EMS crew	
19-0000219	0	01/23/2019	06:55:18	626 Sheridan	311 Medical assist, assist EMS crew	
19-0000220	0	01/23/2019	11:35:22	580 Walnut (East)	311 Medical assist, assist EMS crew	
19-0000221	0	01/23/2019	11:49:37	650 College	311 Medical assist, assist EMS crew	
19-0000222	0	01/23/2019	17:35:53	1906 Bedford	611 Dispatched & cancelled en route	
19-0000223	0	01/23/2019	18:11:21	1102 Burleyson	743 Smoke detector activation, no fire	
19-0000224	0	01/24/2019	03:50:14	712 Skylark	611 Dispatched & cancelled en route	
19-0000225	0	01/24/2019	04:37:55	905 West Bridge	311 Medical assist, assist EMS crew	
19-0000226	0	01/24/2019	07:07:27	332 Northgate	311 Medical assist, assist EMS crew	
19-0000227	0	01/24/2019	12:19:40	Walnut (West)	322 Motor vehicle accident with	
19-0000228	0	01/24/2019	13:20:24	1809 Southmont	311 Medical assist, assist EMS crew	
19-0000229	0	01/24/2019	13:37:52	438 Bear Creek	741 Sprinkler activation, no fire -	
19-0000230	0	01/24/2019	16:50:36	1275 Cross Plains	311 Medical assist, assist EMS crew	
19-0000231	0	01/24/2019	17:36:45	2501 Walnut (East)	611 Dispatched & cancelled en route	
19-0000232	0	01/24/2019	22:50:43	2021 Shields	311 Medical assist, assist EMS crew	
19-0000233	0	01/25/2019	08:35:50	1300 Waugh (West)	311 Medical assist, assist EMS crew	
19-0000234	0	01/25/2019	15:00:33	1280 Veterans	553 Public service	
19-0000235	0	01/25/2019	15:27:01	1300 Waugh (West)	311 Medical assist, assist EMS crew	
19-0000236	0	01/25/2019	15:53:10	213 High Mountain	611 Dispatched & cancelled en route	
19-0000237	0	01/25/2019	17:32:12	2220 Chattanooga	311 Medical assist, assist EMS crew	
19-0000238	0	01/25/2019	20:40:38	708 Morris (East)	311 Medical assist, assist EMS crew	
19-0000239	0	01/25/2019	21:30:04	1910 Brookhaven (West)	311 Medical assist, assist EMS crew	
19-0000240	0	01/25/2019	21:37:20	Walnut (West)	611 Dispatched & cancelled en route	

**DALTON**

**Incident List by Incident Number w/Est Loss (Month)**

**Alarm Date Between {01/01/2019} And {01/31/2019}**

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000241	0	01/25/2019	22:24:33	2000 Chattanooga	311 Medical assist, assist EMS crew	
19-0000242	0	01/26/2019	01:47:13	507 McAfee	311 Medical assist, assist EMS crew	
19-0000243	0	01/26/2019	03:17:22	1116 Willowdale	311 Medical assist, assist EMS crew	
19-0000244	0	01/26/2019	08:06:08	816 Walnut Square	745 Alarm system activation, no fire -	
19-0000245	0	01/26/2019	08:53:30	1301 Glenwood (North)	311 Medical assist, assist EMS crew	
19-0000246	0	01/26/2019	09:18:27	510 Fairview	311 Medical assist, assist EMS crew	
19-0000247	0	01/26/2019	14:32:01	307 Brickyard	142 Brush or brush-and-grass mixture	
19-0000248	0	01/26/2019	14:43:29	601 MLK Jr.	311 Medical assist, assist EMS crew	
19-0000249	0	01/26/2019	18:01:20	1225 Broadrick	743 Smoke detector activation, no fire	
19-0000250	0	01/26/2019	21:48:42	424 Sheridan	311 Medical assist, assist EMS crew	
19-0000251	0	01/26/2019	21:52:38	800 Glenwood	311 Medical assist, assist EMS crew	
19-0000252	0	01/26/2019	22:34:55	1104 Brookwood	311 Medical assist, assist EMS crew	
19-0000253	0	01/27/2019	07:11:19	424 Sheridan	311 Medical assist, assist EMS crew	
19-0000254	0	01/27/2019	09:30:39	613 Woodland (West)	311 Medical assist, assist EMS crew	
19-0000255	0	01/27/2019	14:06:52	1010 Hair	131 Passenger vehicle fire	\$3,223
19-0000256	0	01/27/2019	22:25:13	403 Meeting	311 Medical assist, assist EMS crew	
19-0000257	0	01/27/2019	23:50:43	1104 Walston	311 Medical assist, assist EMS crew	
19-0000258	0	01/27/2019	23:54:06	712 Corey	311 Medical assist, assist EMS crew	
19-0000259	0	01/28/2019	02:20:45	203 Mountain View	311 Medical assist, assist EMS crew	
19-0000260	0	01/28/2019	13:59:30	98 Walnut (West)	311 Medical assist, assist EMS crew	
19-0000261	0	01/28/2019	16:09:26	319 Keith	311 Medical assist, assist EMS crew	
19-0000262	0	01/28/2019	19:32:16	436 Whitener	311 Medical assist, assist EMS crew	
19-0000263	0	01/28/2019	19:43:45	1220 Broadrick	311 Medical assist, assist EMS crew	
19-0000264	0	01/29/2019	03:53:30	319 Hamilton (North)	311 Medical assist, assist EMS crew	
19-0000265	0	01/29/2019	14:26:29	2021 Shields	311 Medical assist, assist EMS crew	
19-0000266	0	01/29/2019	14:48:03	2220 Chattanooga	611 Dispatched & cancelled en route	
19-0000267	0	01/29/2019	14:58:15	1801 David	111 Building fire	\$38,000
19-0000268	0	01/29/2019	15:09:47	381 Castle	442 Overheated motor	
19-0000269	0	01/29/2019	15:40:34	1002 Nelson	311 Medical assist, assist EMS crew	
19-0000270	0	01/29/2019	19:12:15	MM342 I-75 N. Bound	611 Dispatched & cancelled en route	

## DALTON

## Incident List by Incident Number w/Est Loss (Month)

Alarm Date Between {01/01/2019} And {01/31/2019}

Incident	Exp	Alm Date	Time	Location	Incident Type	Est Loss
19-0000271	0	01/30/2019	00:46:09	1320 Morris (East)	311 Medical assist, assist EMS crew	
19-0000272	0	01/30/2019	02:37:57	507 Anderson	311 Medical assist, assist EMS crew	
19-0000273	0	01/30/2019	10:30:06	1016 Bonanza	311 Medical assist, assist EMS crew	
19-0000274	0	01/30/2019	13:27:19	1024 Roan	500 Service Call, other	
19-0000275	0	01/30/2019	13:54:02	123 Dublin	611 Dispatched & cancelled en route	
19-0000276	0	01/30/2019	14:07:57	1214 Acme	311 Medical assist, assist EMS crew	
19-0000277	0	01/30/2019	15:42:40	1109 Lakemont	311 Medical assist, assist EMS crew	
19-0000278	0	01/30/2019	18:54:00	1125 Walnut (East)	622 No Incident found on arrival at	
19-0000279	0	01/30/2019	19:24:27	622 Fifth	311 Medical assist, assist EMS crew	
19-0000280	0	01/30/2019	19:49:59	Walnut (East)	611 Dispatched & cancelled en route	
19-0000281	0	01/30/2019	20:10:10	1104 Walston	111 Building fire	\$35
19-0000282	0	01/30/2019	21:06:07	1365 Walnut (West)	651 Smoke scare, odor of smoke	
19-0000283	0	01/30/2019	21:09:03	122 Huntington	745 Alarm system activation, no fire -	
19-0000284	0	01/31/2019	00:33:18	127 Altamont	311 Medical assist, assist EMS crew	
19-0000285	0	01/31/2019	09:52:06	1500 Manly	311 Medical assist, assist EMS crew	
19-0000286	0	01/31/2019	12:46:13	519 Hawthorne (West)	651 Smoke scare, odor of smoke	
19-0000287	0	01/31/2019	13:01:59	204 Walker	311 Medical assist, assist EMS crew	
19-0000288	0	01/31/2019	16:37:53	1007 Cargal	611 Dispatched & cancelled en route	
19-0000289	0	01/31/2019	20:52:15	1320 Winton	743 Smoke detector activation, no fire	
19-0000290	0	01/31/2019	21:23:08	403 Lesley	311 Medical assist, assist EMS crew	

Total Incident Count 290

Total Est Loss

\$828,858

# **Training Division Monthly Report**

## **January 2019**

### **Overview**

The department attended facility tours at numerous Shaw Floors facilities as part of a joint effort to improve risk awareness, communication, and operational efficiency during emergency responses to these locations. Annual CPR/AED recertification training was completed by all sworn personnel. Monthly training included territory familiarization, pre-fire training, core competency check-offs, special operations training, and company level drills chosen by company officers. Training hours during the month of January totaled 3,097.

### **Outside Schools**

The department is hosting a 16-hour course entitled Modular Emergency Response Radiological Transport Training (MERRTT) delivered by GEMA and the U.S. Department of Energy. Day 1 of the course was completed in January and the second day is scheduled for the first week of February.

The Training Division delivered a scenario based rapid intervention refresher course to all suppression personnel.

One of the department's GSAR members attended a wilderness search and rescue coordinator course delivered by GEMA.

Two DFD personnel attended a course on EOC operations & planning for all-hazards hosted by Whitfield County EMA and delivered by Texas A&M Engineering Extension Service.

Additional off-campus training included:

Axioms of Leadership	Chatsworth, GA	5
Axioms Revisited	Chatsworth, GA	2
Structural Fire Control Instructor	GPSTC	1

### **Support Functions**

- 133 hours were spent completing apparatus checks and equipment replenishment
- Cleaning and maintenance activities accounted for 654 hours in January
- 4 hours were dedicated to fire investigation and related activities

# Prevention Division Monthly Report

## January 2019

### Inspections

Annual Inspections	Total:	120
Apartment Inspections	Total:	
Site Inspections	Total:	29
Fire Alarm Inspection	Total:	
Sprinkler System Inspection	Total:	
New Kitchen Hood Inspections	Total:	2
Knox Box Installation	Total:	3
Occupational Tax Certificate Inspections	Total:	16
Alcohol Inspections	Total:	
50 Percent Inspections	Total:	
80 Percent Inspections	Total:	2
100 Percent Inspections	Total:	1
Pre-Incident Surveys	Total:	14
<b>Total Inspections</b>		<b>187</b>

### Public Relations

#### Fire Safety Education

Events	Total:	5
Staff Members Participated	Total:	9
Staff Hours	Total:	8
Number of Adults Reached	Total:	27
Number of Children Reached	Total:	309
<b>Total Residents Reached</b>		<b>336</b>

### Smoke Detector Installation

Events	Total:	
Staff Members Participated	Total:	
Staff Hours	Total:	
Total Smoke Detectors Installed	Total:	
Total Number of Adults Reached	Total:	
Total Number of Children Reached	Total:	
<b>Total Residents Reached</b>		<b>0</b>

# DALTON

## Monthly Prevention Inspections by Type

Date Completed Between {01/01/2019} And  
{01/31/2019}

Date	Time	Occupancy	Hrs	Fee
<b>200 INSPECTION - Annual</b>				
01/07/2019	14:34	40007 Invista 2104 Fiber Park DR /B	0.22	
01/07/2019	14:28	40010 Invista 745 College DR /C	0.10	
01/07/2019	14:46	50080 Atlantic Capital 1237 Glenwood (North) AVE	0.03	
01/07/2019	14:33	50040 CAPTAIN D's SEAFOOD 1236 Glenwood (North) AVE	0.05	
01/07/2019	14:38	50081 Popeyes 1247 Glenwood (North) AVE	0.06	
01/07/2019	14:23	50007 Duvall Chemical 801 Legion DR	0.01	
01/02/2019	12:30	40003 Vertex Investment Partners 2201 Executive Park DR	0.30	
01/02/2019	10:51	40008 FBI Dalton Resident Agency 705 College DR	0.02	
01/02/2019	13:15	40012 Holiday Inn Express 865 Holiday Inn DR	0.53	
01/02/2019	09:55	30020 Benchmark Physical Therapy 1508 Thornton (North) AVE /106,108,110	0.40	
01/02/2019	09:16	50053 Kroger 1205 Glenwood (North) AVE	0.09	
01/03/2019	10:57	40011 Dalton State Athletics 730 College DR	0.06	
01/03/2019	11:07	40013 Howard Johnson 790 College DR	0.24	
01/03/2019	10:30	50095 Boy's and Girls Club 1007 Underwood ST	0.01	
01/03/2019	10:39	50049 Apex Spine Center 1716 Cleveland RD /700	0.03	
01/04/2019	09:13	40002 NW Gerogia Trade and Convention Center 2211 Dug Gap Battle RD	1.04	
01/04/2019	13:15	40015 Quality Inn 875 College DR	0.29	
01/07/2019	09:51	50015 Tandus 1210 Royal DR	0.03	
01/07/2019	10:00	50025 Windstream 914 Vista DR	0.01	

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/08/2019	09:51	40016 Super 8 911 Market ST	0.18	
01/08/2019	11:37	40044 SPRINT PCS 1333 Walnut (West) AVE	0.07	
01/08/2019	12:15	40045 BIG LOTS 1335 Walnut (West) AVE	0.45	
01/08/2019	12:49	40047 Tobacco Outlet 1339 Walnut (West) AVE	0.13	
01/08/2019	10:57	40057 Massage 1321 Walnut (West) AVE /# 5	0.15	
01/08/2019	11:18	40058 H&R BLOCK 1323 Walnut (West) AVE	0.15	
01/08/2019	13:13	40059 KROGER 1365 Walnut (West) AVE	0.79	
01/08/2019	14:07	40060 Jersey Mike's Subs 1367 Walnut (West) AVE	0.13	
01/08/2019	11:07	40065 Reflexology 1323 Walnut (West) AVE /Suite 1	0.05	
01/10/2019	13:49	40034 Tanger Outlet Center Offices 1001 Market ST /Suite 12 A	0.34	
01/10/2019	11:56	40052 Petland 1343 Walnut (West) AVE	0.16	
01/11/2019	12:15	40049 Liberty Tax 1345 Walnut (West) AVE	0.15	
01/11/2019	09:41	40066 Ed Kirby Chevrolet 1501 Walnut (West) AVE	0.52	
01/11/2019	12:10	40098 Comfort Inn & Suites 905 West Bridge RD	0.76	
01/14/2019		50006 Western Sizzlin 501 Legion DR	0.00	
01/14/2019	10:13	40105 Chilis 881 College DR	0.36	
01/14/2019	14:07	40108 Christ Reformed Baptist Church 1378 Dug Gap RD	0.39	
01/14/2019	09:35	40109 Cohutta Banking Co. 1416 Dug Gap RD	0.00	
01/14/2019	09:42	40110 Orchid Cleaners 1325 Dug Gap RD	0.19	

02/04/2019 15:25



**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/15/2019	10:16	40062 Shoney's 1302 Walnut (West) AVE	0.32	
01/15/2019	10:42	40064 Applebee's 1322 Walnut (West) AVE	0.33	
01/15/2019	11:11	40016 Super 8 911 Market ST	0.02	
01/15/2019	15:33	40099 Paul C. Parker (Attorney) 1514 Walnut (West) AVE	0.00	
01/15/2019	14:04	40117 Restoration Recovery 1500 Dug Gap RD	0.00	
01/15/2019	13:25	40119 Peds Care, P.C. 1933 Shields RD	0.20	
01/16/2019	13:23	40048 AMERICA'S BEST CONTACT & EYEGLASSES 1341 Walnut (West) AVE	0.13	
01/16/2019	13:43	40050 CI CI'S PIZZA 1345 Walnut (West) AVE /Suite 2	0.18	
01/16/2019	13:35	40051 Atlas Physical 1347 Walnut (West) AVE	0.11	
01/16/2019	14:13	40068 LOS PABLO'S 1513 Walnut (West) AVE /SUITE 5 & 6/Suite 5 & 6	0.24	
01/16/2019	14:30	40073 Planet Fitness 1515 Walnut (West) AVE	0.26	
01/16/2019	10:32	40114 Pine Needle Gift Shoppe 1319 Dug Gap RD	0.35	
01/16/2019	12:42	40115 Simply Delightful Consignment 1407 Dug Gap RD	0.30	
01/17/2019	10:49	40046 DALTON NAILS 1337 Walnut (West) AVE	0.12	
01/17/2019	10:20	40156 Fuji Japanese Steakhouse 1321 Walnut (West) AVE /Suite 1	0.31	
01/18/2019	08:48	50052 K- Mart 1203 Glenwood (North) AVE /Dalton, GA 30719	0.01	
01/18/2019	08:52	50050 Vacant 1716 Cleveland RD /800	0.06	
01/18/2019	09:26	50084 Burger King 310 Northgate DR	0.16	
01/18/2019	09:18	50042 Checkers 1300 Glenwood (North) AVE	0.08	

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/18/2019	10:22	50086 La Fiesta 1525 Cleveland HWY /Suite 2 & 3	0.11	
01/18/2019	10:29	50087 Pizza Hut 1525 Cleveland HWY /Suite 1	0.03	
01/18/2019	08:53	50007 Duvall Chemical 801 Legion DR	0.01	
01/21/2019	10:24	50023 Shiroki North America 1300 Veterans DR	0.01	
01/21/2019	10:24	40111 Vacant 696 Shields RD	0.00	
01/21/2019	10:55	40112 Timothy Q. Rushing, D.M.D. 1400 Dug Gap RD	0.17	
01/21/2019	11:22	40118 Pulmonary & Sleep Medicine 1420 Mineral Springs RD	0.10	
01/23/2019	10:20	40017 Carpet Express 915 Market ST	0.04	
01/23/2019	14:57	40042 Smile Doctor 1205 Walnut (West) AVE	0.11	
01/23/2019	09:36	40067 IHOP 1510 Walnut (West) AVE	0.34	
01/23/2019	10:07	40078 Days Inn 1518 Walnut (West) AVE	0.38	
01/23/2019	10:54	40079 O'Charley's 1520 Walnut (West) AVE	0.13	
01/23/2019	13:26	40080 AT&T 1526 Walnut (West) AVE	0.07	
01/23/2019	13:38	40083 Country Inn and Suites 903 West Bridge RD	0.54	
01/24/2019	11:00	40038 Stadium BBQ 1001 Market ST /Suite 14	0.03	
01/24/2019	09:52	40082 Red Lobster 901 West Bridge RD	0.36	
01/24/2019	10:43	40086 Longhorn Steak House 1315 Walnut (West) AVE	0.56	
01/24/2019	16:23	40013 Howard Johnson 790 College DR	0.03	
01/24/2019	13:04	40098 Comfort Inn & Suites 905 West Bridge RD	0.07	

02/04/2019 15:25

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/24/2019	09:02	40113 David J. Cassidy D.M.D. 1403 Dug Gap RD	0.27	
01/24/2019	09:23	40116 Dug Gap Family Dentistry 1405 Dug Gap RD	0.14	
01/24/2019	14:49	40121 Cutting corners 1325 Dug Gap RD /A	0.04	
01/24/2019	09:52	40122 Michael's fine arts & framing 1327 Dug Gap RD /Suite 2	0.07	
01/24/2019	09:47	40123 M & J Sew Shop 1325 Dug Gap RD /B	0.07	
01/25/2019	10:54	40157 Dug Gap Day Care 1422 Mineral Springs RD	0.00	
01/25/2019	11:01	40161 Georgia Hope Family & Childrens 1414 Dug Gap RD	0.38	
01/25/2019	10:25	40162 State Farm 1904 Shields RD	0.24	
01/25/2019	13:24	40129 Soni Orthodontics 1209 Walnut (West) AVE /Suite #1	0.00	
01/25/2019	13:27	40130 Build Mortgage 1209 Walnut (West) AVE /Suite 2	0.00	
01/25/2019	13:28	40131 Vacant 1209 Walnut (West) AVE /Suite #4	0.00	
01/25/2019	13:31	40132 Alliance Physical Therapy 1209 Walnut (West) AVE /Suite #5	0.12	
01/25/2019	13:42	40134 Carson's Salon 1209 Walnut (West) AVE /Suite #8	0.07	
01/25/2019	13:51	40147 Allstate Insurance 1209 Walnut (West) AVE /Suite #10	0.08	
01/25/2019	13:57	40148 Bella Medical Spa 1209 Walnut (West) AVE /Suite #11	0.07	
01/25/2019	14:09	40149 The Nails Place 1209 Walnut (West) AVE /Suite #12	0.04	
01/28/2019	14:43	40039 BMB Enterprises 797 Threadmill RD	0.25	
01/28/2019	15:09	40040 Vacant 706 Threadmill RD	0.00	
01/28/2019	14:27	40053 Vacant 1353 Walnut (West) AVE	0.00	

02/04/2019 15:25

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/28/2019	14:27	40054 VACANT 1355 Walnut (West) AVE	0.00	
01/28/2019	14:27	40055 VACANT 1357 Walnut (West) AVE	0.00	
01/28/2019	14:27	40056 VACANT 1359 Walnut (West) AVE	0.00	
01/28/2019	14:52	40141 Pearle Vision 1207 Walnut (West) AVE	0.22	
01/29/2019	13:31	50016 Tandus 311 Smith Industrial BLVD	0.01	
01/29/2019	10:29	40085 MINOR, BELL & NEAL 745 College DR /B	0.04	
01/29/2019	10:37	40084 Thompson Energy 745 College DR /A	0.16	
01/29/2019	10:14	40090 Courtyard by Marriott 785 College DR	0.06	
01/29/2019	12:23	50052 K- Mart 1203 Glenwood (North) AVE /Dalton, GA 30719	0.01	
01/30/2019	11:51	40074 Homestead Hospice 1514 Walnut (West) AVE /Suite 3	0.00	
01/30/2019	11:43	40076 CPR 1514 Walnut (West) AVE /Suite 1	0.12	
01/30/2019	11:51	40077 Vacant 1514 Walnut (West) AVE /Suite 4	0.00	
01/30/2019	11:15	40128 Dalton Grocery & Tobacco 1321 Dug Gap RD	0.10	
01/30/2019	10:46	40130 Build Mortgage 1209 Walnut (West) AVE /Suite 2	0.00	
01/30/2019	10:51	40188 Edward Jones 1209 Walnut (West) AVE /Suite 3	0.14	
01/31/2019	12:48	40041 CHRIST CHURCH PRESBYTERIAN CHURCH 510 Tibbs (South) RD	0.52	
01/31/2019	10:04	40081 RED ROOF INN 1529 Walnut (West) AVE	0.41	
01/31/2019	10:42	40087 Haigler and Co. 800 College DR /A AND B SUITE/Suite C	0.07	
01/31/2019	12:32	40088 Vacant 1507 Walnut (West) AVE	0.00	

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>200 INSPECTION - Annual</b>				
01/31/2019	15:33	40125 Vacant 1325 Dug Gap RD /D	0.00	
01/31/2019	15:34	40126 Vacant 1325 Dug Gap RD /E	0.00	
01/31/2019	09:56	40133 Dr. Carson (Medical Office) 1209 Walnut (West) AVE /Suite #6&7	0.28	
01/25/2019	15:29	40043 Las Palmas 1331 Walnut (West) AVE	0.32	
01/25/2019	10:13	40061 Sonic 1369 Walnut (West) AVE	0.08	
01/25/2019	10:51	40089 Outback Steakhouse 955 Market ST	0.32	
<b>Total Activities for Type: 120</b>			<b>19.46</b>	

<b>210 INSPECTION - Site</b>				
01/25/2019	10:34	40069 Hot Stone Massage 1513 Walnut (West) AVE /SUITE 1/Suite 4	0.01	
01/25/2019	10:32	40071 Total Health Chiropractic 1513 Walnut (West) AVE /SUITE 3/Suite 3	0.04	
01/30/2019		10360 H. M. C. NORMAN BURKETT BUILDING 1200 Memorial DR	0.00	
01/24/2019		40174 New Construction 1304 Walnut (West) AVE /Suite 1	0.00	
01/22/2019		10070 City Park School 405 School ST	0.00	
01/22/2019		10762 Native 825 Chattanooga AVE /3/4	0.00	
01/19/2019		10196 Baja Coop 222 Hamilton (North) ST	1.50	
01/22/2019		30033 Guest Inn 2220 Chattanooga RD	1.00	
01/23/2019		40063 Food City 1308 Walnut (West) AVE	0.00	
01/23/2019		10755 The Mill at Crown Garden 825 Chattanooga AVE	0.00	
01/23/2019		10756 Sol de Mayo 825 Chattanooga AVE /11	0.00	

## DALTON

## Monthly Prevention Inspections by Type

Date Completed Between {01/01/2019} And  
{01/31/2019}

Date	Time	Occupancy	Hrs	Fee
<b>210 INSPECTION - Site</b>				
01/03/2019		10085 The Chop Shop 209 Cuyler (west) ST	0.00	
01/15/2019		20278 City of Refuge 120 Morris (East) ST	2.00	
01/16/2019		50088 Cold Creek 101 North Oaks DR /Suite 1	0.00	
01/16/2019		10755 The Mill at Crown Garden 825 Chattanooga AVE	0.00	
01/16/2019		10756 Sol de Mayo 825 Chattanooga AVE /11	0.00	
01/15/2019		10777 Alliant Health Plans 201 Waugh (West) ST /Suite 300	0.00	
01/15/2019		10778 Health One Alliance, LLC 201 Waugh (West) ST /Suite 400	0.00	
01/14/2019		20673 Viridian 210 Howell DR	0.00	
01/11/2019		40002 NW Gerogia Trade and Convention Center 2211 Dug Gap Battle RD	0.00	
01/11/2019		40170 Ulta Beauty 1310 Walnut (West) AVE /Suite 1	0.00	
01/11/2019		40104 Waffle House 1531 Walnut (West) AVE	0.00	
01/10/2019		10548 Tienda Y Carniceria La Michoacana 608 MLK Jr. BLVD	0.00	
01/10/2019		10395 INDUSTRIAL BEARING 1209 Morris (East) ST	0.00	
01/10/2019		30287 Anna Shaw's Children Institute 1201 Burleyson RD	0.00	
01/08/2019		40020 Holiday Inn Express 934 Market ST	0.00	
01/08/2019		10258 Expressway Samples 108 Westcott WAY	0.00	
01/07/2019		40037 See suite 14 1001 Market ST /Suite 14 A	0.00	
01/02/2019		10756 Sol de Mayo 825 Chattanooga AVE /11	0.00	

**DALTON**

**Monthly Prevention Inspections by Type**

**Date Completed Between {01/01/2019} And  
{01/31/2019}**

<b>Date</b>	<b>Time</b>	<b>Occupancy</b>	<b>Hrs</b>	<b>Fee</b>
<b>210 INSPECTION - Site</b>				
=====				
<b>Total Activities for Type:</b>			<b>29</b>	<b>4.55</b>
<b>250 INSPECTION - New Kitchen Hood Installation</b>				
-----				
01/09/2019		40063 Food City 1308 Walnut (West) AVE	0.00	
01/25/2019	10:03	10085 The Chop Shop 209 Cuyler (west) ST	0.12	
-----				
<b>Total Activities for Type:</b>			<b>2</b>	<b>0.12</b>
<b>251 INSPECTION - Knox Box Installation</b>				
-----				
01/22/2019		10042 Big Brothers/Big Sisters 101 Crawford (East) ST /Suite 400	0.00	
01/21/2019		40063 Food City 1308 Walnut (West) AVE	0.00	
01/08/2019		40172 Pet Smart 1310 Walnut (West) AVE /Suite 3	0.00	
-----				
<b>Total Activities for Type:</b>			<b>3</b>	<b>0.00</b>
<b>261 INSPECTION - OTC</b>				
-----				
01/09/2019		40063 Food City 1308 Walnut (West) AVE	0.00	
01/09/2019		10775 Griffin Medical Services 1210 Broadrick DR /Suite 2	0.00	
01/15/2019		10779 The Friesen Center 404 Thornton (South) AVE	0.00	
01/15/2019		20770 United Karate Studios Dalton 1132 Walnut (East) AVE	0.00	
01/15/2019		10776 O. Pintor Trucking LLC 317 Matilda (East) ST	0.00	
01/07/2019		30011 JBrennon Construction Inc. 1419 Chattanooga AVE /Suite 1	0.00	
01/07/2019		10125 Americas Tax 301 Glenwood (North) AVE /Suite 1	0.00	

# DALTON

## Monthly Prevention Inspections by Type

Date Completed Between {01/01/2019} And  
{01/31/2019}

Date	Time	Occupancy	Hrs	Fee
<b>261 INSPECTION - OTC</b>				
01/08/2019	16:10	20763 Dominican Salon by Margarita 700 Fifth AVE /Suite A	0.05	
01/08/2019	15:24	20764 Cacao Dominican Restaurant Inc. 702 Fifth AVE	0.11	
01/07/2019	11:36	10771 American Import Auto Parts LLC. 412 Hamilton (North) ST	0.03	
01/18/2019		30222 Village Podiatry 1505 Professional CT	0.00	
01/18/2019	08:36	10028 Cross Ins. Co 101 Crawford (East) ST /suite 102	0.05	
01/23/2019	16:00	20771 Salon Garibaldi 1309 Morris (East) ST	0.00	
01/23/2019		10557 BB&T 201 Waugh (West) ST	0.00	
01/29/2019	13:46	10022 B & B Wings and Grill Inc. 1218 Thornton (North) AVE	0.11	
01/25/2019	11:29	40063 Food City 1308 Walnut (West) AVE	0.06	
<b>Total Activities for Type: 16</b>			<b>0.41</b>	
<b>280 INSPECTION - 80</b>				
01/16/2019		10557 BB&T 201 Waugh (West) ST	0.00	
01/23/2019	09:00	10762 Native 825 Chattanooga AVE /3/4	0.40	
<b>Total Activities for Type: 2</b>			<b>0.40</b>	
<b>290 INSPECTION - 100</b>				
01/03/2019	13:55	40104 Waffle House 1531 Walnut (West) AVE	0.45	
<b>Total Activities for Type: 1</b>			<b>0.45</b>	



# DALTON

## Monthly Prevention Inspections by Type

Date Completed Between {01/01/2019} And  
{01/31/2019}

Date	Time	Occupancy	Hrs	Fee
<b>501 PRE-INCIDENT SURVEY</b>				
01/07/2019	10:00	30277 Pediatrics of Dalton 1409 Chattanooga AVE	0.00	
01/07/2019		30246 Center for Spine and pain Medicine 1413 Chattanooga AVE	0.00	
01/07/2019		50001 U.S FLOORS 1301 C & L DR	0.00	
01/07/2019		50134 Autumn Ridge 850 Autumn CT	0.00	
01/07/2019		50133 Dalton Aircraft 4465 Airport RD	0.00	
01/07/2019		50132 Dalton Airport 4483 Airport RD	0.00	
01/07/2019	13:30	10313 HEALTHIER CHOICE CPTS.& CUSHIONS 401 Jones ST	0.50	
01/07/2019	10:00	20726 Reddy Ice 426 Hamilton (South) ST	0.50	
01/07/2019	13:00	20370 Subway 906 Thornton (South) AVE /D	0.00	
01/07/2019	13:00	20371 A K Tobacco Outlet 906 Thornton (South) AVE /B	0.00	
01/07/2019	13:00	20372 Twisted Sisters 906 Thornton (South) AVE /A	0.00	
01/07/2019	13:00	20373 Taqueria El Rojo 904 Thornton (South) AVE	0.00	
01/07/2019	13:00	20660 Vacant 923 Thornton (South) AVE	0.00	
01/31/2019	10:00	10754 Dalton Fire Department Station 1 404 School ST	2.00	
<b>Total Activities for Type: 14</b>			<b>3.00</b>	

**Grand Total Activities: 187**

**Grand Totals: 28.39 0.00**

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40132**            **Alliance Physical Therapy**  
**1209 Walnut (West) AVE**  
**Suite #5**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/25/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building within 6 months.					

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40147**            **Allstate Insurance**  
**1209 Walnut (West) AVE**  
**Suite #10**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/25/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.					

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40048**            **AMERICA'S BEST CONTACT & EYEGLASSES**  
**1341 Walnut (West) AVE**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/16/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40048**            **AMERICA'S BEST CONTACT & EYEGLASSES**  
**1341 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/16/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles near electrical panels.	1			0
01/16/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Have Fire extinguishers serviced.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 3**

**10125**            **Americas Tax**  
**301 Glenwood (North) AVE**  
**Suite 1**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/07/2019	2012 IFC 505.1 Address, no suite <b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.  Also use Suite 1 for this office.	1			0
01/07/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.	1			0

01/07/2019	2012 IFC 906.3 Fire extinguisher, incorrect <b>Notes:</b> 10lb ABC fire extinguisher needed, must be tagged by a GA licensed contractor.	1			0
------------	---	---	--	--	---

-----  
**Total Individual Violation Codes for Occupancy: 3**

**\* Denotes Violations Corrected or Variance Issued**

**DALTON**

**Monthly Prevention Violations by Occupancy**  
**Violation Date Reported Between {01/01/2019} And**  
**{01/31/2019}**

**40064**            **Applebee's**  
                   **1322 Walnut (West) AVE**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/15/2019	2011 NFPA 25 4.3.6.1 Sprinkler system, Annual	1			0
<b>Notes:</b>					
Have sprinkler system inspected.					
01/15/2019	2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b>					
Mark riser room.					
01/15/2019	2012 IFC 912.2.1 FDC, location not signed	1			0
<b>Notes:</b>					
Install FDC signage.					
01/15/2019	2012 IMC 507.12 Cooking equipment, Proper	1			0
<b>Notes:</b>					
Cooking equipment should be at least 6 inches inside hood.					
01/15/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b>					
Email a copy of the current inspection report.					
01/15/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b>					
Secure all compressed gas cylinders.					
-----					
<b>Total Individual Violation Codes for Occupancy: 6</b>					

**40051**            **Atlas Physical**  
                   **1347 Walnut (West) AVE**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40051 Atlas Physical  
1347 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/16/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box.					
01/16/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b> Remove combustibles near electrical panel.					
01/16/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b> Clean lint buildup behind dryer.					

-----  
Total Individual Violation Codes for Occupancy: 3

40148 Bella Medical Spa  
1209 Walnut (West) AVE  
Suite #11  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.					
01/25/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> Have extinguishers inspected.					

-----  
Total Individual Violation Codes for Occupancy: 2

40045 BIG LOTS  
1335 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

### Violation Date Reported Between {01/01/2019} And {01/31/2019}

01/08/2019	2012 IFC 506.1 Knox Box, requirements	1	0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box.			
01/08/2019	2012 IFC 605.3 Electrical panel, obstructed	1	0
<b>Notes:</b> Remove combustibles around electrical panel.			
01/08/2019	2012 IFC 605.5 Extension cord, Improper use	1	0
<b>Notes:</b> Remove drop cord.			
01/08/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1	0
<b>Notes:</b> Email a copy of the current inspection report.			
01/08/2019	2012 NFPA 101 9.7.1.1 Sprinkler system, no	1	0
<b>Notes:</b> Install sprinkler head under rack.			
01/08/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1	0
<b>Notes:</b> Check exit signage monthly.			
01/08/2019	2013 NFPA 72 10.4.4 Smoke detector at fire alarm	1	0
<b>Notes:</b> Install smoke detector above fire alarm panel.			
01/08/2019	2013 NFPA 72 17.14.8.2 Fire alarm, pull station	1	0
<b>Notes:</b> Remove items blocking the pull station.			
01/08/2019	2013 NFPA 8.6.5.3.1 Storage with 18" of sprinkler	1	0
<b>Notes:</b> Keep storage at least 18 inches below sprinkler heads.			

-----  
Total Individual Violation Codes for Occupancy: 9

40039      **BMB Enterprises**  
               **797 Threadmill RD**  
               **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/28/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on the building.					

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

Pa

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40039            BMB Enterprises**  
**797 Threadmill RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/28/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b> Have paint booth suppression system serviced.					

-----  
**Total Individual Violation Codes for Occupancy: 2**

**20764            Cacao Dominican Restaurant Inc.**  
**702 Fifth AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2011 NFPA 96 11.4 Kitchen hood,	1			0
<b>Notes:</b> Kitchen hood needs cleaned.					
01/08/2019	2011 NFPA 96 11.7.1 Cooking equipment, In proper	1			0
<b>Notes:</b> Equipment not in place.					
01/08/2019	2011 NFPA 96 12.1.2.4 Cooking equipment, Deep	1			0
<b>Notes:</b> Not in place.					
01/08/2019	2011 NFPA 96 8.1.1.1 Kitchen hood, Exhaust fan	1			0
<b>Notes:</b> Install hinge on exhaust fan for proper cleaning.					
01/08/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.					
01/08/2019	2012 IFC 605.6 Electrical panel, cover not	1			0
<b>Notes:</b> Ensure electrical outlets have proper covers.					
01/08/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> One extinguisher not tagged.					
01/08/2019	2012 IMC 507.12 Cooking equipment, Proper	1			0
<b>Notes:</b> Not in place.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**  
**Violation Date Reported Between {01/01/2019} And**  
**{01/31/2019}**

20764           Cacao Dominican Restaurant Inc.  
                   702 Fifth AVE  
                   Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2013 NFPA 96 10.2.2 Class K placard required <b>Notes:</b> See Annex A NFPA 10 Class K placard needed.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 9**

40134           Carson's Salon  
                   1209 Walnut (West) AVE  
                   Suite #8  
                   Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.	1			0
01/25/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Have extinguishers inspected.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 2**

40105           Chilis  
                   881 College DR  
                   Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/14/2019	2012 IFC 605.4 Multi outlet adaptor <b>Notes:</b> Need better solution	1			0
01/14/2019	2012 IFC 605.5 Extension cord, Improper use <b>Notes:</b>	1			0

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44



**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40105**            **Chilis**  
**881 College DR**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
	Cannot use extension cord for permanent wiring.				
01/14/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b>					
	Need report.				

-----  
**Total Individual Violation Codes for Occupancy: 3**

**40041**            **CHRIST CHURCH PRESBYTERIAN CHURCH**  
**510 Tibbs (South) RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/31/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on the building.					
01/31/2019	2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b> Mark sprinkler room with signage stating Riser Room.					
01/31/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b> Remove combustibles near electrical panels.					
01/31/2019	2012 IFC 605.5 Extension cord, Improper use	1			0
<b>Notes:</b> Extension cords should only be used for temporary power.					
01/31/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access	1			0
<b>Notes:</b> Remove storage in stairwell. Keep egress path clear.					
01/31/2019	2012 NFPA 101 8.3.5.1 Firewall, penetrations	1			0
<b>Notes:</b> Seal firewall penetration as discussed.					
01/31/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Do not cover exit signage.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40041**                    **CHRIST CHURCH PRESBYTERIAN CHURCH**  
**510 Tibbs (South) RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/31/2019	2013 NFPA 8.6.5.3.1 Storage with 18" of sprinkler	1			0
<b>Notes:</b> Keep storage at least 18 inches below sprinkler heads.					
01/31/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b> Storage platform should have sprinkler protection underneath. Keep stairwell doors closed. Keep riser room accessible.					

-----  
**Total Individual Violation Codes for Occupancy: 9**

**40108**                    **Christ Reformed Baptist Church**  
**1378 Dug Gap RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/14/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.  Add Knox Box to building.					
01/14/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b>  Must be inspected annually by a Georgia licensed contractor.					
01/14/2019	2012 NFPA 101 7.9.3.1.1 Emergency light,	1			0
<b>Notes:</b>  Unable to test ones in stairwell.					
01/14/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b>  Have system inspected.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40108**      **Christ Reformed Baptist Church**  
**1378 Dug Gap RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/14/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0

**Notes:**

Repair or replace exit signs. Multiple signs have bad batteries.

-----  
**Total Individual Violation Codes for Occupancy: 5**

**40050**      **CI CI'S PIZZA**  
**1345 Walnut (West) AVE**  
**Suite 2**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/16/2019	2011 NFPA 96 11.7.2 Cooking equipment,	1			0

**Notes:**Clean equipment on a more regular basis.

01/16/2019	2012 IFC 506.1 Knox Box, requirements	1			0
------------	---------------------------------------	---	--	--	---

**Notes:**Install Knox Box on building. Order at [www.knoxbox.com](http://www.knoxbox.com) select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box.

01/16/2019	2012 IFC 605.1 Electrical panel, abatement of	1			0
------------	---	---	--	--	---

**Notes:**Install blanks in electrical panel.

01/16/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
------------	---	---	--	--	---

**Notes:**Remove combustibles near electrical panels.

01/16/2019	2012 IFC 605.5 Extension cord, Improper use	1			0
------------	---	---	--	--	---

**Notes:**Remove extension cords and replace with permanent wiring.

-----  
**Total Individual Violation Codes for Occupancy: 5**

**\* Denotes Violations Corrected or Variance Issued**

**DALTON**

**Monthly Prevention Violations by Occupancy**  
**Violation Date Reported Between {01/01/2019} And**  
**{01/31/2019}**

**40098**      **Comfort Inn & Suites**  
**905 West Bridge RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/11/2019	* 2011 NFPA 25 CHPT. 8 Fire pump, Needs inspection,	1			0
<b>Notes:</b>					
Have pump inspected.					
01/11/2019	* 2011 NFPA 25 CHPT. 8 Fire pump, Needs inspection,	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Have pump inspected.					
01/11/2019	* 2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b>					
Must mark on door, clear path to riser/pump room.					
01/11/2019	* 2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Must mark on door, clear path to riser/pump room.					
01/11/2019	* 2012 IFC 509.2 Sprinkler system, Riser/Valves	1			0
<b>Notes:</b>					
Clear path.					
01/11/2019	* 2012 IFC 509.2 Sprinkler system, Riser/Valves	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Clear path.					
01/11/2019	* 2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Clear out storage .					

**\* Denotes Violations Corrected or Variance Issued**

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40098**            **Comfort Inn & Suites**  
                   **905 West Bridge RD**  
                   **Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/11/2019	* 2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b>					
Clear out storage .					
01/11/2019	* 2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Repair or replace exit sign 1st floor rear exit, by stairwell on north end,					
01/11/2019	* 2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b>					
Repair or replace exit sign 1st floor rear exit, by stairwell on north end,					
01/11/2019	* 2013 NFPA 13 6.2.9.6 Sprinkler system, no head	1			0
<b>Notes:</b>					
Add wrench.					
01/11/2019	* 2013 NFPA 13 6.2.9.6 Sprinkler system, no head	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Add wrench.					
01/11/2019	* 2013 NFPA 72 10.21 Fire alarm impaired,silenced,	1			0
<b>Notes:</b>					
Have system checked immediately.					
01/11/2019	* 2013 NFPA 72 10.21 Fire alarm impaired,silenced,	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks:					
Have system checked immediately.					

**\* Denotes Violations Corrected or Variance Issued**

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40098**            **Comfort Inn & Suites**  
                     **905 West Bridge RD**  
                     **Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
<b>Total Individual Violation Codes for Occupancy: 14</b>					

**40083**            **Country Inn and Suites**  
                     **903 West Bridge RD**  
                     **Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/23/2019	2012 IFC 315.3.3 Storage, equipment rooms <b>Notes:</b> Remove combustibles in riser room.	1			0
01/23/2019	2012 IFC 509.1 Riser room not marked <b>Notes:</b> Mark riser room.	1			0
01/23/2019	2013 NFPA 13 8.17.1.1 Sprinkler system, exterior <b>Notes:</b> Bell not operational per inspection report.	1			0
01/23/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Have sprinkler system calc plate permanently marked by engraving or stamping.	1			0
<b>Total Individual Violation Codes for Occupancy: 4</b>					

**40090**            **Courtyard by Marriott**  
                     **785 College DR**  
                     **Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/29/2019	2011 NFPA 96 8.1.1.1 Kitchen hood, Exhaust fan <b>Notes:</b> Have exhaust fan hinged.	1			0
<b>Total Individual Violation Codes for Occupancy: 1</b>					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40076 CPR  
1514 Walnut (West) AVE  
Suite 1  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/30/2019	2011 NFPA 25 4.3.6.1 Sprinkler system, Annual <b>Notes:</b> Email a copy of the current inspection report.	1			0
01/30/2019	2012 IFC 505.1 Address, no suite <b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.Install suite number above the front door.	1			0
01/30/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on the building.	1			0
01/30/2019	2012 IFC 605.4 Multi outlet adaptor <b>Notes:</b> Don't plug multi plug adapters into other multi plug adapters.	1			0
01/30/2019	2012 IFC 605.5 Extension cord, Improper use <b>Notes:</b> Extension cords should only be used for temporary power.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 5**

40128 Dalton Grocery & Tobacco  
1321 Dug Gap RD  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/30/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 1**

\* Denotes Violations Corrected or Variance Issued

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40046 DALTON NAILS  
1337 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/17/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on building.					
01/17/2019	2012 IFC 605.5 Extension cord, Improper use	1			0
<b>Notes:</b> Extension cords should only be used for temporary power.					
01/17/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access	1			0
<b>Notes:</b> Remove items blocking the door.					
01/17/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Repair or replace exit signage.					

-----  
Total Individual Violation Codes for Occupancy: 4

40113 David J. Cassidy D.M.D.  
1403 Dug Gap RD  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/24/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Have in place in 6 months.					
01/24/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> Update extinguishers.					
01/24/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Repair or replace exit signs.					
01/24/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b> Secure helium tank.					

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44



**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40113**            **David J. Cassidy D.M.D.**  
                      **1403 Dug Gap RD**  
                      **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
Total Individual Violation Codes for Occupancy: 4					

**40078**            **Days Inn**  
                      **1518 Walnut (West) AVE**  
                      **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/23/2019	2012 IFC 605.1 Electrical panel, abatement of <b>Notes:</b> Exposed wiring should be in conduit. Repair light fixture.	1			0
01/23/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles near electrical panels.	1			0
01/23/2019	2012 IFC 605.3.1 Electrical panel, concealed <b>Notes:</b> Mark electrical rooms.	1			0
01/23/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Check all emergency lights on a monthly basis. Repair or replace emergency lighting as needed.	1			0
01/23/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Check all exit signs on a monthly basis. Repair or replace exit signage as needed.	1			0
01/23/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> Hang fire extinguishers.	1			0
01/23/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Smoke alarms not working in office area, room 215, room 219, and room 224.	1			0
Total Individual Violation Codes for Occupancy: 7					

**40133**            **Dr. Carson (Medical Office)**  
                      **1209 Walnut (West) AVE**  
                      **Suite #6&7**  
                      **Dalton, GA 30720**

**\* Denotes Violations Corrected or Variance Issued**

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

Reported	Code/Description	Count	Article	Division	Page
01/31/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.	1			0
01/31/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Have current inspection performed.	1			0
01/31/2019	2012 NFPA 101 7.2.1.5.1 Exit, while building <b>Notes:</b> Ensure exits remain unlocked while occupied.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 3**

**40116**            **Dug Gap Family Dentistry**  
                    **1405 Dug Gap RD**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/24/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Have Knox box installed.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40066**            **Ed Kirby Chevrolet**  
                    **1501 Walnut (West) AVE**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/11/2019	2012 IFC 505.1 Address, no suite <b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.	1			0

Install address numbers that are visible from the roadway. Use suite 1 on

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40066 Ed Kirby Chevrolet  
1501 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
	building.				
01/11/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.					
Install Knox Box.					
01/11/2019	2012 IFC 605.1 Electrical panel, abatement of	1			0
<b>Notes:</b>					
Install blanks in electrical panel.					
01/11/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b>					
Remove combustibles near electrical panel.					
01/11/2019	2012 IFC 605.5 Extension cord, Improper use	1			0
<b>Notes:</b>					
Extension cords should only be used for temporary power.					
01/11/2019	2012 IFC 605.6 Electrical panel, cover not	1			0
<b>Notes:</b>					
Install covers on electrical panels.					
01/11/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access	1			0
<b>Notes:</b>					
Remove items blocking means of egress.					
01/11/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b>					
Secure compressed gas cylinders.					

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

40066            Ed Kirby Chevrolet  
                 1501 Walnut (West) AVE  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
Total Individual Violation Codes for Occupancy: 8					

40188            Edward Jones  
                 1209 Walnut (West) AVE  
                 Suite 3  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/30/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.					

-----  
Total Individual Violation Codes for Occupancy: 1

40063            Food City  
                 1308 Walnut (West) AVE  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/09/2019	2011 NFPA 25 7.4.1 Fire hydrant, Not in proper	1			0
<b>Notes:</b> Install 1" operating nut as discussed on company hydrants					
01/09/2019	2012 IFC 505.1 Address, no suite	1			0
<b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.					
01/09/2019	* 2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.					

\* Denotes Violations Corrected or Variance Issued

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40063            Food City  
                  1308 Walnut (West) AVE  
                  Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/09/2019	2012 IFC 912.2.1 / ORD 7L FDC, blocked/obstructed	1			0
<b>Notes:</b> Install FDC for entire system as discussed at Tibbs Rd. entrance.					
01/09/2019	* 2012 NFPA 101 7.2.1.5.1 Exit, while building	1			0
<b>Notes:</b> Install signage on main doors stating doors must remain unlocked while building is occupied.					
01/09/2019	* 2012 NFPA 101 7.2.1.5.1 Exit, while building	1			0
<b>Notes:</b> Recheck violation record auto-generated from inspection on 01/09/2019. Install signage on main doors stating doors must remain unlocked while building is occupied.					

-----  
**Total Individual Violation Codes for Occupancy: 6**

**40156            Fuji Japanese Steakhouse  
                  1321 Walnut (West) AVE  
                  Suite 1  
                  Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/17/2019	2011 NFPA 96 10.1.1 Kitchen hood suppression	1			0
<b>Notes:</b> Ensure suppression system heads are in correct place to cover cooking equipment.					
01/17/2019	2011 NFPA 96 11.4 Kitchen hood,	1			0
<b>Notes:</b> Hood inspection was due in December, have hoods inspected.					
01/17/2019	2011 NFPA 96 11.7.2 Cooking equipment,	1			0
<b>Notes:</b> Clean cooking equipment and areas around cooking equipment daily.					
01/17/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b> Remove combustibles near electrical panel.					
01/17/2019	2012 IFC 605.5 Extension cord, Improper use	1			0
<b>Notes:</b> Extension cords should only be used for temporary power.					
01/17/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> Fire extinguisher needs inspection, and recharged.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40156**            **Fuji Japanese Steakhouse**  
**1321 Walnut (West) AVE**  
**Suite 1**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/17/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access <b>Notes:</b> Remove items blocking rear exit.	1			0
01/17/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Repair or replace emergency lights.	1			0
01/17/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> Hang fire extinguisher.	1			0
01/17/2019	2013 NFPA 10 7.3.2.1 Extinguisher damaged/6yr <b>Notes:</b> Fire extinguisher showing damage should be replaced, and moved away from mop sink.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 10**

**40161**            **Georgia Hope Family & Childrens**  
**1414 Dug Gap RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/25/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Update extinguishers.	1			0
01/25/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Add smoke alarms.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 2**

**10775**            **Griffin Medical Services**  
**1210 Broadrick DR**  
**Suite 2**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
-----------------	-------------------------	--------------	----------------	-----------------	-------------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**10775**      **Griffin Medical Services**  
**1210 Broadrick DR**  
**Suite 2**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/09/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.	1			0
01/09/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Fire extinguishers needed.	1			0
01/09/2019	2012 NFPA 101 7.2.1.8.1 Firedoor, blocked or <b>Notes:</b> Do not prop fire doors open.	1			0
01/09/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Emergency lighting not operational.	1			0
01/09/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Exit signage needs to be repaired or replaced.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 5**

**40087**      **Haigler and Co.**  
**800 College DR**  
**A AND B SUITE**  
**Suite C**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/31/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on the building.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 1**

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40012**            **Holiday Inn Express**  
                      **865 Holiday Inn DR**  
                      **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/02/2019	2012 NFPA 101 7.2.1.8.2.1 Firedoor, no auto <b>Notes:</b> Broken closer on door on second floor.	1			0
01/02/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Repair or replace exit sign near pool and front entrance.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 2</b>					

**40013**            **Howard Johnson**  
                      **790 College DR**  
                      **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/03/2019	* 2012 IFC 509.2 Sprinkler system, Riser/Valves <b>Notes:</b> Unable to access riser.	1			0
01/03/2019	* 2012 IFC 509.2 Sprinkler system, Riser/Valves <b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request. Original Violation Remarks: Unable to access riser.	1			0
01/03/2019	* 2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request. Original Violation Remarks: Have emergency lights repaired or replaced.	1			0
01/03/2019	* 2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Have emergency lights repaired or replaced.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 4</b>					

**40067**            **IHOP**  
                      **1510 Walnut (West) AVE**  
                      **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44



# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40067 IHOP  
1510 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/23/2019	2011 NFPA 96 11.7.2 Cooking equipment, <b>Notes:</b> Equipment needs to be cleaned daily.	1			0
01/23/2019	2011 NFPA 96 8.1.1.1 Kitchen hood, Exhaust fan <b>Notes:</b> Fans are marked on inspection report as not hinged, have this correct and a proper cleaning performed afterwards.	1			0
01/23/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0
01/23/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles near electrical panels.	1			0
01/23/2019	2012 IMC 507.12 Cooking equipment, Proper <b>Notes:</b> Cooking equipment should be at least 6 inches inside hood.	1			0
01/23/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access <b>Notes:</b> Remove items blocking the door.	1			0
01/23/2019	2013 NFPA 96 10.2.2 Class K placard required <b>Notes:</b> See Annex A NFPA 10Install placard above class k extinguisher.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 7</b>					

40007 Invista  
2104 Fiber Park DR  
B  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/07/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building.	1			0

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

DALTON

Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

40007            Invista  
                 2104 Fiber Park DR  
                 B  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

-----  
Total Individual Violation Codes for Occupancy: 1

40010            Invista  
                 745 College DR  
                 C  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

01/07/2019	2012 IFC 506.1 Knox Box, requirements	1			0
------------	---------------------------------------	---	--	--	---

**Notes:** Install Knox Box on building. Order at [www.knoxbox.com](http://www.knoxbox.com) select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box to building.

-----  
Total Individual Violation Codes for Occupancy: 1

30011            JBrennon Construction Inc.  
                 1419 Chattanooga AVE  
                 Suite 1  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

01/07/2019	2012 IFC 506.1 Knox Box, requirements	1			0
------------	---------------------------------------	---	--	--	---

**Notes:** Install Knox Box on building. Order at [www.knoxbox.com](http://www.knoxbox.com) select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.

01/07/2019	2012 IFC 605.1 Electrical panel, abatement of	1			0
------------	---	---	--	--	---

**Notes:** Replace wiring as discussed on hot water heater.

01/07/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
------------	---	---	--	--	---

**Notes:** Remove combustibles near electrical panel.

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**30011**            **JBrennon Construction Inc.**  
**1419 Chattanooga AVE**  
**Suite 1**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/07/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> Fire Extinguisher needs to be hung.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 4</b>					

**40060**            **Jersey Mike's Subs**  
**1367 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2011 NFPA 96 11.4 Kitchen hood, <b>Notes:</b> Email a copy of the current inspection report.	1			0
01/08/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0
01/08/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access <b>Notes:</b> Remove items blocking the exit.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 3</b>					

**40059**            **KROGER**  
**1365 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2011 NFPA 96 11.7.2 Cooking equipment, <b>Notes:</b> Clean filters on a regular basis.	1			0
01/08/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles around electrical panel.	1			0

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40059**                      **KROGER**  
                                  **1365 Walnut (West) AVE**  
                                  **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2012 IFC 906.3 Fire extinguisher, incorrect <b>Notes:</b> Fire extinguisher missing.	1			0
01/08/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire <b>Notes:</b> Email a copy of the current inspection report.	1			0
01/08/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> Hang class k extinguisher.	1			0
01/08/2019	2013 NFPA 8.6.5.3.1 Storage with 18" of sprinkler <b>Notes:</b> Keep storage at least 18 inches below sprinkler heads.	1			0
01/08/2019	2013 NFPA 96 10.2.2 Class K placard required <b>Notes:</b> See Annex A NFPA 10Install class k placard above class k extinguisher.	1			0
01/08/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Secure compressed gas cylinders. Replace hydraulic calc plates with metal engraved or stamped plates.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 8**

**40043**                      **Las Palmas**  
                                  **1331 Walnut (West) AVE**  
                                  **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0
01/25/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles near electrical panels.	1			0
01/25/2019	2012 IMC 507.12 Cooking equipment, Proper <b>Notes:</b> All cooking equipment should be at least 6 inches inside hood.	1			0

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

### Violation Date Reported Between {01/01/2019} And {01/31/2019}

40043 Las Palmas  
1331 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire <b>Notes:</b> Email a copy of the current inspection report.	1			0
01/25/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> Hang fire extinguisher.	1			0
01/25/2019	2013 NFPA 10 6.6.1 Class K fire extinguisher <b>Notes:</b> Class K fire extinguisher is missing.	1			0
01/25/2019	2013 NFPA 72 10.21 Fire alarm impaired,silenced, <b>Notes:</b> Have fire alarm repaired.	1			0
01/25/2019	2013 NFPA 96 10.2.2 Class K placard required <b>Notes:</b> See Annex A NFPA 10Replace class k placard.	1			0

-----  
Total Individual Violation Codes for Occupancy: 8

40049 Liberty Tax  
1345 Walnut (West) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/11/2019	2012 IFC 505.1 Address, no suite <b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.Install address numbers on building minimum 4 inches tall and 1/2 inch wide.	1			0
01/11/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0
01/11/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Fire extinguishers need to be serviced.	1			0

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40049**            **Liberty Tax**  
                   **1345 Walnut (West) AVE**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
-----					
<b>Total Individual Violation Codes for Occupancy: 3</b>					

**40086**            **Longhorn Steak House**  
                   **1315 Walnut (West) AVE**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
-----					
01/24/2019	2011 NFPA 96 11.7.2 Cooking equipment, <b>Notes:</b> Clean cooking equipment daily.	1			0
01/24/2019	2011 NFPA 96 6.2.3.3 Kitchen hood, grease <b>Notes:</b> Clean grease filters daily. Replace damaged filters.	1			0
01/24/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0
01/24/2019	2012 IMC 507.12 Cooking equipment, Proper <b>Notes:</b> Cooking equipment should be at least 6 inches inside hood. Move cooking equipment that's between both hoods.	1			0
01/24/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire <b>Notes:</b> Email a copy of the current inspection report.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 5</b>					

**40068**            **LOS PABLO'S**  
                   **1513 Walnut (West) AVE**  
                   **SUITE 5 & 6**  
                   **Suite 5 & 6**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

### Violation Date Reported Between {01/01/2019} And {01/31/2019}

01/16/2019	2011 NFPA 96 11.7.1 Cooking equipment, In proper	1	0
<b>Notes:</b> Don't over fill deep fryer.			
01/16/2019	2012 IFC 506.1 Knox Box, requirements	1	0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.			
01/16/2019	2012 IFC 605.3 Electrical panel, obstructed	1	0
<b>Notes:</b> Remove combustibles near electrical panels.			
01/16/2019	2012 IFC 605.5 Extension cord, Improper use	1	0
<b>Notes:</b> Extension cords should only be used for temporary power.			
01/16/2019	2012 IMC 507.12 Cooking equipment, Proper	1	0
<b>Notes:</b> Equipment should be at least 6 inches inside hood.			

-----  
Total Individual Violation Codes for Occupancy: 5

40057            **Massage**  
                  1321 Walnut (West) AVE  
                  # 5  
                  Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b> Add riser room signage.					
01/08/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b> No current inspection documentation available.					

-----  
Total Individual Violation Codes for Occupancy: 2

40002            **NW Gerogia Trade and Convention Center**  
                  2211 Dug Gap Battle RD  
                  Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40002**            **NW Gerogia Trade and Convention Center**  
**2211 Dug Gap Battle RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/04/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Add Knox Box.	1			0
01/04/2019	2012 IFC 509.1 Riser room not marked <b>Notes:</b> Add signage.	1			0
01/04/2019	2012 IFC 605.5 Extension cord, Improper use <b>Notes:</b> Do not use temporary wiring in permanent situations.	1			0
01/04/2019	2012 IFC 605.6 Electrical panel, cover not <b>Notes:</b> Ensure panels are closed.	1			0
01/04/2019	2012 IFC 912.2.1 FDC, location not signed <b>Notes:</b> Add signage.	1			0
01/04/2019	2012 NFPA 101 7.2.1.8.1 Firedoor, blocked or <b>Notes:</b> Doors must closed.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 6**

**40079**            **O'Charley's**  
**1520 Walnut (West) AVE**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/23/2019	2011 NFPA 96 6.2.3.3 Kitchen hood, grease <b>Notes:</b> Install missing grease filter.	1			0
01/23/2019	2011 NFPA 96 8.1.1.1 Kitchen hood, Exhaust fan <b>Notes:</b> Exhaust fans not hinged.	1			0
01/23/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in	1			0

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44



**DALTON**

**Monthly Prevention Violations by Occupancy**  
**Violation Date Reported Between {01/01/2019} And**  
**{01/31/2019}**

**40079**      **O'Charley's**  
**1520 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
	place to access building. Install Knox Box on building.				
01/23/2019	2012 IMC 507.12 Cooking equipment, Proper <b>Notes:</b> Move equipment inside hood.	1			0
01/23/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire <b>Notes:</b> Email a copy of the current inspection report.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 5</b>					

**40110**      **Orchid Cleaners**  
**1325 Dug Gap RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/14/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.  Add Knox Box to building.	1			0
01/14/2019	2012 IFC 605.4 Multi outlet adaptor <b>Notes:</b>  Overuse of multi plug adapter.	1			0
01/14/2019	2012 IFC 605.5 Extension cord, Improper use <b>Notes:</b>  Cannot use extension cords for permanent wiring.	1			0
01/14/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b>  Have extinguishers inspected.	1			0

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**  
**Violation Date Reported Between {01/01/2019} And**  
**{01/31/2019}**

**40110**            **Orchid Cleaners**  
**1325 Dug Gap RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/14/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher,	1			0
<b>Notes:</b>					
Must be mounted.					
01/14/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b>					
Add smoke alarms to building and CO detection.					

-----  
**Total Individual Violation Codes for Occupancy: 6**

**40089**            **Outback Steakhouse**  
**955 Market ST**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on building.					
01/25/2019	2012 IFC 509.1 Riser room not marked	1			0
<b>Notes:</b> Mark riser room as discussed.					
01/25/2019	2012 IMC 507.12 Cooking equipment, Proper	1			0
<b>Notes:</b> Move cooking equipment inside one hood or the other.					
01/25/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Repair or replace exit signage.					
01/25/2019	2013 NFPA 8.6.5.3.1 Storage with 18" of sprinkler	1			0
<b>Notes:</b> Storage should be at least 18 inches below sprinkler heads.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40089**            **Outback Steakhouse**  
                    **955 Market ST**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
Total Individual Violation Codes for Occupancy: 5					

**40141**            **Pearle Vision**  
                    **1207 Walnut (West) AVE**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/28/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building.	1			0
01/28/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Maintain 3 feet clearance.	1			0
01/28/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Unable to test.	1			0
01/28/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Repair or replace exit signs. Multiple with battery out.	1			0
Total Individual Violation Codes for Occupancy: 4					

**40119**            **Peds Care, P.C.**  
                    **1933 Shields RD**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/15/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.	1			0

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40119**            **Peds Care, P.C.**  
**1933 Shields RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
	Add Knox Box to building.				

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40052**            **Petland**  
**1343 Walnut (West) AVE**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/10/2019	2012 IFC 505.1 Address, no suite	1			0
	<b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.Install address numbers a minimum of 4 inches tall and 1/2 inch wide.				
01/10/2019	2012 IFC 506.1 Knox Box, requirements	1			0
	<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.				
01/10/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
	<b>Notes:</b> Remove combustibles near electrical panel.				
01/10/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
	<b>Notes:</b> Have Fire extinguishers serviced.				
01/10/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access	1			0
	<b>Notes:</b> Remove items in egress path.				

-----  
**Total Individual Violation Codes for Occupancy: 5**

**40114**            **Pine Needle Gift Shoppe**  
**1319 Dug Gap RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
-----------------	-------------------------	--------------	----------------	-----------------	-------------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40114**            **Pine Needle Gift Shoppe**  
                   **1319 Dug Gap RD**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/16/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> Have extinguishers inspected.					

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40073**            **Planet Fitness**  
                   **1515 Walnut (West) AVE**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/16/2019	2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b> Have Fire alarm inspected and email me a copy of the report.					
01/16/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher,	1			0
<b>Notes:</b> Hang fire extinguisher upstairs.					

-----  
**Total Individual Violation Codes for Occupancy: 2**

**40118**            **Pulmonary & Sleep Medicine**  
                   **1420 Mineral Springs RD**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/21/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building.					
01/21/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Repair or replace exit signs.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

40118            Pulmonary & Sleep Medicine  
                 1420 Mineral Springs RD  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
Total Individual Violation Codes for Occupancy: 2					

40015            Quality Inn  
                 875 College DR  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/04/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, Notes: Repair or replace emergency lights that are not functional.	1			0
01/04/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional Notes: Repair or replace exit signs that are not functional.	1			0
01/04/2019	DFDFMO AHJ, Requirement Notes: Replace battery in smoke alarms as needed.	1			0
Total Individual Violation Codes for Occupancy: 3					

40082            Red Lobster  
                 901 West Bridge RD  
                 Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/24/2019	2012 IFC 506.1 Knox Box, requirements Notes: Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building. Install Knox Box on building.	1			0
Total Individual Violation Codes for Occupancy: 1					

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40081**            **RED ROOF INN**  
**1529 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/31/2019	2012 IFC 509.1 Riser room not marked <b>Notes:</b> Mark room where sprinkler system is located as Riser Room.	1			0
01/31/2019	2012 IFC 5704.3.4.4 Storage, flammable liquids <b>Notes:</b> Gasoline should not be stored inside.	1			0
01/31/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles near electrical panels.	1			0
01/31/2019	2013 NFPA 13 6.2.7.2 Sprinkler system, eschusion <b>Notes:</b> Replace eschusion plate	1			0
01/31/2019	2013 NFPA 8.6.5.3.1 Storage with 18" of sprinkler <b>Notes:</b> Keep storage at least 18 inches below sprinkler heads.	1			0
01/31/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Smoke alarm didn't activate.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 6</b>					

**40065**            **Reflexology**  
**1323 Walnut (West) AVE**  
**Suite 1**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> Remove combustibles around electrical panel.	1			0
-----					
<b>Total Individual Violation Codes for Occupancy: 1</b>					

**20771**            **Salon Garibaldi**  
**1309 Morris (East) ST**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

20771 Salon Garibaldi  
1309 Morris (East) ST  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/23/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.	1			0
01/23/2019	2012 IFC 605.3 Electrical panel, obstructed <b>Notes:</b> There is a water leak above the disconnect. This will have to be repaired prior to having the power cut on to the building.	1			0
01/23/2019	2012 IFC 906.1 Fire extinguisher, none in <b>Notes:</b> No fire extinguishers present.	2			0
01/23/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> No fire extinguishers present.	2			0
01/23/2019	2012 IFC 906.3 Fire extinguisher, incorrect <b>Notes:</b> No fire extinguishers present.	2			0
01/23/2019	2012 IFC 906.3 Fire extinguisher, incorrect <b>Notes:</b> No fire extinguishers present.	2			0
01/23/2019	2012 NFPA 101 7.2.1.7.1 Exit, panic hardware <b>Notes:</b> Install panic hardware on second day exit.	1			0
01/23/2019	2012 NFPA 101 7.9.3.1.1 Emergency light, <b>Notes:</b> Repair or replace emergency lighting, also add two additional emergency lights as discussed.	1			0
01/23/2019	2012 NFPA 101 8.3.1.2 Firewall, not continuous <b>Notes:</b> Access to suite 3 should be sealed properly as discussed.	1			0
01/23/2019	2012 NFPA 101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Repair or replace exit signage.	2			0
01/23/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher, <b>Notes:</b> No fire extinguishers present.	2			0
-----					
Total Individual Violation Codes for Occupancy: 11					

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44



**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40062**            **Shoney's**  
                    **1302 Walnut (West) AVE**  
                    **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/15/2019	2011 NFPA 96 11.7.1 Cooking equipment, In proper	1			0
<b>Notes:</b>					
Don't over fill deep fryers.					
01/15/2019	2011 NFPA 96 11.7.2 Cooking equipment,	1			0
<b>Notes:</b>					
Clean around cooking equipment on a regular basis.					
01/15/2019	2011 NFPA 96 6.2.3.3 Kitchen hood, grease	1			0
<b>Notes:</b>					
Clean grease filters daily.					
01/15/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.					
Install Knox Box on building.					
01/15/2019	2012 IMC 507.12 Cooking equipment, Proper	1			0
<b>Notes:</b>					
Ensure cooking equipment is at least 6 inches inside hood. Ovens should be installed under a proper hood.					
01/15/2019	2012 NFPA 101 7.9.3.1.1 Emergency light,	1			0
<b>Notes:</b>					
Repair or replace emergency light.					

-----  
**Total Individual Violation Codes for Occupancy: 6**

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40115**            **Simply Delightful Consignment**  
**1407 Dug Gap RD**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/16/2019	2012 IFC 906.2 Fire extinguisher, Properly <b>Notes:</b> Need to add extinguishers.	1			0
01/16/2019	DFDFMO AHJ, Requirement <b>Notes:</b> Add exit signage.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 2**

**40061**            **Sonic**  
**1369 Walnut (West) AVE**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/25/2019	2012 IFC 506.1 Knox Box, requirements <b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40044**            **SPRINT PCS**  
**1333 Walnut (West) AVE**  
**Dalton, GA 30720**

<b>Reported</b>	<b>Code/Description</b>	<b>Count</b>	<b>Article</b>	<b>Division</b>	<b>Page</b>
01/08/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional <b>Notes:</b> Repair or replace exit signage.	1			0

-----  
**Total Individual Violation Codes for Occupancy: 1**

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40162**            **State Farm**  
                  **1904 Shields RD**  
                  **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	DFDFMO AHJ, Requirement	1			0
<b>Notes:</b> Add fire extinguisher to building.					

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40016**            **Super 8**  
                  **911 Market ST**  
                  **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	* 2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b> Must show current annual inspection.					
01/08/2019	* 2012 NFPA 101 9.6.1.3 Fire alarm, Annual fire	1			0
<b>Notes:</b> Recheck violation record auto-generated from ManageMyInspections.com recheck request.					
Original Violation Remarks: Must show current annual inspection.					

-----  
**Total Individual Violation Codes for Occupancy: 2**

**40034**            **Tanger Outlet Center Offices**  
                  **1001 Market ST**  
                  **Suite 12 A**  
                  **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/10/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building as discussed previously.					
01/10/2019	2012 NFPA 101 7.9.3.1.1 Emergency light,	1			0
<b>Notes:</b> Repair or replace emergency lights.					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40034**            **Tanger Outlet Center Offices**  
**1001 Market ST**  
**Suite 12 A**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/10/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
<b>Notes:</b> Repair or replace exit signs.					

-----  
**Total Individual Violation Codes for Occupancy: 3**

**10779**            **The Friesen Center**  
**404 Thornton (South) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/15/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.					
01/15/2019	2012 IFC 906.2 Fire extinguisher, Properly	3			0
<b>Notes:</b> Fire extinguishers need serviced by a GA licensed contractor.					
01/15/2019	2013 NFPA 10 6.1.3.8.1 Fire extinguisher,	2			0
<b>Notes:</b> Hang fire extinguishers.					

-----  
**Total Individual Violation Codes for Occupancy: 3**

**40149**            **The Nails Place**  
**1209 Walnut (West) AVE**  
**Suite #12**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/25/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40149**            **The Nails Place**  
                   **1209 Walnut (West) AVE**  
                   **Suite #12**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
	place to access building.Add Knox Box to building.				

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40084**            **Thompson Energy**  
                   **745 College DR**  
                   **A**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/29/2019	2012 IFC 506.1 Knox Box, requirements	1			0
	<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install a Knox Box on the building.				
01/29/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
	<b>Notes:</b> Fire extinguishers should be serviced annually.				
01/29/2019	2012 NFPA 101 7.1.10.1 MOE, unimpeded exit access	1			0
	<b>Notes:</b> Remove items blocking the exit door. Storage is not allowed in exit stairwells.				
01/29/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
	<b>Notes:</b> Repair or replace exit signage.				

-----  
**Total Individual Violation Codes for Occupancy: 4**

**40112**            **Timothy Q. Rushing, D.M.D.**  
                   **1400 Dug Gap RD**  
                   **Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
----------	------------------	-------	---------	----------	------

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

**DALTON**

**Monthly Prevention Violations by Occupancy**

**Violation Date Reported Between {01/01/2019} And  
{01/31/2019}**

**40112**            **Timothy Q. Rushing, D.M.D.**  
**1400 Dug Gap RD**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/21/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
<b>Notes:</b> Must have extinguishers inspected annually.					

-----  
**Total Individual Violation Codes for Occupancy: 1**

**40047**            **Tobacco Outlet**  
**1339 Walnut (West) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/08/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Install Knox Box on building.					
01/08/2019	2012 IFC 605.3 Electrical panel, obstructed	1			0
<b>Notes:</b> Remove combustibles around electrical panel.					

-----  
**Total Individual Violation Codes for Occupancy: 2**

**20770**            **United Karate Studios Dalton**  
**1132 Walnut (East) AVE**  
**Dalton, GA 30720**

Reported	Code/Description	Count	Article	Division	Page
01/15/2019	2012 IFC 505.1 Address, no suite	1			0
<b>Notes:</b> Address numbers should be a minimum of 4 inches tall and 1/2 inch wide. Numbers should be visible from road fronting the property, and be contrasting to the background.					
01/15/2019	2012 IFC 506.1 Knox Box, requirements	1			0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in					

**\* Denotes Violations Corrected or Variance Issued**

02/04/2019 15:44

# DALTON

## Monthly Prevention Violations by Occupancy

Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

20770 United Karate Studios Dalton  
1132 Walnut (East) AVE  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
	place to access building.				
01/15/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
	<b>Notes:</b> Have fire extinguishers serviced by a GA licensed contractor.				
01/15/2019	2012 NFPA101 7.10.5.1 Exit sign, non functional	1			0
	<b>Notes:</b> Repair or replace exit signage as discussed.				
-----					
<b>Total Individual Violation Codes for Occupancy: 4</b>					

40003 Vertex Investment Partners  
2201 Executive Park DR  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
01/02/2019	2012 IFC 506.1 Knox Box, requirements	1			0
	<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.Add Knox Box to building.				
01/02/2019	2012 IFC 605.1 Electrical panel, abatement of	1			0
	<b>Notes:</b> Ensure wiring in in conduit.				
01/02/2019	2012 IFC 906.2 Fire extinguisher, Properly	1			0
	<b>Notes:</b> Inspection needs to be performed by a licensed contractor.				
01/02/2019	2012 NFPA 101 7.9.3.1.1 Emergency light,	1			0
	<b>Notes:</b> Repair or replace emergency lighting.				
-----					
Total Individual Violation Codes for Occupancy: 4					

30222 Village Podiatry  
1505 Professional CT  
Dalton, GA 30720

Reported	Code/Description	Count	Article	Division	Page
* Denotes Violations Corrected or Variance Issued					
02/04/2019	15:44				

DALTON

Monthly Prevention Violations by Occupancy  
Violation Date Reported Between {01/01/2019} And  
{01/31/2019}

01/18/2019	2012 IFC 506.1 Knox Box, requirements	1	0
<b>Notes:</b> Install Knox Box on building. Order at <a href="http://www.knoxbox.com">www.knoxbox.com</a> select Dalton Fire Department. Should be installed near front door at a maximum height of 6 feet from ground. Make sure to put the sticker on the door. Ensure proper key is in place to access building.			
01/18/2019	2012 NFPA 101 7.2.1.8.1 Firedoor, blocked or	2	0
<b>Notes:</b> Remove door stops as discussed.			
01/18/2019	2012 NFPA 101 7.9.2.1 Emergency light, none	1	0
<b>Notes:</b> Add emergency lighting as discussed.			
01/18/2019	DFDFMO AHJ, Requirement	1	0
<b>Notes:</b> Replace smoke alarms as discussed.			
-----			
<b>Total Individual Violation Codes for Occupancy: 4</b>			

Grand Total Violations: 291

\* Denotes Violations Corrected or Variance Issued

02/04/2019 15:44



02/01/2019 14:36  
628mcoke

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

1/31/2019

P 1  
glytddbud

FOR 2019 01

ACCOUNTS FOR: 0010 GENERAL FUND - OPERATING	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
141400 FIRE DEPARTMENT							
141400 000010 SALARIES-REGULAR	4,708,000	0	4,708,000	178,829.26	.00	4,529,170.74	3.8%
141400 000011 SALARIES OVERTIME	415,500	0	415,500	11,775.33	.00	403,724.67	2.8%
141400 000017 RAISE POOL - GROS	155,000	0	155,000	.00	.00	155,000.00	.0%
141400 000020 FICA	392,000	0	392,000	26,355.46	.00	365,644.54	6.7%
141400 000030 PENSION	141,100	0	141,100	9,557.41	.00	131,542.59	6.8%
141400 000032 PENSION - DB PLAN	1,343,300	0	1,343,300	90,543.61	.00	1,252,756.39	6.7%
141400 000040 HOSPITALIZATION I	828,850	0	828,850	61,165.74	.00	767,684.26	7.4%
141400 000043 INSURANCE - FIRE	21,000	0	21,000	.00	.00	21,000.00	.0%
141400 000045 EE LIFE & DISABIL	29,200	0	29,200	2,095.95	.00	27,104.05	7.2%
141400 000046 RAISE POOL - BENE	63,910	0	63,910	.00	.00	63,910.00	.0%
141400 000050 GENERAL INSURANCE	28,500	0	28,500	.00	.00	28,500.00	.0%
141400 000060 WORKER COMPENSATI	128,000	0	128,000	.00	.00	128,000.00	.0%
141400 000095 50000 EQUIP MAINT	5,000	0	5,000	.00	.00	5,000.00	.0%
141400 000100 OFFICE EQUIPMENT	7,200	0	7,200	548.22	.00	6,651.78	7.6%
141400 000110 TELEPHONE	31,000	0	31,000	1,786.95	897.62	28,315.43	8.7%
141400 000120 TRAINING EXPENSES	36,500	0	36,500	.00	.00	36,500.00	.0%
141400 000121 FIRE SAFETY/EDUCA	3,500	0	3,500	.00	.00	3,500.00	.0%
141400 000123 HAZMAT MANAGEMENT	18,000	0	18,000	.00	.00	18,000.00	.0%
141400 000330 UTILITIES	131,500	0	131,500	12,082.57	.00	119,417.43	9.2%
141400 000350 BUILDING MAINT &	60,000	0	60,000	2,794.32	2,579.35	54,626.33	9.0%
141400 000360 LEGAL FEES	4,800	0	4,800	.00	.00	4,800.00	.0%
141400 000400 EQUIPMENT MAINT &	24,000	0	24,000	.00	726.84	23,273.16	3.0%
141400 000410 GAS & OIL	65,000	0	65,000	.00	.00	65,000.00	.0%
141400 000440 SUPPLIES	35,000	0	35,000	665.97	735.78	33,598.25	4.0%
141400 000450 CLEANING ALLOWANC	49,920	0	49,920	.00	.00	49,920.00	.0%
141400 000460 UNIFORMS	140,000	0	140,000	.00	649.00	139,351.00	.5%
141400 000830 MAINTENANCE - APP	100,000	0	100,000	2,957.24	706.42	96,336.34	3.7%
141400 001010 OFFICE SUPPLIES	8,200	0	8,200	215.97	223.22	7,760.81	5.4%
141400 001030 COMPUTER-SOFTWARE	21,000	0	21,000	.00	.00	21,000.00	.0%
141400 001040 COMPUTER MAINTAIN	7,000	0	7,000	.00	.00	7,000.00	.0%
141400 001090 WELLNESS PROGRAM	8,000	0	8,000	.00	.00	8,000.00	.0%
141400 001300 MEALS	21,600	0	21,600	.00	115.00	21,485.00	.5%
141400 001410 DUES/FEES/SUBSCRI	6,600	0	6,600	276.00	225.00	6,099.00	7.6%
141400 001620 VEHICLE IMPACT FE	1,200	0	1,200	.00	.00	1,200.00	.0%
141400 001665 RADIO SUBSCRIBER	10,100	0	10,100	.00	10,219.30	-119.30	101.2%
141400 001990 MISCELLANEOUS	16,000	0	16,000	.00	.00	16,000.00	.0%
141400 039980 CAPITAL OUTLAY <	37,000	0	37,000	.00	699.00	36,301.00	1.9%
141400 084725 BUIDING/GROUNDS M	9,000	0	9,000	95.00	.00	8,905.00	1.1%
TOTAL FIRE DEPARTMENT	9,111,480	0	9,111,480	401,745.00	17,776.53	8,691,958.47	4.6%

02/01/2019 14:36  
 628mcoke

The City of Dalton  
 YEAR-TO-DATE BUDGET REPORT

1/31/2019

P 2  
 glytdbud

FOR 2019 01

ACCOUNTS FOR: 0010	GENERAL FUND - OPERATING	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
	TOTAL GENERAL FUND - OPERATING	9,111,480	0	9,111,480	401,745.00	17,776.53	8,691,958.47	4.6%
	TOTAL EXPENSES	9,111,480	0	9,111,480	401,745.00	17,776.53	8,691,958.47	

02/01/2019 14:36  
628mcoke

The City of Dalton  
YEAR-TO-DATE BUDGET REPORT

1/31/2019

P 3  
glytdbud

FOR 2019 01

	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
GRAND TOTAL	9,111,480	0	9,111,480	401,745.00	17,776.53	8,691,958.47	4.6%

\*\* END OF REPORT - Generated by Melissa Coker Russell \*\*

# DALTON FIRE DEPARTMENT

## Standard Operating Guideline

**S.O.G.:** AO-1  
**Effective:** 2/26/2018  
**Revised:**  
**Reviewed:**

\_\_\_\_\_  
Fire Chief Signature

\_\_\_\_\_  
DATE

**Title:** Moving and Driving Fire Apparatus

**Reference:** Official Code of Georgia Annotated 40-6-6 (2010) Authorized Emergency Vehicles

**Scope:** All Personnel

### Guidelines:

1. While driving emergency in a fire apparatus (in accordance with O.C.G.A. 40-6-6)
  - a. May exceed the maximum speed limits so long as he/she does not endanger life or property
  - b. While passing, utilize a left side pass whenever possible, however the driver may choose the path of least resistance as long as he/she does not endanger life or property
  - c. The fire apparatus shall keep a minimum 4 second distance between the fire apparatus and the vehicle in front of it
  - d. While responding, all warning devices should be utilized including: warning lights, federal siren, electronic sirens, and air horn
2. Intersections during emergency response (in accordance with O.C.G.A. 40-6-6)
  - a. May proceed past a red or stop signal or stop sign, but only after slowing down as may be necessary for safe operation. The driver and officer should communicate that the intersection is clear.
  - b. If a traffic light is green or changing, the driver of the fire apparatus should slightly reduce speed below the posted speed limit while proceeding through the intersection. The driver and officer should communicate that the intersection is clear.

- c. During a right or left turn at an intersection, the driver and officer must use due regard while making a clear and safe turn. The driver and officer should communicate that the intersection is clear.

### 3. Backing Guidelines:

- a. While backing a fire apparatus, there should be a ground guide on the left side of the apparatus motioning the driver backwards. The ground guide should remain in the view of the left side mirror until backing is complete.
- b. The driver should monitor the left side mirror to watch the ground guide and the left side of the apparatus
- c. The officer should use due regard and either stay in the OIC seat and constantly monitor the right side mirror for any obstructions or get out and become a front ground guide
- d. The rear ground guide and the front ground guide officer may use the radio system to initiate a stop by having the radio lapel mic in hand while the apparatus is backing. A message of “STOP, STOP, STOP” should be announced over the radio in the case of a potential immediate collision.

### 4. Departing the fire station

- a. Make sure all apparatus doors are closed before moving.
- b. Clear all sides of the apparatus of any items/personnel and ensure a minimum 3 foot clearance before moving the apparatus.
- c. The driver and officer should visually check that the overhead door is completely stowed and it has not started to come down while slowly leaving the apparatus bay.

## Official Code of Georgia Annotated (40-6-6)

O.C.G.A. 40-6-6 (2010)

40-6-6. Authorized emergency vehicles

(a) The driver of an authorized emergency vehicle or law enforcement vehicle, when responding to an emergency call, when in the pursuit of an actual or suspected violator of the law, or when responding to but not upon returning from a fire alarm, may exercise the privileges set forth in this Code section.

(b) The driver of an authorized emergency vehicle or law enforcement vehicle may:

(1) Park or stand, irrespective of the provisions of this chapter;

(2) Proceed past a red or stop signal or stop sign, but only after slowing down as may be necessary for safe operation;

(3) Exceed the maximum speed limits so long as he or she does not endanger life or property; and

(4) Disregard regulations governing direction of movement or turning in specified directions.

(c) The exceptions granted by this Code section to an authorized emergency vehicle shall apply only when such vehicle is making use of an audible signal and use of a flashing or revolving red light visible under normal atmospheric conditions from a distance of 500 feet to the front of such vehicle, except that a vehicle belonging to a federal, state, or local law enforcement agency and operated as such shall be making use of an audible signal and a flashing or revolving blue light with the same visibility to the front of the vehicle.

(d)(1) The foregoing provisions shall not relieve the driver of an authorized emergency vehicle from the duty to drive with due regard for the safety of all persons.

# DALTON FIRE DEPARTMENT

## Standard Operating Procedure

**S.O.P.: SCBA-04**

**Effective: 2/26/2019**

**Revised:**

**Reviewed:**

\_\_\_\_\_  
Fire Chief Signature

\_\_\_\_\_  
DATE

**Title:** Daily PPE Inspection

**Reference:** NFPA 1852: Standard on Selection, Care, and Maintenance of Open-Circuit Self-Contained Breathing Apparatus (SCBA), 2019 Edition

**Scope:** Suppression Division

### Procedure:

- A. All personnel assigned a riding position with an SCBA shall perform a daily inspection in accordance with NFPA 1852.
  1. This applies to seats without a dedicated SCBA. An SCBA from a compartment shall be inspected for immediate use.
- B. All personnel shall ready assigned Personal Protective Equipment for immediate use.
  1. PPE shall be arranged so it can be donned immediately upon receiving a call.
  2. Individual emergency escape system and other personal tools shall be inspected for operation.
- C. All personnel shall inspect for location and readiness of any tools that would be required immediately for his/her riding assignment.
- D. These inspections shall be done immediately after clocking in for duty. Pass-ons and other business should be done after these inspections and readiness to respond have been completed.

**RESOLUTION 19-03**  
**A RESOLUTION TO AUTHORIZE THE TRANSFER OF CERTAIN**  
**RESPONSIBILITIES TO ENFORCE STATE MINIMUM FIRE SAFETY STANDARDS**  
**FROM THE OFFICE OF THE INSURANCE AND SAFETY FIRE COMMISSIONER**  
**TO THE CITY OF DALTON**

**WHEREAS**, The City of Dalton desires to transfer the authority from the State of Georgia and the responsibilities of the Office of the Insurance and Safety Fire Commissioner to the City of Dalton pursuant to O.C.G.A. §25-2-12(b); and

**WHEREAS**, Municipalities having a population of less than 45,000 as determined by the most recent decennial census published by the United States Bureau of the Census may adopt the state minimum fire safety standards adopted in the rules and regulations promulgated pursuant to this chapter, including all subsequent revisions thereof; and

**WHEREAS**, the City of Dalton has notified the Safety Fire Commissioner of its intention to adopt and enforce the state minimum fire safety standards;

**NOW THEREFORE BE IT RESOLVED**, that the City of Dalton hereby adopts the state minimum fire safety standards adopted in the rules and regulations promulgated pursuant to Chapter 2 of title 25 of the Official Code of Georgia Annotated, including all subsequent revisions thereof, and shall enforce the state minimum fire safety standards as set forth in O.C.G.A. §25-2-12(a) with respect to those buildings and structure listed in O.C.G.A. §25-2-13, except for hospitals, nursing homes, jails, ambulatory health care center, and penal institutions and except for buildings and structures which are owned and operated or occupied by the State, and shall with respect to the buildings and structures within its jurisdiction:

- A. Conduct fire Safety inspections on existing buildings and structures;
- B. Review plans and specifications for proposed buildings and structures, issue building permits when plans are approved, and conduct fire safety inspections of such buildings and structures;
- C. Issue permanent and temporary certificates of occupancy; and
- D. Conduct investigations of arson or other suspected incendiary fires except as otherwise provided in O.C.G.A. §25-2-12(a)(6).

**BE IT FURTHER RESOLVED**, that City of Dalton shall have authority to charge and retain appropriate fees for performing the duties required in O.C.G.A. § 25-2-12 (a)(2)(A) and (B).

**BE IT FURTHER RESOLVED**, that a copy of this Resolution shall be forwarded to the Safety Fire Commissioner.

**BE IT FURTHER RESOLVED**, that all resolutions or parts thereof of the City of Dalton in conflict with the provisions herein contained are, to the extent of such conflict, hereby superseded and repealed.



**BE IT FURTHER RESOLVED**, that this Resolution shall take effect immediately upon its adoption.

**SO RESOLVED** this \_\_\_\_ day of \_\_\_\_\_, 2019.

**CITY OF DALTON, GEORGIA**

\_\_\_\_\_  
Dennis Mock, Mayor

ATTESTED TO:

\_\_\_\_\_  
City Clerk