



PUBLIC NOTICE

Special Council Meeting

Wednesday, March 11, 2026 at 5:30 PM

City Hall Council Chambers, 410 E Leffler St, Dodgeville, WI

53533 Zoom Link

<https://zoom.us/j/96350838220?pwd=ruSJ4dFC2wa0XZDBM8duWbfb8Zn4K.1>

AGENDA

- I. CALL TO ORDER AND ROLL CALL**
- II. PUBLIC COMMENT** *Citizen or delegation presentations, requests or comments and discussion of same, pursuant to Wis. Stat. Sec. 19.83 (2) and Sec. 19.84 (2). Ten minute limit except by consent of council. No action will be taken on any item that is not specifically listed on the agenda.*
- III. OLD BUSINESS**
- IV. NEW BUSINESS**
 - 1. Discussion and possible action to approve change order to replace the transformer for the existing library project.
 - 2. Discussion and possible action to approve the elevator modernization work with TKE for the library project.
- V. ADJOURN**
 - 3. Motion to Adjourn

Any person who has a qualifying disability, as defined by the Americans with Disabilities Act, that requires the meeting or material at the meeting to be in an accessible location or format, must contact the City Clerk at the address listed above or call 930-5228, prior to the meeting so that any necessary arrangements can be made to accommodate each request.

Daniels Construction
 919 Applegate Road
 Madison, Wisconsin 53713
 Phone: +16082714800

Project: 854 - Dodgeville Public Library
 139 South Iowa St
 Dodgeville, Wisconsin 53533

Prime Contract Potential Change Order #019: RFI #53: Alliant Transformer Size & MTS/CT Layout

TO:	City of Dodgeville 100 E Fountain St Dodgeville, Wisconsin 53533	FROM:	Daniels Construction 919 Applegate Road Madison, Wisconsin 53713
PCO NUMBER/REVISION:	019 / 0	CONTRACT:	1 - Dodgeville Public Library
REQUEST RECEIVED FROM:		CREATED BY:	Cole Biehn (Daniels Construction)
STATUS:	Pending - Proceeding	CREATED DATE:	3/4/2026
REFERENCE:		PRIME CONTRACT CHANGE ORDER:	None
FIELD CHANGE:	No		
LOCATION:		ACCOUNTING METHOD:	Amount Based
SCHEDULE IMPACT:		PAID IN FULL:	No
EXECUTED:	No	SIGNED CHANGE ORDER RECEIVED DATE:	
		TOTAL AMOUNT:	\$31,917.92

POTENTIAL CHANGE ORDER TITLE: RFI #53: Alliant Transformer Size & MTS/CT Layout

CHANGE REASON: Existing Condition

POTENTIAL CHANGE ORDER DESCRIPTION: *(The Contract Is Changed As Follows)*
 CE #015 - RFI #53: Alliant Transformer Size & MTS/CT Layout

ATTACHMENTS:

[DODGEVILLE RFI #53.docx](#)

#	Budget Code	Description	Amount
1	26-0100.S Electrical.Subcontract	RFI #53: Alliant Transformer Size & MTS/CT Layout	\$28,311.25
2	22-0100.S Plumbing.Subcontract	RFI #53: Alliant Transformer Size & MTS/CT Layout	\$1,800.00
Subtotal:			\$30,111.25
Material & Labor Mark-Up (15.00%):			\$0.00
Subcontractor Mark-Up (5.00%):			\$1,505.56
Bond Mark-Up (1.00%):			\$301.11
Grand Total:			\$31,917.92

Kevin Allebach (Hammel, Green & Abrahamson Inc.)

City of Dodgeville
 100 E Fountain St
 Dodgeville, Wisconsin 53533

Daniels Construction
 919 Applegate Road
 Madison, Wisconsin 53713

 SIGNATURE DATE

 SIGNATURE DATE

 SIGNATURE DATE



CHANGE ORDER

DATE: 3/4/2026
 NAME: DODGEVILLE LIBRARY
 LOCATION: DODGEVILLE, WI

ROBERTS PLUMBING & HEATING HEREBY PROPOSE TO FURNISH ALL MATERIALS AND PERFORM ALL LABOR FOR PLUMBING STATED BELOW.

Relocate existing hose bib location per RFI #53

Most likely the hose bib will not be reusable after removing from block wall

Install new hose bib in location on drawing

TOTAL \$1,800.00

IF YOU SHOULD HAVE ANY QUESTIONS OR CONCERNS REGARDING THE CONTENT OF THIS PROPOSAL, PLEASE FEEL FREE TO CONTACT ME AT **608-416-5646** or brad@robertsplumbing.us
BRAD BRICKHAM, PRESIDENT

4430 ROBERTSON RD MADISON, 53714

The above proposal is only valid if signed and accepted within 30 days from the above date. We are hopeful that the information provided above is helpful to you in managing this project and will help to avoid misunderstandings or disputes. As required by the Wisconsin Construction Lien Law, Robert's Plumbing & Heating Inc. hereby notifies owner that persons or companies furnishing labor or materials for the construction on owner's land may have lien rights on owner's land and buildings if not paid. While we try to keep owners fully informed, we can't do that if any of the information is incorrect. If any of the above information is incorrect, please contact us at the above address or email.

-



DATE: _____ SIGNATURE _____

Daniels Construction
 919 Applegate Road
 Madison, Wisconsin 53713
 Phone: +16082714800

Project: 854 - Dodgeville Public Library
 139 South Iowa St
 Dodgeville, Wisconsin 53533

Prime Contract Potential Change Order #018: CE #022 - Elevator Modernization

TO:	City of Dodgeville 100 E Fountain St Dodgeville, Wisconsin 53533	FROM:	Daniels Construction 919 Applegate Road Madison, Wisconsin 53713
PCO NUMBER/REVISION:	018 / 0	CONTRACT:	1 - Dodgeville Public Library
REQUEST RECEIVED FROM:		CREATED BY:	Cole Biehn (Daniels Construction)
STATUS:	Pending - Proceeding	CREATED DATE:	2/19/2026
REFERENCE:		PRIME CONTRACT CHANGE ORDER:	None
FIELD CHANGE:	No		
LOCATION:		ACCOUNTING METHOD:	Amount Based
SCHEDULE IMPACT:		PAID IN FULL:	No
EXECUTED:	No	SIGNED CHANGE ORDER RECEIVED DATE:	
		TOTAL AMOUNT:	\$85,683.14

POTENTIAL CHANGE ORDER TITLE: CE #022 - Elevator Modernization

CHANGE REASON: Client Request

POTENTIAL CHANGE ORDER DESCRIPTION: *(The Contract Is Changed As Follows)*

CE #022 - Elevator Modernization
 Elevator Modernization

ATTACHMENTS:

[PCO E008_Elevator Changes R1.pdf](#) , [_TKE - Modernization Proposal Dodgeville Library - 2.9.26.pdf](#)

#	Budget Code	Description	Amount
1	26-0100.S Electrical.Subcontract	-- Grounded Electric- Elevator Modernization	\$12,498.09
2		-- TK Elevator Corporation- Elevator Modernization	\$72,435.17
Subtotal:			\$84,933.26
Material & Labor Mark-Up (15.00%):			\$0.00
Subcontractor Mark-Up (5.00%):			\$624.90
Bond Mark-Up (1.00%):			\$124.98
Grand Total:			\$85,683.14


Kim Workman (Hammel, Green & Abrahamson Inc.)
 333 East Erie Street
 Milwaukee, Wisconsin 53202

City of Dodgeville
 100 E Fountain St
 Dodgeville, Wisconsin 53533

Daniels Construction
 919 Applegate Road
 Madison, Wisconsin 53713

SIGNATURE _____ DATE _____ SIGNATURE _____ DATE _____ SIGNATURE _____ DATE _____

MODERNIZATION PROPOSAL





Modernization Proposal

February 06, 2026

Dodgeville Library Modernization

Purchaser:	CITY OF DODGEVILLE	Project	MUNICIPAL BLDG & LIB -
		Location:	DVILLE
Address:	100 W FOUNTAIN DR	Address:	139 S IOWA ST
	DODGEVILLE, WI 53533		DODGEVILLE, WI 53533

TK Elevator Corporation (hereinafter "TK Elevator") is dedicated to delivering CITY OF DODGEVILLE (hereinafter "Purchaser") the safest, highest quality vertical transportation solutions. I am pleased to present this customized Proposal (the "Proposal") in the amount of **\$72,435.17** inclusive of all applicable sales and use taxes to modernize the elevator equipment described in the pages that follow at the above-referenced location.

Our modernization package is engineered specifically for your elevator system and will include the elevator mechanical and electrical components being replaced, refurbished or retained.

Benefits of Modernization include:

- Increased durability and reliability
- Improved fire and life safety features
- Decreased waiting times
- Reduced energy consumption
- Reduced operational cost
- Reduced troubleshooting time

The price above includes those value added taxes, tariffs, duties, and/or similar charges that are in effect as of the date of this proposal. The price of this Proposal is subject to escalation - even after Purchaser's acceptance of this Proposal - under certain circumstances including any new or increase in taxes, tariffs, or other charges imposed by applicable governmental authorities and/or TK Elevator being subjected to increased charges by its suppliers, shippers and/or freight forwarders as set forth in the terms and conditions in this Proposal.

Furthermore, all preparatory work by other trades must be completed and elevator equipment shipped by 06-01-2027 and the installation must be completed by 06-29-2027, otherwise, the price is also subject to increase.

If not accepted within twenty-one (21) calendar days of the date of this Proposal or the date presented to Purchaser, this Proposal shall automatically be revoked and shall be null and void.

In the event you have any questions regarding the content of this Proposal please contact me at 1 262 6492061

We appreciate your consideration.

Regards,

Matthew Kenning

Matthew Kenning
TK Elevator Corporation
3322 Dairy Dr
Madison, WI 53716
matt.kenning@tkelevator.com | 1 262 6492061

Modernization Proposal



SCOPE OF WORK

Building : Dodgeville Library
139 S IOWA ST

Groups Included

Group Name	# of units	Equipment Type
Group 1	1	Hydraulic

Group : Group 1
Equipment Classification: Hydraulic

Description of Work

Controller

Item Description	Option	Installed On
TAC 32H Controller (Includes Options listed below) <ul style="list-style-type: none"> 24 VDC Signal Voltage Electronic Door Detector Interface 	New	DMC
eMax Monitoring Device Provisions	New	Group 1
Solid State Starters (6 or 12 leads) 208 VAC	New	DMC
Battery Lowering in Controller (10-D-0C)	New	DMC
Shunt Trip Breaker Control	New	DMC
Tenant Security 6	New	DMC
THY Board / CE Driver Board	New	DMC
Position Indicator	New	DMC
Auto Fan Light Shutdown (Sleep Mode)	New	DMC
Car Riding Lantern	New	DMC
Fire Service	New	DMC
Hoistway Access	New	DMC
Door Operator Controls	New	DMC
User Interface Tool	New	DMC
Hoistway Enable/Inspection Operation	New	DMC
Independent Service	New	DMC

Jack

Item Description	Option	Installed On
Retain Jack	Retain	DMC
Pipe Stands	New	DMC



Modernization Proposal

Hoistway Door Equipment

Item Description	Option	Installed On
Retain Hoistway Doors	Retain	DMC
Interlock / Pick up Assemblies for existing Dover Operators. Includes closers. (Front)	New	DMC

Cab

Item Description	Option	Installed On
Retain Cab Interior	Retain	DMC
Retain Cab Flooring	Retain	DMC

Car Door Equipment

Item Description	Option	Installed On
Retain Car Door	Retain	DMC
Micro Light (Front)	New	DMC
LD-16 Plus Drive Only (FRONT) <ul style="list-style-type: none"> includes Car Top Inspection station (w/ alarm signal and Flooded Pit Jewel) 	New	DMC
Front Car Door and Hatch Side Restrictors (vaness) complete kit (Front)	New	DMC

Pit Equipment

Item Description	Option	Installed On
Pit Stop Switch	New	DMC

Hoistway Equipment

Item Description	Option	Installed On
TAC 32 Field Friendly Wiring Package: <ul style="list-style-type: none"> Includes single traveling cable hoistway wiring interlock wiring interlock connectors serial wiring FIBER OPTIC CABLE, HOISTWAY PIPING & DUCT ARE NOT INCLUDED. 	New	DMC
Steel Tape with Mounting hardware, Selector and magnets (terminal limits included)	New	DMC
HN Boxes (per each 2 cars, grouped)	New	DMC

Car

Item Description	Option	Installed On
Fan: Two Speed	New	DMC
Fan Grill Standard	New	DMC
21" Toe guard	New	DMC
Cab Wiring Material (200MK1)	New	DMC
Car Top Exit Switch	New	DMC

Modernization Proposal



Car Fixtures

Item Description	Option	Installed On
Main Car Station Includes Options Below	New	DMC
<ul style="list-style-type: none"> Column Type Swing Return for New/Existing Dover/tkE Cabs) 	New	DMC
Vandal Resistant Floor Buttons	New	DMC
Cast Braille Plates for Car Features	New	DMC
Standard Key Switch Package <ul style="list-style-type: none"> Fan Light Independent Stop Inspection/Hoistway Enable) 	New	DMC
Emergency Light mounted in COP	New	DMC
2004 and later Fire Service Phase II Features (includes instructions signage)	New	DMC
Handicap Signal (Passing signal)	New	DMC
Position Indicator (2" CE Segmented)	New	DMC
ADA Phone System integral with COP (Rath)	New	DMC
Speaker Pattern for Intercom System/ADA Phone	New	DMC
Locked Service Cabinet	New	DMC
Certificate Window	New	DMC
#4 Stainless Steel Finish (441)	New	DMC
<ul style="list-style-type: none"> TK Elevator Emblem 	New	DMC
Car Call Lockout Keyswitches (Enter # of floors)	New	DMC
Car Riding Lantern (Standard) #4 S/S (441)	New	DMC

Hall Fixtures

Item Description	Option	Installed On
Terminal Hall Stations (Surface Mounted) with <ul style="list-style-type: none"> Appendix O (Polycarbonate insert flame) Fusion (#4 S/S (441)) 	New	Group 1
2009 & 2010 Elevator Communications Failure add	New	Group 1
Fire Service Phase I Key Switch and Signage (Engraved)	New	Group 1
Hoistway Access Switch in Hall Stations	New	DMC
Serial Boards for Hoistway Access	New	DMC
Serial Boards for Front Risers	New	Group 1
TAC Serial Boards, Base Charge	New	Group 1
Hoistway Jamb Braille (Pair of Standard) (# of Floors)	New	DMC

Clarifications to Architectural Plans and Specifications:

1. None at this time

Value Engineering Opportunities & Alternates

1. Alternate 1: \$18,000.00 - Replace the Power unit in the elevator machine room with new. Includes new oil.

Modernization Proposal



01 Key Tasks and Approximate Lead Times

Approximate Durations/Lead Times

Contract execution (can run concurrently with layout drawing package preparation and approval)	TBD by Purchaser
Survey and Order of Materials (additional time required for cab, signal, entrance preparation and approval, if applicable)	2 - 6 Weeks
Fabrication time (from receipt of all approvals, fully executed contract, Material Release Form* and initial progress payment)	9 Weeks
Shipping: (Tennessee to local distribution center)	2 Weeks
Modernization of elevator system (Per Unit): (Upon completion of all required preparatory work by others and the signed pre-installation checklist)	4 - 6 Weeks

*If equipment is delivered to TKE's staging facility in accordance with the date shown on the TKE Material Release Form, and the preparatory work required by other trades is not completed, all storage charges as a result of site delays are to be paid by the Purchaser based on the storage rates noted below in this proposal.

The durations or lead times listed above are strictly approximations that can vary due to factors both within and outside of TK Elevator's control, are subject to change without notice to Purchaser and shall not be binding on TK Elevator.

02 Payment of Work

55% of the price set forth in this Proposal as modified by options selected from the section entitled "Value Engineering Opportunities & Alternates" (if applicable) will be due and payable as an initial progress payment within 30 days from TK Elevator's receipt of a fully executed copy of this Proposal. This initial progress payment will be applied to project management, permits, engineering and shop drawings, submittals, drilling mobilizations (if required) and raw material procurement. Material will be ordered once this payment is received and the parties have both executed this Proposal and the Material Release Form.

20% of the price set forth in this Proposal as modified by options selected from the section entitled "Value Engineering Opportunities & Alternates" (if applicable) shall be due and payable when the material described above has been furnished. Material is considered furnished when it has been received at the jobsite or TK Elevator staging facility. Supporting documentation of materials stored shall be limited to stored materials certificates of insurance and bills of lading. Pictures will not be provided. Receipt of this payment is required prior to mobilization of labor.

25% of the price set forth in this Proposal shall be made as progress payments throughout the life of the project. In the event TK Elevator fails to receive payment within thirty (30) days of the date of a corresponding invoice, TK Elevator reserves the right to demobilize until such a time that the payments have been brought up to date, and TK Elevator has the available manpower.

It is agreed that there will be no withholding of retainage from any billing and by the customer from any payment.

The payment terms breakdown above shall be considered the Schedule of Values for the project as written. Billing shall be submitted on or before the 25th day of the month according to the payment schedule above and accompanied by a form of G702-703 pay application/schedule of values and a conditional waiver, the format of which is hereby acknowledged and accepted.

The use of online Portals for the submission of billing shall follow the terms of the Proposal and Purchaser agrees to permit billing in accordance with the executed contract terms. Portal access and usage is to be provided free of

Modernization Proposal



additional charge to TK Elevator and any additional cost for such use is to be reimbursed to TK Elevator via a reimbursable change order immediately upon acceptance.

Purchaser agrees that TK Elevator shall have no obligation to complete any steps necessary to provide Purchaser with full use and operation of the installed equipment until such time as TK Elevator has been paid 100% both of the price reflected in this Proposal and for any other work performed by TK Elevator or its subcontractors in furtherance of this Proposal. Purchaser agrees to waive any and all claims to the turnover and/or use of that equipment until such time as those amounts are paid in full.

Proposal price:		\$72,435.17
Initial progress payment:	(55%)	\$39,839.34
Material furnished:	(20%)	\$14,487.03
Total of remaining progress payments:	(25%)	\$18,108.80

Purchaser may elect to finance all or a portion of the purchase price for the work described in this Agreement through TK Elevator's financing partner ("Financing Partner"), subject to the Financing Partner's approval and the terms of a separate financing agreement ("Financing Agreement") between Purchaser and Financing Partner. Purchaser acknowledges and agrees that [(i) Financing Partner is in no way affiliated with TK Elevator, (ii) Financing Partner will make any decision to offer financing to Purchaser independently and in accordance with its internal lending policies, (iii) TK Elevator cannot guaranty that Financing Partner will agree to provide financing to Purchaser on acceptable terms or at all, (iv) TK Elevator may be compensated by the Financing Partner in the event Purchaser enters into a Financing Agreement, and TK Elevator will not be a party to the Financing Agreement and shall have no responsibility for, and hereby expressly disclaims any liability arising out of or relating to, any decision on the part of Financing Partner to provide or decline to provide financing to Purchaser, and the negotiation, execution, performance, enforcement, or termination of any Financing Agreement. Purchaser acknowledges and agrees that Purchaser shall remain unconditionally and irrevocably liable to TK Elevator for any unpaid balance owing hereunder and TK Elevator's acceptance of the Financing Partner as a payment source shall not constitute a novation, satisfaction, waiver, or release of Purchaser's payment obligations under this Agreement.

Notwithstanding the foregoing, in the event Purchaser enters into a Financing Agreement with the Financing Partner and the Financing Partner fails or refuses to disburse any portion of the purchase price to TK Elevator for any reason, including without limitation default by either party under the Financing Agreement, bankruptcy or insolvency of either party, or termination of the Financing Agreement for any reason any unpaid purchase price then owing by Purchaser which shall be payable immediately by Purchaser upon demand by TK Elevator in accordance with this Agreement. Purchaser hereby waives any right of setoff, counterclaim, defense, or deduction against TK Elevator based on any act or omission of the Financing Partner. Purchaser further agrees that any assignment by TK Elevator to the Financing Partner of the right to receive payment hereunder shall not impair TK Elevator's rights or remedies in the event of nonpayment. The obligations of Purchaser under this paragraph shall survive any termination, cancellation, or expiration of this Agreement.

Any work that Purchaser may require prior to turnover of the equipment that is outside of the scope described in this Proposal - other than Temporary Use as described below - will be performed only after the full execution of a mutually agreeable change order and only at the following rates:

Mechanic (Standard) per hour	\$311.00
Mechanic (OT) per hour	\$591.00
Team (Standard) per hour	\$560.00
Team (OT) per hour	\$1,064.00

Rates are not inclusive of any per diem, mileage or other expenses which may be dependent on jobsite location and are valid until 06-29-2027 .

Modernization Proposal

03 Warranty

TK Elevator warrants any equipment it installs as described in this Proposal against defects in material and workmanship for a period of one (1) year from the date of Purchaser's execution of TK Elevator's "Final Acceptance Form" on the express conditions that all payments made under this Proposal and any mutually agreed-to change orders have been made in full and that such equipment is currently being serviced by TK Elevator. In the event that TK Elevator's work is delayed for a period greater than six (6) months, the warranty shall be reduced by the amount of the delay. This warranty is in lieu of any other warranty or liability for defects. TK Elevator makes no warranty of merchantability and no warranties which extend beyond the description in this Proposal, nor are there any other warranties, expressed or implied, by operation of law or otherwise. Like any piece of fine machinery, the equipment described in this Proposal should be periodically inspected, lubricated, and adjusted by competent personnel. This warranty is not intended to supplant normal maintenance service and shall not be construed to mean that TK Elevator will provide free service for periodic examination, lubrication, or adjustment, nor will TK Elevator correct, without a charge, breakage, maladjustments, or other trouble arising from normal wear and tear or abuse, misuse, improper or inadequate maintenance, or any other causes other than defective material or workmanship. In order to make a warranty claim, Purchaser must give TK Elevator prompt written notice at the address listed on the cover page of this Proposal and provided all payments due under the terms of this Proposal and any mutually agreed to written change orders have been made in full, TK Elevator shall, at its own expense, correct any proven defect by repair or replacement. TK Elevator will not, under any circumstances, reimburse Purchaser for cost of work done by others, nor shall TK Elevator be responsible for the performance of any equipment that has been the subject of service, repair, replacement, revisions or alterations by others. The Purchaser agrees to provide us access to the elevator equipment at any reasonable time for the purpose of making good this warranty. Purchaser and/or Owner agree to maintain the confidentiality of the TK Elevator's software that is licensed for the Owner's use. The software will not be copied, modified, distributed, or reverse engineered. The software is licensed to the Purchaser and/or Owner exclusively for the location of installation, and the license will not transfer except as part of a transfer, assumption, or succession of ownership. If there is more than one (1) unit which is the subject of work described in this Proposal, this section shall apply separately to each unit as accepted.

04 Preventative Maintenance Program

- a. Following the execution of TK Elevator's "Final Acceptance" form(s), TK Elevator will provide the following services during normal working hours for the units described below:
 1. as circumstances warrant, the examination and adjustment and lubrication of the equipment installed by TK Elevator during normal business working days and hours by the applicable TK Elevator branch office and/or
 2. the dispatch of a TK Elevator technician to the location of the equipment in response to a call from the owner of the building where the unit has been installed or its designated representative, emergency personnel, passengers through the elevator's communication device and/or from remote monitoring through the equipment's communication line (if applicable) in order to free any entrapped passengers ("callback services") and/or
 3. to make covered repairs to the equipment installed by TK Elevator. Covered repairs to the equipment include a visual investigation to determine the source of shutdown along with any resulting necessary adjustments and parts replacement so long as they are not due to any one or more of the following: anyone's abuse, misuse and/or vandalism of the equipment; anyone's negligence in connection with the use or operation of the equipment; any loss of power, power fluctuations, power failure, or power surges that in any way affect the operation of the equipment; fire, smoke, explosions, water, storms, wind, lightning, acts of civil or military authorities, strikes, lockouts, other labor disputes, theft, riot, civil commotion, war, malicious mischief, acts of God, or any other reason or cause beyond TK Elevator's control that affects the use or operation of the equipment ("excluded work").
- b. The services described in (4)(a)(2) and (4)(a)(3) will be performed only during normal business working days and hours.

Modernization Proposal



- c. Purchaser agrees to separately pay for all excluded work as defined in (4)(a)(3) above.
- d. If overtime has not been expressly included in (4)(b) above, Purchaser also agrees to separately pay for any callback services described in (4)(a)(2) and for any covered repairs described in (4)(a)(3) that are performed outside normal business working days and hours.

Unit Designations	# of Months after Final Acceptance
DMC	3

05 Work Not Included

There are certain items that are not included in this Proposal, many of which must be completed by Purchaser prior to and as a condition precedent to TK Elevator's performance of its work as described in this Proposal. In order to ensure a successful completion of this project, it shall be solely Purchaser's responsibility to coordinate its own completion of those items with TK Elevator. The following is a list of those items that are not included in this Proposal:

A. Hoistways and Equipment Rooms

- Purchaser shall provide the following
 - A dry legal hoistway, properly framed and enclosed, and including a pit of proper depth and overhead. This is to include steel hoist beam, inspection or access platforms, access doors, sump pump, lights, waterproofing and venting as required; dewatering of pit(s) and required permanent screening.
 - A dry legal machine/control room, with clear rollable access adequate for the elevator equipment, including floors, trap doors, properly sized legal machine room doors, gratings, machine room or roof access platforms, roof/loading protection, ladders, railings, foundations, all hoist beams, lighting, ventilation sized per the TK Elevator shop drawings and/or code requirements. Purchaser must maintain machine/control room (or machine/control space within the shaft for MRL equipment) temperature between 55 and 90 degrees Fahrenheit, with relative humidity less than 95% non-condensing at all times.
 - Adequate bracing of entrance frames to prevent distortion during wall construction.
 - All grouting, fire caulking, cutting, x-ray and removal of walls and floors, patching, coring, setting of sleeves/knockouts, penetrations and painting (except as specified) and removal of obstructions required for elevator work; along with all proper trenching and backfilling for any underground piping and/or conduit.
 - All labor and materials necessary to support the full width of the hoistway at each landing for anchoring or welding TK Elevator sill supports, steel angles, sill recesses;
 - The furnishing, installing and maintaining of the required fire rating of elevator hoistway walls, including the penetration of firewall by elevator fixture boxes;
 - Ensuring that the elevator hoistways and pits are dewatered, cleaned and properly waterproofed;
 - TK Elevator is not responsible for verifying field dimensions or related work by others. Purchaser must verify all dimensions on the submittal drawings prior to equipment fabrication.

B. Electrical and Life Safety:

- Purchaser shall provide a dedicated, analog telephone or data line to the elevator telephone or communication device; one additional data line per group of elevators for diagnostic capability wired to designated controller;
- Purchaser shall provide:
 - permanent 3-phase power with suitable connections from the power main to each controller and signal equipment feeders as required, including necessary circuit breakers and fused mainline disconnect switches per N.E.C. prior to installation. Permanent 3-phase power supply capable of operating the new elevator equipment under all conditions, no generator power, or manufactured power, will be acceptable;
 - piping and wiring to controller for mainline power, car lighting, and any other building systems that interface with the elevator controls per N.E.C. Articles 620-22 and 620-51;
 - any required hoistway / wellway, machine room, pit lighting and/or 110v GFCI service outlets;
 - conduit and wiring for remote panels to the Unit machine room(s) and between panels. Remote panels required by local jurisdictions are not included in this proposal;

Modernization Proposal



- a bonded ground wire, properly sized, from the Unit controller(s) to the primary building ground; and all remote wiring to the outside alarm bell as requested by all applicable code provisions;
- installed sprinklers, smoke/heat detectors on each floor, machine room and hoistways / wellways, shunt trip devices (not self-resetting) and access panels as may be required as well as normally open dry contacts for smoke/heat sensors, which shall be terminated by Purchaser at a properly marked terminal in the Unit controller;
- a means to automatically disconnect the main line and the emergency power supply to the unit prior to the application of water in the Unit machine room that shall not be self-resetting;
- emergency power supply including automatic time delay transfer switch and auxiliary contacts with wiring to the designated Unit controller and along with electrical cross connections between elevator machine rooms for emergency power purposes;
- the following emergency power provisions are not included: interface in controller, pre-testing and testing, emergency power keyswitches;
- emergency power operation is included as part of the design of the Unit control system and based on each car in the group only, to properly sequence, one at a time to the programmed landing, and park. The design requires that the generator, transfer switch, and related circuitry are sufficient to run this function or any other function for any building other system that is associated with this project. In the event that the generator, transfer switch, and related circuitry are not sufficient, TK Elevator will provide Purchaser with a written change order for Purchaser's execution.
- a dry set of contacts which close 20 seconds prior to the transfer from normal power to emergency power or from emergency power to normal power whether in test mode or normal operating conditions in the event that an emergency power supply will be provided for the Unit;
- confirmation that the emergency standby power generator and/or building can accept the power generated to and from the Unit during both Hi-Speed and Deceleration. In cases where the generator and/or building load is not electrically sized to handle the power return from the regen drive, additional separate chopper and resistor units are available for purchase but not included in this proposal. The additional chopper and resistor units allow regenerated power to be dissipated in the resistor bank and not sent back into the building grid.

C. Miscellaneous:

- Purchaser shall provide all work relating to the finished flooring including, but not limited to, the provision of materials and its installation to comply with all applicable codes;
- Hydraulic jack replacement:
 - the excavation of the elevator cylinder well hole in the event drilling is necessary through soil that is not free from rock, sand, water, building construction members and obstructions. Should obstructions be encountered, TK Elevator will proceed only after written authorization has been received from the Purchaser. The contract price shall be increased by the amount of additional labor at TK Elevator's standard labor rates as per the local office along with any additional expenses and materials required;
 - adequate ingress and egress, including ramping, for rail-mounted or truck-mounted drill rig;
 - Purchaser is responsible for pumping truck contractor to remove and dispose of spoils from the site. In the event that unforeseen and unfavorable below ground conditions are encountered, including but not limited to concrete around the cylinder, construction debris, adverse water and/or soil conditions, erosion, cavitations, oil contamination, or circumstances necessitating increased hole depth, etc., which require the employment of specialized contractors, TK Elevator shall immediately advise the Purchaser and costs will be extra to the contract;
 - in ground protection systems other than TK Elevator's standard HDPE or PVC protection system with bottomless corrugated steel casing;
 - any required trenching and backfilling for underground piping or casings, and conduit as well as any compaction, grouting, and waterproofing of block-out;
 - engineering, provision and installation of methane barriers or coordination/access;
 - access to 2" pressurized water supply within 100'-0" of the jack hole location;
 - a safe, accessible storage area for placement of D.O.T. 55 gallon containers for the purpose of spoils containment; obtaining of local environmental or disposal permits
 - any spoils or water testing;

06 Working Hours, Logistics and Mobilization

- All work described in this Proposal shall be performed during TK Elevator's regular working days – defined as Monday thru Friday and excluding IUEC recognized holidays – and regular working hours – defined as those hours regularly worked by TK Elevator mechanics at the TK Elevator branch office that will provide labor associated with

Modernization Proposal



- the performance of the work described in this Proposal - unless otherwise specified and agreed to in writing by both TK Elevator and Purchaser (hereinafter TK Elevator's regular working days and regular working hours shall be collectively defined as "normal working hours"). TK Elevator shall be provided with uninterrupted access to the Unit hoistway and machine room areas to perform work during normal working hours.
- Purchaser shall provide on-site parking to all TK Elevator personnel at no additional cost to TK Elevator.
 - Purchaser shall provide traffic control, lane closures, permits and flagmen to allow suitable access/unload of tractor trailer(s).
 - Purchaser agrees to provide unobstructed tractor-trailer access and roll-able access from the unloading area to the Unit hoistways or wellways (as applicable).
 - Purchaser will be required to sign off on the Material Release Form, which will indicate the requested delivery date of equipment to the site. If Purchaser is not ready to accept delivery of the equipment within ten (10) business days of the agreed upon date, Purchaser will immediately make payments due for equipment and designate an area adjacent to the elevator shaft where Purchaser will accept delivery. If Purchaser fails to provide this location or a mutually agreeable alternative, TK Elevator is authorized to warehouse the equipment at the TK Elevator warehouse or designated distribution facility at Purchaser's risk and expense. Purchaser shall reimburse TK Elevator for all costs due to extra handling and warehousing. Storage beyond ten (10) business days will be assessed at a rate of \$125.00 per calendar day for each unit listed in this Proposal, which covers storage and insurance of the elevator equipment and is payable every (30) calendar days.
 - Purchaser agrees to provide a dry and secure area adjacent to the hoistway(s) at the ground level for storage of the Unit equipment and tools within ten (10) business days from receipt at the local TK Elevator warehouse. Any warranties provided by TK Elevator for vertical transportation equipment will become null and void if equipment is stored in any manner other than a dry, climate controlled enclosed building structure. Any relocation of the equipment as directed by Purchaser after initial delivery will be at Purchaser's expense.
 - You agree that if you are not ready to permit us to begin the installation of the equipment when we notify you when all or part of it is ready for shipment, you will immediately pay us a sum equal to the amount which would be payable to us if the elevator equipment or such part of it had actually been shipped and delivered. Unless you promptly provide to us a secure and convenient storage area, we are authorized to warehouse the elevator(s) at your risk and in any event, you shall reimburse us for all costs due to extra handling and warehousing.
 - TK Elevator includes one mobilization to the jobsite. A mobilization fee of \$5,000.00 (minimum) per crew per occurrence will be charged for pulling off the job or for any delays caused by others once material has been delivered and TK Elevator's work has commenced.
 - Access for this project shall be free and clear of any obstructions. A forklift for unloading and staging material shall also be provided by Purchaser at no additional cost.
 - Purchaser shall provide an on-site dumpster. TK Elevator will be responsible for cleanup of Unit packaging material; however, composite cleanup participation is not included in this Proposal.
 - The hiring of a disposal company which MUST be discussed prior to any material being ordered or work being scheduled. TK Elevator will provide environmental services ONLY if this is specifically included under the "Scope of Work" section above. TK Elevator assumes no responsibility and/or liability in any way whatsoever for spoils or other contamination that may be present as a result of the cylinder breach and/or other conditions present on the work site.
 - One or more of the units described in this Proposal will be out of service and unavailable to move passengers and/or property during entire duration of the performance of the work described in this Proposal until re-certified by the applicable authority(ies) having jurisdiction and in good standing with payment schedules.
 - If site specific rules and regulations classify the elevator pit as confined space, elevator pits will need to reclassify a permit-required space to a non-permit required space prior to mobilization.

07 Temporary Use, Inspection and Turnover

- Unless required by specification, TK Elevator will not provide for "temporary use" of the Unit(s) described in this Proposal prior to completion and acceptance of the complete installation. Temporary use shall be agreed to via a change order to this Proposal which shall require Purchaser's execution of TK Elevator's standard Temporary Use Agreement. All labor, parts, repairs, adjustments, and/or refurbishment including callbacks required during the temporary use period will be billed at TK Elevator's billing rates listed in this proposal or TK Elevator's local service billing rates.
 - Cost for temporary use of a Unit shall be \$200.00 per calendar day per hydraulic elevator for rental use only (minimum rental period is 30 calendar days), excluding personnel to operate.
- In the event that a Unit must be provided for temporary use, TK Elevator will require 30 days to perform final adjustments and re-inspection after the elevator has been returned to TK Elevator with all protection, intercoms and

Modernization Proposal



temporary signage removed. This duration does not include any provisions for finish work or for repairs of same, which shall be addressed on a project-by-project basis.

- Cost for preparation of controls for temporary use, refurbishment due to normal wear and tear, readjustment and re-inspection is \$5,000.00 per Unit in addition to costs for replacement or refurbishment of equipment based on special circumstances.
- These costs are based on work performed during normal working hours. Temporary use excludes vandalism or misuse. Any required signage, communication devices, elevator operators, and protection are not included while temporary use is being provided. All overtime premiums for repairs during the temporary use period will be billed at the billing rates listed in this proposal or TK Elevator's local service billing rates.
- The Proposal price set forth above includes one (1) inspection per Unit by the applicable authority having jurisdiction and/or third party inspectors where the equipment is located. In the event the equipment fails that inspection due to no fault of TK Elevator, TK Elevator will charge Purchaser for both the entire cost of each re-inspection which shall be \$1,500.00 per Unit and a remobilization fee which shall be \$5,000.00 per Unit, plus any additional costs that may apply, via change order prior to scheduling a re-inspection. In the event the inspection fails due to items caused by both parties, the aforementioned fees will be prorated based on the number of items by each party.
- Upon notice from TK Elevator that the installation and/or modernization of the equipment is complete, Purchaser will arrange to have present at the jobsite a person authorized to make the final inspection and to execute TK Elevator's "Final Acceptance Form" prior to turnover of each Unit. The date and time that such person will be present at the site shall be mutually agreed upon but shall not be more than ten (10) business days after the date of TK Elevator's notice of completion to Purchaser unless both TK Elevator and Purchaser agree to an extension of that ten (10) day period in writing. Such final inspection and execution of TK Elevator's "Final Acceptance Form" shall not be unreasonably delayed or withheld.
- Should the Purchaser or the local authority having jurisdiction require TK Elevator's presence at the inspection of equipment installed by others in conjunction with the work described in this Proposal, Purchaser agrees to compensate TK Elevator for its time at TK Elevator's billing rates as shown in this proposal.
- At the conclusion of its work, TK Elevator will remove all equipment and unused or removed materials from the project site and leave its work area in a condition that, in TK Elevator's sole opinion, is neat and clean.
- Purchaser agrees to accept a live demonstration of equipment's owner-controlled features on the same day as the turnover of each unit in lieu of any maintenance training required in the bid specifications.
- Purchaser agrees to accept TK Elevator's standard owner's manual in lieu of any maintenance, or any other, manual(s) required in the bid specifications. Any additional electronic copies or hard copies required will be subject to an additional charge of \$275.00. No program source coding, printed circuit board schematics, diagnostic hardware or codes will be provided.
- Should use of equipment be required prior to substantial completion, the Purchaser agrees to the signing of an interim maintenance agreement as outlined in Section 04. Any repairs, re-balancing, and cleaning as a result of interim use to restore equipment to as new condition will be extra to the Proposal.



MAX is a cloud based Internet of Things (IoT) platform that we, at our election, may connect to your elevators by means of installation of a remote-monitoring device or modem (each a "device"). MAX will analyze the unique signal output of your equipment 24/7 and when existing or potential outages are identified, MAX will automatically communicate with our dispatch centers. When appropriate, the dispatch center will alert our technicians during normal working hours. These MAX alerts provide the technician with precise diagnostics detail, which greatly enhances our ability to fix your equipment right the first time, MAXimizing the equipment uptime.

- Purchaser authorizes TK Elevator and its employees to access purchaser's premises to install, maintain and/or repair the devices and, upon termination of the service agreement, to remove the same from the premises if we elect to remove.
- TK Elevator is and shall remain the sole owner of the devices and the data communicated to us by the devices. The devices shall not become fixtures and are intended to reside where they are installed. TK Elevator may remove the devices and cease all data collection and analysis at any time.
- If the service agreement between TK Elevator and Purchaser is terminated for any reason, TK Elevator will automatically deactivate the data collection, terminate the device software and all raw data previously received from the device will be removed and/or expunged or destroyed.
- Purchaser consents to the installation of the devices in your elevators and to the collection, maintenance, use, expungement and destruction of the daily elevator data as set forth in this agreement.
- The devices installed by TK Elevator contain trade secrets belonging to us and are installed for the use and benefit of our personnel only.

Modernization Proposal



- f. Purchaser agrees not to permit purchaser personnel or any third parties to use, access, tamper with, relocate, copy, disclose, alter, destroy, disassemble or reverse engineer the device while it is located on purchaser's premises.
- g. The installation of this equipment shall not confer any rights or operate as an assignment or license to you of any patents, copyrights or trade secrets with respect to the equipment and/or any software contained or imbedded therein or utilized in connection with the collection, monitoring and/or analysis of data.

09 Additional Terms and Conditions

- a. In no event shall TK Elevator be responsible for liquidated, consequential, indirect, incidental, exemplary, and special damages associated with the work described in this Proposal.
- b. This Proposal is made without regard to compliance with any special purchasing, manufacturing or construction/installation requirements including, but not limited to, any socio-economic programs, such as small business programs, minority or woman owned business enterprise programs, or local preferences, any restrictive sourcing programs, such as Buy American Act, or any other similar local, state or federal procurement regulations or laws that would affect the cost of performance. Should any such requirements be applicable to the work described in this Proposal, TK Elevator reserves the right to modify this Proposal or rescind it altogether.
- c. TK Elevator is an equal opportunity employer.
- d. TK Elevator's performance of the work described in this Proposal is contingent upon Purchaser furnishing TK Elevator with any and all necessary permission or priority required under the terms and conditions of government regulations affecting the acceptance of this Proposal or the manufacture, delivery or installation of the equipment. All applicable sales and use taxes, permit fees and licenses imposed upon TK Elevator as of the date of the Proposal are included in the price of the Proposal. Purchaser is responsible for any additional applicable sales and use taxes, permit fees and licenses imposed upon TK Elevator after the date of the Proposal or as a result of any law enacted after the date of the Proposal.
- e. The price of this Proposal includes value added taxes, tariffs, duties, and/or similar charges that are in effect as of the date of this Proposal. Purchaser is responsible to pay TK Elevator any and all additional amounts for the materials and/or components described in this Proposal above and beyond the pricing set forth in this Proposal for the reasons set forth in any of the following three (3) categories along with profit and overhead: (1) value added taxes, tariffs, duties, and/or other charges imposed by applicable governmental authorities that are in effect when such materials and/or components are ready to ship; (2) additional or increased charges to TK Elevator from any of the material and/or component suppliers after the date of this Proposal; and/or (3) additional or increased charges to TK Elevator from its shippers and/or freight forwarders of such materials and/or components after the date of this Proposal. When the materials and/or components called for in this Proposal are ready to ship, if required TK Elevator will provide Purchaser with a change order(s) covering all additional amounts mentioned in the preceding sentence which must be executed and fully paid for prior to and as a condition precedent to delivery of those materials and/or components to the jobsite or to the provision of any labor on the project.
- f. Purchaser agrees to provide TK Elevator's personnel with a safe place in which to work and TK Elevator reserves the right to discontinue work at the jobsite whenever, in TK Elevator's sole opinion, this provision is being violated.
- g. The pricing set forth in this Proposal assumes that the elevator pits will not be classified as a confined space. TK Elevator will follow its standard safety policy and procedures. Any job specific safety requirements over and above TK Elevator's standard practices and policies may require additional costs.
- h. TK Elevator will furnish and install all equipment in accordance with the terms, conditions, scope and equipment nomenclature as noted herein. Requested changes or modifications to such provisions will require a written change order issued on the Purchaser's letterhead and accepted by TK Elevator in writing prior to the execution of such work. This change order shall detail the current Proposal price, the amount of the change, and new Proposal value.
- i. This Proposal does not include a schedule for the work described and any such schedule shall be mutually agreed upon by an authorized representative of both TK Elevator and Purchaser in writing before becoming effective.
- j. In the event asbestos material is knowingly or unknowingly removed or disturbed in any manner at the jobsite, Purchaser shall monitor TK Elevator's work place and prior to and during TK Elevator's manning of the job, Purchaser shall certify that asbestos in the environment does not exceed .01 fibers per cc as tested by NIOSH 7400. In the event TK Elevator's employees or those of TK Elevator's subcontractors are exposed to an asbestos hazard, PCP's, lead or other hazardous substances, Purchaser agrees, to the fullest extent permitted by law, to

Modernization Proposal



- indemnify, defend, and hold TK Elevator harmless from all damages, claims, suits, expenses, and payments resulting from such exposure. Identification, notification, removal and disposal of asbestos containing material, PCP's lead or other hazardous substances are the responsibility of the Purchaser.
- k. TK Elevator retains title to and a security interest in all equipment it supplies – which TK Elevator and Purchaser agree can be removed without material injury to the real property – until all payments including deferred payments and any extensions thereof, are made. In the event of any default by Purchaser on any payment, or any other provision of this Proposal, TK Elevator may take immediate possession of the equipment and enter upon the premises where it is located – without legal process – and remove such equipment or portions thereof, irrespective of the matter of its attachment to the real estate or the sale, mortgage or lease of the real estate. Pursuant to the Uniform Commercial Code, and at TK Elevator's request, Purchaser agrees to execute any financial or continuation statements which may be necessary for TK Elevator to file in public offices in order to perfect TK Elevator's security interest in such equipment.
- l. TK Elevator reserves the right to assign payments owed to TK Elevator under this Proposal.
- m. TK Elevator shall not be liable for any loss, damage or delay caused by acts of government, labor troubles, strikes, lockouts, fire, explosion, theft, floods, riot, civil commotion, war, malicious mischief, acts of God or any cause beyond its control.
- n. The rights of TK Elevator under this Proposal shall be cumulative and the failure on the part of the TK Elevator to exercise any rights hereunder shall not operate to forfeit or waive any of said rights. Any extension, indulgence or change by TK Elevator in the method, mode or manner or payment or any of its other rights shall not be construed as a waiver of any of its rights under this Proposal.
- o. In the event TK Elevator engages a third party to enforce the terms of this Proposal, and/or to collect payment due hereunder, either with or without suit, Purchaser agrees to pay all costs thereof together with reasonable attorney's fees. Purchaser does hereby waive trial by jury and does hereby consent to the venue of any proceeding or lawsuit under this Proposal to be in the county where the work covered by this Proposal is located.
- p. TK Elevator can furnish Certificate of Workers' Compensation, Bodily Injury and Property Damage Liability Insurance coverage to Purchaser upon written request.
- q. Should loss of or damage to TK Elevator's material, tools or work occur at the project site, Purchaser shall compensate TK Elevator for such loss, unless such loss or damage results from TK Elevator's own acts or omissions.
- r. Purchaser, in consideration of TK Elevator performing the services set forth in this Proposal, to the fullest extent permitted by law expressly agrees to indemnify, defend, save harmless, discharge, release and forever acquit TK Elevator Corporation, TK Elevator Manufacturing, Inc., their respective employees, officers, agents, insurers, affiliates, and subsidiaries (hereinafter singularly a "TK Elevator party" and collectively the "TK Elevator parties") from and against any and all claims, demands, suits, and proceedings for loss, property damage (including damage to the equipment which is the subject matter of this Proposal), personal injury or death that are alleged to either have arisen out of or be connected with the sale, marketing, presence, use, misuse, maintenance, installation, removal, modernization, manufacture, design, operation or condition of the equipment that is the subject matter of this Proposal or the labor and materials furnished in connection with this Proposal. Purchaser's duty to indemnify a TK Elevator party does not apply to the extent that the loss, property damage (including damage to the equipment which is the subject matter of this Proposal), personal injury or death is determined to be caused by or resulting from the negligence of that TK Elevator party. Purchaser recognizes that its obligation to defend the TK Elevator parties under this clause, which is separate and apart from its duty to indemnify the TK Elevator parties, includes payment of all attorneys' fees, court costs, judgments, settlements, interest and any other expenses of litigation arising out of such claims, demands, suits or proceedings.
- s. Purchaser further expressly agrees to name TK Elevator parties along with their respective officers, agents, affiliates and subsidiaries as additional insureds in Purchaser's liability and any excess (umbrella) liability insurance policy(ies). Such insurance must insure TK Elevator parties for those claims and/or losses referenced in the above paragraph and those claims and/or losses arising from the negligence of TK Elevator parties. Such insurance must specify that its coverage is primary and non-contributory. Purchaser hereby waives its right of subrogation.
- t. TK Elevator's participation in any controlled insurance program is expressly conditioned upon review and approval of all controlled insurance program information and documentation prior to enrollment. Any insurance credits if applicable, will be provided at that time.
- u. Unless so mutually agreed upon in a separate signed agreement, TK Elevator shall not be required to interact or correspond with any third party with whom Subcontractor is not in privity of contract concerning matters pertinent to this Agreement.
- v. The Purchaser must inform TK Elevator if Purchaser is, or becomes, an individual or entity that is - or that is majority owned or controlled by a party that is - included on any list of restricted parties maintained by (i) the United States of America; (ii) Canada; (iii) the European Union or any EU member state; (iv) the UK; (v) the United Nations; or (vi) any other national authority binding the parties of this contract.



Modernization Proposal

In case the Purchaser, or any other beneficiary of this transaction, e.g. the end-user, is or becomes an individual or entity that is - or that is majority owned or controlled by a party that is - included on any list of restricted parties, TK Elevator reserves the right to cancel this Proposal immediately.

If the goods subject to this Proposal would be exported, re-exported, resold, used, transferred or otherwise disposed of in violation of any sanctions applicable to TK Elevator, TK Elevator also reserves the right to cancel this Proposal immediately. In this respect, the Purchaser shall be obliged to disclose the final delivery address, end-user and end-use of the goods upon request - insofar as legally permissible - and to notify TK Elevator of all circumstances that indicate an aforementioned infringement.

"Sanctions" means here any economic, trade or financial sanctions, laws, regulations, embargoes or restrictive measures imposed, enacted, administered or enforced by any Sanctions Authority. "Sanctions Authority" means (i) the United States of America; (ii) Canada; (iii) the European Union or any EU member state; (iv) the UK; (v) the UN Security Council; or (vi) any governmental institutions of any of the foregoing which administer Sanctions, including HM Treasury, OFAC, Global Affairs Canada and The Department of Treasury Board and Finance, the US State Department and the US Department of the Treasury.



Modernization Proposal

Acceptance

Purchaser's acceptance of this Proposal and its approval by an authorized manager of TK Elevator will constitute exclusively and entirely the agreement between the parties for the goods and services herein described and full payment of the sum of Seventy Two Thousand Four Hundred Thirty Five Dollars and Seventeen Cents (\$72,435.17) inclusive of all applicable sales and use taxes.

All other prior representations or regarding this work, whether written or verbal, will be deemed to be merged herein and no other changes in or additions to this Proposal will be recognized unless made in writing and properly executed by both parties as a change order. Should Purchaser's acceptance be in the form of a purchase order or other similar document, the provisions of this Proposal will exclusively govern the relationship of the parties with respect to this transaction. No agent or employee shall have the authority to waive or modify any of the terms of this Proposal without the prior written approval of an authorized TK Elevator manager.

CITY OF DODGEVILLE (Purchaser): TK Elevator Corporation Management Approval

By: _____ (Signature of Authorized Individual)	By: _____ (Signature of Branch Representative)
_____ (Print or Type Name)	Brandon Hilton Branch Manager
_____ (Print or Type Title)	
_____ (Date of Acceptance)	_____ (Date of Execution)



MODERNIZATION FINANCING PROGRAM

Need to modernize your elevator or escalator quickly but it's not in the budget? TK Elevator has partnered with GreatAmerica Financial to offer financing for Modernization Projects in the United States and Canada.

Program Details:

- Term Durations: 12 - 60 months
- Loan Size: \$50,000 - \$5,000,000*
- 100% of Project Financing Available
- Fixed Interest Rates

FAST Credit Approval!

- Loans under \$500,000 – SAME DAY
- Loans over \$500,000** – 24 to 72 Hours

Example of \$150,000 financed over a 60-month period at various interest rates:

Rate	Number of Payments	Payments per month
9.99%	60	\$3,186.32
10.99%	60	\$3,260.62
11.99%	60	\$3,335.91
12.99%	60	\$3,412.19

The above example's finance rates, number of payments, payment frequency and payment amounts are for illustrative purposes only and subject to change.
 * Loans larger than \$5,000,000 may be accepted.
 ** All loans subject to credit approval.

Additional Information:
 Program eligibility requires execution of 5-year maintenance agreement with TK Elevator.
 Specific financing terms, rates and conditions will vary based on creditworthiness and GreatAmerica Financial's other terms and conditions.
 Not all applicants will qualify.
 TK Elevator may receive compensation from GreatAmerica as part of this program.
 TK Elevator is not a licensed lender and does not originate or arrange financing.
 TK Elevator is not responsible for GreatAmerica Financial's products or services, or how GreatAmerica Financial handles an applicant's information.



Modernization Projects - Related Work / Work by Others

Unless noted as included within TK Elevator's proposal scope of work, the following work **has not** been included in our standard proposal. The standard "related work" also known as "work by others," is outlined below for your information and in order to provide you with a full understanding of the associated costs involved with the elevator modernization project. The most common items required by various Authorities Having Jurisdiction (AHJ) are:

- Machine room doors must have self-locking, self-closing mechanisms.
- Machine room doors must carry 1 ½ hr. UL B Label rating unless the machine room is remote AND the building is three (3) stories or less per code/IBC.
- Machine rooms must be identified and labeled on the door or entry wall.
- Machine rooms must be separate from all other non-elevator equipment within the building. They must also be finished and carry a fire rating which may require that the existing machine room be walled in at the top of the room.
- Disconnect switches must be lockable, fusible and sized to accept new incoming power requirements from the new equipment. **If the elevator power unit is upgraded, the existing power feeders, disconnects size and electrical conduit sizes may be affected. This cost is not included in our proposal.**



- If emergency battery lowering is being added to each elevator, a separate set of auxiliary contacts will be required for the battery lowering feature per code (installed within a new electrical disconnect).
- Provide a building Earth ground to each elevator disconnect switch in the machine room.
- If emergency power is currently operational at the building, a separate electrical transfer switch and pre-signal connection may be required for the elevator. This may also require additional electrical conduit, wiring and testing of the emergency power.
- Phase I and Phase II fire recall will be required. Specifically, a smoke sensor and/or heat or rise detector as applicable must reside in each machine room, hoistway (if required by the AHJ including sprinklers in the hoistway) and elevator lobby to initiate fire recall sequences spelled out by code. If an existing system is in place within the building, the system will need to be tied into the new elevator controls in the machine room including 'Fire Hat' operation per current AHJ/building code requirements. California note only:



sprinklers retained in the overhead of elevators in California must have a smoke detector with outside access and guarding installed per code.



- Dedicated 110V fused cab lighting disconnect located next to existing disconnect.



- Please be advised, the new controllers can be subject to excessive heat loads above 85 - 90 degrees Fahrenheit. Existing conditions should be checked to insure current conditions will not affect the new controllers and all ventilation openings must be screened.



- Air conditioning (AC), mechanical or natural ventilation independently maintained in the elevator machine room is a code requirement. AC is strongly recommended to keep the equipment operating at an optimum temperature per the controller manufacturer recommendations for temperature range.
- The machine room and hoistway needs to maintain a two-hour (2) rating. This may require holes to be patched and covered with fire-resistant drywall and taping to retain the rating. In addition, any ledges beyond 4" (*California note only: 2"*) in length must be covered with bevel cants to prevent anyone from standing in the hoist-way while the car is moving.
- Additional lighting may need to be added inside the pit area and machine room. Ten (10) foot candles are required in each elevator pit and nineteen (19) foot candles are required in each machine room per code. Fluorescent or LED light fixtures are recommended in the machine rooms, overhead and pit areas with an easy-accessible light switch installed in all locations.





- Confirmation that existing outlets in machine room and pit are GFCI outlets or replace with GFCI outlets per code.



- Any exposed pipes or non-elevator related equipment in the machine room will need to be encapsulated/soffited or troughs placed below to prevent liquid exposure to elevator equipment inside the machine room and hoist-way. Existing ceilings may need to be patched contingent upon decision by the local AHJ.
- No foreign equipment may be installed (telephone equipment, sewer/drainage piping) or material stored (i.e. ladders, spare light fixtures, furniture, trash receptacles, etc.) inside the elevator machine room or hoistway.
- A class A-B-C Fire extinguisher is required in each machine room.
- Shunt trip disconnect in the elevator machine room is required per NFPA Code if there are existing sprinklers or new sprinklers are installed. *California note only: Per current code, a shunt trip is only required in California if the existing sprinklers are modified or new sprinklers are installed.*



- Sprinkler fitting(s) with guard(s) in the hoistway, pit and machine room per AHJ/code/fire marshal – possible addition of heat detector or flow switch.
- A dedicated phone line *per elevator* as required by code.



- A sump pump in the elevator pit may be required by the local AHJ. *California note only: No sump pump is required for elevator modernization projects.*
- Hoistway ventilation for elevators with three (3) or more landings as required by the AHJ/code.
- All ventilation openings must be screened (i.e. machine room, hoistway, etc.).

- A code-compliant pit ladder must be installed.
- A finished elevator cab floor must be present and flush with the car sill.
- No tripping hazards in front of each elevator entrance/landing.
- All in-ground hydraulic elevators must have a sealed jack hole (watertight) in the pit.
- Please provide TK Elevator with a copy of any available report regarding the presence of existing asbestos, lead paint or any other known hazard within the project including areas around the machine room, pit, entrances and hoistway equipment.
- If a purchaser chooses to have flush-mount hall stations and/or flush-mount hall/car lanterns, it is possible that there will be cutting, patching, and painting to install these types of fixtures. This cost is not included in our proposal and will likely require a separate contractor/cost.

TK Elevator representatives are readily available to assist in providing an assessment of existing site conditions. Since many of the items noted above are subject to interpretation or variance dependent upon inspection authority and applicable Code(s), having an AHJ inspector review the site conditions if feasible may assist in firming total project costs for modernization project considerations.

Please discuss a site-specific assessment of your building's existing site conditions with your TK Elevator representative. A checklist for the above noted items has been provided to complete such an assessment.

Related Work / Work by Others Checklist



Job Name: _____ Elevator No.(s)_____ TKE Job No._____

Bldg. Contact: _____ Applicable Code(s):_____

The following is a list of work needed to be completed by others prior to TK Elevator’s return to the site to adjust/inspect the job unless alternate arrangements have been made:

- Adequate permanent power to the elevator controller – usually through a lockable, three (3) phase and fused disconnect per AHJ/local codes.
- Auxiliary electrical disconnect contact for battery lowering device.
- Separate electrical transfer switch and pre-signal connection for buildings with emergency power.
- Building Earth ground to each elevator disconnect switch in the machine room(s)
- Self-closing, self-locking machine room door.
- Fire-rated machine room door.
- Identified and labeled machine room door.
- Finished and fire-rated machine room walls (no holes) and separate from all non-elevator related equipment.
- Sealed penetrations in hoistway and machine room (fire-caulking or similar around machine room and hoistway intrusions).
- Class A-B-C fire extinguisher inside the machine room.
- No storage in elevator machine room (other than elevator-related items).
- Complete drywall installation inside hoistway with fire tape (if not concrete or block) with no ledges.
- Mechanical or natural machine room ventilation (recommend mechanical AC).
- Adequate machine room lighting, switches and GFCI receptacles.
- Dedicated circuit, lockable (by padlock) and fused electrical disconnect for 110VAC lighting per code.
- Dedicated and operational (i.e. dial tone) telephone line to *each* elevator.
- Additional items noted on reverse of this form.
- Operational fire-life safety system including smoke sensor wiring to the elevator machine room (into a J-Box) and tied into the elevator controller(s).
- Smoke sensor in the hoistway (*with access door in California only*), machine room and at all floor levels near elevator doors/entrances per AHJ/code.
- Sprinkler fitting with guard in the hoistway, pit and machine room per AHJ/code/fire marshal – possible addition of heat detector.
- Hoistway ventilation (three (3) or more landings) per AHJ/code.
- Shunt trip breaker for buildings with sprinklers including if required heat/flow detectors and control.
- No foreign equipment may be installed inside the elevator machine room or hoistway. (i.e. telephone equipment, sewer/drainage piping, foreign wiring, conduit, etc.).
- Pit ladder installed per AHJ/code.
- Sump pump (where required by AHJ/code).
- Screening of all ventilation openings (i.e. machine room, hoistway, etc.).
- Adequate pit light(s) with guard(s), switches and GFCI receptacle(s).
- Sealed jack hole – watertight (hydraulic elevators only).
- Finished elevator cab floor must be present and flush with the car sill.
- Trip hazards at floor levels.
- Finished front walls for mounting hall signal fixture cover plates.
- Potential asbestos, lead paint or other hazard.

Once the above items have been completed, please contact your local TK Elevator office. A TK Elevator representative will visit the site to confirm the work is completed and then schedule the inspection with the AHJ. Please allow approximately two (2) weeks for scheduling, adjusting and testing. Please note that we are not able to schedule an inspection by the AHJ until all the above items are completed. In addition, please arrange to have all appropriate trades available for final AHJ inspection. If access to the hoistway is required to complete items that should have been done during the installation process, a signed change order for an operator at our standard rates may be required prior to scheduling the work. Additional charges may be billed for remobilization of the modernization installation crew if the above work is not completed and the crew(s) was/were removed from the project jobsite.

Completed by: _____ Date: _____

H - POWER

Hydraulic modernization



Performance. Efficiency. Reliability.

Aging hydraulic elevator systems can become less reliable and performance can deteriorate. This means increased maintenance requirements, shutdowns, service calls and safety concerns.

With more than 30 performance-optimizing features in our H-Power modernization package, we replace your hydraulic elevator’s most critical components. You’ll feel and see the difference the first time you step into your elevator.

H-Power performance package overview:

1 TAC series controller

Our digital controller offers increased reliability, reduced wiring and optimized efficiency through its 32-bit microprocessor. It also includes:

- **Battery lowering unit**
Prevents entrapments and provides supplemental power to the controller in a power outage. It also eliminates the need for a costly power generator.
- **Solid state starter**
Minimizes power surges and provides smooth, quiet and reliable motor operation.
- **Elevator positioning encoder**
Communicates the elevator’s location. This helps promote a safe and level landing for passengers when boarding and exiting.
- **Nonproprietary user-interface tool**
Provides unrestricted access for on-board adjusting and troubleshooting, keeping troubleshooting calls short.
- **MAX**
Provides real-time, cloud-based predictive maintenance, which increases your elevator’s uptime.

2 Power unit (optional)

This key component reduces noise and vibration during operation — allowing for a quiet and smooth ride. The compact design uses less materials to construct and takes up less space. Furthermore, precise operation of the unit increases leveling accuracy and improves passenger safety.

3 Universal door operator

Faulty doors are the elevator industry’s most frequent service call. This new technology improves door reliability and provides quick and smooth door operation.

4 MOD Fusion fixtures

Our stainless steel fixture line includes car operating panels, hall fixtures and car riding lanterns that improve elevator appearance and functionality. Fixtures are also easy to install, do not damage the walls and are in full compliance with U.S. and Canadian fire service codes.

5 Wiring package

Our cable and hoistway wiring system communicates with multiple devices through a single wire using advanced CAN-BUS technology. It helps provide safer and more efficient elevator operations and maintenance.

H-Power technical specifications

Openings	Front and rear (selective)
Stops	Up to 8
Power supply	200–208V, 220–240V, 460–480V, 575–600V, 50/60 Hz AC, 60 HP Max
Speeds	Up to 200 fpm
Capacity	1200 to 5000 lbs. Cars in group can have different capacities
Travel	Up to 100’-0”



Ask your TK Elevator representative about our Advantage Packages, designed to make the H-Power modernization process as quick and convenient as possible for you and your tenants.

MOD Fusion fixtures:



- B**  Traditional push button with white illumination (blue or red available)
-  Bronze classic push button with illuminating halo
-  Vandal-resistant, flat, California-compliant push button in stainless steel with red illumination (white, blue and green also available)
-  Vandal-resistant, convex stainless steel push button with illuminating blue halo (white, red and green also available)
-  Vandal-resistant, concave, California-compliant push button in stainless steel with illuminating red jewel center (white, blue and green also available)



- A** Car operating panel
- B** Push button options
- C** Terminal and intermediate hall station, fire service and appendix H / O signage
- D** Horizontal hall lantern (arrows)
- E** Vertical hall lantern (arrows)
- F** Hall position indicator
- G** Combo hall lantern / position indicator

TK Elevator Corporation
788 Circle 75 Parkway SE
Suite 500
Atlanta, GA 30339
P: +1 844 427 5461
www.tkelevator.com/us

Section IV. Item #2.



All illustrations and specifications are based on information in effect at time of publication approval.
TK Elevator reserves the right to change specifications or design and to discontinue items without prior notice or obligation.
TK Elevator Corporation. | CA License #C11-651371 | 27056 | H-Power modernization brochure