



PUBLIC NOTICE

Common Council Regular Meeting

Tuesday, June 06, 2023 at 5:30 PM

City Hall, 100 E Fountain St, Dodgeville, WI

AGENDA

I. CALL TO ORDER AND ROLL CALL

II. CONSENT AGENDA

- [1.](#) Approval of Minutes from May 16, 2023
2. Dodgeville Fire Department Request: Permission to server alcoholic beverages for the Land's End Jam Event on June 14, 2023
- [3.](#) Approval of a Temporary Class "B" License for the Upland Hills Health "Sip and Savor: A Taste of Southwest Wisconsin" event on July 8, 2023.
- [4.](#) Approval of Mobile Home Park License Renewals for 2023-2024: Martin Mobile Home Park, Slaney Mobile Home Park & Starr Mobile Home Park
- [5.](#) Approval of Dance License Renewals for 2023-2024: Dodger Bowl Lanes & Banquet Hall, Jeffrey's House of Foolishness, The Red Room Bar & Restaurant, Dino's Bar & Grill, and MAG Entertainment dba Duke's Brew Pub & Ale House.
- [6.](#) Approval of Claims from June 6, 2023

III. PUBLIC COMMENT *Citizen or delegation presentations, requests or comments and discussion of same, pursuant to Wis. Stat. Sec. 19.83 (2) and Sec. 19.84 (2). Ten minute limit except by consent of council. No action will be taken on any item that is not specifically listed on the agenda.*

IV. REPORTS/RECOMMENDATIONS

- [7.](#) 2023 Love Dodgeville Event Notes

V. NEW BUSINESS

8. Approving compensation for new police chief.
9. Permission to fill police department vacancy.
- [10.](#) Discussion and possible action regarding 2023 fire truck refurbishments.
- [11.](#) Discussion and possible action to renew Extension of Premises requests from Bob's Bitchin BBQ and Dino's Bar & Grill for 2023-2024.
- [12.](#) Approval of the following liquor license renewals:

Class "A" Retailers Fermented Malt Beverage & Class "A" Intoxicating Liquor License Renewals for 2023-2024: Dean Rogers dba Dean's Liquor LLC-Dean W. Rogers, Agent; Kwik Trip, Inc. dba Kwik Trip #340-Scott F. Oomens, Agent; Kwik Trip, Inc. dba Kwik Trip #765-Harry Hying, Agent; New Horizons Supply Cooperative dba New

Horizons -Carol Malek, Agent; Piggly Wiggly Midwest, LLC dba Piggly Wiggly Supermarket #403-Patrick Connaughty, Agent; Walgreen Co. dba Walgreens #10962-Rebecca S. Wentworth, Agent; Wal-Mart Stores East, LP dba Walmart #847-David Murphy, Agent.

Class "B" Retailer's Fermented Malt Beverage & "Class B" Intoxicating Liquor License Renewals for 2023-2024: *Bobs Bitchin BBQ, LLC - Robert L. Page, Agent; Dodger Bowl Inc. dba Dodger Bowl Lanes & Banquet Hall-Nick J. Portzen IV, Agent; Jeff Krier dba Jeffrey's House of Foolishness; MAG Entertainment, LLC dba Duke's Brew Pub & Ale House-Dennis J. Marklein, Agent; The Red Room, Inc. dba Red Room Bar & Restaurant-Laura Ann U'Ren, Agent; Whitish & Wickless, LLC dba Dino's Bar & Grill-Richard D. Whitish, Agent; Corralejo Mexican Grill, LLC - Thalia Leon Parras, Agent.*

Class "B" Retailer's Fermented Malt Beverage and "Class C" Wine License for 2023-2024: *Cathryn's Market LLC dba Cathyrn's Market - Cathyrn M. Gonyer, Agent.*

Class "B" Retailer's Fermented Malt Beverage License Renewal for 2023-2024: *Pizza Hut of Southern Wisconsin, Inc. dba Pizza Hut-Jarrell Olson, Agent*

- [13.](#) Approval of Cigarette and Tobacco Products Retail License Renewals for 2023-2024: Dean Rogers dba Dean's Liquor LLC; Kwik Trip, Inc. dba Kwik Trip Store #340 and Kwik Trip Store #765; New Horizons Supply Cooperative dba New Horizons (Mr. T's); Piggly Wiggly Midwest, LLC dba Piggly Wiggly Supermarket #403; Walgreen Co. dba Walgreens #10962; Wal-Mart Stores East, LP dba Walmart #847; and Imperial Operating LLC dba King's Mart #57.
14. Recommendation to deny an Operator License Renewal Application for Tyler Wagner
- [15.](#) Consideration of Ordinance 2023-02: Related to the Sale of Class B packaged goods.

VI. ANY OTHER BUSINESS AS ALLOWED BY LAW

VII. ADJOURN

16. Motion to Adjourn

Any person who has a qualifying disability, as defined by the Americans with Disabilities Act, that requires the meeting or material at the meeting to be in an accessible location or format, must contact the City Clerk at the address listed above or call 930-5228, prior to the meeting so that any necessary arrangements can be made to accommodate each request.

**PUBLIC NOTICE****Common Council Regular Meeting****Tuesday, May 16, 2023 at 5:30 PM****City Hall, 100 E Fountain St, Dodgeville, WI**

MINUTES**I. CALL TO ORDER AND ROLL CALL**

The meeting was called to order at 5:30 pm by Mayor Novak. PRESENT: Roxanne Reynolds-Lair, Shaun Sersch, Tom DeVoss, Jeff Weber, Dan Meuer, Jerry Johnson, Julie Johnson-Solberg, Larry Tremelling

II. CONSENT AGENDA

Motion made by DeVoss, Seconded by Johnson to approve the consent agenda as follows: approval of minutes from May 2, 2023; approval of amended date and time for the Upland Hills Health Family Fun Day Run/Walk now on August 10, 2023; approval of a Fireworks Permit for Chrome Fireworks and Displays for the Farmer's Appreciation Day fireworks at Harris Park on July 8, 2023; approval of Temporary Class "B" Licenses to the Dodgeville Diamond Club for summer baseball/softball tournaments on May 26-28, June 23-25 and July 7-9; and approval of claims as follows: General - \$366,708.42, Sewer - \$52,055.39, Water - \$10,978.19 for a total of \$429,742.00. Voice vote. Motion carried 8-0. Voting Yea: Reynolds-Lair, Sersch, DeVoss, Weber, Meuer, Johnson, Johnson-Solberg, Tremelling

1. Approval of Minutes from May 2, 2023.
2. Street Use Application - Amending the Upland Hills Family Fun Day and Run/Walk date to August 10, 2023
3. Approval of a fireworks permit for Chrome Fireworks and Display LLC for Farmer's Appreciation Day on July 8, 2023
4. Approval of a Temporary Class "B" License for Dodgeville Diamond Club for 2023 Softball/Baseball Tournaments: May 26-28, June 23-25, and July 7-9.
5. Approval of Claims from May 16, 2022

III. PUBLIC COMMENT *Citizen or delegation presentations, requests or comments and discussion of same, pursuant to Wis. Stat. Sec. 19.83 (2) and Sec. 19.84 (2). Ten minute limit except by consent of council. No action will be taken on any item that is not specifically listed on the agenda.*

None.

IV. REPORTS/RECOMMENDATIONS

6. 2022 Recycling Program Annual Report
Council reviewed this report.

V. NEW BUSINESS

7. *Discussion and possible action to approve the purchase of Badger Books (digital poll books) using ARPA funding.* Clerk Aulik presented quotes regarding purchasing "Badger Books" to be implemented in the next election cycle. Badger books are digital poll books that decrease the amount of human errors on election day, specifically with reconciling voter numbers and election day registrations. It also considerably reduces the pre and post election staff time for the Clerk's office. The Clerk's office is requesting \$10,596.95 of ARPA funds for the purchase of 5 badger books. The cost of poll working training will be covered by the existing Election budget. Motion by DeVoss, Second by Reynolds-Lair to approve the purchase of Badger Books using ARPA funds. Motion carried 7-1. Voting Yea: Reynolds-Lair, Sersch, DeVoss, Weber, Meuer, Johnson, Johnson-Solberg, Tremelling. Voting No: Meuer

8. *Discussion and possible action to approve an hours extension request from Kenneth Gonzalez for a birthday party at the Ley Pavillion. The request is to extend the hours until 1 am on June 18, 2023.* The Mayor recommended denial of this request due to past issues with extended hours. Motion by Weber, second by Johnson to deny the extension of hours request for a birthday party on June 17, 2023. Voting Yea: Reynolds-Lair, Sersch, DeVoss, Weber, Meuer, Johnson, Johnson-Solberg, Tremelling

9. *Proclamation: National Public Works Week is May 21-27, 2023*
Motion made by Meuer, Seconded by Reynolds-Lair to approve the proclamation. Voting Yea: Reynolds-Lair, Sersch, DeVoss, Weber, Meuer, Johnson, Johnson-Solberg, Tremelling

10. *Discussion and possible action regarding considering a future implementation of "No Mow May".* There are 100+ property owners who didn't mow their lawn due to "No Mow May" which is popular in many communities. Some concepts are only mowing the back yard, some are

making participants register to participate, some use signs. Motion by Reynolds-Lair, second by Meuer to move forward with developing a resolution to temporarily suspend mowing for the month of May (mowed by June 1) with registration with City Hall before May 1st. Roll call vote 5-3.

Motion by Meuer to not send mowing letters until after June 1, 2023 second by Reynolds-Lair. Voice vote. Motion carried 8-0.

VI. ANY OTHER BUSINESS AS ALLOWED BY LAW

None

VII. ADJOURN

- 11. Motion by Meuer, Second by Weber to adjourn the meeting. Voice vote. Motion carried 8-0. Voting Yea: Reynolds-Lair, Sersch, DeVoss, Weber, Meuer, Johnson, Johnson-Solberg, Tremelling

Any person who has a qualifying disability, as defined by the Americans with Disabilities Act, that requires the meeting or material at the meeting to be in an accessible location or format, must contact the City Clerk at the address listed above or call 930-5228, prior to the meeting so that any necessary arrangements can be made to accommodate each request.

Application for Temporary Class "B" / "Class B" Retailer's License

See Additional Information on reverse side. Contact the municipal clerk if you have questions.

FEE \$ 10.00

Application Date: 05/13/2023

Town Village City of Dodgeville

County of Iowa

The named organization applies for: (check appropriate box(es).)

[X] A Temporary Class "B" license to sell fermented malt beverages at picnics or similar gatherings under s. 125.26(6), Wis. Stats.

[X] A Temporary "Class B" license to sell wine at picnics or similar gatherings under s. 125.51(10), Wis. Stats.

at the premises described below during a special event beginning 07/08/2023 and ending 07/09/2023 and agrees to comply with all laws, resolutions, ordinances and regulations (state, federal or local) affecting the sale of fermented malt beverages and/or wine if the license is granted.

- 1. Organization (check appropriate box) -> [] Bona fide Club [] Church [] Lodge/Society [] Chamber of Commerce or similar Civic or Trade Organization [] Veteran's Organization [] Fair Association

(a) Name Upland Hills Health

(b) Address 800 Compassion Way, Dodgeville, WI (Street) [] Town [] Village [X] City

(c) Date organized

(d) If corporation, give date of incorporation

(e) If the named organization is not required to hold a Wisconsin seller's permit pursuant to s. 77.54 (7m), Wis. Stats., check this box: []

(f) Names and addresses of all officers: President Andrea Potterton Vice President Martha Boyer Secretary Skip Lee Treasurer Dick Cates

(g) Name and address of manager or person in charge of affair: ANGELA TURPIN, FOUNDATION DIRECTOR Upland Hills Health, 800 Compassion Way, Dodgeville, WI

2. Location of Premises Where Beer and/or Wine Will Be Sold, Served, Consumed, or Stored, and Areas Where Alcohol Beverage Records Will be Stored:

(a) Street number 600 N. Bennett Rd

(b) Lot Block

(c) Do premises occupy all or part of building? All

(d) If part of building, describe fully all premises covered under this application, which floor or floors, or room or rooms, license is to cover:

3. Name of Event

(a) List name of the event Sip and Savor: A Taste of Southwest Wisconsin

(b) Dates of event 07/08/2023

DECLARATION

The Officer(s) of the organization, individually and together, declare under penalties of law that the information provided in this application is true and correct to the best of their knowledge and belief.

Officer [Signature: Andrea Potterton] (Signature/date)

Upland Hills Health (Name of Organization) Officer [Signature: Angela Turpin] (Signature/date)

Officer [Signature: Martha Boyer] (Signature/date)

Officer (Signature/date)

Date Filed with Clerk 5-15-23 [Signature]

Date Reported to Council or Board

Date Granted by Council

License No.

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report**Case Number:**

Section II. Item #3.

<i>Date/Time Reported</i> 05/26/2023	<i>Nature of Incident</i> License - Alcohol Beverage	<i>Case Status</i> Closed
<i>Date/Time Occurred</i> 07/08/2023 to 07/09/2023		<i>Case Outcome/Disposition</i> Closed
<i>Location of Incident</i> Harris Park, 600 Bennett RD, Dodgeville WI 53533		

Assigned Units*Assign Arrive Clear*

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Upland Hills Health Foundation, 800 S Compassion WAY , Dodgeville, WI 53533 Phone:

Report Notes

City of Dodgeville Police Department
Licenses and Permits - Application Investigation
Prepared by Chief of Police David J. Bauer

Application for Temporary Class "B" Alcohol Beverage License

Name of Business: Upland Hills Health Foundation
Event: Sip & Savor - A taste of Southwest Wisconsin

Information revealed that the application or renewal application for an operator's license is in compliance with regulations, ordinances and applicable laws. Additionally, the location is consistent with that detailed on the application and is in compliance with requirement of law.

Chief of Police report with recommendation

There have been no incidents identified that would cause the basis for denial of this application.

David J. Bauer
Chief of Police
Dodgeville Police Department

*Officer Signature*_____
Date Further Investigation_____
*Supervisor Signature*_____
Date

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report**Case Number:**

Section II. Item #4.

<i>Date/Time Reported</i> 05/26/2023	<i>Nature of Incident</i> License-Mobile Home Park	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Starr Trailer Court		

Assigned Units*Assign Arrive Clear*

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Martin Mobile Home Park, E Spring ST , DODGEVILLE, WI 53533 Phone: (608) 930-2140

Applicant

Slaney's Mobile Home Park, 200 E Spring ST , DODGEVILLE, WI 53533 Phone: (608) 935-9589

Applicant

Starr Trailer Court, 409 CTH YZ , Dodgeville, WI 53533 Phone: (608) 935-

Report Notes

On May 26, 2023, I inspected records and have viewed each location from the outside of the property:

Starr Mobile Home Park, owner Ronald, Larry and Tim Starr, 409 Hwy YZ, Dodgeville, WI
 Martin Mobile Home Park, owner Evelyn Martin, 100 E.Spring St, Dodgeville, WI
 Slaney Mobile Home Park, owner Lois Slaney, 200 E Spring St, Dodgeville, WI

The above owners have made application for renewal of their Mobile Home Park License. There is no change since the inspection at this time in 2022.

Recommendation: The Dodgeville Police Department finds no records or deficiencies that would bar renewal of the licenses.

*Officer Signature**Date* Further Investigation*Supervisor Signature**Date*

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report**Case Number:**

Section II. Item #5.

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License-Dance	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Jeffrey's Tavern		

Assigned Units

Assign Arrive Clear

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Dodger Bowl, 321 W King ST , Dodgeville, WI 53533 Phone: (608) 935-2595

Applicant

Red Room Tavern, 108 E Merrimac ST , Dodgeville, WI 53533 Phone: (608) 935-7108

Applicant

Dino's, 110 N Diagonal ST , Dodgeville, WI 53533 Phone: (608) 935-9380

Applicant

Duke's Brew Pub & Ale House, 105 E Chapel ST , DODGEVILLE, WI 53533 Phone: (608) 574-5651

Applicant

Jeffrey's Tavern, 113 E Chapel ST Apt. , Dodgeville, WI 53533 Phone: (608) 935-3078

Report Notes

Application for Dance License 2023-24

Name of Business:

Jeffrey's House of Foolishness

Dodger Bowl

Red Room

Duke's Brew Pub & Ale House/ MAG Entertainment

Dino's Bar and Grill

Information revealed that the application or renewal application for a dance license is in compliance with regulations, ordinances and applicable laws. Additionally, the records for the establishment have been reviewed and found no violations of the license have occurred within the past year, which would bar renewal of the license.

Chief of Police report with recommendation

This report to the Common Council is that there is nothing indicated that bars the renewal and approval for this applicant or license holder.

David Bauer
Chief of Police

Officer Signature

Date

Further Investigation

Supervisor Signature

Date

Report Criteria:

Report type: Summary
 Check.Type = {<->} "Adjustment"

GL Period	Check Issue Date	Check Number	Vendor Number	Payee	Check GL Account	Amount
06/23	06/06/2023	1038	1393	TC NETWORKS INC	161-21000-000-000	4,704.34
06/23	06/06/2023	4233	532	K & L BOBCAT INC	160-21000-000-000	1,199.00
06/23	06/06/2023	4234	835	RITCHIE IMPLEMENT INC	160-21000-000-000	22,400.00
06/23	06/06/2023	4235	851	RULE CONSTRUCTION LTD	160-21000-000-000	211,984.90
06/23	06/06/2023	4236	1378	VIERBICHER ASSOCIATES	160-21000-000-000	19,710.50
05/23	05/24/2023	21331	1397	DEERE CREDIT INC	160-21000-000-000	1,783.01
06/23	06/03/2023	21332	1397	DEERE CREDIT INC	160-21000-000-000	925.10
06/23	06/02/2023	21333	363	FARMERS SAVINGS BANK	100-21000-000-000	218.48
06/23	06/05/2023	60340	1795	David Williams	100-21000-000-000	225.21- V
05/23	05/22/2023	60902	34	ALLIANT ENERGY/WP&L (UTILITY PAYMENTS)	150-21000-000-000	127.25
05/23	05/22/2023	60903	89	BAKER & TAYLOR LLC	150-21000-000-000	644.82
05/23	05/22/2023	60904	1328	GFC LEASING - WI	150-21000-000-000	243.85
05/23	05/22/2023	60905	408	GORDON FLESCH CO INC	150-21000-000-000	66.31
05/23	05/22/2023	60906	451	INKWELL PRINTERS LLC	150-21000-000-000	486.00
05/23	05/22/2023	60907	1830	Playaway Products LLC	150-21000-000-000	254.96
06/23	06/05/2023	60910	1795	David Williams	100-21000-000-000	225.21
06/23	06/06/2023	60911	1299	ABT MAILCOM	200-21000-000-000	1,967.40
06/23	06/06/2023	60912	13	ADP INC	100-21000-000-000	266.00
06/23	06/06/2023	60913	781	ADVANTAGE COPY	100-21000-000-000	210.68
06/23	06/06/2023	60914	34	ALLIANT ENERGY/WP&L (UTILITY PAYMENTS)	100-21000-000-000	19,365.49
06/23	06/06/2023	60915	36	AMAZON CAPITAL SERVICES	100-21000-000-000	1,913.99
06/23	06/06/2023	60916	63	APPLIED MICRO	100-21000-000-000	189.00
06/23	06/06/2023	60917	1596	ASSOCIATED APPRAISAL CONSULTANTS INC.	100-21000-000-000	1,461.58
06/23	06/06/2023	60918	1538	AT&T MOBILITY	100-21000-000-000	375.35
06/23	06/06/2023	60919	1337	BADGER METER	200-21000-000-000	133.26
06/23	06/06/2023	60920	85	BADGER WELDING SUPPLIES INC	100-21000-000-000	62.00
06/23	06/06/2023	60921	87	BAER INSURANCE INC	100-21000-000-000	1,743.00
06/23	06/06/2023	60922	112	BILL HAMILTON TREE SERVICE	100-21000-000-000	1,800.00
06/23	06/06/2023	60923	1776	Blain's Farm & Fleet	100-21000-000-000	1,616.93
06/23	06/06/2023	60924	120	BOARDMAN & CLARK LLP	100-21000-000-000	10,762.50
06/23	06/06/2023	60925	128	BOUND TREE MEDICAL LLC	100-21000-000-000	651.79
06/23	06/06/2023	60926	1841	Bruce R Erdmann	100-21000-000-000	535.00
06/23	06/06/2023	60927	1645	CAPITAL ONE (WALMART)	300-21000-000-000	1,224.35
06/23	06/06/2023	60928	1646	CATHERINE PORTZEN	100-21000-000-000	144.00
06/23	06/06/2023	60929	188	CINTAS CORPORATION #446	100-21000-000-000	39.73
06/23	06/06/2023	60930	195	CITY OF DODGEVILLE WATER UTILITY	100-21000-000-000	3,062.78
06/23	06/06/2023	60931	210	COLLINS & HYING LLC	100-21000-000-000	177.26
06/23	06/06/2023	60932	211	COMELEC SERVICES INC	100-21000-000-000	1,276.50
06/23	06/06/2023	60933	218	COMPLIANCE SERVICES INC	100-21000-000-000	2,892.00
06/23	06/06/2023	60934	1840	Danielle Reddell	100-21000-000-000	100.00
06/23	06/06/2023	60935	253	DAVID J BAUER	100-21000-000-000	50.00
06/23	06/06/2023	60936	1838	Dodgeville FFA	100-21000-000-000	275.00
06/23	06/06/2023	60937	307	DODGEVILLE SCHOOL DISTRICT	100-21000-000-000	3,149.27
06/23	06/06/2023	60938	1823	Elan Financial Services	100-21000-000-000	1,107.73
06/23	06/06/2023	60939	339	EMERGENCY MEDICAL PRODUCTS INC	100-21000-000-000	960.05
06/23	06/06/2023	60940	351	ERIC ROHOWETZ	300-21000-000-000	200.00
06/23	06/06/2023	60941	360	FAHERTY INC	100-21000-000-000	24,357.06
06/23	06/06/2023	60942	371	FIRE SAFETY USA INC	100-21000-000-000	1,086.00
06/23	06/06/2023	60943	372	FIRST SUPPLY LLC-MADISON	100-21000-000-000	222.13
06/23	06/06/2023	60944	1328	GFC LEASING - WI	200-21000-000-000	135.71
06/23	06/06/2023	60945	427	HALLADA MOTORS INC	100-21000-000-000	121.38
06/23	06/06/2023	60946	440	HENNESSEY IMPLEMENT INC	100-21000-000-000	108.57
06/23	06/06/2023	60947	1738	Holiday Wholesale Inc	100-21000-000-000	474.30

M = Manual Check, V = Void Check

GL Period	Check Issue Date	Check Number	Vendor Number	Payee	Check GL Account	Amount
06/23	06/06/2023	60948	451	INKWELL PRINTERS LLC	100-21000-000-000	88.00
06/23	06/06/2023	60949	458	IOWA COUNTY HIGHWAY DEPARTMENT	100-21000-000-000	1,186.19
06/23	06/06/2023	60950	468	J & R SUPPLY INC	200-21000-000-000	670.00
06/23	06/06/2023	60951	491	JEFFERSON FIRE & SAFETY INC	100-21000-000-000	260.46
06/23	06/06/2023	60952	1839	Jennifer Fry	100-21000-000-000	100.00
06/23	06/06/2023	60953	508	JOES OVERHEAD DOORS & SEAMLESS GUTTERS	100-21000-000-000	248.00
06/23	06/06/2023	60954	516	JOHNSON BLOCK AND COMPANY INC	200-21000-000-000	5,072.00
06/23	06/06/2023	60955	562	KEVINS OVERHEAD DOOR	100-21000-000-000	548.00
06/23	06/06/2023	60956	1507	KEY BENEFIT CONCEPTS LLC	100-21000-000-000	3,650.00
06/23	06/06/2023	60957	565	KIMBALL MIDWEST	100-21000-000-000	316.80
06/23	06/06/2023	60958	622	LW ALLEN LLC	300-21000-000-000	768.00
06/23	06/06/2023	60959	1828	McKenzie Forseth	100-21000-000-000	144.00
06/23	06/06/2023	60960	1544	MEDLINE INDUSTRIES INC.	100-21000-000-000	1,491.14
06/23	06/06/2023	60961	668	MHTC-MH	100-21000-000-000	1,690.33
06/23	06/06/2023	60962	685	MIDWEST METER INC	200-21000-000-000	79.78
06/23	06/06/2023	60963	686	MIDWEST POOL SUPPLY INC	100-21000-000-000	83.98
06/23	06/06/2023	60964	713	MUELLER IMPLEMENT INC	100-21000-000-000	120.40
06/23	06/06/2023	60965	296	NAPA AUTO PARTS	100-21000-000-000	33.48
06/23	06/06/2023	60966	736	NORTHERN LAKE SERVICE INC	200-21000-000-000	5,513.40
06/23	06/06/2023	60967	746	OREILLY AUTO PARTS	100-21000-000-000	945.83
06/23	06/06/2023	60968	766	PEERLESS WELL & PUMPING	200-21000-000-000	300.00
06/23	06/06/2023	60969	772	PETTY CASH	100-21000-000-000	125.00
06/23	06/06/2023	60970	783	POMASL FIRE EQUIPMENT INC	100-21000-000-000	42.44
06/23	06/06/2023	60971	795	PUBLIC SERVICE COMMISSION OF WI	200-21000-000-000	3,601.41
06/23	06/06/2023	60972	811	RANDYS SERVICE & TOWING	100-21000-000-000	1,516.85
06/23	06/06/2023	60973	823	REGISTRATION FEE TRUST	300-21000-000-000	165.50
06/23	06/06/2023	60974	1837	Richard Prem	100-21000-000-000	100.00
06/23	06/06/2023	60975	835	RITCHIE IMPLEMENT INC	100-21000-000-000	597.56
06/23	06/06/2023	60976	851	RULE CONSTRUCTION LTD	200-21000-000-000	1,839.27
06/23	06/06/2023	60977	859	Safety-Kleen Systems Inc	100-21000-000-000	308.00
06/23	06/06/2023	60978	1335	SCHMITZ JANITORIAL SUPPLY	100-21000-000-000	353.50
06/23	06/06/2023	60979	1783	Shane Groom	100-21000-000-000	38.53
06/23	06/06/2023	60980	1836	Sheila Dempsey	100-21000-000-000	144.00
06/23	06/06/2023	60981	926	STAPLES ADVANTAGE	300-21000-000-000	496.25
06/23	06/06/2023	60982	940	Superior Chemical Corporation	100-21000-000-000	375.90
06/23	06/06/2023	60983	950	SWTC	100-21000-000-000	75.00
06/23	06/06/2023	60984	964	TEAMSTERS LOCAL #695	100-21000-000-000	684.00
06/23	06/06/2023	60985	978	THE DODGEVILLE CHRONICLE INC	100-21000-000-000	1,752.36
06/23	06/06/2023	60986	987	THE SHOE BOX LTD	100-21000-000-000	99.00
06/23	06/06/2023	60987	1726	TK ELEVATOR CORPORATION	100-21000-000-000	230.30
06/23	06/06/2023	60988	1018	TOWN & COUNTRY ENGINEERING INC	200-21000-000-000	11,011.20
06/23	06/06/2023	60989	1033	UNION TECHNOLOGY COOPERATIVE	100-21000-000-000	8,258.21
06/23	06/06/2023	60990	1046	USA BLUEBOOK	200-21000-000-000	558.70
06/23	06/06/2023	60991	1074	WDATCP	100-21000-000-000	65.00
06/23	06/06/2023	60992	1093	WI DEPARTMENT OF JUSTICE	100-21000-000-000	10.00
06/23	06/06/2023	60993	1097	WI DNR	200-21000-000-000	125.00
06/23	06/06/2023	60994	1097	WI DNR - ENVIRONMENTAL FEES	300-21000-000-000	3,506.63
06/23	06/06/2023	60995	1147	ZOLL MEDICAL CORPORATION	100-21000-000-000	118.00

Grand Totals:

408,473.71

Summary by General Ledger Account Number

GL Account	Debit	Credit	Proof
100-12310-000-000	225.21	225.21-	.00
100-21000-000-000	1,080.21	96,743.78-	95,663.57-
100-21550-000-000	684.00	.00	684.00
100-23160-000-000	300.00	.00	300.00
100-24600-100-000	3,149.27	.00	3,149.27
100-51120-000-000	83.99	.00	83.99
100-51300-000-000	10,804.84	.00	10,804.84
100-51410-000-000	46.59	.00	46.59
100-51420-000-000	7.00	.00	7.00
100-51510-000-000	5,922.00	.00	5,922.00
100-51520-227-000	258.00	.00	258.00
100-51520-230-000	77.75	.00	77.75
100-51530-250-000	1,461.58	.00	1,461.58
100-51600-600-000	498.95	.00	498.95
100-51710-200-000	295.63	.00	295.63
100-51710-240-000	8,337.67	.00	8,337.67
100-51710-300-000	196.69	.00	196.69
100-51710-310-000	279.76	.00	279.76
100-51710-320-000	87.59	.00	87.59
100-51900-000-000	342.36	.00	342.36
100-51930-000-000	1,743.00	.00	1,743.00
100-52100-000-000	535.00	.00	535.00
100-52100-175-000	75.96	.00	75.96
100-52100-300-000	265.36	.00	265.36
100-52100-310-000	303.65	.00	303.65
100-52100-320-000	154.01	.00	154.01
100-52100-400-100	1,516.85	.00	1,516.85
100-52100-500-000	208.76	.00	208.76
100-52100-520-000	228.73	.00	228.73
100-52100-600-000	74.73	.00	74.73
100-52150-225-000	75.00	.00	75.00
100-52150-227-000	400.50	.00	400.50
100-52150-230-000	38.53	.00	38.53
100-52200-300-000	113.53	.00	113.53
100-52200-310-000	554.42	.00	554.42
100-52200-320-000	131.58	.00	131.58
100-52200-500-000	71.50	.00	71.50
100-52200-600-000	3,342.45	.00	3,342.45
100-52200-725-000	248.00	.00	248.00
100-52300-200-000	591.59	.00	591.59
100-52300-225-120	432.00	.00	432.00
100-52300-300-000	340.33	.00	340.33
100-52300-310-000	486.89	.00	486.89
100-52300-320-000	82.87	.00	82.87
100-52300-400-000	163.82	.00	163.82
100-52300-520-000	197.50	.00	197.50
100-52300-600-000	268.00	.00	268.00
100-52300-605-000	4,222.98	855.00-	3,367.98
100-52300-700-000	1,410.00	.00	1,410.00
100-52300-720-000	28.14	.00	28.14
100-52400-300-000	45.84	.00	45.84
100-53100-300-000	89.42	.00	89.42
100-53100-600-000	8.13	.00	8.13
100-53230-000-000	1,363.54	.00	1,363.54
100-53240-000-000	1,129.33	.00	1,129.33
100-53415-000-000	214.29	.00	214.29
100-53420-000-000	4,114.60	.00	4,114.60

M = Manual Check, V = Void Check

GL Account	Debit	Credit	Proof
100-53620-000-000	11,723.16	.00	11,723.16
100-53630-000-000	12,633.90	.00	12,633.90
100-54910-300-000	64.99	.00	64.99
100-54910-310-000	105.15	.00	105.15
100-54910-320-000	115.51	.00	115.51
100-54910-400-000	405.57	.00	405.57
100-54910-600-000	113.56	.00	113.56
100-55200-300-000	108.54	.00	108.54
100-55200-310-000	1,167.94	.00	1,167.94
100-55200-320-000	587.43	.00	587.43
100-55200-400-000	274.00	.00	274.00
100-55200-410-000	731.03	.00	731.03
100-55200-600-000	4,376.71	.00	4,376.71
100-55300-180-000	100.00	.00	100.00
100-55300-300-000	55.15	.00	55.15
100-55300-600-000	799.57	.00	799.57
100-55300-800-000	270.88	.00	270.88
100-55300-900-000	635.94	.00	635.94
100-55310-000-000	135.24	.00	135.24
100-55330-000-000	275.00	.00	275.00
100-55420-175-000	149.95	.00	149.95
100-55420-200-000	88.00	.00	88.00
100-55420-300-000	22.84	.00	22.84
100-55420-310-000	119.44	.00	119.44
100-55420-320-000	165.29	.00	165.29
100-55420-600-000	493.41	.00	493.41
100-55420-750-000	1,955.00	.00	1,955.00
100-55425-000-000	615.87	.00	615.87
100-55430-000-000	125.00	.00	125.00
150-21000-000-000	.00	2,330.64-	2,330.64-
150-55115-221-000	279.76	.00	279.76
150-55115-222-000	87.58	.00	87.58
150-55115-223-000	140.11	.00	140.11
150-55115-224-000	310.16	.00	310.16
150-55115-321-000	644.82	.00	644.82
150-55115-323-000	254.96	.00	254.96
150-55115-371-000	486.00	.00	486.00
150-55115-391-000	127.25	.00	127.25
160-21000-000-000	.00	258,002.51-	258,002.51-
160-57300-000-000	1,199.00	.00	1,199.00
160-57330-000-000	228,852.12	.00	228,852.12
160-57345-000-000	2,843.28	.00	2,843.28
160-57501-000-000	6,900.00	.00	6,900.00
160-57640-000-000	15,500.00	.00	15,500.00
160-58100-000-000	2,577.20	.00	2,577.20
160-58200-000-000	130.91	.00	130.91
161-21000-000-000	.00	4,704.34-	4,704.34-
161-51710-000-000	4,704.34	.00	4,704.34
200-21000-000-000	300.00	34,548.55-	34,248.55-
200-53700-000-409	3,601.41	.00	3,601.41
200-53700-000-903	19.18	.00	19.18
200-53700-605-000	63.97	.00	63.97
200-53700-622-000	5,591.37	.00	5,591.37
200-53700-623-000	1,520.34	300.00-	1,220.34
200-53700-632-000	6,072.10	.00	6,072.10
200-53700-641-000	260.76	.00	260.76
200-53700-651-000	1,839.27	.00	1,839.27

M = Manual Check, V = Void Check

GL Account	Debit	Credit	Proof
200-53700-653-000	133.26	.00	133.26
200-53700-680-100	832.20	.00	832.20
200-53700-681-000	375.49	.00	375.49
200-53700-682-000	13,811.20	.00	13,811.20
200-53700-688-000	125.00	.00	125.00
200-53700-689-000	303.00	.00	303.00
300-21000-000-000	.00	13,524.10-	13,524.10-
300-53600-000-821	5,627.91	.00	5,627.91
300-53600-000-827	4,956.35	.00	4,956.35
300-53600-000-828	448.35	.00	448.35
300-53600-000-834	351.26	.00	351.26
300-53600-000-840	832.20	.00	832.20
300-53600-000-851	291.05	.00	291.05
300-53600-000-852	868.00	.00	868.00
300-53600-000-856	148.98	.00	148.98
Grand Totals:	<u>411,234.13</u>	<u>411,234.13-</u>	<u>.00</u>

Dated: _____

Mayor: _____

City Council: _____

City Recorder: _____

Report Criteria:

Report type: Summary

Check.Type = {<->} "Adjustment"

LOVE DODGEVILLE FINAL NOTES

MAY 15, 2023

Here are some details, from our meeting, May 9...

1. Dodgeville to Mineral Point Recreation Trail (Don Crowe)
 - 27 individuals worked 54 manhours
 - Volunteers included Dodgeville Community Group, Kiwanis, Lions, Cub Scout Pack 357, Dodgeville United Methodist Church, Grace Lutheran Church
 - Collected 8-10 FULL bags of trash, plus other items
 - Tom Thorison's gator was MUCH appreciated!

2. Arboretum (Karri Roh-Wasley)
 - 27 individuals worked approximately 78 manhours (includes Lions working early)
 - Volunteers included Dodgeville Community Group, Kiwanis, Lions, Boy Scout Troop 357, DMS Builder's Club, Dodgeville United Methodist Church, Grace Lutheran Church
 - Removed branches from the paths, pulled out fallen trees, removed invasives from part of the prairie, fixed entrance steps, added new gravel around the main sign (Gravel donated by the Lions.)

3. Military Ridge Trail cleanup (Becky Tank)
 - 24 individuals worked approximately 72 manhours
 - Volunteers included Dodger Food Locker board members, Kiwanis, Girl Scout Troop 7020, Grace Lutheran Church, community members
 - There was more trash in ditches, than on the trail.
 - One group worked from Subway to the east, one group worked from Highway Z to the west.
 - Collected 11 bags of trash
 - Next year...need a means of communication, ATV/gator

4. Beautifying the Entrances into Town (Barry Hottman)
 - 9 individuals worked approximately 18 manhours
 - 3 vehicles used, 2 with trailers
 - 4 yards of bark
 - Planted annuals, pulled weeds, mulched
 - Plants came from the DHS FFA sale.

5. Assembling and Delivering May baskets (Dee McConnell)
 - 15 adults, plus children worked approximately 30 manhours
 - Volunteers included Dodgeville Community Group, Grace Lutheran Church, Dodgeville Dental, Dodgeville United Methodist Church, community members
 - 155 baskets to UHH, Crestridge, Sienna Crest, Stonefield
 - Besides purchased items for baskets, donations were given by the Caring Crafters and Dodgeville Dental.
 - Suggestion for next year...some kind of flower

6. Iowa County Food Pantry Collection at Piggly Wiggly and beyond (Jacob Engel)
 - 7 individuals worked 19.5 hours (at Piggly Wiggly)
 - Volunteers included Boy Scout Troop 357, DHS Key Club, Grace Lutheran Church, Rockwell Mills 4-H
 - 218 items collected at Piggly Wiggly plus \$392 in cash donations
 - DHS Spanish Club took a trunk full of food to the food pantry.
 - DES students collected 575 items.

7. Assembling New Baby Bags (Donna Peterson)
 - Approximately 14 individuals worked 14 manhours
 - Volunteers included Grace Lutheran Church, Kiwanis, Dodgeville Mustang Cheer Team and family
 - 25 bags were completed for the Iowa County Health Department

8. Homemade Cookies and Bottled Water (Mary James, Krista Fischer)
 - LOTS of cookies were donated
 - Volunteers included members of Grace Lutheran Church, members of Dodgeville United Methodist Church, Hidden Valley Community Church, Rockwell Mills 4-H, Kiwanis, DHS Key Club (Approximately 30 individuals)
 - Enough cookies to donate a nice variety to the Feeding Friends program
 - Point Persons picked up cookies and water, before going to work sites
 - Will continue to do, each year

NOTE: APPROXIMATELY 157 INDIVIDUALS WORKED 295.5 MANHOURS (not including setting up spaces, time making cookies, etc.)

The DES 2nd-grade students painted kindness rocks and distributed them around the school campus and in the community, as part of Love Dodgeville. (The numbers above do not reflect that.)

TDS Communications partnered with us, this year, donating bags of treats for each volunteer and donating 3 cases of water.

Area businesses/organizations contributing cash donations include Kiwanis, Dodgeville Agri Service,, Vibe Body Art, Susan James, plus a large donation from the City of Dodgeville.

Our balance on hand, as of May 9, was \$1,96.76, after paying Upland Hills Health for the items in the May baskets. We are still, potentially, looking at paying for mulch and flowers used at the town entrances.

Mike Reilly, from the Dodgeville Chronicle, took photos, at various sites. There was a nice layout in the paper. Cara Thorison and Brenda Crowe took photos, at all sites, for the Facebook page, etc.

Still have t-shirts for sale...marked down to \$15. Not sure if there will be t-shirts going forward...

Date for 2024 Love Dodgeville – Sunday, May 5

2024 Planning Meetings will begin February/March 2024

THANK YOU SO MUCH FOR ALL YOUR HARD WORK!!



9545 N. Industrial Dr.
St. John, IN 46373

ESTIMATE

Section V. Item #10.

DATE	Estimate #
10/7/2022	27252

NAME / ADDRESS
Dodgeville Fire Department c/o City Hall 100 E. Fountain St. Dodgeville, WI 53533

Phone # 219-365-7157
Fax # 219-365-8572
Web Site: www.fireserviceinc.com

P.O. NO.	TERMS	REP	FOB
	Due Upon Compl...	House	St. John, IN

ITEM #	DESCRIPTION	QTY	COST	TOTAL
	Tanker refurbishment			
00001	Replace all discharge and suction valve with new Akron electric valves and contriollers. Total Material and Labor	1	35,250.00	35,250.00
00001	Replace discharge manifolds with new welded Stainless Steel manifolds Total Material and Labor	1	15,750.00	15,750.00
00001	Replace both operator pump panels with new aluminum panel with Black vinyl cladding. Total Material and Labor	1	7,550.00	7,550.00
00001	Rebuild current fire pump and pump transmission Total Material and Labor	1	24,450.00	24,450.00
00001	Rewire entire chassis, body and lighting wiring. Total Material and Labor	1	35,250.00	35,250.00
00001	Replace foam system with new A/B foam system Total Material and Labor	1	23,290.00	23,290.00
00001	Replace current pressure governor system Total Material and Labor	1	8,250.00	8,250.00
00001	Replace existing fiberglass water tank and tank gauges Total Material and Labor	1	45,500.00	45,500.00
TOTAL				

SIGNATURE



9545 N. Industrial Dr.
St. John, IN 46373

ESTIMATE

Section V. Item #10.

DATE	Estimate #
10/7/2022	27252

NAME / ADDRESS
Dodgeville Fire Department c/o City Hall 100 E. Fountain St. Dodgeville, WI 53533

Phone # 219-365-7157
Fax # 219-365-8572
Web Site: www.fireserviceinc.com

P.O. NO.	TERMS	REP	FOB
	Due Upon Compl...	House	St. John, IN

ITEM #	DESCRIPTION	QTY	COST	TOTAL
00001	Replace all warning lights, body compartment lights, DOT lights on unit with Whelen system design. Total Material and Labor	1	48,200.00	48,200.00
00001	Replace all master intake valves with new electric valves Total Material and Labor	1	25,150.00	25,150.00
00001	Repaint entire unit and replace stripping and lettering Total Material and Labor	1	45,500.00	45,500.00
TOTAL				\$314,140.00

SIGNATURE _____

Reliant Fire Apparatus, Inc.

For

Dodgeville Fire Department, WI

Proposal for Refurbishment Repair:

**One (1) – Peterbilt CustomFire
Pumper Tanker**

March 8, 2023

Quote is valid for 30 days.



Reliant Fire Apparatus Inc.

880 Enterprise Drive
Slinger, WI 53086

Reliant Fire Apparatus, Inc. is pleased to submit to the Dodgeville Fire Department a proposal for refurbishment. The following paragraphs will describe in detail the apparatus additions and modifications proposed.

WARRANTY

A separate warranty page detailing the warranty coverage will be provided with the proposal.

PAYMENT TERMS

Payment is to be made to Reliant Fire Apparatus, Inc., in full, at time of completion and final acceptance.

SHIPPING PRECAUTIONS

The following shipping precautions must be completed before transportation of the fire department’s apparatus to Reliant Fire Apparatus for refurbishment or repair. *Failure to complete the listed items below may result in additional costs to the fire department.*

1. All water tanks, foam tanks, pumps, all inlets and discharge plumbing, all drains, and any other plumbing are to be completely drained prior to being driven or flat-bedded.
2. Strip down all loose equipment unless arranged with Reliant prior to shipping to make the repair process easier and to eliminate the potential for lost equipment while the unit is being refurbished or repaired.
3. All loose or potentially loose items should be taped or strapped to ensure they do not come loose during transit.

INCOMING EMERGENCY PARKING BRAKE TEST

The following inspection will be performed by a qualified Reliant technician to ensure this apparatus is safe to drive and perform work on. Should any defects be found that are not already addressed in the proposed work, an itemized list of the defects, along with the costs to repair any additional items, will be provided to the fire department for review.

Repair of any defects will be “open”, pending approval and additional costs. No additional work will be performed without prior approval from the fire department.

INCOMING BATTERY LOAD TEST

All truck starting system batteries and battery cables will be visually inspected for cracks, acid leaks, corrosion, and overall condition. Along with the visual inspection a load test will be performed to verify the batteries cold cranking amps, voltage, and shorted cells.

Should any defects be found that are not already addressed in the proposed work, an itemized list of the defects, along with the costs to repair any additional items, will be provided to the fire department for review.

Repair of any defects will be “open”, pending approval and additional costs. No additional work will be performed without prior approval from the fire department.

INCOMING VEHICLE INSPECTION

The following inspections will be performed before the removal of any components and before any disassembly. A detailed inspection report will be forward to the fire department for disposition. Additional repairs will be open: subject to inspection.

- Incoming Electrical inspection
- Incoming Chassis Inspection and Road Test
- Incoming Pump Test
- Incoming Body Inspection
- Air Conditioning

Should any defects be found that are not already addressed in the proposed work, an itemized list of the defects, along with the costs to repair any additional items, will be provided to the fire department for review.

Repair of any defects will be “open”, pending approval and additional costs. No additional work will be performed without prior approval from the fire department.

SCOPE of WORK

As outlined below by request of the department via way of your qualified Reliant Fire Apparatus, Inc. sales representative.

CHASSIS

NEW TIRES

New tires will be provided for the commercial chassis.

The default brand of tire for the commercial chassis manufacturer for this apparatus will be used upon ordering unless specified otherwise.

They will provide the proper tread style and weight rating for the position in which the tire is installed.

CHASSIS AIR TESTS

All airlines, auxiliary air inlets, and air fittings will be troubleshot and tested for leaks and repaired as identified.

Repair of any defects other than lines or fittings will be “open”, pending approval and additional costs. No additional work will be performed without prior approval from the fire department.

CAB

HEATING AND AIR CONDITIONING (HVAC)

All HVAC units shall be thoroughly tested to ensure proper operation at all times.

All heater lines and compressor lines, front, and rear, shall be inspected.

All minor repairs will be performed as identified.

Repair of any defects other than minor will be “open”, pending approval and additional costs. An example of this would be if system is found to need full replacement of a new equivalent unit due to age and availability of components. No additional work will be performed without prior approval from the fire department.

BODY

HOSEBED HOSE RESTRAINT

A red hose bed cover will be furnished with awning rail (aluminum retainer) fasteners at the front and bungee cord and hook fasteners on the sides. There will be spring clip and hook fasteners at the bottom of the rear body sheet below the hose bed. The flap at the rear will be lead shot weighted.

PUMP

PUMP OVERHAUL, WATEROUS

The pump drive unit, transmission and drivelines will be removed. The pump body will be split, and the impeller assembly will be removed for bench service. The pump sections will be carefully cleaned and inspected for abnormal wear on the stripping edges or other damage. Any damage to the center case will be identified in writing and forward to the fire department with a parts and labor estimate if replacement is needed.

An entirely new impeller assembly will be installed, to include new impellers, wear rings, impeller shaft and seals/gaskets. Standard packing is included. The pump body will be reassembled following the manufacturers tightening sequence and fastener torque

specifications. The pump drive unit and driveline will be reinstalled. The driveline and drive unit will be serviced, including oil change in the drive unit, and greasing of the U-joints.

The pump main drain valve will be replaced with new.

The pump will be dynamically tested for leaks and to ensure the performance meets the manufacturers flow and pressure standards. The transfer valve, and any indicators, will be checked for correct operation within the manufacturers operating parameters. A pump test and certification will be provided when the work is complete.

Repair of any other defects found upon rebuild will be “open”, pending approval and additional costs. No additional work will be performed without prior approval from the fire department.

STAINLESS STEEL MANIFOLD

Stainless steel manifold will be removed, cleaned, inspected, repainted, and reinstalled. Should manifold deem replacement to be necessary a separate quote will be provided as this is rarely required.

VALVE REPLACEMENT

All discharge, tank fill, tank to pump and auxiliary inlet valves will be removed and replaced with new Waterous valves.

TANK TO PUMP

There will be a new electric tank to pump valve installed complete to replace the current air valve.

DRIVER SIDE AUXILIARY INTAKE

There will be a new electric side auxiliary intake valve installed complete to replace the current air valve.

ELECTRIC VALVE CONTROLLERS

New Waterous Electric controls will be provided for nine (9) valves replacing the original. A manual override control will be provided for each electrically operated valve.



SIDE INLET BUTTERFLY VALVE

There will be two (2) electric intake valves provided on each side main pump inlets in place of current air valves.

The 6.00" Jamesbury inlet valve will be recessed behind the pump panel with a stainless-steel trim ring around the opening.



A built-in, adjustable pressure relief valve and a bleeder valve will be provided on the inlet side of the valve.

There will be Akron 9333 electric valve controllers provided on the pump operator's panel. The electric controls must be of a true position feedback design, requiring no clutches in the motor or current limiting. The units must be completely sealed with momentary open, close as well and an optional one touch full open feature to operate the valve actuator. The controllers will provide position indication on a full color, backlit LCD display. They will have manual adjustment of the brightness as well as an auto dimming option.

The electric actuator will be furnished with a manual override accessible at the pump panel.

A maintain switch will be provided behind the stainless-steel access door near the manual override. The switch will cut off power to the valve to allow for manual override valve actuation.

REAR INLET BUTTERFLY VALVE

There will be one (1) electric intake valve provided on the rear main pump inlet in place of current air valve.

The 6.00" Jamesbury inlet valve will be recessed behind the pump panel with a stainless-steel trim ring around the opening.



A built-in, adjustable pressure relief valve and a bleeder valve will be provided on the inlet side of the valve.

There will be Akron 9333 electric valve controller provided on the pump operator's panel. The electric control must be of a true position feedback design, requiring no clutches in the motor or current limiting. The unit must be completely sealed with momentary open, close as well and an optional one touch full open feature to operate the valve actuator. The controller will provide position indication on a full color, backlit

LCD display. They will have manual adjustment of the brightness as well as an auto dimming option.

The electric actuator will be furnished with a manual override accessible at the pump panel.

A maintain switch will be provided behind the stainless-steel access door near the manual override. The switch will cut off power to the valve to allow for manual override valve actuation.

NEW PUMP AND GAUGE PANEL

A new top mount control panel will be constructed of aluminum with a black vinyl finish. A polished aluminum trim molding will be provided around each panel.

IDENTIFICATION TAGS

New identification tags for the pump controls will be provided. The discharge identification tags will be color coded, with each discharge having its own unique color.

All remaining identification tags will be mounted on the pump panel in chrome plated bezels.

PRESSURE CONTROLLER

A Fire Research Pump Boss Model PBA200 pressure governor will be provided.

A pressure transducer will be installed in the water discharge manifold on the pump.

The display panel will be located at the pump operator's panel.



*Peterbilt ECM needs to be verified it can communicate with electronic controller technology prior to conversion.

PRIMING PUMP

The priming pump will be changed out to a Trident Emergency Products compressed air powered, high efficiency, multi-stage venturi based AirPrime System, conforming to standards outlined in NFPA pamphlet #1901.

All wetted metallic parts of the priming system are to be of brass and stainless-steel construction.

One (1) priming control will open the priming valve and start the pump primer.

A second priming valve will be plumbed to the rear inlet. The second push button control will be located at the pump operator's panel.



PUMP CERTIFICATION

Pump test and certification once all pump work is complete will be provided.

ELECTRICAL

WIRE HARNESS INSPECTION and CONNECTOR REPLACEMENT

All wire harnesses will be inspected for damage and wear. Areas in need of repair will be amended, and harnesses will be wrapped in new wire loom.

All deutsch connectors will be replaced with new throughout the cab, chassis, body and pumphouse.

All new wiring will be provided where applicable, however, some vendor original harnesses may need to remain based on availability and obsolescence if not available to be replaced.

GENERATOR PM

The generator will be inspected, load tested, and a preventative maintenance service will be conducted.

All hoses, fluids, and filters will be changed with new.

COMPARTMENT LIGHTING

There will be eleven (11) compartments with two (2) white 12-volt DC LED compartment light strips. The dual light strips will be centered vertically along each side of the door framing. There will be two (2) light strips per compartment. The dual light strips will be in all body compartments and the cab compartments below each speedlay.

Opening the compartment door will automatically turn the compartment lighting on.

DOT LIGHTING

All FMVSS DOT lighting will be changed to LED models.

FRONT DOT LIGHTS

There will be five (5) Truck-Lite bullet style LED DOT visor lights provided. The lights will be amber in color.

The lights will activate as marker lights with the headlight switch and directional lights with the corresponding directional circuit.

FRONT DIRECTIONALS

There will be two (2) Truck-Lite LED front directionals provided. The lights will be amber in color.

HEADLIGHTS

There will be Truck-Lite® LED lights mounted in the front housing on each side of the cab hood.

The high beam and low beam lights will be activated when the headlight switch and the high beam switch is activated.

SIDE DIRECTIONAL/MARKER LIGHTS

There will be two (2) Truck-Lite, 2.00" high x 4.00" long amber LED lights installed on each side front body in a vertical position with an aluminum guard.

The lights will activate as marker lights with the headlight switch and directional lights with the corresponding directional circuit.

SIDE/REAR DIRECTIONAL/MARKER LIGHTS

There will be seven (7) Truck-Lite, 2.00" high x 4.00" long red LED lights installed on the side and rear body. The lights on the side and rear lower body corners will be in a

vertical position. The three (2) on the rear body to be located for the arrow stick will be in a horizontal position.

The lights will activate as marker lights with the headlight switch and directional lights with the corresponding directional circuit.

REAR STOP/TAIL, DIRECTIONAL AND BACKUP LIGHTING

The rear stop/tail and directional LED lighting will consist of the following:

- Two (2) Whelen®, Model M92BTT, 6.50" high x 10.40" wide x 1.40" deep brake/taillights with red LEDs
- Two (2) Whelen, Model M92T, 6.50" high x 10.40" wide x 1.40" deep directional lights with amber LEDs.
 - The directional lights will be set to standard flash pattern.
- The lens will be amber in color.
- The lights to include a chrome bezel.

There will be two (2) Whelen® Model M92BU, 6.50" high x 10.37" wide x 1.37" deep backup lights with white LEDs, clear lenses and chrome bezel provided.



LICENSE PLATE BRACKET

One (1) license plate bracket constructed of stainless steel will be provided at the rear of the apparatus.

One (1) white LED light with chrome bezel will be provided to illuminate the license plate. A stainless-steel light shield will be provided over the light that will direct illumination downward, preventing white light to the rear.

PERIMETER LIGHTS

All underbody perimeter lights will be replaced with LED.

CAB PERIMETER SCENE LIGHTS

There will be four (4) TecNiq, Model T10-LC00-1, 15.00" lights with white LEDs and 45-degree stainless steel brackets provided per the following:

- one (1) under the driver's side cab access step
- one (1) under the passenger's side cab access step
- one (1) under the passenger's side crew cab access step
- one (1) under the driver's side crew cab access step

The lights will be activated when the battery switch is on, when the respective door is open and by the same control selected for the body perimeter lights.



PUMP HOUSE PERIMETER LIGHTS

There will be two (2) TecNiq, Model T10-LC00-1, 15.00" white 12-volt DC LED strip lights provided.

The lights will be mounted in the following locations:

- One (1) light will be provided under the driver's side pump panel running board.
- One (1) light will be provided under the passenger's side pump panel running board.

The lights will be controlled by the same means as the body perimeter lights.

BODY PERIMETER SCENE LIGHTS

There will be two (2) TecNiq, Model T10-LC00-1, 15.00" 12-volt DC LED strip lights provided at the rear step area of the body, one (1) each side shining to the rear.

The perimeter scene lights will be activated when the parking brake is set.

STEP LIGHTS

All step lights will be replaced with LED.

STEP LIGHTS

White LED step lights will be provided in all areas to replace halogen step lights where applicable.

To ensure exceptional illumination, each light will provide a minimum of 25 foot-candles (fc) covering an entire 15.00" x 15.00" square placed 10.00" below the light and a minimum of 1.5 fc covering an entire 30.00" x 30.00" square at the same 10.00" distance below the light.

These step lights will be actuated with the pump panel light switch.

All other steps on the apparatus will be illuminated per the current edition of NFPA 1901.

WARNING LIGHTS

All warning lights will be changed to LED.

CAB ROOF LIGHTBAR

There will be one (1) 56.00" Whelen, Model Justice LED lightbar mounted on the cab roof.


This lightbar will include the following:

- Four (4) red flashing forward facing LED modules.
- Two (2) white flashing forward facing LED modules.
- Two (2) red flashing front corner LED modules.
- Two (2) red flashing rear corner LED modules.

The lens color will be clear.

There will be a switch, located in the cab on the switch panel, to control this lightbar.

The white warning lights will be disabled when the parking brake is set.



Reference Only

LIGHTS, FRONT ZONE LOWER

Two (2) Whelen model M6 LED flashing warning lights installed on the cab face grille with chrome bezels.

- The driver’s side front warning light is to be red.
- The passenger’s side front warning light is to be red.



Both lights will include a colored lens.

There will be a switch located in the cab on the switch panel to control the lights.

LIGHTS, SIDE ZONE LOWER

Two (2) Whelen model M6 LED flashing warning lights will be installed on each side of the bumper with chrome bezels.

- The driver’s side front warning light is to be red.
- The passenger’s side front warning light is to be red.



Both lights will include a colored lens.

Two (2) Whelen model M9 LED flashing warning lights will be installed on each side of the body between the tandem wheels with chrome bezels.

- The driver’s side rear warning light is to be red.
- The passenger’s side rear warning light is to be red.



There will be a switch located in the cab on the switch panel to control the lights.

REAR/SIDE ZONE UPPER WARNING LIGHTS

There will be two (2) Whelen®, Model L31H*FN, LED warning beacons provided at the rear of the truck, located one (1) each side. There will be a switch located in the cab on the switch panel to control the beacons.

The color of the lights will be red LEDs with both domes red.



REAR ZONE LOWER LIGHTING

There will be two (2) Whelen®, Model M6, LED flashing warning lights located at the rear of the apparatus.

- The driver’s side rear warning light is to be red.



- The passenger's side rear warning light is to be red.

Both lights will include a lens that is red.

There will be a switch located in the cab on the switch panel to control the lights.

TRAFFIC DIRECTING LIGHT

There will be one (1) Whelen Model TADF6, 34.00" long x 2.35" high x 2.38" deep, LED traffic directing light installed at the rear of the apparatus. There will be a TADCTL1 controller included with this installation.

There will be the Model TDP33000 red and amber LED light assembly included with this installation. The red LED's will be in the three (3) positions on the driver's side. The red LED's will be in the three (3) positions on the passenger's side. The amber LED's will be included in all six (6) position.

The red LED's will be activated when the battery switch is on, and the emergency master switch is on.

The controller will deactivate the red and blue LED's when on and control the pattern of the amber LED's.

This traffic directing light will be surface mounted over the rear door, at the rear of the apparatus as high as practical.

SCENE LIGHTS

All scene lighting will be changed to LED.

120 VOLT LIGHTING – PUSH UP LIGHTS

There will be two (2) Fire Research Spectra MAX, Model SPA530-K28, 28,000 lumens, 120-volt AC LED scene lights provided on push up, side mount poles located one (1) on each side of the crew cab module in existing locations of current push up light poles.

The painted parts of this light assembly head will be white with a chrome bezel face.

The lights selected above will be controlled by the circuit breaker included in the AC breaker panel as well as following:

The light will be controlled from:

- A switch at the driver's side switch panel
- A switch at the pump panel

These lights will not be connected to the do not move apparatus light.



CORROSION

CORROSION CLEAN UP

- Truck will be placed on a lift and wheels will be removed for repair.
- All frame rail edge protection from the rear of the cab back will be removed. All accessible wires, hoses, and lines near the frame rails that are not already protected will be wrapped to safeguard from chafing.
- All accessible areas of corrosion from the underside of the truck and from inside of the wheel wells will be needled / scaled / sandblasted to remove as much corrosion as possible. Areas to receive corrosion cleanup will be the accessible areas of the frame rails, suspension, axles, and substructures.
- A rust inhibitor will be applied to all areas that were cleaned of corrosion.
- All areas needled / scaled / sandblasted and treated will be repainted to match that of existing paint color.
- An underbody Carwell application will be applied to the frame and substructures after all other work is completed.

CORROSION REPAIR

Repair minor body corrosion around the body warning light, fender panel area, and other areas as designated via photos taken by your qualified Reliant sales representative.

Corrosion areas will be metal finished, primed and painted.

Additional major corrosion and / or accident damage repair costs will be open: subject to inspection and written approval by the fire department.

UNDERCOATING, CAB & BODY

The apparatus will be properly treated by an authorized Ziebart dealer.

The underside of the apparatus will be undercoated with an asphalt petroleum-based material, dark in color.

The undercoating material utilized on the apparatus will be formulated to resist corrosion and deaden unwanted sound or road noise.

Coating texture will appear firm, flexible, and resistant to abrasion. Minimum dry film thickness will be in the range of 8.00 to 12.00 mils.

The material will be applied to the following areas:

- Body and cab wheel well fender liners, on the back side only.
- Underside of body and cab sheet metal, and structural components.
- Underside and vertical sides of all sheet metal compartmentation, including support angles.
- Structural support members under running boards, rear platforms, battery boxes, walkways, etc.
- Inside surfaces of the pump heat enclosure. (When installed)
- Suspension mounts.
- Transmission cooler fittings.
- Engine mounts.
- Bottom and outside of framrails behind the forward edge of the water pump.

Exclusions will be:

- Engine
- Transmission
- Drive lines
- PTO's
- Schroeder valves and tank drains
- Intake valves
- Air Horns, sirens, and back-up alarms
- Frame rails forward of the forward edge of the water pump.

PAINT and GRAPHICS

PAINT

All areas of corrosion will be metal finished, primed, and re-painted.

REAR CHEVRON STRIPING

There will be alternating chevron striping located on the rear-facing vertical surface of the apparatus. The rear surface, excluding the rear compartment door, will be covered.

The colors will be red and fluorescent yellow green diamond grade.

Each stripe will be 6.00" in width.

This will meet the requirements of the current edition of NFPA 1901, which states that 50% of the rear surface will be covered with chevron striping.



TOTAL PROJECT COST: \$183,296.00

REQUESTED OPTIONS

NEW WATER TANK

Remove and replace the existing steel water tank with the following.

Booster tank will have a capacity of 1500 gallons and be constructed of UV stabilized ultra-high impact polypropylene plastic by a manufacturer with a minimum of 20 years' experience building tanks, is ISO 9001:2000 certified in all its manufacturing facilities and has over 50,000 tanks in service.

Tank joints and seams will be nitrogen welded inside and out.

Tank will be baffled in accordance with NFPA Bulletin 1901 requirements.

Baffles will have vent openings at both the top and bottom to permit movement of air and water between compartments.

Longitudinal partitions will be constructed of .38" polypropylene plastic and will extend from the bottom of the tank through the top cover to allow for positive welding.

Transverse partitions will extend from 4.00" off the bottom of the tank to the underside of the top cover.

All partitions will interlock and will be welded to the tank bottom and sides.

Tank top will be constructed of .50" polypropylene. It will be recessed .38" and will be welded to the tank sides and the longitudinal partitions.

Tank top will be sufficiently supported to keep it rigid during fast filling conditions.

Construction will include 2.00" polypropylene dowels spaced no more than 30.00" apart and welded to the transverse partitions. Two (2) of the dowels will be drilled and tapped (.50" diameter, 13.00" deep) to accommodate lifting eyes.

A sump that is 8.00" long x 10.00" wide x 6.00" deep will be provided at the bottom of the water tank.

Sump will include a drain plug and the tank outlet.

Tank will be installed in a fabricated cradle assembly constructed of structural steel.

Sufficient crossmembers will be provided to properly support bottom of tank.
Crossmembers will be constructed of steel bar channel or rectangular tubing.

Tank will "float" in cradle to avoid torsional stress caused by chassis frame flexing.
Rubber cushions, .50" thick x 3.00" wide, will be placed on all horizontal surfaces that the tank rests on.

Stops or other provision will be provided to prevent an empty tank from bouncing excessively while moving vehicle.

Mounting system will be approved by the tank manufacturer.

Water tank domes will be located on driver side of the tank.

TANK CRADLE

The water tank will be installed in a fabricated cradle assembly constructed for the new tank.

Sufficient crossmembers will be provided to properly support bottom of tank.
Crossmembers will be constructed of stainless-steel bar channel or rectangular tubing.

Isolator material, such as DuraSurf, will be provided between the frame and cradle.

Cost includes new tank, cradle and all associated components to convert and disposal of existing tank removed.

TOTAL NEW WATER TANK OPTION: \$35,452.00

EJ METALS UHP SYSTEM COMPACT DESIGN COMPARTMENT MOUNTABLE MODULE

EJ Metals shall provide and install a 20 GPM Ultra-High-Pressure in the driver's side front compartment.

This unit will have the following:

- Ultra-High-Pressure Pump
- Die Case Aluminum Crankcase
- Stainless Steel Valves and Seats
- Chrome-Moly Crankshaft
- Oversized Bearings
- High Strength Forged Brass Manifolds
- Specially Formulated High-Pressure Seals
- Honda IGX 800 engine is 24.9. HP for a Honda GX 690 is 22.13 Gallon fuel tank
- 20 GPM @1500 PSI
- Electric Rewind Reel
- Electronic Tank to Pump Valve
- EJM Tri-Plex Locking Nozzle
- Foam metering Valve .05% to 6.0%
- 150 ft of 1/2" Two Wire UHP Hose
- Winterization port in panel W/ chrome cap & chain
- LED control panel light
- Ignition Switch with Key
- Engine Choke
- On / Flush - Foam Agent Valve
- Engine Start Pump By-pass Valve
- Utilization of On-Board Truck Water Tank
- Utilization of On-Board Truck Foam Cell
- The project will require some engineering but estimated minimum space required is W=45.5", D=30.5", H=36.0"



TOTAL UHP OPTION COST: \$28,400.00

APPLICATION DETAILS

APPLICATION DATE: 5/4/23 LICENSE YEAR: July 1, 2023 June 30, 2024
BUSINESS NAME: Bob's Bitchin' BBQ APPLICANT NAME: Robert Page
BUSINESS ADDRESS: 167 N. Iowa St., Dodgeville WI 53533
PHONE: 608-930-2229 EMAIL: info@bobsbitchinbbq.com

TO INCLUDE WITH YOUR APPLICATION:

- Proof of Liability Insurance
- Sketch or Plot Plan that must include: Street Name, Side(s) of Building, Outdoor Seating Layout, fencing location, and parking stalls needed
- Photos or product specs for the barricade or fencing that will be used
- If serving alcohol, your liquor license will have to be amended to include the expanded area

PROVIDE ADDITIONAL DETAILS DESCRIBING YOUR OUTDOOR LAYOUT (Include garbage collection plans):


Applicant understands Chapter 12.025 of the Dodgeville Municipal Code that governs 'Extension of Premises' in the City of Dodgeville and agrees to comply with those regulations.

Signature: Robert Page Date: 5/4/23

FOR OFFICE USE ONLY

Proof of Insurance Provided: YES NO Police Review : YES NO
Public Works Review: YES NO Council Approval: YES NO
Issue Date: _____ PERMIT #: _____

MERRIMAC STREET



IOWA ST

SIDE WALK

Bob's Bitchin
BBQ



EXTENSION OF PREMISES PERMIT APPLICATION

APPLICATION DETAILS

APPLICATION DATE: 5/11/23 LICENSE YEAR: July 1, 23 - June 30, 2024
 BUSINESS NAME: DE NO' APPLICANT NAME: Dean Whitish
 BUSINESS ADDRESS: 110 Diagonal Dodgeville WI 53533
 PHONE: (608) 935-9380 EMAIL: _____

TO INCLUDE WITH YOUR APPLICATION:

- Proof of Liability Insurance
- Sketch or Plot Plan that must include: Street Name, Side(s) of Building, Outdoor Seating Layout, fencing location, and parking stalls needed
- Photos or product specs for the barricade or fencing that will be used
- If serving alcohol, your liquor license will have to be amended to include the expanded area

PROVIDE ADDITIONAL DETAILS DESCRIBING YOUR OUTDOOR LAYOUT (Include garbage collection plans):

Iron Fenced in Beer garden with entrance from front door of
Bar at 110 Diagonal St Dodgeville WI. Fencing will be the
same as last year that has one access point

Applicant understands Chapter 12.025 of the Dodgeville Municipal Code that governs 'Extension of Premises' in the City of Dodgeville and agrees to comply with those regulations.

Signature: Dean Whitish Date: 5/11/23

FOR OFFICE USE ONLY

Proof of Insurance Provided: YES NO

Police Review : YES NO

Public Works Review: YES NO

Council Approval: YES NO

Issue Date: _____

PERMIT #: _____

Return Application to - City of Dodgeville Clerk - 100 E Fountain St, Dodgeville, WI 53533
 Or Email: cityclerktreas@ci.dodgeville.wi.us - Phone: 608-930-5228

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report

Section V. Item #12.

Case Number:

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License - Alcohol Beverage	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Dean's Liquor and Bait		

Assigned Units

Assign Arrive Clear

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Kwik Trip (North) #340, 1122 N Bequette ST , Dodgeville, WI 53533 Phone: (608) 930-2200

Applicant

Kwik Trip (South)#765, 115 S Iowa ST , Dodgeville, WI 53533 Phone: (608) 935-9484

Applicant

New Horizons / Mr. T's Easy Stop, 101 CTH YZ STH 23, Dodgeville, WI 53533 Phone: (608) 935-3190

Applicant

Piggly Wiggly, 316 W Spring ST Springgate Mall, Dodgeville, WI 53533 Phone: (608) 935-2366

Applicant

Walgreens #10962, 1133 N Johns ST , DODGEVILLE, WI 53533 Phone: (608) 935-2041

Applicant

Wal-Mart #0847, 601 E Leffler ST , Dodgeville, WI 53533 Phone: (608) 935-2723

Applicant

Dean's Liquor and Bait, 205 CTH YZ , DODGEVILLE, WI 53533 Phone: (608) 930-8880

Report Notes

City of Dodgeville Police Department
Licenses and Permits - Application Investigation
Prepared by Chief of Police David Bauer

Application for Alcohol Beverage License - Class A

The following business was reviewed for licensing.

Name of Business:

Piggly Wiggly Midwest LLC
Kwik Trip 340
Kwik Trip 765
Dean's Liquor and Bait
Walgreens Co

Wal-Mart Stores East LP
New Horizons Supply Cooperative

Noted deficiencies: None

Information revealed that the application for an operator s license is in compliance with regulations and applicable laws, notwithstanding noted deficiencies.

The premises are non compliant with some ordinances, namely 12.02(J)(10), but this condition has existed in previous licensing and exists in nearly all licensed locations.

Chief of Police report with recommendation

This report to the Common Council is a recommendation for issuance of license for this applicant or license holder.

Officer Signature

Date

Further Investigation

Supervisor Signature

Date

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report

Section V. Item #12.

Case Number:

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License - Alcohol Beverage	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Bob's Bitchin' BBQ		

Assigned Units

Assign Arrive Clear

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant**Dodger Bowl**, 321 W King ST , Dodgeville, WI 53533 Phone: (608) 935-2595**Applicant****Corralejo Mexican Grill**, 237 N Iowa ST , Dodgeville, WI 53533 Phone:**Applicant****Dino's**, 110 N Diagonal ST , Dodgeville, WI 53533 Phone: (608) 935-9380**Applicant****Duke's Brew Pub & Ale House**, 105 E Chapel ST , DODGEVILLE, WI 53533 Phone: (608) 574-5651**Applicant****Jeffrey's Tavern**, 113 E Chapel ST Apt. , Dodgeville, WI 53533 Phone: (608) 935-3078**Applicant****Red Room Tavern**, 108 E Merrimac ST , Dodgeville, WI 53533 Phone: (608) 935-7108**Applicant****Bob's Bitchin' BBQ**, 167 N Iowa ST , Dodgeville, WI 53533 Phone: (608) 513-9493**Report Notes**City of Dodgeville Police Department
Licenses and Permits - Application Investigation
Prepared by Chief of Police David Bauer

Application for Alcohol Beverage License Class B

The following business was reviewed for licensing.

Name of Business:

Red Room Inc
Jeffrey's House of Foolishness
Corralejo Mexican Restaurant
Bob's Bitchin BBQ
MAG Entertainment Cobblestone - Duke's Brew Pub & Ale House

Dino's
DodgerBowl Lanes

Information revealed that the application for an operator's license is in compliance with regulations and applicable laws.

Some of the premises are non compliant with identified ordinances, namely 12.02(J)(10), but this condition has existed in previous licensing and exists in nearly all licensed locations.

Officer Signature

Date

Further Investigation

Supervisor Signature

Date

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report

Section V. Item #12.

Case Number:

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License - Alcohol Beverage	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Cathryn's Market, 206 N Iowa ST, Dodgeville WI 53533		

Assigned Units*Assign Arrive Clear*

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Cathryn's Market, 206 N Iowa ST , Dodgeville, WI 53533 Phone: (608) 930-2777
--

Report Notes

<p>City of Dodgeville Police Department Licenses and Permits - Application Investigation Prepared by Chief of Police David Bauer</p> <p>Application for Alcohol Beverage License Class B/C</p> <p>The following business was reviewed for licensing.</p> <p>Name of Business:</p> <p>Cathryn's Market</p> <p>Information revealed that the application for an operator's license is in compliance with regulations and applicable laws.</p>

*Officer Signature*_____
Date Further Investigation_____
*Supervisor Signature*_____
Date

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report

Section V. Item #12.

Case Number:

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License - Alcohol Beverage	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Pizza Hut, 1410 N Johns ST, Dodgeville WI 53533		

Assigned Units*Assign Arrive Clear*

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Pizza Hut, 1410 N Johns ST , Dodgeville, WI 53533 Phone: (608) 935-2300

Report Notes

<p>City of Dodgeville Police Department Licenses and Permits - Application Investigation Prepared by Chief of Police David Bauer</p> <p>Application for Alcohol Beverage License Class B</p> <p>Name of Business:</p> <p>Pizza Hut</p> <p>Information revealed that the application for an operator's license is in compliance with regulations and applicable laws.</p> <p>Some of the premises are non compliant with identified ordinances, namely 12.02(J)(10), but this condition has existed in previous licensing and exists in nearly all licensed locations.</p>

*Officer Signature*_____
Date Further Investigation_____
*Supervisor Signature*_____
Date

Dodgeville Police Department111 W Merrimac ST
Dodgeville, WI 53533

Phone: (608) 935-3238

Incident Report

Section V. Item #13.

Case Number:

<i>Date/Time Reported</i> 05/31/2023	<i>Nature of Incident</i> License - Cigarette/Tobacco	<i>Case Status</i> Closed
<i>Date/Time Occurred</i>	<i>Case Outcome/Disposition</i> Closed	
<i>Location of Incident</i> Dean's Liquor and Bait		

Assigned Units

Assign Arrive Clear

Assigned	Chief David J Bauer	DPD
----------	---------------------	-----

Applicant

Kwik Trip (North) #340, 1122 N Bequette ST , Dodgeville, WI 53533 Phone: (608) 930-2200

Applicant

Kwik Trip (South)#765, 115 S Iowa ST , Dodgeville, WI 53533 Phone: (608) 935-9484

Applicant

New Horizons / Mr. T's Easy Stop, 101 CTH YZ STH 23, Dodgeville, WI 53533 Phone: (608) 935-3190

Applicant

Piggly Wiggly, 316 W Spring ST Springgate Mall, Dodgeville, WI 53533 Phone: (608) 935-2366

Applicant

King's Mart, 420 N Iowa ST , Dodgeville, WI 53533 Phone:

Applicant

Walgreens #10962, 1133 N Johns ST , DODGEVILLE, WI 53533 Phone: (608) 935-2041

Applicant

Wal-Mart #0847, 601 E Leffler ST , Dodgeville, WI 53533 Phone: (608) 935-2723

Applicant

Dean's Liquor and Bait, 205 CTH YZ , DODGEVILLE, WI 53533 Phone: (608) 930-8880

Report Notes

City of Dodgeville Police Department
Licenses and Permits - Application Investigation
Prepared by Chief of Police David Bauer

Application for Cigarette and Tobacco Products License

Name of Business:
Dean's Liquor & Bait LLC
New Horizon's Supply Cooperative
Kwik Trip #340

Kings Mart
Kwik Trip #765
Piggly Wiggly
Wal-mart
Walgreens

Noted deficiencies: None

Information revealed that the applications for cigarette license is in compliance with regulations, ordinances, and applicable laws, notwithstanding noted deficiencies. Additionally, the records for the establishment have been reviewed and found that no violations of the license have been reported within the past year.

Officer Signature

Date

Further Investigation

Supervisor Signature

Date

ORDINANCE NO. 2023-02

AN ORDINANCE TO AMEND SECTION 12.02(I)(1) OF THE MUNICIPAL CODE OF THE CITY OF DODGEVILLE, IOWA COUNTY, WISCONSIN, RELATING TO SALE RESTRICTIONS ON THE SALE OF CLASS B PACKAGED GOODS

THE COMMON COUNCIL OF THE CITY OF DODGEVILLE, IOWA COUNTY, WISCONSIN, DO HEREBY ORDAIN AS FOLLOWS:

Section I: Section 12.02(I)(1) of the Municipal Code of the City of Dodgeville shall be and hereby is amended to read as follows:

“(1) *Sale Restrictions.* Intoxicating liquor may be sold for consumption away from the premises in accordance with Wis. Stat. § 125.51(3)(b).”

Section II: This ordinance shall become effective upon its passage and publication as required by law.

Adopted and approved this 6th day of June 2023.

Todd D. Novak, Mayor

ATTEST:

Lauree M. Aulik, City Clerk

Date Adopted: _____
Date Published: _____
Effective Date: _____