



PLANNING & ZONING COMMISSION MEETING

Tuesday, June 24, 2025 at 6:00 PM

Agenda

- 1. Call to Order**
- 2. Opening Prayer and Pledge of Allegiance**
- 3. Consideration and Approval of Minutes**
 - [A\)](#) Review and Approve May 27, 2025 Board Minutes
- 4. Request for Variance**
 - [A\)](#) Discussion and Consideration of 1743 Hwy 51 Texaco Sign Variance
- 5. New Business**
- 6. Next Meeting**
 - A) The Next Planning and Zoning Meeting Will Be Held on July 22, 2025
- 7. Adjourn**

**MINUTES OF THE REGULAR MEETING
OF THE PLANNING AND ZONING COMMISSION
OF THE CITY OF GLUCKSTADT, MISSISSIPPI**

A regular meeting of the Planning and Zoning Commission of the City of Gluckstadt, Mississippi (“the Board”), was duly called, held, and conducted on Tuesday, May 27, 2025, at 6:00 p.m. at Gluckstadt City Hall, 343 Distribution Drive, Gluckstadt, Madison County, Mississippi.

The following members were present, to-wit:

Tim Slattery
Andrew Duggar
Katrina B. Myricks
Phillips King
Kayce Saik

Absent:

Sam McGaugh (Chairman)
Melanie Greer (Vice-Chairwoman)

Also present:

Zachary L. Giddy, Attorney
William Hall and Chris Buckner, City of Gluckstadt

Upon the time to call the meeting to order, Zoning Administrator William Hall announced that both the Chairman and Vice Chairwoman would be absent for this meeting. Attorney Zac Giddy advised that the Board members present would need to elect a temporary chair. On motion by Commissioner Andrew Duggar and seconded by Commissioner Katrina Myricks, the Board present voted unanimously to elect Kayce Saik Temporary Chairwoman for this current meeting. The Temporary Chairwoman declared the motion carried.

Temporary Chairwoman Kayce Saik called the meeting to order. Roll was called and it was announced that a majority of the voting members of the Board were present, and that said number constituted a quorum.

Temporary Chairwoman Kayce Saik opened the meeting with prayer and led the Pledge of Allegiance.

All members of the Board present acknowledged receipt of the agenda and the agenda was as follows:

- 1. Call to Order**
- 2. Opening Prayer and Pledge of Allegiance**
- 3. Consideration and Approval of Minutes**
 - A) Review and Approve April 22, 2025 Board Minutes
- 4. New Site Plan Considerations**
 - A) Discussion and Consideration of Gluckstadt Office Park Building C Site Plan
 - B) Discussion and Consideration of Citizens National Bank Site Plan
- 5. New Plat Considerations**
 - A) Discussion and Consideration of GGL Business Park Preliminary Plat
 - B) Discussion and Consideration of GGL Business Park Final Plat
- 6. New Business**
- 7. Old Business**
 - A) Discussion and Consideration of 1265 Gluckstadt Road Site Plan
- 8. Next Meeting**
 - A) The Next Planning and Zoning Meeting Will Be Held on June 24, 2025
- 9. Adjourn**

The Board considered the Minutes of the April 22, 2025, regular meeting. Commissioner Phillips King moved to approve the minutes presented as written. The motion was seconded by Commissioner Tim Slattery and approved unanimously by all present Commissioners. The Temporary Chairwoman declared the motion carried.

Site Plan – Gluckstadt Office Park Building C

The Board next considered the site plan for Gluckstadt Office Park Building C for property located on Old Jackson Road in the City of Gluckstadt. William Hall advised that city staff have reviewed the submitted site plan and all required changes have been made; landscape and drainage plans have been submitted; and construction documents have been submitted. Discussion was had regarding a shared driveway between other buildings.

After discussions, on motion by Commissioner Andrew Duggar and seconded by Commissioner Katrina Myricks the Board present voted unanimously to recommend to the Mayor and Board of Aldermen that they approve the site plan as submitted. The Temporary Chairwoman declared the motion carried.

Site Plan –Citizens National Bank

The Board next considered the site plan for Citizens National Bank for property located at Calhoun Station Parkway and Gluckstadt Road and identified by Tax Parcel No. 082E-21-001/09.00 in the City of Gluckstadt. William Hall advised that the building design has been approved by the Architectural Review Board Committee. Mr. Hall further advised that landscape design and drainage plans have been submitted and all meet city standards. There was discussion regarding curb cut for the driveway. Chris Buckner advised that the curb cut is necessary and the next two adjacent buildings will not have a curb cut.

After discussions, on motion by Commissioner Phillips King and seconded by Commissioner Tim Slattery the Board present voted unanimously to recommend to the Mayor and Board of Aldermen that they approve the site plan as submitted. The Temporary Chairwoman declared the motion carried.

Preliminary Plat – GGL Business Park

The Board next considered the preliminary plat for GGL Business Park. William Hall advised the Board that this is the Zaxby's location and that city staff have reviewed the plans and approved the subdividing of the lot. There was discussion regarding width of lots. Mr. Hall advised that the width meets standard for single tenant lots. On motion by Commissioner Andrew Duggar and seconded by Commissioner Tim Slattery, the Board voted unanimously to recommend to the Mayor and Board of Aldermen that they approve the preliminary plat for GGL Business Park as submitted. The Temporary Chairwoman declared the motion carried.

Final Plat – GGL Business Park

The Board next considered the final plat for GGL Business Park. William Hall advised the Board on the final plat and stated that utilities are already in place and no alterations to the preliminary plat were needed. On motion by Commissioner Phillips King and seconded by Commissioner Tim Slattery, the Board voted unanimously to recommend to the Mayor and Board of Aldermen that they approve the final plat for GGL Business Park as submitted. The Temporary Chairwoman declared the motion carried.

NEW BUSINESS

None.

OLD BUSINESS

Site Plan – 1265 Gluckstadt Road

The Board next considered the site plan for Gluckstadt Management, LLC for property located at 1265 Gluckstadt Road in the City of Gluckstadt and identified by Tax Parcel Number 082H-28-008/04.00. William Hall presented the site plan and reminded the Commissioners that the site plan was previously before the Planning and Zoning Commission and this is a revised site plan being presented. The subject property is on the south side of Weisenberger Road with existing building. Applicant proposes to remodel the existing building for use as a medical clinic with proposed changes to the curb cut and additional parking for the clinic. The existing tenant will remain in the building. Mr. Hall advised Commissioners that the developer has discussed the site plan with city staff and is aware of utilities currently in place that would need to be relocated.

On motion by Commissioner Tim Slattery and seconded by Commissioner Katrina Myricks the Board present voted unanimously to recommend to the Mayor and Board of Aldermen that they approve the site plan as submitted. The Temporary Chairwoman declared the motion carried.

There was no further business to be presented.

ADJOURN

Commissioner Phillips King moved that the meeting be adjourned. The motion was seconded by Commissioner Tim Slattery and approved unanimously by all present Commissioners. The Chairman declared the Motion carried.

WITNESS OUR HANDS, this the _____ day of _____, 2025.

SAM McGAUGH, Chairman

MELANIE GREER, Vice Chairman/Secretary

REQUEST FOR DIMENSIONAL VARIANCE APPLICATION

Subject Property Address: 1743 Hwy 51, Madison, MS 39110

Owner: SUM OIL LLC

Applicant: _____

Address: P.O. Box 525

Address: _____

Bay Springs, MS 39122

Phone No. 601-764-2135

Phone No. _____

Current Zoning District: 082H-27-004/04.00

Requirements of Applicant:

1. Letter stating reason for requested dimensional variance.
2. Copy of the written legal description.
3. Site plan, building elevations and floor plan drawings on 8.5" x 11".
4. Four complete sets of working plans.
5. Proposed signage to include color and size.
6. \$250.00 fee required for processing.

Requirements for Granting Variances: (Section 3004.01 - Zoning Ordinance)


- (a) Applicant shall demonstrate that special conditions and circumstances exist which are peculiar to the land, structure or building involved and which are not applicable to other lands, structures or buildings in the same district.
- (b) Applicant shall demonstrate that literal interpretation of the provisions of this Ordinance would deprive the applicant of rights commonly enjoyed by other properties in the same district under terms of this Ordinance.
- (c) Applicant shall demonstrate that granting the variance will not confer on the applicant any special privilege that is denied by this Ordinance to other lands, structures or buildings in the same district.

Applicant shall be present at the Planning and Zoning Commission meeting and Mayor/Board of Aldermen meeting. Documents shall be submitted thirty (30) days prior to the Planning and Zoning Commission meeting.

Applicant is responsible for complying with all applicable requirements of the Zoning Ordinance.

By signing this application, it is understood and agreed that permission is given to the Zoning Administrator to have a sign erected on subject property, giving notice to the public that said property is being considered for a dimensional variance.

Applicant Signature



Property Owner Signature

Date

4-3-2025

Date



Column Software PBC
PO Box 208098
Dallas, TX 75320-8098
help.column.us

Bill to
City of Gluckstadt Planning and Zoning

Invoice number
Notice ID
Publisher
Date of issue
Date due
Amount due

20571CB1-0054
vLTgV8G9RpwYW2jW8Qmz
Madison County Journal
Jun 3, 2025
Jul 3, 2025
\$27.44

Description	Qty	Unit price	Amount
06/05/2025: Other Notice	1	17.40	17.40
Proof of Publication Fee	1	3.00	3.00

=== Notes ===

Notice Name: Dimensional Variance - Sun Oil, LLC

=== How to pay this invoice ===

Column Software PBC accepts online payment via credit or debit card, or ACH bank transfers. Please click here to pay online:

<https://www.column.us/invoices/EfsY486p67KCpehUU7nq/pay>

Please note that, once paid, the merchant name on your billing statements will be Column Software PBC.

Select organizations may also pay via check. Checks will result in processing delays and should not be used if your notice requires upfront payment. Please pay the exact amount due, write your invoice number 20571CB1-0054 on the memo, include a printed copy of your invoice PDF, make the check payable to Column Software PBC, and mail to the address above.

Net Subtotal	\$20.40
Tax	0.00
Processing Fee	7.04
Amount due	\$27.44



Pay here: <https://www.column.us/invoices/EfsY486p67KCpehUU7nq/pay>

Questions? Visit help.column.us

20571CB1-0054 - Page 1 of 1

Scanned to A/P 6.4.2025



INTERIM AD DRAFT

This is the proof of your ad scheduled to run in **Madison County Journal** on the dates indicated below. If changes are needed, please contact us prior to deadline at **(601) 853-4222**.

Notice ID: vLTgV8G9RpwYW2jW8Qmz | **Proof Updated: Jun. 03, 2025 at 11:34am CDT**
Notice Name: Dimensional Variance - Sun Oil, LLC

This is not an invoice. Below is an estimated price, and it is subject to change. You will receive an invoice with the final price upon invoice creation by the publisher.

FILER	FILING FOR
Bridgette Smith	Madison County Journal
bridgette.smith@gluckstadt.net	
(769) 567-2306	

Columns Wide:	1	Ad Class: Legals
Total Column Inches:	3.34	
Number of Lines:	29	

06/05/2025, Other	17.40
Proof of Publication Fee	3.00

Subtotal	\$20.40
Tax	\$0.00
Processing Fee	\$7.04
Total	\$27.44

NOTICE IS HEREBY GIVEN TO THOSE PARTIES IN INTEREST that there will be a Public Hearing on Tuesday, June 24, 2025 at 6:00 PM before the Gluckstadt Planning and Zoning Commission, at the Gluckstadt City Hall, 343 Distribution Drive, Gluckstadt, MS 39110, for the purpose of request for Dimensional Variance to reface the existing sign for the following described parcel:

Madison Co, Tax Parcel No.
082H-27-004/04.00

1743 Highway 51, Gluckstadt, MS 39110

The Public Hearing in relation thereto shall provide parties in interest and citizens an opportunity to be heard. A copy of the Dimensional Variance Application shall be available at the Gluckstadt City Hall for inspection by the public.

/s/ Lindsay Kellum
City Clerk's Signature

Published: June 5, 2025

LSI Industries

5127 Boyer Parkway

Akron, OH 44312

317-507-9793

Michael.christen@lsicorp.com

April 5, 2025

Planning and Zoning Commission Appeals

Subject: **Request for Dimensional Variance at 1743 US-51, Madison, MS 39110**

Dear Members of the Planning and Zoning Board,

We are writing on behalf of Sum Oil LLC to formally request a dimensional variance for the property located at 1743 US-51, Madison, MS 39110, which is currently zoned C-2 Highway Commercial District. The variance is needed in order to maintain an existing monument structure that has been erected before the existing zoning regulations came into effect.

The specific variance we are requesting is to reface the existing sign with a "like for like" image without any structural changes to the sign. While the current sign ordinance limits monument signs to max. 6', our sign is set back 50' from the main road which makes it blend in well with the remaining building structures on the property.

Granting this variance will allow for the reasonable use of the property while maintaining the character of the surrounding neighborhood. I believe the request meets the criteria for approval as the hardship is not self-created, the proposed changes are in harmony with the intent of the zoning ordinance, and the variance will not adversely affect neighboring properties.

I respectfully request the Board's consideration and approval of this variance. If needed, I am happy to provide additional documentation, attend the public hearing, and answer any questions.

Thank you for your time and attention to this matter.

Sincerely,

Michael Christen

Michael Christen

BOOK 2181 PAGE 0425

EXHIBIT A

Being situated in the NW 1/4 of Section 27, Township 8 North, Range 2 East, Madison County, Mississippi and being more particularly described as follows:

Beginning at the intersection of the Western right of way of U.S. Highway 51 with the new North right of way line of Weisenberger Road as described in Deed Book 213 at Page 360 in the Chancery records of Madison County, Mississippi, said point of beginning being 979.92 feet East of and 1923.66 feet South of an iron pipe marking the Northwest corner of aforesaid Section 27; run thence South 83 degrees 34 minutes 38 seconds West, along the new North right of way line of Weisenberger Road, 119.41 feet to a concrete right of way monument marking the beginning of a curve, run thence Southwesterly, clockwise, along the arc of said curve, 47.74 feet, said curve having the following characteristics: Central angle of 1 degree 57 minutes 52 seconds, radius of 1392.41 feet and chord bearing a distance of South 84 degrees 33 minutes 34 seconds West 47.74 feet; run thence North 11 degrees 58 minutes 13 seconds East 235.74 feet; run thence North 83 degrees 34 minutes 38 seconds East 220.76 feet to the aforesaid Western right of way line of U.S. Highway 51; run thence South 23 degrees 16 minutes 02 seconds West, along the said Western right of way line, 258.44 feet to the point of beginning.




TEXACO REDESIGN PROGRAM

PROJECT LOCATION

#308940
1743 US-51
Madison MS 39110

Vicinity Map



SCOPE OVERVIEW

1. REMOVE AND REPLACE CANOPY FASCIA
2. SIGNAGE TO BE REPLACED LIKE FOR LIKE

DRAWING LIST

- COVER
CPV-1 (CANOPY PLAN VIEW)
S-1 (MAIN ID SIGN)
GC-1 (GAS CANOPY IMAGE)
GC-2 (FASCIA DETAILS)
FC-1 (FORECOURT)
FC-2 (FORECOURT)
D-1 (FUEL DISPENSER IMAGE)
D-2 (DISPENSER IMAGE)
D-3 (DISPENSER IMAGE)
P-1 (PAINT DETAILS)
FIE-1 (FUEL ISLAND DETAILS)
CAT-1 (CATALOG FLYER)

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

PERMITTING INFORMATION

CODE CHECK PENDING

Sheet:
Cover

Drawing Set Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

Project: Canopy Refresh

Drawn By: Vandy Linhart
Review By:

Date: 11/25/24

CANOPY PLAN VIEW



NOTES:

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
CPV-1 (CANOPY PLAN VIEW)

Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

EXISTING LED DIGITS ARE PWM

EXISTING MID HAS FLUORESCENT LIGHTING – WILL NEED LED RETROFIT KIT

EXISTING MAIN ID SIGN (127 SF)

Texaco / Techron / Price / Blank / Readerboard
Cabinet = 103.25" X 176.875" = 127 SF



THIS IS A REFACE OF EXISTING SIGN

B PROPOSED MAIN ID SIGN (127 SF)

Texaco / Techron / Price / Blank / Readerboard
Cabinet = 103.25" X 176.875" = 127 SF



REFACE WITH NEW TEXACO IMAGE

REFACE WITH NEW TECHRON IMAGE

NEW FUEL GRADE FACES WITH NEW IMAGE AND 20" NEW PWM LED DIGITS.
FUEL GRADE CABINETS AND RETAINERS TO BE PAINTED TEXACO SUMMER SHADOW PPG 0996-7

REFACE WITH NEW BLANK IMAGE

READERBOARD TO BE KEPT AS IS

TEXACO, TECHRON CABINETS, RETAINERS AND POLES TO BE PAINTED TEXACO RED PMS 485

BRAND CONVERSION DETAILS

1. REFACE EXISTING CABINETS WITH NEW FACES AS SHOWN
2. CABINETS, RETAINERS AND POLES TO BE PAINTED TEXACO RED PMS 485
3. FUEL GRADE CABINETS AND RETAINERS TO BE PAINTED TEXACO SUMMER SHADOW PPG 0996-7

JURISDICTION REQUIREMENTS

CODE CHECK PENDING

**SIGN LOCATION MAP
EXISTING MAIN ID SIGN**



FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
S-1 (MAIN ID SIGN)

Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

EXISTING ELEVATIONS



C1



C2




C3



C4

PROPOSED ELEVATIONS




PRIMARY CORNER

C1



C2



C3



C4

BRAND CONVERSION DETAILS

C1 Illuminated Texaco Star

C2 RED ACM

C3 Illuminated Texaco Star

C4 RED ACM

JURISDICTION REQUIREMENTS

CODE CHECK PENDING



FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
GC-1 (GAS CANOPY IMAGE)

Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

**FLAGSHIP CANOPY OVER 100 FT LONG
FASCIA HEIGHT 10.5"
CIRCLE STAR**

DETAIL 1

TEXACO STAR = 48" X 48" = 16 SF

QUANTITY - 2



CANOPY SIGN DETAILS

TEXACO STAR

S1 48" X 48" = 16 SF
QUANTITY - 2

TEXACO STAR -- Face: Flat #7328 White Acrylic (.177) with 1st Surface Applied #485 Red Vinyl w/Overlamine. Black Trim Cap / CNC fabricated aluminum sidewalls with black exterior finish and white interior finish

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
GC-2 (FASCIA DETAILS)




Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515



Fuel Island Components

Fueling Components Details



BRAND CONVERSION DETAILS

Column Shroud Elevations



FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
FC-1 (FORECOURT)
Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

+TECHRON VINYL GRAPHIC = 58.86" X 240" = 98.1 SF



Placement of Techron vinyl is estimated based on field surveys and not from a reflective ceiling plan. Actual installation placement to be determined at the time of installation. The +Techron vinyl cannot be installed unless it meets the following criteria:

Canopy Treatment and Fascia Signage

7.5 TECHRON Undercanopy Placement

Size and placement of the graphic must be between gutters/vertical drop-downs. This may mean pulling the graphics away from the corner and over to the next full bay if a gutter exists at the first column and cuts off graphic.

+TECHRON must be placed so it is readable driving into the bays.

Avoid light fixtures in the placement of graphic if possible. If not possible, then a portion of the graphic can be cut around the fixture as long as it's not the "+" or "T", which cannot be cut at all.

If the graphic is cut, a portion of the graphic must be continuous - the fixture cannot wholly interrupt any of the graphic letters.

Although the preferred design is 2 +TECHRON graphics, each on opposite sides of the canopy - the graphics must be at least half of the total width of the graphic apart from each other and at least the same height apart from each other on opposite sides.



TYPE OF CANOPY DECK LIGHT FIXTURES: **LED**
 NUMBER OF CANOPY DECK LIGHT FIXTURES: **28**
 CANOPY CLEARANCE FROM GRADE: **16' 2"**

DUE TO DESIGN OF THE CANOPY DECK, TECHRON VINYL WILL NOT BE INSTALLED

BRAND CONVERSION DETAILS

- CANOPY LIGHTS
- CANOPY COLUMNS

1. REPLACEMENT OF TRASH RECEPTACLES AND SQUEEGEE BUCKETS.
2. SAND (IF NEEDED) AND PAINT CANOPY COLUMNS. BOTTOM OF COLUMN TO BE PAINTED SUMMER SHADOW, DISTANCE FROM GRADE TO COLOR DIVIDE IS 3' 6" AFF (BOTTOM OF COLUMN POP SHROUD). TOP HALF OF COLUMN TO BE PAINTED TEXACO LIGHT GREY. INSTALL COLUMN POP SHROUDS.
3. INSTALL NEW FLAG SIGNS.
4. POWER WASH AND PAINT DISPENSER ISLANDS.
5. HORSESHOE & CONCRETE WEDGE BOLLARDS TO BE SANDED (IF NEEDED) AND PAINTED.

COLUMN SHROUDS - 5
BOLLARD SLEEVES - 0
BOLLARDS PAINTED (STRAIGHT/ HORSESHOE/WEDGE) - 10
TRASH VALETS - 5
SQUEEGEE BUCKET - 5
FLAG SIGNS - 10
DISPENSER NUMBERS - 10
COLUMN TYPE: PAINTED STEEL
COLUMN DIAMETER: XX" x XX"

FACILITY INFORMATION

#308940
 1743 US-51
 Madison MS 39110

Sheet:
 FC-2 (TECHRON DETAILS)

Sheet Revision:
 R0



LSI Graphic Solutions
 5127 Boyer Parkway
 Akron, OH 45242
 (330) 494-8515

DISPENSER MANUFACTURER: GILBARCO

DISPENSER MODEL: XXXXX

EXISTING VALANCE IS ILLUMINATED

EXISTING
QTY (4) – 3+0



EXISTING
QTY (1) – 3+1




THE DISPENSERS ARE PERPENDICULAR WITH THE FRONT OF THE CANOPY, THE SMALL END OF THE VALANCE WHITE WEDGE SHOULD FACE THE BUILDING

PROPOSED
QTY (4) – 3+0



PROPOSED
QTY (1) – 3+1



BRAND CONVERSION DETAILS

1. REIMAGE EXISTING DISPENSERS
2. ALL DECALS, VALANCES, FIRE EXTINGUISHERS, WARNING SIGNS, ETC TO BE INSTALLED BY SIGNAGE INSTALLER.
3. NEW DECAL OVERLAYS TO BE APPLIED TO CRIND AREA OF DISPENSERS. DECAL OVERLAYS TO BE SUMMER SHADOW PPG0996-7 PMS 2336-C

SIGN LOCATION MAP
DISPENSER VALANCE ORIENTATION



FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
D-1 (FUEL DISPENSER IMAGE)

Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

CUTSHEETS FOR THE DISPENSER ARE UNAVAILABLE

NEED 3+0 CUTSHEETS



BRAND CONVERSION DETAILS

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
D-2 (FUEL DISPENSER IMAGE)
Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

CUTSHEETS FOR THE DISPENSER ARE UNAVAILABLE

NEED 3+1 CUTSHEETS



BRAND CONVERSION DETAILS

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
D-3 (FUEL DISPENSER IMAGE)

Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515

Identity Basics

Font and Color Specifications

Typography

A typeface should reflect a company's personality and brand as well as have strong legibility. There are two primary typefaces for the retail brand that do that:

- DIN 2014
- DIN 2014 Narrow

These typefaces were selected as a complement to one another and the other brand identity elements. They provide the flexibility needed for all our retail brand messaging and help establish a modern and approachable look that separates us from the competition. And they do this without overshadowing the Texaco Star.

Font Specifications

DIN 2014 Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890

DIN 2014 Narrow Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890

DIN 2014 Demi

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890

DIN 2014 Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890

Color Specifications

Color Specifications					
		Primary Colors	Paint Colors	CMYK	Pantone Color Match PMS
1		Red	Texaco Red	0C, 95M, 100Y, 0K	PMS 485
2		Black	Texaco Black	0C, 0M, 0Y, 100K	PMS Black
		Secondary Colors	Paint Colors	CMYK	Pantone Color Match PMS
3		White	Texaco White	0C, 0M, 0Y, 0K	White
4		Texaco Warm Gray	Summer Shadow (PPG0996-7)	0C, 0M, 1Y, 63K	PMS 2336-C
5		Light Gray	Texaco Light Gray	2C, 0M, 1Y, 18K	PMS 428
Texaco PID Colors Note: Additional PID colors are included in the colors above					
6		Gold	N/A	0C, 24M, 94Y, 0K	PMS 123
7		Green	N/A	100C, 0M, 77Y, 22K	PMS 3415

*Use PPG color match as primary reference, use Pantone match as an alternate reference.

BRAND CONVERSION DETAILS

FACILITY INFORMATION

#308940
1743 US-51
Madison MS 39110

Sheet:
P-1 (PAINT DETAILS)
Sheet Revision:
R0



LSI Graphic Solutions
5127 Boyer Parkway
Akron, OH 45242
(330) 494-8515