

Regular Meeting Minutes January 10, 2024

Chairman Fialka called the regular meeting to order at 7:00PM. Present were Commissioners Saylor, Guerrero, Caplinger, Doherty, Hamm, Sargent, and Kirkpatrick. Commissioner Collins was excused. Youth Advisors Sarahi Gutierrez, Manuel Salazar, and Catherine Doherty were present. Staff in attendance included Planning Director Clint Spencer, City Attorney Richard Tovey, and Planning Assistant Heather La Beau.

Chairman Fialka asked Youth Advisor Manuel Salazar to introduce himself as this was his first planning commission meeting. The commissioners briefly introduced themselves and welcomed Youth Advisor Salazar. Chairman Fialka encouraged all three of the Youth Advisors to participate in the discussions.

#### <u>Minutes</u>

Commissioner Hamm moved, and Commissioner Saylor seconded to approve the minutes of the December 13, 2023, regular meeting. Motion passed.

#### <u>Annexation & Comprehensive Plan Map Amendment – Hermiston Home Works, Inc 4N2813 Tax</u> <u>Lots 200 & 500 – 1295 SE 10<sup>th</sup> St</u>

Chairman Fialka announced the hearing was rescheduled to the next meeting, February 14, 2024, 7:00PM at City Hall.

# Major Variance & Subdivision Upland Meadows MonteVista Homes 4N2802A TL 500- 811 E Theater Lane

At 7:11PM, Chairman Fialka stated the hearing is continued from the December 13, 2023, meeting and the guidelines read at that meeting remain in effect. Commissioner Kirkpatrick is the manager of the Hermiston Irrigation District and therefore has a conflict of interest and stepped down from the dais.

Planning Director Spencer presented the supplemental staff report that was given to each commissioner and is attached. The applicant submitted a modified phasing plan and requested changes to the conditions of approval. Staff and the fire district support the modified phasing plan. Revised findings were submitted A development plan has been agreed upon by all parties regarding the NE 10<sup>th</sup> St access, fire access, and pedestrian path.

#### **Testimony**

Luke Pickerill 22123 Nelson Rd Bend OR 97701- Mr. Pickerill thanked the commissioners for their time. The current conditions require the fire access be installed at 60 lots, which is Phase 3. The asphalt pedestrian path that connects the subdivision to the school is required with lots 75 and 76. Proper barricading can be provided until the path is complete. Mr. Pickerill requested the commissioners to reconsider the no parking on NE 9<sup>th</sup> Place condition. He prefers it not be a condition. No parking may increase speed and result in less safety.

Chairman Fialka closed the hearing at 7:40PM. Commissioners discussed the desire to include the no parking on NE 9<sup>th</sup> Place recommendation in the record, but not as a condition of approval. Various traffic calming measures were reviewed including speed bumps, stop signs, and valley gutters. Commissioner Guerrero moved, and Commissioner Sargent seconded to make the project file a part of the record. Motion passed unanimously.



Regular Meeting Minutes January 10, 2024

#### Findings of Fact

#### IN A MATTER BEFORE THE CITY OF HERMISTON BURDEN OF PROOF STATEMENT for the Upland Meadows Subdivision

- APPLICANT: MonteVista Homes <u>389 SW Scalehouse Ct, Ste 110</u> Bend, OR 97702
- OWNER: Hermiston Irrigation District 366 E Hurlburt Ave Hermiston, OR 97838
- ENGINEER: Jarred Corbell, P.E. MonteVista Homes 389 SW Scalehouse Ct, Ste 110 Bend, OR 97702
- LOCATION: The subject property is approximately 52 acres located directly west of Loma Vista Elementary School, on the north side of Theater Lane. The site has not been assigned an address but is identified as Tax Lot 500 on Umatilla County Tax Map 4N2802A0.

**REQUEST:** Approval of a 261-lot subdivision, in Phases, within the Medium-High Density Residential Zone (R-3).

#### I. APPLICABLE CRITERIA:

City of Hermiston Development Code

• Title XV-Land Usage

#### **APPLICABLE STANDARDS:**


- Chapter 154 Subdivisions
- Chapter 157 Zoning

#### II. GENERAL INFORMATION



Regular Meeting Minutes January 10, 2024

- 1. LOCATION: The subject property is approximately 52 acres located directly west of Loma Vista Elementary School, on the north side of Theater Lane. The site has not been assigned an address but is identified as Tax Lot 500 on Umatilla County Tax Map 4N2802A0.
- 2. **ZONING:** The subject property is within The City Limits of the City of Hermiston in the County of Umatilla and zoned in the City of Hermiston Comprehensive plan as Medium-High Density Residential Zone (R-3). The property is currently annexed into The City of Hermiston.





### Regular Meeting Minutes January 10, 2024



Source: Google Earth



Regular Meeting Minutes January 10, 2024

3. SITE DESCRIPTION & SURROUNDING USES: The subject property contains relatively sloping topography from the north end of the project towards Theater Lane with approximately 30-feet of fall. The site is vacant and covered with native grasses and brush. The parcel lies adjacent to Loma Vista Elementary and north of Theater Lane and has zero developed street access points.

Properties adjacent south and west lie within the City of Hermiston and are developed with single family homes on residential lots. To the north is partially undeveloped land coupled with commercial uses. To the east is Loma Vista Elementary school.

**4. PROPOSAL:** Approval of a 261-lot subdivision, in Phases, within the Medium-High Density Residential Zone (R-3).

#### III. <u>REVIEW CRITERIA</u>:

#### CONFORMANCE WITH CITY OF HERMISTON DEVELOPMENT CODE:

#### **DESIGN STANDARDS**

154.15 RELATION TO ADJOINING STREET SYSTEM.

(A) The function, location, width, and grade of streets shall be considered in relation to existing and planned streets, to topographical conditions, to public convenience and safety, and to the proposed use of land to be served by the streets.

(B) The street system shall assure an adequate and safe traffic circulation system with intersection angles, grades, tangents, and curves appropriated for the traffic to be carried, considering the terrain.

(C) Off-set streets should be avoided.

(D) The angle of intersection between minor streets and major streets should not vary by more than 10 degrees from a right angle unless special intersection design is provided.

(E) Streets obviously in alignment with existing streets shall bear the names of the existing streets. All proposed street names should be checked to avoid duplication of other street names.

(F) If the subdivision abuts a present or proposed major arterial street, marginal interceptor streets running parallel to the arterial street may be required.

(G) Streets shall be interconnected and provide for continuation or appropriate extension to surrounding properties. Cul-de-sac streets shall be allowed only when one or more of the following conditions exist:

(1) Physical or topographic conditions make a street connection impracticable. Such conditions include but are not limited to freeways, railroads, steep slopes, wetlands, or other bodies of water where a connection could not reasonably be provided.

(2) Buildings or other existing development on adjacent lands physically precludes a connection now or in the future, considering the potential for redevelopment.

(3) Where street connections would violate provisions of leases, easements, covenants, restrictions or other agreements existing as of the date of adoption of the TSP which preclude a required street connection.

(4) Where cul-de-sacs are planned, multi-use paths connecting the end of the cul-de-sac to other streets or neighborhood activity centers shall be provided if feasible.



Regular Meeting Minutes January 10, 2024

(5) Cul-de-sac streets shall be as short as possible and should not exceed a length of 400 feet. A cul-de-sac shall terminate with a turn-around.

(Ord. 858, passed 4-14-75; Am. Ord. 2004, passed 12-13-99)

**RESPONSE:** As depicted on the preliminary plat submitted with this application, the proposed street network consists of a grid pattern based upon the foundation of Theater Lane, an existing east-west minor collector street. The grid pattern is extended north and provides for continuation into undeveloped lands to the north. Extension and connectivity is achieved with connection to N E 8<sup>th</sup> and 9<sup>th</sup> Place via Theater Lane in the southern end of the project. The proposed street network assures safe and adequate circulation in the transportation system as all intersections are adequately spaced and aligned. Vertical grades in the proposed street locations will be designed to reduce the existing slopes and create a safe and efficient design in compliance within standards and specifications. No dead-end cul-de-sacs are proposed. Proposed street names will be cleared for duplication and submitted for approval prior to filing of the Final Plat.

#### 154.16 STREET AND ALLEY WIDTH.

(A) The width of streets and alleys shall be adequate to fulfill city standards as provided for in the Transportation System Plan (TSP). The standard cross-sections provide some flexibility in the right-of-way and paved width, depending on factors such as whether on-street parking and bike lanes are provided. Standards for streets and alleys are adopted in the TSP and incorporated into this section by reference:

Table 1: Urban Arterial Cross Sections

Table 2: Urban Collector Cross Sections

Table 3: Urban Local Street Cross Sections

Table 4: Rural Arterial/Collector/Local Road Cross Sections

(B) Where alleys are provided in residential blocks, a minimum width of 20 feet shall be required. Alleys are required in the rear of all business lots and shall be at least 25 feet wide. A five-foot cutoff shall be made at all acute angle alley intersections.

(Ord. 858, passed 4-14-75; Am. Ord. 2004, passed 12-13-99) Penalty, see § 154.99

**RESPONSE:** As depicted on the Preliminary Plat submitted with this application, the proposed street sections correspond to the Standards adopted in the TSP and Public Works Standards and Specs of the City of Hermiston. Improvements include the construction of a local street grid network.

#### 154.17 EASEMENTS.

(A) *Width requirements.* Easements of at least six feet in width shall be provided on each side of all rear lot lines and along side lot lines, where necessary, for poles, wires, conduits, storm and sanitary sewers, gas, water or other mains. Easements of greater width may be required along or across lots where necessary for the extension of main sewers or other utilities or where both water and sewer lines are located in the same easement.

(B) *Along streams.* Whenever any stream or important surface drainage course is located in an area which is being subdivided, the subdivider shall provide an adequate easement along each side of the stream for the purpose of widening, deepening, sloping, improving or protecting the stream or for drainage, parkway or recreational use.



Regular Meeting Minutes January 10, 2024

(C) *For irrigation.* Whenever any irrigation system is located and/or proposed to be created in an area which is being subdivided, the subdivider shall provide an adequate easement as approved by the Planning Commission and the Hermiston Irrigation District.

(Ord. 858, passed 4-14-75) Penalty, see § 154.99

**RESPONSE:** As depicted on the Preliminary Plat submitted with this application, easements for public utilities are proposed along the frontage of all lots, as may be necessary for the installation of such. No stream or irrigation easements apply to the subject property.

#### 154.18 BLOCKS.

(A) In residential zones, block lengths shall not exceed 600 feet in length between intersecting through streets, except where topography or existing development creates conditions requiring longer blocks.

(B) Where block lengths exceed 600 feet, the Planning Commission may require a six- to ten-foot-wide paved bicycle/pedestrian access way through the block to enhance bicycle and pedestrian circulation by providing short, direct connections between destinations.

(Ord. 858, passed 4-14-75; Am. Ord. 2004, passed 12-13-99) Penalty, see § 154.99

**RESPONSE:** As depicted on the Preliminary Plat, the proposed block lengths are in not in conformance with this Section. Please refer to Section 154.75 for additional information.

#### 154.19 LOTS.

(A) The lot arrangement and design shall be such that all lots will provide satisfactory and desirable building sites, properly related to topography and the character of surrounding development.

(B) All side lines of lots shall be at right angles to straight street lines and radial to curved street lines, except where a variation to this rule will provide a better street and lot layout. Lots with double frontage shall be avoided.

(C) The minimum width of residential lots shall be 60 feet at the building lines. No lot shall have a depth in excess of three times its width. Minimum sizes of lots shall conform to the standards established by the zoning code of the city for the zone in which the lots are located. Where zero lot line lots are proposed, the minimum lot width shall be a minimum of 60 feet for the aggregate of all attached housing with a minimum of 2,000 square feet for each individual lot.

(D) Where corner lots rear upon lots facing the side street, the corner lots shall have extra width sufficient to permit the establishment of front building lines on both the front and side of the lots adjoining the streets.

(E) Corner lots at street intersections which, in the opinion of the Planning Commission, are likely to be dangerous to traffic movement shall have the corner of the lot cut off either by a chord or circular arc sufficient to allow a minimum of six feet between the curb line and the lot corner when and if the streets are curbed with the curb installed on a radius of 20 feet.

**RESPONSE:** As depicted on the Preliminary Plat submitted with this application, the proposed arrangement of subdivision lots is similar in form and design to the surrounding residential subdivisions. Side lot lines are proposed perpendicular to the rights of way and double frontage lots are only proposed along the short block fronting Theater Lane in order to prevent direct access to the Collector street. The dimensional properties of the proposed lots are proportional and meet the width to depth ratios in this section. A exception is being requested for the interior lot width. The minimum lot width in this zoning is 60 feet. On the proposed preliminary plat 19 lots would require an exception allowing a width reduction; ranging from 55 to 58.7 feet. Therefore, an exception to lot width is requested under the variance and analysis is included in this application (see section 154.75).



Regular Meeting Minutes January 10, 2024

- (F) Where a flag lot is proposed, the following design standards shall apply:
  - (1) The access portion shall be at least 25 feet wide.

(2) Where two flag lots are proposed, the 25-foot access lane may be shared between the two lots, with each lot having 12.5 feet of access.

(a) When two lots share a 25-foot access the city will require access easements to be prepared granting each parcel full access to the entire 25-foot access for ingress and egress.

(b) No fencing shall be installed in a shared access which inhibits the right of access for either parcel.

(3) The access portion of an access lane shall be paved to a width of at least 20 feet.

(4) The access shall include sufficient easements and paved improvements to allow adequate maneuvering space for fire and emergency vehicles.

(5) The minimum parcel size, setback and lot coverage requirements of the underlying zone will apply to all flag lots.

(a) When determining minimum parcel size, the access lane shall not be included in the calculation of lot size or lot coverage.

(b) When determining setback requirements, the front lot line shall be established by projecting an extension of the access lane through the property.

(c) The minimum lot width shall be the same as that established in the underlying zone and shall be parallel to the extension of the access lane through the property.

(d) The minimum lot depth shall be the same as that established in the underlying zone and shall be perpendicular to the extension of the access lane through the property.

(6) No more than two parcels shall be created utilizing a single access flag. When more than two parcels are proposed, a new public street must be created.

(Ord. 858, passed 4-14-75; Am. Ord. 2180, passed 7-25-11) Penalty, see § 154.99

**RESPONSE:** As depicted on the Preliminary Plat submitted with this application, flag style lots are not proposed in this application. Frontages provided are sufficient to construct individual driveway access to each lot.

#### 154.20 CHARACTER OF DEVELOPMENT.

(A) The Planning Commission shall confer with the subdivider regarding the type and character of development that will be permitted in the subdivision and may agree with the subdivider as to certain minimum restrictions to be placed upon the property to prevent the construction of substandard buildings, control the type of structures or the use of the lots which, unless so controlled, would clearly depreciate the character and value of the proposed subdivision and of adjoining property. Deed restrictions or covenants should be included to provide for the proper protection and maintenance of the development in the future; provided, however, that the deed restrictions or covenants shall not contain (reversionary) clauses wherein any lot shall return to the subdivider because of violation thereon of the terms of the restrictions or covenants.

**RESPONSE:** A draft of protective Covenants will be provided and proposed to be filed for this subdivision at a later date but prior to Final Plat recordation.



Regular Meeting Minutes January 10, 2024

(B) Where the subdivision contains sewers, sewage treatment plants, water supply systems, park areas, streets, trees or other physical facilities necessary or desirable for the welfare of the area and which are of common use or benefit and are not or cannot be satisfactorily maintained by an existing public agency, provision shall be made by trust agreements made a part of the deed restrictions, acceptable to any agency having jurisdiction over the location and improvement of such facilities, for the proper and continuous maintenance and supervision of the facilities.

(Ord. 858, passed 4-14-75)

**RESPONSE:** As shown on the preliminary plat, the proposed development does not include open space tracts to be dedicated to the City.

#### 154.21 PARKS, SCHOOL SITES AND THE LIKE.

In subdividing property, consideration shall be given to suitable sites for schools, parks, playgrounds and other common areas for public use so as to conform to any recommendation of the City Comprehensive Plan. Any provision for schools, parks and playgrounds should be indicated on the preliminary plan in order that it may be determined when and in what manner such areas will be provided or acquired by the appropriate taxing agency.

#### (Ord. 858, passed 4-14-75)

**RESPONSE:** As shown on the preliminary plat, the proposed development includes a 30-ft wide shared use trail tract through the NE corner of the property to provide access to the adjoining 60-ft wide tract running adjacent to the Loma Vista elementary school. The applicant proposes to transfer of both the 30-ft wide and 60-ft wide tracts to the City of Hermiston but the applicant intends on improving a portion of the tract as a shared pedestrian trail, to be owned and maintained by the City.

#### 154.22 ACCESS MANAGEMENT.

Access spacing policies set forth in the City Transportation System Plan and the Oregon Highway Plan will apply to any proposals for new access or change of existing access.

(Ord. <u>2004</u>, passed 12-13-99)

**RESPONSE:** The subject property lies adjacent and north to Theater Lane, classified as a minor collector on the Transportation System plan (update 2014). The proposed Preliminary Plat indicates 2 new connections to Theater lane opposite existing connections of N E 8<sup>th</sup> Place and N E 9<sup>th</sup> Place. Based on these existing connections and points of connectivity, the existing spacing should be found adequate. Therefore, the spacing of the proposed street intersections is compliant with the TSP and City Standards.

The proposed development includes frontage for 1 driveway approach per lot. Per Table 6-1 of the Public Works Design Standards, each residential lot on a collector or local street is allowed 1 approach of 12-24 feet width (or 28' maximum for three car garages). However, the proposed block layout allows for one row of double frontage lots along Theater Lane. There will be no proposed driveway access points from Theater Lane.

#### SUBDIVISIONS PRELIMINARY PLAT

#### 154.35 PRELIMINARY PLAT REQUIREMENTS.

(A) Whenever any person desires to subdivide land into building lots and to dedicate streets, alleys or land for public use, the person shall submit four copies of the preliminary sketch plat conforming to the requirements of 154.15 through 154.21 to the Planning Commission before submission of the final plat.



Regular Meeting Minutes January 10, 2024

(B) The preliminary plat must be filed with the City Planner at least 30 days prior to the meeting of the Planning Commission. Minor partitions containing three lots or less may be exempted from the provisions of this section.

(C) The preliminary plat shall show:

(1) The location of present property lines, section lines and the lines of incorporated areas, streets, buildings, water courses, tree masses and other existing features within the area to be subdivided and similar information regarding existing conditions on land immediately adjacent thereto;

(2) The proposed location and width of streets, alleys, lots, building and setback lines and easements;

(3) Existing sanitary and storm sewers, water mains, culverts and other underground structures within the tract or immediately adjacent thereto. The location and size of the nearest water main and sewer or outlet are to be indicated in a general way upon the plat;

(4) The title under which the proposed subdivision is to be recorded and the name of the subdivider platting the tract;

(5) The names and adjoining boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels of unsubdivided land;

(6) Contours referred to a City Engineer's bench mark with intervals sufficient to determine the character and topography of the land to be subdivided, but in no case shall the intervals be more than one foot;

(7) North point, scale and date;

(8) Grades and profiles of streets and plans or written and signed statements regarding the grades of proposed streets; and the width and type of pavement, location, size and type of sanitary sewer or other sewage disposal facilities; water mains and other utilities; facilities for storm water drainage and other proposed improvements such as sidewalks, planting and parks, and any grading of individual lots; and

(9) All the above information unless waived by the Planning Commission.

(D) After the preliminary plat has been submitted to the Planning Commission in accordance with these regulations, a final plat, together with copies of any deed restrictions, shall be prepared and submitted to the City Planner. The plat shall be filed in the office of the City Planner at least 14 days prior to the meeting of the Planning Commission at which approval thereof is asked. This final plat shall be submitted and prepared in accordance with the provisions of 154.45 through 154.46 hereof.

(Ord. 858, passed 4-14-75) Penalty, see § 154.99

**RESPONSE:** As depicted on the Preliminary Plat Map submitted with this application, the required information is provided, in conjunction with this narrative and materials provided.

#### **REQUIRED MINIMUM IMPROVEMENTS**

#### 154.60 PERMANENT MARKERS.

All subdivisions, major partitions and minor partitions are required to be surveyed in accordance with ORS <u>92.050</u> through <u>92.080</u>.

(Ord. 858, passed 4-14-75; Am. Ord. 1769, passed 9-28-92) Penalty, see § 154.99



Regular Meeting Minutes January 10, 2024

**RESPONSE:** This section is procedural and the requirement will be met before Umatilla County Surveyor's Office will sign off on the final subdivision plat.

#### 154.61 GENERAL IMPROVEMENTS.

As a condition to the approval of the final plat, the city shall require installation of certain grading, drainage, curb and gutter, sidewalk and street paving and all service utilities. A developer's agreement shall be drafted guaranteeing installation of said improvements to standard city specifications. In lieu of completion of the work, the city may accept a bond, a letter of credit or other securities in an amount and under conditions to be specified. In case of forfeiture of securities, the city will do the work and will be reimbursed in the amount of the securities.

(Ord. 858, passed 4-14-75; Am. Ord. 1041, passed 3-14-77) Penalty, see § 154.99

#### 154.62 WATER LINES.

Where the city public water supply is reasonably accessible or procurable, each lot within the subdivided area shall be planned for connection to the water supply. In all other areas a private water supply shall be provided in accordance with regulations and recommendations of the State Department of Environmental Quality and under the supervision of and approval by same. Fire hydrants shall also be installed in all subdivisions within the city.

(Ord. 858, passed 4-14-75) Penalty, see § 154.99

#### **154.63 SANITARY SEWERS.**

Within the city limits, and in all areas beyond the city limits, but lying within the potential sewerage limits as shown by the Comprehensive Plan, the preliminary plat shall show the sanitary sewer layout for the area being subdivided. This layout shall comply with regulations of the State Department of Environmental Quality and shall be approved by the City Engineer.

(Ord. 858, passed 4-14-75) Penalty, see § 154.99

#### 154.64 DRAINAGE.

(A) All necessary facilities shall be installed sufficient to prevent the collection of surface water in any low spot and to maintain any natural water course.

(B) All major and minor partitions of land shall meet the requirements of the National Flood Insurance Act of 1968 and as amended, as applied to lands within the city.

(Ord. 858, passed 4-14-75) Penalty, see § 154.99

#### 154.65 SIDEWALKS.

(A) All development for which land use applications are required must include sidewalks adjacent to public streets. This requirement also applies to new single-family homes and duplexes if there is an existing sidewalk within 500 feet on the same side of the street.

(B) In the case of arterial or collector streets, sidewalks shall be built during their construction and considered during their reconstruction.

(C) If an interim street standard is being constructed which does not include bike lanes or sidewalks, a paved shoulder at least six feet wide shall be provided as an interim walkway.

(D) The provisions of sidewalks may be waived where the street serves fewer than 50 trips per day (based on ITE standards) and cannot be continued or extended to other properties.



Regular Meeting Minutes January 10, 2024

(E) Standards for the design, width, and location of sidewalks are set forth in the Transportation System Plan and are adopted by reference.

(Ord. 2004, passed 12-13-99) Penalty, see § 154.99

#### 154.66 BIKEWAYS.

(A) The city's adopted Bicycle Plan is included in the Transportation System Plan, and adopted as part of the Comprehensive Plan by reference.

(B) In the case of arterial or collector streets, bike lanes shall be built during their construction, and considered during their reconstruction.

(C) Standards for the design, width, and location of bike lanes are set forth in the Transportation System Plan and are adopted by reference.

(Ord. 2004, passed 12-13-99) Penalty, see § 154.99

**RESPONSE:** A shown on the submitted Preliminary Plat, provisions have been made for the installation of public sewer, water, utility, and street improvements in conformance with this section. With approval of this land use action, engineered plans will be submitted for approval, and with such, the applicant can construct the necessary and required infrastructure to serve the development.

#### **ADMINISTRATION AND ENFORCEMENT**

#### 154.75 VARIATIONS AND EXCEPTIONS.

Whenever the tract to be subdivided is of such unusual size or shape or is surrounded by development or unusual conditions that the strict application of the requirements contained in these regulations would result in real difficulties or substantial hardship or injustice, the City Council may vary or modify requirements so that the subdivider may develop the property in a reasonable manner but so that, at the same time, the public welfare and interests of the city and surrounding area are protected and the general intent and spirit of these regulations preserved.

(Ord. 858, passed 4-14-75)

**RESPONSE:** In consideration of the physical and dimensional properties of the subject parcel, and the potential future development pattern of vacant or underdeveloped properties, the applicant requests exceptions to the following sections.

1. 154.18 Block Length – Due to the subdivision's requirements to connect to local streets, we are bound by the 8<sup>th</sup> Street and 9<sup>th</sup> Street connectors to the south side of the project. By maintaining the 9<sup>th</sup> street connection throughout the subdivision, it is forcing the block lengths to be extended beyond the City's 600ft maximum by 200 feet, which also results in a 50-ft reduction for the blocks lengths to the east of 9<sup>th</sup> street. Due to topography and transportation considerations, it does not create a benefit to the project to integrate undue horizontal geometry to 9<sup>th</sup> street within the project limits. It is our opinion that this connection and block length increase does not create a health, welfare and safety concern.

2. 154.19(c) LOTS, 157. 027(C)(4) MEDIUM-HIGH DENSITY RESIDENTIAL ZONE (R-3)- Due to the physical dimensions of the properties of the subject parcel, and in consideration of market demands, the applicant requests a variance from the minimum lot with of 60' for 19-interior lots to range from 55-58.97' minimum width. The existing topography on the western and eastern borders of the property will require some form of retaining walls. Due to this, the depth of those lots must be increased to account for appropriate setbacks as well as retainage. This scenario, when combined with the required placement of 9<sup>th</sup> street and other right of way requirements for connectivity, as well as placing as many 60-ft wide lots as possible, yields 19 interior lots below standard. If the variance were not granted, this would result in 19



Regular Meeting Minutes January 10, 2024

lots being lost and the remaining lots would absorb these widths resulting in many lots being well above 60-ft wide. This would cause undue land development costs being spread across less Units. The 19 Lots represent 6.8% of the total lots.

As a developer and builder, the applicant has the experience and capability of providing the product proposed within the project on lots that are overall consistent with Code, yet simply require less frontage per lot, which reduces cost per lot for public improvements, and thereby improves the affordability for the end user. Additional exhibits will be provided and presented at the Commission Hearing.

#### **RESIDENTIAL ZONES**

#### 157.025 SINGLE-FAMILY RESIDENTIAL ZONE (R-1).

(A) *Uses permitted outright.* In a R-1 zone, only the following uses and their accessory uses are permitted outright:

- (1) Single-family dwelling;
- (2) Residential care home;
- (3) Home occupations;
- (4) Accessory structures;
- (5) Family day care provider;

(6) Manufactured dwelling placed on an individual lot outside of a manufactured dwelling park and subject to requirements of § 157.145. This requirement shall not be construed as abrogating a recorded restrictive covenant; and

(7) Utility facilities as defined in § <u>157.143</u>.

#### 157.026 DUPLEX RESIDENTIAL ZONE (R-2).

(A) Uses permitted outright. In a R-2 zone, only the following uses and their accessory uses are permitted outright:

- (1) A use permitted in the R-1 zone; and
- (2) Two-family dwelling.

#### 157.027 MULTIPLE-FAMILY RESIDENTIAL ZONE (R-3).

(A) Uses permitted outright. In a R-3 zone, only the following uses and their accessory uses are permitted outright:

- (1) A use permitted in the R-2 zone;
- (2) Bed and breakfast, boarding, lodging or rooming house;
- (3) Multiple-family dwelling; and
- (4) Residential care facility.
- (C) Lot size. In a R-3 zone, the lot size shall be as follows:

(1) The minimum lot area for single-family dwellings shall be 5,000 square feet for an interior lot and 6,000 square feet for a corner lot;

(2) The minimum lot area for two-family dwellings shall be 6,500 square feet for an interior lot and 7,200 square feet for a corner lot;



Regular Meeting Minutes January 10, 2024

(3) For multiple-family dwellings, the minimum lot area shall be 7,500 square feet or 2,000 square feet per dwelling unit, whichever is greater;

(4) The minimum lot width at the front building line shall be 60 feet for an interior lot, 70 feet for a corner lot, and 25 feet for cul-de-sac lots; and

(5) The minimum lot depth shall be 80 feet.

**RESPONSE:** The subject property is zoned Multiple Family Residential (R-3). The proposed use is permitted outright. As shown on the tentative plan, lot sizes vary from 5,775 sf up to 11,000 sf. Lots widths vary from 55 feet to 70 feet wide, and the typical lot depth is 105 feet. An exception is requested in section 154.75.

(D) *Setback requirements.* Except as provided in § <u>157.140</u>, in a R-3 zone the yards shall be as follows:

(1) The front yard shall be a minimum of 15 feet, measured from the foundation. The garage shall be constructed at 20 feet measured from the foundation. When a covered patio or covered porch is constructed in the front yard, the porch or patio may be constructed with a ten-foot setback;

(2) Each side yard shall be a minimum of five feet, measured from the foundation, except that on corner lots the side yard on the street side shall be a minimum of ten feet measured from the foundation; and

(3) The back yard shall be a minimum of ten feet, measured from the foundation. However, for any structure exceeding 15 feet in height, the rear yard shall be increased one foot, up to a maximum of 25 feet, for every foot, or fraction thereof, above 15 feet.

(E) Height of buildings. In a R-3 zone, no buildings shall exceed a height of 35 feet.

(F) *Lot coverage.* In a R-3 zone, buildings shall not occupy more than 45% of the lot area. Covered decks, porches, patios, and gazebos may occupy an additional five percent of the total lot area.

**RESPONSE:** The proposed subdivision provides lots of sufficient size and dimension to construct the proposed housing within the parameters of this section. The criteria in this section will be further analyzed with building permit application, where actual structures are proposed, and those particular dimensions can be identified for compliance.

#### 157.150 TRANSPORTATION IMPROVEMENTS, STANDARDS, AND PROCEDURES.

(A) *Purpose.* The purpose of this section is to provide standards and procedures to implement provisions of the State Transportation Planning Rule (OAR 660, Division 12) and local, regional, and state transportation plans.



Regular Meeting Minutes January 10, 2024

(B) *Applicability.* The provisions of this section shall apply to all development and subdivisions subject to the Development Standards of 157.160 et seq.

(C) *Notice and coordinated review.* If a proposed development or subdivision is within 200 feet of a state highway, or an arterial or collector street, notice of the proposal shall be provided to the Oregon Department of Transportation (ODOT) and Umatilla County. Notice will help identify agency standards and provide an opportunity for agency input and coordinated review of transportation impacts.

(D) *Zone changes.* In addition to the zone change approval criteria set forth in 157.226(E), all zone changes shall conform to the adopted Transportation System Plan (TSP). Proposed zone changes shall not substantially impact the functional classification or operation of transportation facilities. To ensure proper review and mitigation, a traffic impact study may be required for proposals that may impact transportation facilities.

(E) *Traffic impact study.* The applicant for a zone change, or a development or subdivision subject to the Development Standards of 157.160 et seq., shall submit a traffic impact study when the proposal affects a transportation facility if it:

- (1) Changes the functional classification of an existing or planned transportation facility;
- (2) Changes standards implementing a functional classification system;

(3) Allows types or levels of land use that would result in levels of traffic or access that are inconsistent with the functional classification of a transportation facility; or

(4) Would reduce the level of service of the facility below the minimum acceptable level identified in the Transportation System Plan.

**RESPONSE:** The subject property is adjacent to Theater Lane, a Minor Collector. Per the attached letter from Clemow Associates, taking into consideration the Traffic Impact Analysis of the Loma Vista Elementary School and our proposed trips, the proposed subdivision does not change the functional classification of Theater Lane.

This application proposes 261 single family lots. Analysis of trip generation is as follows:

USE	ITE Rate	Trips/Day	PM Peak
261 Single family detached	9.38/unit	2447	260

The proposed development includes a network of local roadways, and connections to Theater Lane; a Minor Collector. Therefore, the development is not expected to change the functional classification of any facility, or standards of implementation of the system plan. The development is consistent with the planed zoning designation and the functional classification of the transportation network will not reduce the level of service of said facilities to levels below those in the Transportation plan.

(F) *Transportation projects.* The following transportation projects are permitted outright in all zones in the city:

(1) Normal operation, maintenance, repair, and preservation activities associated with transportation facilities.

(2) Installation of culverts, pathways, fencing, guardrails, lighting, and similar types of improvements that take place within the public right-of-way.

(3) Landscaping as part of a transportation facility.



Regular Meeting Minutes January 10, 2024

(4) Acquisition of right-of-way for public roads, highways, and other transportation projects identified in the TSP.

(5) Transportation projects specifically identified in the TSP.

(6) Emergency measures as necessary for the safety and protection of property.

**RESPONSE:** There are no proposed changes to Theater Lane.

(G) Access management. The following access management provisions shall apply to all development and subdivisions subject to the Development Standards of § <u>157.160</u> et seq.:

(1) Development shall preserve the flow of traffic in terms of safety, capacity, functional classification, and level of services. Access management policies set forth in the city TSP and the Oregon Highway Plan will apply to any proposals for new access or change of existing access.

(2) Residential driveways shall be located to optimize intersection operation and, where possible, to access off the street with the lowest functional classification. For example, if a house is located on the corner of a local street and a minor collector, the driveway shall access from the local street as long as it can be located a sufficient distance from the intersection.

(3) Properties that front on collector or arterial streets are encouraged to share an access with neighboring properties.

(4) Access to state highways is regulated by the Oregon Department of Transportation (ODOT) as described in the Oregon Highway Plan. Umatilla County regulates access to county roads.

(5) A system of joint use driveways, sidewalks, and cross access easements shall be established for commercial and office developments wherever feasible and shall incorporate the following:

(a) A design speed of ten m.p.h. and a maximum width of 20 feet to accommodate two-way travel aisles for automobiles, service vehicles, and loading vehicles.

(b) A unified access and circulation plan for coordinated or shared parking areas.

(6) Pursuant to subsection (5) of this section, property owners shall record the following documents with the Umatilla County Recorder:

(a) An easement allowing cross access to and from other properties served by the joint use driveways, sidewalks, and cross access or service drive;

(b) A joint maintenance agreement defining maintenance responsibilities of property owners.

(7) The Planning Director or the Planning Commission may modify or waive the requirements of subsections (5) and (6) of this section where the characteristics or layout of abutting properties would make development of a unified or shared access and circulation system impractical.

**RESPONSE:** This proposed subdivision creates a local road network with single family residential lots. Residential lots will be served by single driveway aprons accessing the local street network. Those lots double fronting along Theater Lane, a Minor Collector street, will contain access restrictions on the recorded subdivision plat, limiting driveways to the local street frontage.

This application does not propose commercial accesses, or access to a State Highway.

(H) *Street standards.* Standards for streets, sidewalks, bike lanes, planting strips and right-of-way widths are adopted in the TSP and incorporated into this section by reference:

Table 1: Urban Arterial Cross Sections



Regular Meeting Minutes January 10, 2024

Table 2: Urban Collector Cross Sections

 Table 3: Urban Local Street Cross Sections

Table 4: Rural Arterial/Collector/Local Road Cross Sections

(I) *Right-of-way dedication and improvement.* Right-of-way shall be dedicated as part of the development approval process. Improvements shall take place consistent with adopted street standards concurrent with the development or under a development agreement approved by the City Planning Commission or City Council.

(J) *Bike lanes and bikeways.* Bike lanes and bikeways shall be provided in accordance with the adopted TSP. Except as amended or altered by the TSP, bike lanes shall be provided along collector and arterial streets. Bike lanes and bikeways shall be constructed consistent with ODOT bicycle plan standards.

(K) *Sidewalks.* Sidewalks shall be provided along both sides of public streets, consistent with the standards of the TSP. Options are provided for curbside or setback sidewalks.

(L) Internal connections and bicycle parking.

(1) Internal pedestrian circulation shall be provided within new commercial, office, institutional and multifamily residential developments through the clustering of buildings, construction of hard surface walkways, landscaping, or similar techniques.

(2) Internal pedestrian systems shall connect with external existing or planned systems. Walkways shall be as direct as possible and shall limit out-of-direction travel. Walkways shall be paved with a hard surface material and shall be no less than five feet in width. The walkways shall be separated from parking areas and internal driveways using curbing, landscaping, or distinctive paving material.

(3) Opportunities for at least one pedestrian walkway should be provided between adjacent commercial, office, and institutional development.

(4) Bicycle parking shall be provided for new commercial, office, institutional, and multifamily developments with more than 15 off-street parking spaces. Bicycle parking spaces must be a minimum of six feet in length, two feet in width, and have an overhead clearance of six feet. Bicycle parking spaces should be located as near as possible to building entrances used by automobile occupants.

#### (Ord. 2003, passed 12-13-99)

**RESPONSE:** As shown on the Preliminary Plat, the proposed road sections are consistent with the Public Works Standards and TSP. Additional right of way dedications will be shown on the final plat. It is recommended the City will monitor NE 9<sup>th</sup> Place for traffic issues and consider additional measures including no parking.

**CONCLUSION- REQUEST for APPROVAL:** Based on the plans and supporting documents submitted with this application, the approval criteria of Chapter 154 Subdivisions and Chapter 157 Zoning of Title XV, City of Hermiston Code being addressed in this narrative, the applicant requests approval of the 261 lot subdivision.

**Conditions of Approval** 



Regular Meeting Minutes January 10, 2024

- 1. Applicant shall work with and receive certification from the Hermiston Irrigation District prior to final plat approval. Applicant should be aware that the City of Hermiston will not sign the final plat until the irrigation district has been satisfied and signs the final plat.
- 2. Applicant must sign an improvement agreement and shall install grading, storm drainage, curb and gutter, sidewalks, street paving, and all service utilities for this development. All improvements for each phase shall comply with city standards and specifications and shall receive final approval from the city engineer.
- 3. Streetlights shall be installed at the applicant's cost. Once installed, the City will assume the monthly service charges.
- 4. Applicant shall comply with all provisions of 92.12 of the Hermiston Code of Ordinances (relating to the control of blowing dust) during all phases of construction.
- 5. All streets shall be designated in accordance with §94.22 of the Hermiston Code of Ordinances as detailed in the findings of fact for Chapter 94. Specifically, Roads 2, 3, and 4 are streets running east/west and shall all be designated as Avenues. The NE 9<sup>th</sup> Place extension is properly designated on the preliminary plat and shall retain that designation. Road 1 forms a complete loop around the development and shall be designated as a Drive. A short section of road is in alignment with NE 8<sup>th</sup> Place and shall be designated as NE 8<sup>th</sup> Place.
- 6. Easements of at least 10 feet in width shall be provided along all street frontages.
- 7. The development abuts NE 10<sup>th</sup> Street. Although no access to NE 10<sup>th</sup> Street is proposed, the 60 feet of frontage for NE 10<sup>th</sup> Street shall be improved to urban major collector status concurrent with the Phase 8 improvements. Should the phasing of the development change from that proposed on the preliminary plat, the improvements shall be installed at the same time as the improvements corresponding to Phase 8 on the preliminary plat.
- 8. The north line of E Theater Lane along the entire frontage of the development shall be improved to urban minor collector status concurrent with each abutting phase improvements.
- 9. A connection to NE 10<sup>th</sup> Street is necessary for pedestrian access and secondary fire access.

a) Thirty feet of right of way shall be dedicated to the City between Lots 75 and 76. The right of way between Lots 75 and 76 shall be improved with 20 feet of asphalt paving and drainage improvements necessary to contain storm water within the right of way. The 20-foot asphalt access may taper to 15 feet where it intersects the public street shown as Road 1.

b) The sixty-foot-wide access to NE 10<sup>th</sup> Street shall be dedicated to the City as right of way. The secondary fire access shall be improved with 15 feet of gravel from the east boundary of Lot 75 to NE 10<sup>th</sup> Street. An additional 8 feet of asphalt shall be installed from the east boundary of Lot 75 to NE 10<sup>th</sup> Street to provide pedestrian access to Loma Vista Elementary and NE 10<sup>th</sup> Street. Drainage improvements necessary to contain storm water within the right of way shall be installed at the developer's expense.



Regular Meeting Minutes January 10, 2024

c) The development shall be phased according to the approved January 10, 2024 phasing plan. The secondary fire access shall be installed in a temporary format acceptable to the Umatilla County Fire District #1 at such time that the development exceeds sixty lots.

d) Final improvements, including the asphalt pedestrian access connecting to NE 10<sup>th</sup> Street, shall be entirely completed at such time that the phase containing Lots 75 and 76 on the preliminary plat (designated as Phase 8) is constructed.

e) Following completion of the secondary fire access and pedestrian trail, the City will assume maintenance responsibility for these improvements.

f) The City shall retain the authority to modify the phasing plan in the event that unforeseen circumstances arising during the design and construction process necessitate an amendment to accommodate physical conditions. In no circumstance shall the City delay construction of the secondary fire access beyond sixty lots.

- 10. Comprehensive Plan Figure 12 identifies this site as an area subject to development hazards due to excessively well drained soils. Therefore, the City will prohibit the outdoor storage of hazardous chemicals and underground storage of gasoline and diesel fuels.
- 11. A notation shall be placed on the final plat stating that lots 34 through 56 shall not establish driveways onto E Theater Lane.

Commissioner Saylor moved, and Commissioner Hamm seconded to adopt the findings of fact as Amended. Motion passed unanimously. Commissioner Saylor moved, and Commissioner Caplinger seconded to impose the conditions of approval as amended (delete #12). Motion passed unanimously. Commissioner Hamm moved, and Commissioner Sargent seconded to approve the lot width variance request or nineteen lots. Motion passed unanimously. Commissioner Hamm moved, and Commissioner Guerrero seconded to approve the block length variance request. Motion passed unanimously. Commissioner Hamm moved, and Commissioner Doherty seconded to approve the preliminary plat with the conditions of approval. Motion passed unanimously.

Commissioner Kirkpatrick returned to the dais.

#### Final Plat – Amazon Data Services Inc 4N2823 Tax Lot 200 – 908 E Penney Ave

Planning Director Spencer presented the staff report. This partition creates three lots, one for the data center site, one for a substation, and one for future development. The city is purchasing the lot designated for future development. Conditions of approval 1 & 2 remain in effect while condition 3 has been satisfied.

Commissioner Hamm declared a potential conflict of interest and stated his role with UEC would not bias his decision. After a brief discussion, Commissioner Hamm moved, and Commissioner Sargent seconded to approve the final plat with the conditions of approval. Motion passed unanimously.

#### Planner Comments and Unscheduled Communication

Planning Director Spencer asked the commissioners to consider volunteering for a technical advisory committee that will review the Transportation System Plan update and the Safe Streets for All projects. The committee will meet for approximately 9 times in a twenty-four month period.

Commissioners discussed SE 10<sup>th</sup> St; specifically the GRATE project and Weber's property.



Regular Meeting Minutes January 10, 2024

### <u>Adjournment</u>

Chairman Fialka adjourned the meeting at 8:07PM.



### Members of the Planning Commission **STAFF REPORT** For the Meeting of January 10, 2024

### Title/Subject

Supplemental Memo – Upland Meadows Subdivision - MonteVista Homes 4N2802A Tax Lot 500 - 811 E Theater Ave

### Summary and Background

The applicant has submitted a modified phasing plan for the development and requested that the city amend Condition 9 to reflect the revised phasing plan and time secondary access improvements to match the plan.

Staff met with the applicant and representatives of the Umatilla County Fire District on January 3 to discuss the 30-lot requirement and how to best address the grade of the site. As noted in the original reports, fire rules require a second access to be installed at the time development exceeds 30 lots and that the accesses be spaced more than half the diagonal distance of the area being served. By modifying the phasing plan, the applicant is able to decrease the diagonal distance and add a second point of access to E Theater Lane earlier in the development process.

The original phasing plan proposed constructing a new access for NE 9<sup>th</sup> Place and extending development to the east property line. This phasing put 23 lots in the first phase and created the next street connection at the lowest point in the development, creating grading and slope issues for the secondary access when Phase 2 was constructed to the immediate north.

The revised phasing plan now builds Phases 1 and 2 at the connection points for NE 8<sup>th</sup> Place and NE 9<sup>th</sup> Place. Ninth will be constructed with Phase 1 and 8<sup>th</sup> will be constructed with Phase 2. Moving the phasing westward allows the developer to better concentrate lots and space access points in compliance with the fire spacing standard. After discussing the phasing and spacing with staff, an agreement has been reached that the second access to E Theater Lane provides adequate spacing for up to 60 lots as long as Phases 1 and 2 are built in compliance with the phasing plan. Following this phasing plan also allows the street extensions within the development to be built far enough to the north to cross the steepest portion of the grade, making it more feasible to construct the emergency secondary access without requiring retaining walls or steep cuts which may be unstable in the future.

Staff recommends that the planning commission consider the revised phasing plan which is supported by staff and UCFD#1. Utilizing this phasing plan will allow a minimum of 49 lots to be serviced with two accesses to E Theater Lane and potentially up to 60 lots depending on

timing of improvements. Staff has drafted revisions to Condition #9 which reflect the revised information.

The developer also requests the planning commission to reconsider the imposition of Condition #12 regarding potential no-parking designation in the future. The applicant notes that NE 8<sup>th</sup> Street to the west connects E Theater Lane to Punkin Center Road and does not have a similar no-parking status. Staff notes for this report that NE 8<sup>th</sup> Street has 58 driveways accessing the street and the proposed NE 9<sup>th</sup> Place has no points of access except for the proposed public streets. As discussed during the December meeting, Condition #12 is advisory only. The planning commission is not a body with regulatory authority to designate no-parking zones but may make recommendations to the city council in this regard. Typically, the city council will only designate no-parking zones in areas with excessive vehicle accidents or a significant volume of citizen complaints.

### Tie-In to Council Goals

N/A

### Fiscal Information

N/A

### Alternatives and Recommendation

<u>Alternatives</u>

The planning commission may choose to:

- Approve or reject the lot width variance
- Approve or reject the block length variance
- Approve the subdivision plat and conditions
- Approve the subdivision plat and modify the conditions
- Modify the subdivision plat
- Reject the subdivision plat

**Recommended Action/Motion** 

Motion to adopt findings of fact.

Motion to impose conditions of approval.

Motion for decision on lot width variance.

Motion for decision on block length variance.

Motion for decision on preliminary plat.

### Submitted By:

Clinton Spencer, Planning Director

### EXHIBIT C

### **Conditions of Approval**

### (Supplemental Revision)

### **Upland Meadows Subdivision**

### January 10, 2024

- 1. Applicant shall work with and receive certification from the Hermiston Irrigation District prior to final plat approval. Applicant should be aware that the City of Hermiston will not sign the final plat until the irrigation district has been satisfied and signs the final plat.
- 2. Applicant must sign an improvement agreement and shall install grading, storm drainage, curb and gutter, sidewalks, street paving, and all service utilities for this development. All improvements for each phase shall comply with city standards and specifications and shall receive final approval from the city engineer.
- 3. Streetlights shall be installed at the applicant's cost. Once installed, the City will assume the monthly service charges.
- 4. Applicant shall comply with all provisions of 92.12 of the Hermiston Code of Ordinances (relating to the control of blowing dust) during all phases of construction.
- 5. All streets shall be designated in accordance with §94.22 of the Hermiston Code of Ordinances as detailed in the findings of fact for Chapter 94. Specifically, Roads 2, 3, and 4 are streets running east/west and shall all be designated as Avenues. The NE 9<sup>th</sup> Place extension is properly designated on the preliminary plat and shall retain that designation. Road 1 forms a complete loop around the development and shall be designated as a Drive. A short section of road is in alignment with NE 8<sup>th</sup> Place and shall be designated as NE 8<sup>th</sup> Place.
- 6. Easements of at least 10 feet in width shall be provided along all street frontages.
- 7. The development abuts NE 10<sup>th</sup> Street. Although no access to NE 10<sup>th</sup> Street is proposed, the 60 feet of frontage for NE 10<sup>th</sup> Street shall be improved to urban major collector status concurrent with the Phase 8 improvements. Should the phasing of the development change from that proposed on the preliminary plat, the improvements shall be installed at the same time as the improvements corresponding to Phase 8 on the preliminary plat.
- 8. The north line of E Theater Lane along the entire frontage of the development shall be improved to urban minor collector status concurrent with each abutting phase improvements.

9. A connection to NE 10<sup>th</sup> Street is necessary for pedestrian access and secondary fire access.

a) Thirty feet of right of way shall be dedicated to the City between Lots 75 and 76. The right of way between Lots 75 and 76 shall be improved with 20 feet of asphalt paving and drainage improvements necessary to contain storm water within the right of way. The 20-foot asphalt access may taper to 15 feet where it intersects the public street shown as Road 1.

b) The sixty-foot-wide access to NE 10<sup>th</sup> Street shall be dedicated to the City as right of way. The secondary fire access shall be improved with 15 feet of gravel from the east boundary of Lot 75 to NE 10<sup>th</sup> Street. An additional 8 feet of asphalt shall be installed from the east boundary of Lot 75 to NE 10<sup>th</sup> Street to provide pedestrian access to Loma Vista Elementary and NE 10<sup>th</sup> Street. Drainage improvements necessary to contain storm water within the right of way shall be installed at the developer's expense.

c) The development shall be phased according to the approved January 10, 2024 phasing plan. The secondary fire access shall be installed in a temporary format acceptable to the Umatilla County Fire District #1 at such time that the development exceeds sixty lots.

d) Final improvements, including the asphalt pedestrian access connecting to NE 10<sup>th</sup> Street, shall be entirely completed at such time that the phase containing Lots 75 and 76 on the preliminary plat (designated as Phase 8) is constructed.

e) Following completion of the secondary fire access and pedestrian trail, the City will assume maintenance responsibility for these improvements.

f) The City shall retain the authority to modify the phasing plan in the event that unforeseen circumstances arising during the design and construction process necessitate an amendment to accommodate physical conditions. In no circumstance shall the City delay construction of the secondary fire access beyond sixty lots.

- 10. Comprehensive Plan Figure 12 identifies this site as an area subject to development hazards due to excessively well drained soils. Therefore, the City will prohibit the outdoor storage of hazardous chemicals and underground storage of gasoline and diesel fuels.
- 11. A notation shall be placed on the final plat stating that lots 34 through 56 shall not establish driveways onto E Theater Lane.
- 12. The Planning Commission recommends the City Council designate NE 9<sup>th</sup> Place as no parking.

609526 OREGON The Const EXPIRES: 12/31/23 Homes.com SITE DESIGN: 0T 14 340 SF 4605 95 460 ્ર છે. ાં - 5 1 ZONING: B3 5445 5445 L0T 7452 10T 7 1=====/ TOTAL ACRES: 51.93 ACRES (==================================== - ROAD 1 LOCAL STREET TOTAL # OF LOTS: 261 L\_\_# PHASE 12 PHASE 8 OPEN SPACE AREA: 3,237 S.F. LOT 16 2286 99 2286 99 6300 99 6300 99 6300 99 6314 9 R3 LOT REQUIREMENTS: LOT 17 6300 SF III LOT 319 6343 SF 7TH ST MINIMUM INTERIOR LOT SIZE: 5,000 SF 100 ٦IL -ili ace LOT 18 6405 SF II MINIMUM CORNER LOT SIZE: 6 000 SE III LOT 72 III 6344 SF MonteVista Bult with You in Mind 6300 SF 6300 SF 101 106 6300 SF 6440 59 6440 59 5775 59 6300 59 .01 102 300 SF 01 101 300 SF 100 100 100 5F E9 59 59 LOT 108 6300 SF 07 206 500 55 500 55 500 55 500 55 500 55 500 55 500 55 500 55 500 55 LOT 19 III 0T 207 281 SF 01 201 300 SF 01 200 300 SF 276 SF 276 SF MINIMUM INTERIOR LOT WIDTH: 60' (VARIANCE REQUESTED ON 18 LOTS TO 5775 <del>#====</del> LOT 71 6344 SF ALLOW FOR A WIDTH REDUCTION OF 5' OR LESS) ETARTE (E=JE ================ ====*===)* ===# MINIMUM CORNER LOT WIDTH: 75**'** ROAD === \_ \_ \_ \_ \_ \_ \_ LOT 20 11 6405 SF 11 III III 6344 SF MINIMUM CUL-DE-SAC LOT WIDTH: 25' ====<u></u> MINIMUM LOT DEPTH: 80' <u>#===</u>: LOT 21 6405 SF III LOT 69 6344 SF MAXIMUM BUILDING HEIGHT: 35 <u>---#</u> MAXIMUM LOT COVERAGE: 45% (DECKS AND PORCHES CAN COVER AN #=== JIL. . LIL . Ji LOT 22 6405 SF III ADDITIONAL 5%) LOT 68 ----<u>\_\_\_</u>\_ SETBACKS: 0T 225 931 SF 55 II 55 នួង 🛙 01 221 074 SF 01 220 000 SF 01 219 000 SF 000 SF 000 SF 329 SF LOT 23 6405 SF III LOT 67 III 6344 SF FRONT: 15' :ĭsetisetisetise ====#| i de i de i de i de <u>\_\_\_</u>\_ m-\_-\_ GARAGE: 20' PHASE 10 ROAD -PHASE 11-----LOT 24 6405 SF REET - - PHASE 3 – – PHASE 4--PHASE PORCH/PATIO: 10' **&** . ====₩ SIDE: 5' LOT 25 6405 SF III III LOT 65 6344 SF COBNER 10' ╞═══╫┤ REAR : 10' +1' FOR EVERY FOOT THE BUILDING HEIGHT EXCEEDS 15' LOT 26 6405 SF \_از\_ LOT 64 6344 SF 2284 SF 2284 SF 2284 SF 2200 SF 5500 SF 5575 SF 5575 SF 5500 SF 6500 SF eec EDN EDN рате: 9/12/2023 sec .0T 243 7281 SF 6300 SF 6300 SF 6423 SF 6423 SF 6423 SF 530 238 5300 SF 25 25 65 5300 SF 5300 SF 01 235 7276 SF LOT 27 6405 SF III 11 LOT 63 6344 SF 6300 C ВY: Ezaciaciacia ---DESIGNED BI (E23633633633633633 LOT 28 6405 SF III LOT 62 ROAT 2 LOCAL STREET \_ \_ \_ \_ \_ <u>\_\_\_\_</u> ---LOT 29 LOT 61 6344 SF === <u>\_\_\_\_</u> LOT 30 6405 SF III 6344 SF \_\_\_\_ \_\_\_\_ W \_\_\_\_\_ 201189 201189 201189 6300 SF 5575 SF 5575 SF 5575 SF 5575 SF 5575 SF 5500 SF 500 SF 5 AND MEADOWS LOT 31 6405 SF 261 SF ន្លង 01 259 300 SF 01 258 300 SF LOT 59 6344 SF 01 257 365 SF 85 LS 255 TENTATIVE PLAT OVERVIEW 581 1 82 F <u>\_\_\_\_</u> LOT 32 ⋶⋷⋑⋿**⋷⋑⋿⋷⋑**⋿⋷⋑⋿⋷⋑⋿⋷⋑⋿⋷⋑ W07 58 W531 9F = = | E = = | E = = | PHASE 2 - ROALL PHASE 9 -PHASE 1-- - PHASE 5-PHASE 6 714 1LOT 33 7987 SF LOT 34 9792 55 LOT 57 8032 SF T 1100 J LOT 56 10985 SF UPL \_ii \_ \_ ار EWAT EX SS -EWAT EX SS -- EWAT - EWAT EWAT EX SS -- EWAT EX SS - FX 55 -- EX SS -- EX SS -T Т -NE 7TH ST 9TH PLACE 1 U HIS 100' 200 DATE: \_ GRAPHIC SCALE: 1" = 1 FOR 32"X24" SHEETS 1" = 100 REVISIO ő SHEET: P2.0

### EXHIBIT C

### **Conditions of Approval**

#### **Upland Meadows Subdivision**

#### January 10, 2024

- 1. Applicant shall work with and receive certification from the Hermiston Irrigation District prior to final plat approval. Applicant should be aware that the City of Hermiston will not sign the final plat until the irrigation district has been satisfied and signs the final plat.
- 2. Applicant must sign an improvement agreement and shall install grading, storm drainage, curb and gutter, sidewalks, street paving, and all service utilities for this development. All improvements for each phase shall comply with city standards and specifications and shall receive final approval from the city engineer.
- 3. Streetlights shall be installed at the applicant's cost. Once installed, the City will assume the monthly service charges.
- 4. Applicant shall comply with all provisions of 92.12 of the Hermiston Code of Ordinances (relating to the control of blowing dust) during all phases of construction.
- 5. All streets shall be designated in accordance with §94.22 of the Hermiston Code of Ordinances as detailed in the findings of fact for Chapter 94. Specifically, Roads 2, 3, and 4 are streets running east/west and shall all be designated as Avenues. The NE 9<sup>th</sup> Place extension is properly designated on the preliminary plat and shall retain that designation. Road 1 forms a complete loop around the development and shall be designated as a Drive. A short section of road is in alignment with NE 8<sup>th</sup> Place and shall be designated as NE 8<sup>th</sup> Place.
- 6. Easements of at least 10 feet in width shall be provided along all street frontages.
- 7. The development abuts NE 10<sup>th</sup> Street. Although no access to NE 10<sup>th</sup> Street is proposed, the 60 feet of frontage for NE 10<sup>th</sup> Street shall be improved to urban major collector status concurrent with the Phase 5 improvements. Should the phasing of the development change from that proposed on the preliminary plat, the improvements shall be installed at the same time as the improvements corresponding to Phase 5 on the preliminary plat.
- 8. The north line of E Theater Lane along the entire frontage of the development shall be improved to urban minor collector status concurrent with each abutting phase improvements.

<sup>#7 -</sup> Seems like this should go away as it is unknown as to what will eventually occur with this property long range.

9. A connection to NE 10<sup>th</sup> Street is necessary for pedestrian access and secondary fire access.

a) Thirty feet of right of way shall be dedicated to the City between Lots 75 and 76. The right of way between Lots 75 and 76 shall be improved with 20 feet of asphalt paving and drainage improvements necessary to contain storm water within the right of way. The 20-foot asphalt access may taper to 15 feet where it intersects the public street shown as Road 1.

b) The sixty-foot-wide access to NE 10<sup>th</sup> Street shall be dedicated to the City as right of way. The secondary fire access shall be improved with 15 feet of gravel from the east boundary of Lot 75 to NE 10<sup>th</sup> Street. An additional 8 feet of asphalt shall be installed from the east boundary of Lot 75 to NE 10<sup>th</sup> Street to provide pedestrian access to Loma Vista Elementary and NE 10<sup>th</sup> Street. Drainage improvements necessary to contain storm water within the right of way shall be installed at the developer's expense.

c) The secondary fire access shall be installed in a temporary format acceptable to the Umatilla County Fire District #1 at such time that the development exceeds thirty lots. Completed improvements, including the asphalt pedestrian access, shall be entirely completed at such time that the phase containing Lots 75 and 76 on the preliminary plat is constructed.

### 9d: And the pedestrian trail

d) Following completion of the secondary fire access, the City will assume maintenance responsibility for this improvement.

- 10. Comprehensive Plan Figure 12 identifies this site as an area subject to development hazards due to excessively well drained soils. Therefore, the City will prohibit the outdoor storage of hazardous chemicals and underground storage of gasoline and diesel fuels.
- 11. A notation shall be placed on the final plat stating that lots 34 through 56 shall not establish driveways onto E Theater Lane.
- 12. The Planning Commission recommends the City Council designate NE 9<sup>th</sup> Place

as no parking. 12: This was discussed, however some planning commissioners thought this would increase speed and decrease saftey. We don't see this imposed on Ables subdivison directly to the east where there is a Theater to Punkin Connection

9C: Change 30 to 60 but also consider some different language by removing " The secondary access should be installed at such time that the project reaches 60 Units or when Lots 75 and 76 are constructed, whichever comes first."