

### Planning & Zoning Board Meeting

April 27, 2023 at 6:00 PM Howey-in the-Hills Town Hall 101 N. Palm Ave., Howey-in-the-Hills, FL 34737

Join Zoom Meeting: <u>https://us06web.zoom.us/j/84430692176?pwd=eklEZVM4cnRLZTI5WFEzMlN3bzdFdz09</u> Meeting ID: 844 3069 2176 | Passcode: 685440

#### CALL TO ORDER ROLL CALL

#### CONSENT AGENDA

Routine items are placed on the Consent Agenda to expedite the meeting. If a Planning & Zoning Board Member wishes to discuss any item, the procedure is as follows: (1) Pull the item(s) from the Consent Agenda; (2) Vote on the remaining item(s); and (3) Discuss each pulled item and vote.

**<u>1.</u>** Consideration and Approval of the March 23, 2023, Planning and Zoning Board Meeting minutes.

#### **PUBLIC HEARING**

2. Consideration and Recommendation: 464 Avila Place - Pool Variance

#### **OLD BUSINESS**

#### **NEW BUSINESS**

- **<u>3.</u>** Consideration and Recommendation: Amendment to the Land Development Code (LDC) referring to the Development Review Committee (DRC)
- 4. Discussion: Review of Chapter 8 Development Standard
- 5. Discussion: DEO Technical Assistance Grant

#### PUBLIC COMMENTS

Any person wishing to address the Planning and Zoning Board and who is not on the agenda is asked to speak their name and address. Three (3) minutes is allocated per speaker.

#### **BOARD COMMENTS**

#### **ADJOURNMENT**

#### To Comply with Title II of the Americans with Disabilities Act (ADA):

Qualified individuals may get assistance through the Florida Relay Service by dialing 7-1-1. Florida Relay is a service provided to residents in the State of Florida who are Deaf, Hard of Hearing, Deaf/Blind, or Speech Disabled that connects them to standard (voice) telephone users. They utilize a wide array of technologies, such as Text Telephone (TTYs) and ASCII, Voice Carry-Over (VCO), Speech to Speech (STS), Relay Conference Captioning (RCC), CapTel, Voice, Hearing Carry-Over (HCO), Video Assisted Speech to Speech (VA-STS) and Enhanced Speech to Speech.

# NOTICE: ONE OR MORE COUNCILORS MAY BE PRESENT TO HEAR OR PARTICIPATE IN DISCUSSION REGARDING MATTERS WHICH MAY COME BEFORE TOWN COUNCIL FOR ACTION.

Howey Town Hall is inviting you to a scheduled Zoom meeting. Topic: Planning & Zoning Board Meeting Time: Apr 27, 2023 06:00 PM Eastern Time (US and Canada) Join Zoom Meeting https://us06web.zoom.us/j/84430692176?pwd=eklEZVM4cnRLZTI5WFEzMlN3bzdFdz09 Meeting ID: 844 3069 2176 Passcode: 685440

Dial by your location +1 646 558 8656 US (New York) +1 720 707 2699 US (Denver) +1 346 248 7799 US (Houston) Meeting ID: 844 3069 2176 Passcode: 685440 Find your local number: https://us06web.zoom.us/u/k45kXooqD

Please Note: In accordance with F.S. 286.0105: Any person who desires to appeal any decision or recommendation at this meeting will need a record of the proceedings, and that for such purposes may need to ensure that a verbatim record of the proceedings is made, which includes the testimony and evidence upon which the appeal is based. The Town of Howey-in-the-Hills does not prepare or provide this verbatim record. Note: In accordance with the F.S. 286.26: Persons with disabilities needing assistance to participate in any of these proceedings should contact Town Hall, 101 N. Palm Avenue, Howey-in-the-Hills, FL 34737, (352) 324-2290 at least 48 business hours in advance of the meeting.



### Planning & Zoning Board Meeting

March 23, 2023 at 6:00 PM Howey-in the-Hills Town Hall 101 N. Palm Ave., Howey-in-the-Hills, FL 34737

#### MINUTES

#### CALL TO ORDER ROLL CALL

#### **BOARD MEMBERS PRESENT**

Board Member Alan Hayes | Board Member Richard Mulvany | Board Member Shawn Johnson | Board Member Frances Wagler | Vice-Chair Ron Francis III | Chair Tina St. Clair

#### **BOARD MEMBERS ABSENT**

Board Member Ellen Yarckin

#### STAFF MEMBERS PRESENT

Sean O'Keefe, Town Manager | John Brock, Town Clerk | Tom Harowski, Town Planner | Jack Pavlik, Building Services Clerk | Azure Botts, Code Enforcement Officer

#### CONSENT AGENDA

Routine items are placed on the Consent Agenda to expedite the meeting. If Town Council/Staff wish to discuss any item, the procedure is as follows: (1) Pull the item(s) from the Consent Agenda; (2) Vote on the remaining item(s); and (3) Discuss each pulled item and vote.

1. Consideration and Approval of the February 23, 2023, Planning and Zoning Board Meeting minutes.

# Motion made by Board Member Wagler to approve the Consent Agenda; seconded by Vice-Chair Francis III. Motion passed unanimously by roll-call vote.

#### Voting

Yea: Board Member Hayes, Board Member Mulvany, Board Member Johnson, Board Member Wagler, Vice-Chair Francis III, Chair St. Clair Nav: None

Nay: None

#### PUBLIC HEARING

None

#### OLD BUSINESS

None

#### **NEW BUSINESS**

2. Consideration and Approval: Annual Selection of Officers

Tina St. Clair, Board Chairperson, asked Sean O'Keefe, Town Manager, to introduce and explain this item.

Tina St. Clair, Board Chairperson, opened Public Comment.

**David Miles, 500 E Camelia Way (Town Councilor)** – Councilor Miles endorsed Tina St. Clair for the Chair position.

Tina St. Clair, Board Chairperson, closed Public Comment.

Motion made by Vice-Chair Francis III to select Tina St. Clair as the Planning and Zoning Board Chair; seconded by Board Member Hayes. Motion passed unanimously by roll call vote.

#### Voting

Yea: Board Member Hayes, Board Member Mulvany, Board Member Johnson, Board Member Wagler, Vice-Chair Francis III, Chair St. Clair Nay: None

Motion made by Board Member Mulvany to select Ron Francis III as the Planning and Zoning Board Vice-Chair; seconded by Board Member Hayes. Motion passed unanimously by roll-call vote.

#### Voting

Yea: Board Member Hayes, Board Member Mulvany, Board Member Johnson, Board Member Wagler, Vice-Chair Francis III, Chair St. Clair Nay: None

#### 3. Consideration and Approval: 500 E Camellia Way - Shed Placement

Tina St. Clair, Board Chairperson, asked Tom Harowski, Town Planner, to introduce and explain this item. Mr. Harowski reviewed his staff report on this item with the Planning and Zoning Board.

**Chris Sears, 5054 Portsmouth St, Tavares (applicant's Contractor)** – Mr. Sears spoke in favor of the shed's current placement. Mr. Sears introduced additional pictures to the board that were added to the meeting's packet. Mr. Sears stated that the current shed placement was the least obtrusive placement available.

**David Miles, 500 E Camelia Way (Owner and Town Councilor)** – Councilor Miles explained that, when he purchased the vacant lot that his house was later constructed on, the shed was already on the lot. Councilor Miles also explained that he has already paid money for the concrete slab that the shed sits on and that he feels that this is only a minor violation.

Tina St. Clair, Board Chairperson, opened Public Comment.

Wendy Zermeno, 25896 Bloomfield Ave., Howey-in-the-Hills (unincorporated Lake County) – Mrs. Zermeno thinks that the shed placement should be granted, and she is concerned that future owners of the house should have that placement allowed too.

**Joshua Husemann, 671 Avila Place** – Mr. Husemann urged the Planning and Zoning Board to review the section of the Land Development Code that discusses shed and workshop placement, as he feels that it may need to be revised.

Tina St. Clair, Board Chairperson, closed Public Comment.

## Motion made by Board Member Mulvany to allow applicant's shed submittal placement; seconded by Board Member Hayes. Motion passed unanimously by roll-call vote.

#### Voting

Yea: Board Member Hayes, Board Member Mulvany, Board Member Johnson, Board Member Wagler, Vice-Chair Francis III, Chair St. Clair Nay: None

#### 4. Discussion: Design Guidelines

Tina St. Clair, Board Chairperson, asked Tom Harowski, Town Planner, to introduce and explain this item. Mr. Harowski reviewed his staff report on this item with the Planning and Zoning Board.

Board Member Wagler suggested that the Town needed to have more stringent standards for the rear of properties that abut a street, and that it should be considered a primary façade.

Vice-Chair Francis suggested that landscaping should not be allowed as a design element, as it can be easily changed after a house is inspected and approved.

Tina St. Clair, Board Chairperson, opened Public Comment.

**David Miles (Town Councilor), 500 E. Camelia Way** – Councilor Miles stated that he did not find the Talichet neighborhood aesthetically pleasing and feels like he can only differentiate 3 different models of homes within the neighborhood. Councilor Miles also said that he thought the houses in Talichet were too big for their lots. Councilor Miles also stated that he would like the requirement of a park or playground to be incorporated into PUDs.

Tina St. Clair, Board Chairperson, closed Public Comment.

Tom Harowski summarized the discussion. He said that the board would like to see the following:

- The board would like to see a change in standards for the rear of properties that abut a street.
- The board would like to see a change in standards for the sides of properties that abut a street.

Board Member Johnson voiced his frustration with other Board Members or Town Councilors speaking rudely about the aesthetics of his house and other houses in Talichet.

#### 5. Discussion: Review of Chapter 8 Development Standard

# Motion made by Board Member Mulvany motion to table to another meeting; seconded by Board Member Hayes. Motion passed unanimously by roll-call vote.

Voting

Yea: Board Member Hayes, Board Member Mulvany, Board Member Johnson, Board Member Wagler, Vice-Chair Francis III, Chair St. Clair Nay: None

#### PUBLIC COMMENTS

Any person wishing to address the Planning and Zoning Board and who is not on the agenda is asked to speak their name and address. Three (3) minutes is allocated per speaker.

**David Miles (Town Councilor), 500 E. Camelia Way** – Councilor Miles stated that he had no issues with the Venezia neighborhood, other than it did not have any recreational areas provided by the developer. He stated that he did take issue with the design of the exterior of the homes in Talichet. He also stated that he believed that many of the houses in Talichet were too big for the size of the lot.

#### **ADJOURNMENT**

There being no further business to discuss, a motion was made by Board Member Wagler to adjourn the meeting; Board Member Mulvany seconded the motion. Motion was approved unanimously by voice vote.

The Meeting adjourned at 7:27 p.m. | Attendees: 19

ATTEST:

Tina St. Clair Chairperson

John Brock, Town Clerk



TMHConsulting@cfl.rr.com 97 N. Saint Andrews Dr. Ormond Beach, FL 32174 PH: 386.316.8426

#### MEMORANDUM

TO:	Howey-in-the-Hills Planning Board
CC:	J. Brock, Town Clerk
FROM:	Thomas Harowski, AICP, Planning Consultant
SUBJECT:	464 Avila Place Swimming Pool Variance
DATE:	April 13, 2023

The Town has received an application for a variance from the rear yard setback for a swimming pool to allow a pool to be constructed within five feet of the rear property line. This is another case in a series of requests arising from the Talichet subdivision. The primary cause of the recent series of variance requests is that the rear yard setbacks for principal structures are smaller than other neighborhoods and zoning classifications, and the home builder has chosen house designs that extend the house to the rear setback line. As a consequence, homeowners desiring to add swimming pools as a later addition get squeezed when trying to accommodate a pool and pool deck area. This condition has led to the requests for variance from the setback for pools.

Please note that the Town has addressed this issue for future developments. The recently approved plans for the Watermark development include larger rear yard setbacks specifically to allow more room for swimming pools and other rear yard activities. The Town's standard zoning classifications also have larger rear yard setbacks, so the problem is less likely to occur there. Venezia South has the same setbacks as Talichet, but the swimming pool issue has been less significant there, likely because the house models chosen there leave more rear yard room. The worst of the problem appears confined to Talichet. There is no effective way to address the issue legislatively, so the Town has used the variance process to seek an equitable outcome for the property owners.

In the case at hand the applicant has provided a survey of the property and a copy of the proposed plan for the swimming pool. The plan shows a 12-foot wide pool with two feet of deck area on the rear side of the pool. The deck area from the pool to the house varies from 8' 10" to 11' 7" based on the bay window projection. If the requested five-foot variance is not granted, the pool deck area would shrink to 3' 10" by the bay window and 6' 7" for the balance of the deck area. The Board can consider whether the 3' 10" space is sufficient for safety and general daily use. In other recent cases considered by the Board, the survey showed a drainage swale along the rear five feet of the lot. The survey in this case also shows a five-foot drainage and utility easement.

The land development code provides a series of standards that are used to judge the approval of a variance. The standards are listed below with a commentary on each.

A. That special conditions and circumstances exist which are peculiar to the land, structure or building involved, and which are not applicable to other lands, structures, or buildings in the same zoning district,

The conditions evident in this application are similar to other cases and properties in the Talichet Subdivision. The home builder has chosen to build units to the rear setback line, leaving less room for typical accessory uses and structures like swimming pools.

B. That the special conditions and circumstances do not result from the actions of the applicant,

We do not know if the applicant selected the model for home built on the lot or whether the applicant chose a home already constructed. The resultant condition generating the variance request results from the lesser rear setback requirement and the choice to build the home to the maximum rear setback.

C. That literal interpretation of the provisions of this LDC would deprive the applicant of rights commonly enjoyed by other properties in the same zoning district under the terms of this LDC and would work unnecessary and undue hardship on the applicant,

The Board can make a determination if a deck area of less than four feet, which would be the result of applying the full pool setback, is sufficient for safety around the pool. Note is taken of the location of the lot backing up to a retention area and beyond the retention area a wetland restricted from development. Extending the pool closer to the rear property line would have no impact on other home sites.

D. That the variance created is the minimum variance that will make possible the reasonable use of the land, building or structure, and

Should the Board recommend a variance, the recommendation should be for the minimum area needed. As a basic rule no incursion should be allowed in the five-foot drainage and utility easement at the rear of the lot. Any additional distance to the rear of the structure that can be preserved will help prevent impacts to the easement area. Should the Board recommend a variance, an allowance of an additional two feet incursion into the pool setback would allow nearly six feet of available deck area by the bay window and would give another three feet of space to the easement to allow for any change of grade from the pool edge to the drainage and utility easement. E. That the granting of the variance will be in harmony with the general intent and purpose of this LDC and that such variance will not be injurious to the area involved or otherwise detrimental to the public welfare.

<u>As noted, there is no home located behind the unit and the requested</u> <u>variance will not impact the side yard setbacks that might result in moving</u> <u>the pool closer to a neighboring unit</u>. As discussed, the issue generating the variance has arisen several times in this subdivision.

F. In granting any variance, the Board of Adjustment may prescribe appropriate conditions and safeguards in conformity with this LDC. Violation of such conditions and safeguards, when made a part of the terms under which the variance is granted, shall be deemed a violation of this LDC.

Should the Board recommend a variance a condition should be included in the recommendation that no disturbance is allowed in the five-foot easement area including any fill placed in the easement area.

#### Summary

In order to recommend the variance, the Board needs to find that there is a sufficient condition applicable to this property that would deny the applicant a right typically available to other similar properties. Should the Board recommend the variance, staff recommends the variance be limited to two feet which would allow for additional room for the pool deck and further protect the drainage and utility easement. The Board should also condition the recommendation that no disturbance of the drainage and utility easement be allowed.



### VARIANCE APPLICATION Howey-in-the-Hills

#### PLEASE PRINT LEGIBLY

Property Owner (if there are multiple owners, please provide all the information on the attached ownership list):  $\underline{Willie}$  Randell

Property Owner's Contact Information (If multiple owners, please provide mailing address, daytime phone, and fax and/or email for each owner):

First Owner: WILLE R. RANDALL
Mailing Address: 464 AVILA PLACE, HOWEY IN THE HILLS, FL
Daytime Phone: ( <u>446)641-1039</u> 34-737
Fax and/or Email: williray ran @ Jahoo, com
Second Owner: ANGELA BUNYAN
Mailing Address: 464 AVILA PLACE, HOWEY IN THE HILLS, FL34737
Daytime Phone: 917 504 - 9737
Fax and/or Email: angela. buryan 1 @gmail. com
f more than two owners, please attach additional information.
Applicant (If different from owner):
Mailing Address:
Daytime Phone:
Fax and/or Email:

If the Applicant does not own the property, or is not the sole owner, please complete the Authorized Agent Affidavit form, attached.

If the Applicant is Not the Owner of the Property, is the Applicant:

- \_\_\_\_\_ A Tenant
- \_\_\_\_\_ An Authorized Agent for the Owner
- \_\_\_\_\_ Other (please explain): \_\_\_\_\_

	111 IN AND		1 1 1		
Property's Physical Address:	464 AVI	LATLACE	HOWEY-IN	1-11=-HILLS	H 34735
The attached Verified Legal D	escription Form	n must also be o	completed as pa	art of the application	

A survey of the property, showing all current improvements on the site, to scale, is required as part of the application submittal. The survey can be no larger than 11" X 17" in size.

An additional copy of the survey or a site plan drawn to scale should be included as part of the application which specifically shows any improvements that are being requested as part of the variance. Again, this site plan can be no larger than 11" X 17" in size.

Item 2.

Property Information: Tax Parcel	ID: <u>26-20-25-0010-</u> 04	<u>-200-</u> Alt Key #: <u>39228.</u>	<u>58</u>
Please identify below the current example, land uses would be iden	land uses located on t ntified as single family	he site and all adjacent properties home, office, grocery store, etc.	s. For
Subject Site: 464 AVILA	RACE, HOWEY	INTHE HILLS, FL 3	4737
Adjacent property to the North: _		······	
Adjacent property to the South: _			
Adjacent property to the East:			
Adjacent property to the West: _		· · · · · · · · · · · · · · · · · · ·	
Does the property currently have:			
Town Water:	X YES	NO	
Central Sewer:	<u> </u>	NO	
Potable Water Well:	YES	<u> </u>	
Septic Tank:	YES	X NO	

How long has the current owner owned the property? MARCH 31, 2022Please attach property tax records or other documentation to verify how long the current owner has owned the property.

What specific Code requirement is the applicant seeking a variance from?

1HE  $\mathcal{D} \equiv$ 1(-10 OF ) FOOT UTILI7E [H= 50 FOR A POOL AND TH ENCLOSED TATIOC SPACE

What, in the applicant's point of view, are the specific special conditions or circumstances that exist on the property?

R OFOUR (ROPERTY HAS A BA IN DOW WHICH PROTRUDES 3 HE IDFOOT SETBACK WOULD Ξ Q FACE TO MANE NDNAVIGATE TIS, V I THE WALKWAY. SECTION OF

What, in the applicant's point of view, is the unnecessary and undue hardship that exists to provide justification for the variance?

IT17=N 1H= ADDITIONAL ISABIEN ENIOR AVIGATE THE ALSO ALLOW FOR. AFE TWILL Ξ DO QF ES DOL,

The applicant should provide any additional information that may be helpful to the Town in rendering a decision on the requested variance.

WE HAVE BEDDME AWARE THAT THERE ARE SEVERAL PROPERTIES WITHIN HOWEY THAT HAVE RECEIVED VARIANCES REGARDING BOLS OF SETBACIS. BEHIND OUR PROPERTY IS THE RETENTION AND CONSERVATION A REA WHICH CANNOT BEUTILITED FOR ANY PURPOSE NOR CAN ANY THING BE BUILT IN THAT AREA. GRANTING OUR REQUEST TO RECLAIM SFEET FROM THE SETBACK WOULD ALLOW FOR SAFER MANEULERABILITY AROUND THE PROL AREA FOR FAMILY MEMBERS WITH IMPARED MOBILITY. Additional information may be necessary. The applicant is required to provide a daytime telephone number where he/she can be reached.

The applicant is required to provide the names and mailing addresses of all property owners within 300 feet of the subject property, in the form of mailing labels. Three (3) sets of labels are required. These names and addresses may be obtained from the Lake County Property Appraiser's Office.

The Town will also provide a sign which must be posted on the subject property, visible from the adjacent right-of-way or road access. The sign must be posted at least one week prior to the Planning and Zoning Board meeting where this application will be on the agenda and the sign must remain posted until the Town Council public hearing.

A \$400 application fee is due and payable at the time this application is submitted to the Town. In addition to this application fee, a \$1,000 review deposit is required. By signing this application, the applicant acknowledges that the \$400 application fee covers advertising costs, mailings, and the time spent on the application by the Town Clerk. The applicant also acknowledges by his/her signature below that he/she understands he or she will be responsible for any additional costs that the Town incurs as a result of having Town consultants review the application. Once those additional costs are paid by the applicant, the Town will return the balance of the \$1,000 review deposit to the applicant. By signing this application, the applicant also acknowledges that he/she understands that variances expire if not acted upon within the timeframes outlined in the Town's Land Development Regulations.

Witnesses:

Signature

Print Name

Applicant:

Signature Willie

Print Name

Signature

Print Name



### **Authorized Agent** Affidavit

STATE OF FLORIDA **COUNTY OF LAKE** 

Before me, the undersigned authority, this day personally appeared <u>fille</u> <u>(ANSA</u>) hereinafter "Owner", and <u>ANGE 10</u>, BUNUA hereinafter "Applicant", who, being by me first duly sworn, upon oath, depose and says:

- 1. The Applicant is the duly authorized representative of the Owner, on the real property as described and listed on the pages attached to this affidavit and made a part of hereof.
- 2. That all Owners have given their full and complete permission for the Applicant to act in their behalf as set out in the accompanying application.
- 3. That the attached ownership list is made a part of the Affidavit and contains the legal description(s) for the real property, and the names and mailing addresses of all Owners having an interest in said land.

FURTHER Affiant(s) sayeth not.

Sworn to and subscribed before me this 06 day of MARCh 2023 Tennaman 1 ener Notary Public State of Florida at Large My Commission Expires:

Sworn to and subscribed before me this Ole day of MARCH 1, 2023

MARMAN Notary Public State of Florida at Large My Commission Expires:

Sworn to and subscribed before me this \_\_ day of \_\_\_\_\_ , 20

Notary Public State of Florida at Large My Commission Expires:

Sworn to and subscribed before me this \_\_\_\_ day of \_\_\_\_\_ , 20

Notary Public State of Florida at Large My Commission Expires:

Owner

RENEE D. LANNAMAN MY COMMISSION # HH B08968 EXPIRES: January 6/2027 Owner RENEE D. LANNAMAN MY COMMISSION # HH 308968 EXPIRES: January 6, 2027

Owner

Owner




# Ownership List (must be completed by all owners)


Owner's Name: Ownership Interest: Mailing Address: Legal Description:	Hillie Randall 464 Avilla Place Howey in the Hills
take an oath.	ALCas identification and who didor didnot
Seal	Angela Bunyan 464 Avila Place Howey in the Hitts
take an oath.	$\frac{3 \left  06 \right  2023}{\text{Date}}$ Int was acknowledged before me on $\frac{3 \left  6 \right  2023}{\text{Date}}$ by $4 \text{ AN}_{\text{min}}$ who is personally known to me or has presented $4 \text{ AN}_{\text{min}}$ as identification and who did or did not ENEE D. LANNAMAN DMMISSION # HH 308968
	PIRES: January 6, 2027 Notary Public

MULTIPLE COPIES OF THIS FORM MAY BE MADE AND ATTACHED AS NECESSARY.

Item 2.







### PROPERTY RECORD CARD

#### **General Information**

RANDALL WILLIE R & ANGELA M BUNYAN	Alternate Key:	3922838
464 AVILA PL HOWEY IN THE HILLS, FL 34737	Parcel Number: 0	26-20-25- 0010-000- 04500
<u>Update Mailing Address</u>	Millage Group and City:	000H Howey in the Hills
	2022 Total Certified Millage Rate:	20.8586
	Trash/Recycling/Water/Info:	<u>My Public</u> <u>Services Map</u> <b>1</b>
464 AVILA PL HOWEY IN THE HILLS FL. 34737	Property Name:	 <u>Submit Property</u> <u>Name</u> ()
	School Information:	School Locator & Bus Stop Map School Boundary Maps
TALICHET AT VENE PG 805	ZIA NORTH PB 73 PG 78-81 LOT 4	5 ORB 5933
	R & ANGELA M BUNYAN 464 AVILA PL HOWEY IN THE HILLS, FL 34737 <i>Update Mailing Address</i> 464 AVILA PL HOWEY IN THE HILLS FL, 34737 TALICHET AT VENE	R & ANGELA M BUNYANAlternate Key:464 AVILA PL HOWEY IN THE HILLS, FL 34737 Update Mailing AddressParcel Number: •Millage Group and City: 2022 Total Certified Millage Rate: Trash/Recycling/Water/Info:464 AVILA PL HOWEY IN THE HILLS FL, 34737Property Name:464 AVILA PL HOWEY IN THE HILLS FLProperty Name:464 AVILA PL HOWEY IN THE HILLS FLProperty Name:464 AVILA PL HOWEY IN THE HILLS FLProperty Name:464 AVILA PL HILLS FLProperty Name:

NOTE: This property description is a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Lake County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property description.

#### Land Data

Line	e Land Use	Frontage	Depth Notes	No. Units	Туре	Class Value	Land Value
1	VACANT RESIDENTIAL (0000)	0	0	1.000	Lot	\$0.00	\$50,000.00
<u>Cli</u> Ma	ick here for Zoning Info 0 ap		E	EMA Flo	od		

#### **Miscellaneous Improvements**

There is no improvement information to display.

#### **Sales History**

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description above and/or recorded and indexed with the Clerk of Court. Follow this link to search all documents by owner's name.

Book/Page	Sale Date	Instrument	Qualified/Unqualified	Vacant/Improved	Sale Price
<u>5933 / 805</u>	03/2022	Warranty Deed	Qualified	Improved	\$373,500.00
5693 / 696	04/2021	Warranty Deed	Qualified	Vacant	\$189,000.00

#### Values and Estimated Ad Valorem Taxes o

Values shown below are 2023 WORKING VALUES that are subject to change until certified. The Market Value listed below is not intended to represent the anticipated selling price of the property and should not be relied upon by any individual or entity as a determination of current market value. Please hand deliver completed application and fee to:

Town Clerk Town of Howey in the Hills 101 N. Palm Avenue Howey in the Hills, FL 34737

Please make application fee and review deposit checks payable to the Town of Howey in the Hills.

The Town Clerk may be reached at 352-324-2290 or by visiting Town Hall during normal business hours.

FOR TOWN CLERK OFFICE USE ONLY	
Date Received:	
<ul> <li>X 3 sets of labels attached?</li> <li>x current survey attached?</li> <li>site plan attached showing proposed improvements?</li> <li>x verified legal description form attached?</li> <li>x authorized agent affidavit attached?</li> <li>y ownership list attached?</li> </ul>	
APPLICATION NO.	
Reviewed and Accepted By:	
Provided to Town Planner on:	
Planning & Zoning Board meeting date:	
Town Council meeting date:	

#### TOWN OF HOWEY-IN-THE-HILLS FEE SCHEDULE

\_

Preliminary Fee less than 10,000 sq. ft	500.00
Final Fee less than 10,000 sq. ft	500.00
Preliminary Fee 10,000 sq. ft. or more	
Final Fee 10,000 sq. ft. or more	
Residential site plans	
Review Deposit	
Preliminary Fee up to 6 units	
Final Fee up to 6 units	
Preliminary Fee more than 6 units	
Final Fee more than 6 units	
Subdivision Plans	
Minor subdivision plans	
Review Deposit	
Fee	500.00
Nonresidential subdivision plans	
Review Deposit	•
Preliminary Fee 4 lots or less	
Final Fee 4 lots of less	500.00
Plat Fee 4 lots of less	250.00
Preliminary Fee more than 4 lots	
Final Fee more than 4 lots	500.00
Plat Fee more than 4 lots	250.00
Residential subdivision plans	
Review Deposit	
Preliminary Fee up to 20 lots	
Final Fee up to 20 lots	500.00
Plat Fee up to 20 lots	
Preliminary Fee 21-99 lots	
Final Fee 21-99 lots	
Plat Fee 21-99 lots	
Preliminary Fee 100 or more lots	
Final Fee 100 or more lots	
Plat Fee 100 or more lots	
Time extension requests on development approvals	
Vacation (street)	
Fee	
Variance	
Review Deposit	1.000.00
Fee	

#### TOWN OF HOWEY-IN-THE-HILLS CASH RECEIPT

Printed 16:17:54 - 03/13/23

#### Batch:14329 Transaction:1

Reference Number: 98 Name: WILLIE R RANDALL Address: 464 AVILA PL [HOWEY	/ FL 34737]	16120	* Citizens	Tourt	
tem(s) Description:		016	5 2. SI	teen	
22102 VARIANCE FEES	1400.00	L.	5	1 5	
Check # 98	1400.00		6	I	
Cash Paid				How	
Credit Paid		5		8 8	
Less Change Given (	)	с С С		To to	
FOTAL:	1400.00	7227II 0098	Sulle	of the Hills	DATE J
Comments:					2
zarlance application - pool variance			Ken O. O	S 1400	13/23
			4	Incard France	

D 03/13/2023 JACK 464 AvilaPL Pou/Variane Apr/Sation

#### label size 1\C × × 1 3\4" compatible with Avery <sup>®</sup>51\C 5\C × × 2\F size label Étiquette de format F × mm CF tamot avec avecy <sup>®</sup>51\C7\C7

McDaniel Nathan&Julie 462 Avila Place Howey in the Hills Fl, 34737

Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737

Bishop Keisha&Mark 456 Avila Place Howey in the Hills, Fl 34737

Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska 433 Avila Place Howey in the Hills, Fl 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737

Peter&Janice DeJoseph 469 Avila Place Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr. Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place Howey in the Hills, Fl 34737

Valentine & Angelica Orengo 501 Avilla Place Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747 462 Avila Place Howey in the Hills Fl, 34737 Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737 Bishop Keisha&Mark 456 Avila Place

McDaniel Nathan&Julie

Howey in the Hills, FI 34737 Baez Joseph A Et Al 452 Avila Place Howey in the Hills, FI 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128 Peckins David&Miriam 444 Avila Place

Howey in the Hills, Fl 34737 Rodriguez Dixon&Waleska 433 Avila Place Howey in the Hills, Fl 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737 Peter&Janice DeJoseph 469 Avila Place

Howey in the Hills, Fl 34737 Hector Erva D Et Al 12 Seacroft Dr.

Dover DE 19904 Derrick & Jennifer Anderson

485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place Howey in the Hills, Fl 34737

Valentine & Angelica Orengo

501 Avilla Place Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747 McDaniel Nathan&Julie 462 Avila Place Howey in the Hills Fl, 34737

Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737

Bishop Keisha&Mark 456 Avila Place

Howey in the Hills, Fl 34737 Baez Joseph A Et Al

452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska

433 Avila Place Howey in the Hills, Fl 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737

Peter&Janice DeJoseph 469 Avila Place Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr. Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place

Howey in the Hills, FI 34737

Valentine & Angelica Orengo 501 Avilla Place

Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747



McDaniel Nathan&Juli 462 Avila Place Howey in the Hills FI, 34737

Hooton Andrew&Dawn 460 Avila Place

Howey in the Hills, Fl, 34737

Bishop Keisha&Mark 456 Avila Place

Howey in the Hills, Fl 34737

Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska 433 Avila Place

Howey in the Hills, FI 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737

Peter&Janice DeJoseph 469 Avila Place

Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr. Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place

Howey in the Hills, Fl 34737

Valentine & Angelica Orengo 501 Avilla Place

Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747



McDaniel Nathan&Julie 462 Avila Place Howey in the Hills Fl, 34737

Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737

Bishop Keisha&Mark 456 Avila Place Howey in the Hills, Fl 34737

Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska 433 Avila Place

Howey in the Hills, Fl 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737

Peter&Janice DeJoseph 469 Avila Place Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr. Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place Howey in the Hills, Fl 34737

Valentine & Angelica Orengo 501 Avilla Place Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747

#### 

McDaniel Nathan&Julie 462 Avila Place Howey in the Hills Fl, 34737 Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737 Bishop Keisha&Mark 456 Avila Place Howey in the Hills, Fl 34737 Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737 Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128 Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737 Rodriguez Dixon&Waleska 433 Avila Place Howey in the Hills, Fl 34737 Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737 Ed&Toni Diaz 463 Avila Place Howey in the Hills, Fl 34737 Peter&Janice DeJoseph 469 Avila Place Howey in the Hills, Fl 34737 Hector Erva D Et Al

12 Seacroft Dr. Dover DE 19904 Derrick & Jennifer Anderson

485 Avilla Place Howey in the Hills, Fl 34737

Crystal Costello 489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place Howey in the Hills, Fl 34737

Valentine & Angelica Orengo 501 Avilla Place

Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747 McDaniel Nathan&Julie 462 Avila Place Howey in the Hills Fl, 34737

Hooton Andrew&Dawn 460 Avila Place Howey in the Hills, Fl, 34737

Bishop Keisha&Mark 456 Avila Place Howey in the Hills, Fl 34737

Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska 433 Avila Place

Howey in the Hills, FI 34737

Matthew&Hillary Beatty 459 Avila Place Howey in the Hills, Fl 34737 Ed&Toni Diaz

463 Avila Place Howey in the Hills, Fl 34737

Peter&Janice DeJoseph 469 Avila Place Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr. Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place

Howey in the Hills, Fl 34737 Crystal Costello

489 Avila Place Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place Howey in the Hills, Fl 34737

Valentine & Angelica Orengo 501 Avilla Place

Howey in the Hills, Fl 34737

Talichet at Venezia North HOA 1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747



McDaniel Nathan&Juli 462 Avila Place

Howey in the Hills Fl, 34737 Hooton Andrew&Dawn

460 Avila Place Howey in the Hills, Fl, 34737

Bishop Keisha&Mark

456 Avila Place Howey in the Hills, Fl 34737

Baez Joseph A Et Al 452 Avila Place Howey in the Hills, Fl 34737

Loretta Dardano Trust 7163 S Platte Cayan Littleton, CO 80128

Peckins David&Miriam 444 Avila Place Howey in the Hills, Fl 34737

Rodriguez Dixon&Waleska

433 Avila Place Howey in the Hills, Fl 34737

Matthew&Hillary Beatty 459 Avila Place

Howey in the Hills, Fl 34737

Ed&Toni Diaz 463 Avila Place

Howey in the Hills, Fl 34737 Peter&Janice DeJoseph

469 Avila Place Howey in the Hills, Fl 34737

Hector Erva D Et Al 12 Seacroft Dr.

Dover DE 19904

Derrick & Jennifer Anderson 485 Avilla Place

Howey in the Hills, Fl 34737 Crystal Costello 489 Avila Place

Howey in the Hills, Fl 34737

Erix & Jasmine Orovio 493 Avila Place

Howey in the Hills, Fl 34737


Valentine & Angelica Orengo 501 Avilla Place

Howey in the Hills, FI 34737 Talichet at Venezia North HOA

1190 Business Ctr Dr Ste 2000 Lake Mary, Fl 32747



### 464 Avila Location Map




#### April 14, 2023

#### pointLayer




Subdivision Lot Numbers



+

Property Name



Lake County Property Appraiser Lake BCC

polygonLayer
Override 1

Street Names

Lake County Board of County Commissioners

23

Item 2.



TMHConsulting@cfl.rr.com 97 N. Saint Andrews Dr. Ormond Beach, FL 32174 PH: 386.316.8426

#### MEMORANDUM

TO:	Howey-in-Othe-Hills Planning Board
CC:	J. Brock, Town Clerk
FROM: SUBJECT: DATE:	Thomas Harowski, AICP, Planning Consultant Amendments to Development Review Committee Procedures April 20, 2023

The Town Council has been discussing the option of adding a general citizen to the Development Review Committee (DRC). The DRC is a technical review body that applies the standards from the comprehensive plan, the land development code and the Town's design details to prospective developments. The DRC is not a policy board that determines items such as proposed lot sizes, final project density and/or intensity, etc. The policy decisions are made by the Town Council after review and recommendation by the Planning Board. The meetings held by both the Council and the Planning Board are public hearings with ample opportunity for gathering public comment on a project.

At a recent Town Council meeting the Council voted to keep the DRC as a technical review body with an opportunity for public comment. To this end the Council asked staff to prepare a proposed amendment to Chapter 9 of the land development code to clarify the opportunity for public comment and modify a few other sections of the DRC membership and operation. The Town code requires that the Planning Board review any amendments to the development codes and provide a recommendation to the Town Council. This is the purpose for including this item on the current agenda.

- Section 9.03.02 is amended to add the Town Manager and Town Clerk as members of the DRC. Both staff already attend and participate in the DRC meetings. This amendment formalizes the current process.
- Section 9.03.04 is amended to designate the Town Manager as chair of the DRC rather than the town planner. This is also our current practice and again formalizes the current process.
- Section 9.03.04 is also amended to specifically state that attendees from the public will have an opportunity to comment on the projects that come before the DRC. This has also been the current practice in allowing public comment on each agenda item and allowing for a general public comment opportunity at the end of the meeting. Again, the amendment formalizes current practice.

Public comments that have been received at the DRC meetings have mostly been related to policy issues such as lot sizes and project density. The DRC is always careful to point out that the planning board hearings and Town Council hearing are the proper forums for these comments and direct the citizens to these meetings. Typically the general citizenry are not well versed in the technical standards used to review projects at the DRC level, and consequently public comments are often off target for the DRC function. Nevertheless, the DRC does occasionally get a comment about comprehensive plan policies or requests for information on how systems such as stormwater will operate. The opportunity for public comment is not a significant burden in the operation of the DRC and, even when policy issues are raised, can provide information to the applicant on the public view of the project. This information may be useful as the applicant in considering potential amendments to the project.

Staff supports the proposed revisions.

1	ORDINANCE NO. 2023-011
2	
3	AN ORDINANCE OF THE TOWN OF HOWEY-IN-THE-HILLS,
4	FLORIDA AMENDING THE LAND DEVELOPMENT CODE BY
5	AMENDING SECTION 9.03.02 TO INCLUDE THE TOWN MANAGER
6	AND TOWN CLERK IN THE MEMBERS OF THE DEVELOPMENT
7	<b>REVIEW COMMITTEE; AMENDING SECTION 9.03.04 TO CHANGE</b>
8	THE CHAIR OF THE DEVELOPMENT REVIEW COMMITTEE TO THE
9	TOWN MANAGER AND TO MANDATE THAT THE DEVELOPMENT
10	<b>REVIEW COMMITTEE MEETINGS ARE OPEN TO THE PUBLIC AND</b>
11	ALLOW THE PUBLIC TO COMMENT ON EACH ITEM THAT COMES
12	<b>BEFORE THE DEVELOPMENT REVIEW COMMITTEE; PROVIDING</b>
13	FOR CONFLICTING ORDINANCES, SEVERABILITY, CODIFICATION
14	AND AN EFFECTIVE DATE.
15	
16	WHEREAS, the Town Council of the Town of Howey-in-the-Hills, Lake County,
17	Florida, has adopted a comprehensive plan pursuant to, and in compliance with 163.3161 et.
18	Seq., Florida Statutes.
19	
20	WHEREAS, the Town Council, as authorized by 163.3202, Florida Statutes, has enacted
21	and does enforce the Land Development Code, based on, related to, and as a means to implement
22	its adopted comprehensive plan.
23	
24	WHEREAS, the Town Council has determined that it is necessary to amend its Land
25	Development Code as herein provided in order to more effectively implement its adopted
26	comprehensive plan.
27	
28	WHEREAS, The Town Council has determined the proposed amendments are consistent
29	with its adopted comprehensive plan.
30 31	NOW, THEREFORE, BE IT ORDAINED BY THE TOWN OF HOWEY-IN-THE-HILLS,
32	FLORIDA:
33	
34	Section 1. Recitals. The recitals set forth above are true and correct and constitute the
35	legislative findings of the Town Council.
36	
37	Section 2. Amendments to the Town of Howey-in-the-Hills Land Development Code.
38	Section 9.03.00 of the Town of Howey-in-the-Hills' Land Development Code is amended as
39	shown by the addition of the underlined language and the deletion of the struck-through
40	language, as follows:
41	

#### 42 9.03.00 DEVELOPMENT REVIEW COMMITTEE

- 43 9.03.01 **Establishment** There is hereby created and established a Development Review Committee (DRC) for 44 the purpose of receiving, reviewing, and rendering recommendations on applications 45 subject to administrative review and decision as set forth in Chapter 4. 46 47 9.03.02 Membership Membership of the DRC shall include, but is not limited to, the following: 48 A. Town Planner 49 50 B. Town Engineer C. Town Traffic Engineer 51 52 D. Public Works Director E. Police Chief 53 F. Town Manager 54 G. Town Clerk 55 9.03.03 56 **Roles and Responsibilities** A. The DRC shall review applications and provide recommendations to the Planning 57 58 & Zoning Board, the Board of Adjustment and the Town Council for annexations, 59 zonings and rezonings, amendments to this LDC, Comprehensive Plan amendments, subdivision plans, subdivision plats, site plans, variances, conditional 60 61 uses, and amendments to previously issued local development orders. B. The DRC shall perform such other duties as may be assigned by the Town Council 62 or Mayor. 63 9.03.04 **Rules of Procedure** 64 65 A. The Town ManagerTown Planner shall chair meetings of the DRC. B. The DRC shall meet as necessary. 66 67 C. The DRC may establish such additional rules of procedure as needed to carry out its roles and responsibilities. 68 D. The DRC shall be open to the public and allow public comment on each item that 69 70 comes before the DRC. 71 72 73 Section 3. Severability. The provisions of this ordinance are declared to be severable and if any section, sentence, clause or phrase of this ordinance shall for any reason be held to be invalid 74 75 or unconstitutional, such decision shall not affect the validity of the remaining sections, 76 sentences, clauses or phrases of this ordinance, but they shall remain in effect, it being the 77 legislative intent that this ordinance shall stand notwithstanding the invalidity of any part.
- 78

Section 4. Codification. Only the provisions in Section 2 shall be codified in the Land
Development Code.

81

82 Section 5. Effective Date. This ordinance takes effect upon its enactment.

83

84 85 86	<b>ORDAINED AND ENACTED this</b> of Howey-in-the-Hills, Florida.	22 <sup>nd</sup> day of May, 2023, by the Town Council of the Town
87 88 89	or 110 m cy 111 are 11112, 1 10110	<b>Town of Howey-in-the-Hills, Florida</b> By its Town Council
90 91		By:
92 93 94		Hon. Martha MacFarlane, Mayor
95 96 97 98 99	ATTEST:	<b>APPROVED AS TO FORM AND LEGALITY</b> (for the use and reliance of the Town only)
100 101 102 103 104 105 106	John Brock, Town Clerk	Thomas J. Wilkes, Town Attorney
107 108 109 110 111 112 113	Planning and Zoning Meeting held April First Reading held May 8, 2023 Second Reading, Public Hearing and Ad Advertised May 12, 2023	



TMHConsulting@cfl.rr.com 97 N. Saint Andrews Dr. Ormond Beach, FL 32174 PH: 386.316.8426

#### MEMORANDUM

TO: Howey-in-the-Hills Planning Board
CC: John Brock. Town Clerk
FROM: Thomas Harowski, AICP, Planning Consultant
SUBJECT: New Development and Subdivision Standards
DATE: March 13, 2023

#### INTRODUCTION

In recent months the Town Council has expressed some concern about community elements that they believe should be a part of new developments and that the Council does not believe are being adequately addressed. As one Councilor expressed the concern, he would have "the town create a set of documents with minimum standards that would be allowed for developers." The Council requested the Planning Board initiate discussion on this issue with the objective of making a recommendation to Town Council on proposed amendments to the land development code and/or the comprehensive plan. At Town Council the charge to the Planning Board was directed at Chapter 8 of the land development code, and the item has been placed on the agenda with this title.

As the discussion at Town Council emerged, the items most often cited were regarding items such as parks and related community facilities that the Council thought should be an integral element of new subdivisions and new mixed-use developments in the town. The recent developments in Venezia and Talichet have been the most cited examples of projects that are deficient in community enhancements. (This is not a criticism of homes and lot sizes in these projects as both of these items were specifically approved according to the Town's requirements.) The Venezia and Talichet projects were approved in the early 2000s when standards were less comprehensive than those established today, and the Town's legal arm determined the project approval for Venezia and Talichet was vested. This determination limited the Town's ability to demand modifications to the "approved plan."

Since the original Venezia and Talichet developments were approved, the Town has applied more stringent development standards to the projects governed by the Village Mixed Use (VMU) land use classification (The Reserve and Lake Hills) and general planned unit development projects (Watermark). The Village Mixed Use projects include both residential and non-residential uses; community facilities; parks and recreation opportunities; and civic components which translated into an elementary school site in one case. Non-residential components have not always been set asides for commercial uses as not all sites are appropriate for commercial development. In these cases, the Town has worked with the applicants to include regional recreation elements such as extensive bicycle trails that support the Town's bicycle and pedestrian plan. Since none of the newer VMU projects has completed any phase of development at this point in time, the neighborhood quality that will result from these projects is not yet visible in comparison with earlier developments.

The newly approved Watermark development has a strong element of recreation and civic facilities included as a requirement of the PUD approval. These elements along with a contribution to the Town's planned bicycle trail network were negotiated into the project through the normal development review process. The project was required to meet minimum open space standards (Future Land Use Policy 1.2.2), while the recreation and community facility elements were the result of the PUD negotiation process.

Clearly the Town has improved the assets that newer developments will potentially contribute to the livability of these neighborhoods. Once these neighborhoods move from paper plans to actual homes and businesses the Town will be better able to assess whether the community assets offered in these neighborhoods are sufficient to support the local quality of life standards. The following sections will discuss the regulatory objectives behind the various code sections and comprehensive plan goals, objectives, and policies. At that point we can discuss options and opportunities.

#### **REGULATORY BACKGROUND**

It may be that simply more time is required for the Town to fully assess the quality of development that will result from the current body of plans and regulations. However, this section of the report will examine the purpose and requirements of Chapter 4 and Chapter 8 of the land development code and discuss the minimum development requirements established in the comprehensive plan goals, objectives, and policies. It may be that the most effective response to the Town Council concerns is through the comprehensive plan rather than amending the land development regulations.

#### **Chapter 8 Development Standards**

This chapter is titled Development Standards. It is basically the technical requirements for development in the town. It covers:

- 8.02 Lots
- 8.03 Roads
- 8.04 Parking
- 8.05 Utilities
- 8.06 Other Utilities
- 8.07 Environmental Preservation
- 8.08 Open Space
- 8.09 Screening Standards

These sections are available to any party seeking to develop in the town and are one of the sets of standards the Development Review Committee applies in reviewing subdivision design and site plan approval. Chapter 8 defers to the comprehensive plan goals, objectives and policies and other sections of the land development code regarding what elements must be included in a project. If an element is included, however, Chapter 8 provides minimum standards on how a particular element is provided. For example,

- The section on lots defines how lots relate to the street and includes standards for minimum frontage on a street (30 feet) and increased lot size (15%) for corner lots.
- The section on roads defines various road classifications such as arterials, collectors and local streets and gives the minimum dimensional requirements for each type of road. The section covers the construction specifics such as road sub-base, base and paving materials. It provides standards for intersections and governs access to roadways from abutting property. Street signage requirements and standards for bicycle and pedestrian facilities are also included.
- Parking covers the minimum parking requirements for various uses and the specific standards for parking lot layouts, loading areas and drive-through facilities.
- The utilities section covers potable water system requirements, sanitary sewer reqirements, irrigation system requirements and stormwater management. These are system standards, exept for the stormwater standards which are very detailed, and these are suppored by technical engineering sets of standard details.
- Other utilities cover outdoor lighting and a requirement that all utilities be placed underground.
- The environmental standards address procedures for site clearing, protection of areas to be preserved during the period of construction and disposal of construction debris. This section does not specifically state what must be preserved on site. This determination is a function of the comprehensive plan policies.
- The open space section simply defines how some open space elements are counted. The specific requirements for the amount of open space to be preserved are located in the comprehensive plan.
- Finally screening standards apply to screening of service areas and dumpsters.

If the issue to be addressed is what elements need to be included in a proposed community plan, then Chapter 8 may not be the best option for calling out these items. To staff's knowledge the quality of the physical elements of a development such as the pipe systems, the street construction, etc has not been a strong negative issue. The quality of public improvements is most often a function of verifying the plans meet Town standards and then doing thorough inspections during construction.

#### Chapter 4 Development Review Procedures

Chapter 4 does not typically include listing of minimum elements to be included in a project but rather it lays out the process for accomplishing items such as site plan approval, subdivision approval, and other routine actions required of a land development regulatory program. It basically tells us how to do something rather than what to do. The chapter includes submittal requirements for various types of developments so the Town can compare the proposed project to the development standards of Chapter 8, the Town's standard engineering details, the zoning requirements of Chapter 2 and minimum requirements of the comrehensive plan.

#### Comprehensive Plan Goals Objectives and Policies

The location where the Town spells out the majority of the requirements for new development is in the goals, objectives and policies of the comrehensive plan. These guide the content for new development; and the land development regulations and standard construction details become the vehicles for implementing the acutal construction. The comprehensive plan policies take precedence over land development regulations when there is a conflict between the two or when the land development regulations are silent on a development requirement. Note the following:

- Future Land Use Element Policy 1.1.1 includes density and intensity standards that have been embodied in the zoning regulations in Chapter 2 of the land development code.
- This same policy sets minimum standards for elements to be included in the Village Mixed Use projects. This policy becomes the minimum performance guideline when proposed VMU developments are reviewed.
- Future Land Use Policy 1.1.2 describes the expected uses to be allowed in the various land use classifications.
- Future Land Use Policy 1.1.4 provides specific guidance on how to calculate open space and how to calculate the maximum allowable number of units that can be achieved in any one project.
- Future Land Use Element Objective 1.2 addresses the Town's standards for residential quality and neighborhood cohesiveness.

If the Town wishes to include additional items that it believes will support and enhance the quality of new development, expanding the components listed in Objective 1.2 might be a good place to include these items. For ease of reference the objectives and policies cited above are reproduced at the end of this report.

#### DISCUSSION

If we presume that the development review procedures (Chapter 4) and the technical design standards (Chapter 8) are adequate then the discussion of neighborhood quality needs to focus on the comprehensive plan policies. These policies contain standards for denisty (units per acre) and intensity (floor area ratio) for each land use classification, and the policies set minimum open space requirements for each land use classification. There are requirements for new developments to be served by central water and sewer and to provide a non-potable alternative for landscape irrigation. Storm drainage is largely governed by state minimum requirements, although the Town could adopt more stringent standards such as requiring systems to accommodate a larger design storm. For example the Town could require a 100 year design storm rather than the 25-year, 24-hour storm required by the permitting agencies.

Future Land Use Objective 1.2 goes beyond the basic service needs of new developments and includes provisions that direct how new residential development relates to the road network (Policy 1.2.5), how the new development relates to surounding land uses (Policy 1.2.3, Policy 1.2.4, and Policy 1.2.6). These policies discuss protecting residential land uses from negative impacts of adjacent land uses, when screening walls and buffers are required, and how residential density should transition from the center to the perimeter of the community. If the Town wishes to set some standards for other civic elements such as parks and recreation facilities, then a policy could be included that directs projects of a certain size to include these facilities. Currently new homes pay a park impact fee to contribute to recreation needs.

The areas designated for Village Mixed Use development already include requirements for many community elements. For example Policy 1.1.1 requires:

- Minimum of 5% of the non-residential land in projects of 100 acres or more be devoted to public or civic buildings. These buildings could include churches, schools or community buildings that serve the residents of the new development. Civic buildings may not be open entirely to the general public in the case of a neighborhood community building, but they would be available to all of the residents of the new development.
- Public recreational uses must occupy a minimum of 10% of the useable open space in a project. Useable open space excludes wetlands. If these facilities are open parkland or trails they are typically available to anyone while items such as hard surface courts may be restricted to members of the property owners' association and guests.
- A minimum of 25% open space is required, and our rules cap the amount of wetland that can count toward this requirement. This rule ensures that at least some of the open space will be accessable and useable.

Some of the VMU provisions are similar to provisions applied to developmet generally within the Town. Open space for example is covered in a manner very similar to the VMU projects. Recreation opportunities are required in the project or replaced by the parks impact fee, but there is no set percentage of land area that is required. If the Planning Board wishes to recommend some additional provisions it might be appropriate to set a minimum unit threshhold as a trigger for a requirement and apply a sliding scale based on project size so that larger projects are asked to include more facilities. The following questions are offered to stimulate discussion.

- Are there items the Town should require be included in new development that are not currently covered?
- Are there current requirements that need to be enhanced?
- What level of threshold is needed to support specific requirements?

#### EXCERPTS FROM FUTURE LAND USE ELEMENT

**POLICY 1.1.1:** *Land Use Designations.* The Town shall establish, adopt, and implement density and intensity standards for all future land uses, as applicable, and as indicated on the *Future Land Use Map* and the adopted Town Zoning Map.

Density and intensity standards for land uses in Howey-in-the-Hills are featured below.

Land Use	Maximum Residential Density
Residential:	
Low Density	Up to 2.0 dwelling units per acre. Maximum building height is 2-1/2
Residential	stories and no higher than 30 feet.
(LDR)	
Medium	Up to 4.0 dwelling units per acre. A 25% minimum open space is
Density	required. Developments with 100 units or more shall be required to
Residential	have a public recreation component. Developments with more than 300
(MDR)	proposed units must use the Village Mixed Use designation. May
	include support community facilities and elementary schools.
Dural Lifestals	Maximum building height is 2-1/2 stories and no higher than 30 feet.
Rural Lifestyle (RL)	Up to 1.0 per 2 acres. Must have a minimum of 2 acres for this land use. A 50% minimum open space is required. All buildings shall not
(KL)	exceed a 0.15 floor area ratio. The maximum impervious surface
	coverage is 0.20. Maximum building height is 2-1/2 stories and no
	higher than 30 feet.
Land Use	Maximum Land Intensity
Neighborhood	The maximum floor area ratio is 0.50. The maximum impervious
Commercial	surface coverage is 0.70. The maximum building height is 35 feet and
(NC)	limited to two-stories. The maximum building size is 5,000 sq. ft.
	unless a special exception is granted to the developer by the Town
	Council.
· · · · · · · · ·	Elementary and middle schools are also permitted in this category.
Light Industrial	The maximum impervious surface is 0.70. The maximum floor area
(LI)	ratio is 0.60. High schools are permitted in this category.
Institutional	The maximum floor area ratio is $0.25$ . The maximum impervious
(INST)	surface coverage is 0.40. A 25% minimum open space is required.
Recreation	Maximum building height is 2-1/2 stories and no higher than 30 feet. Maximum impervious surface coverage is 0.30. Restricted to passive or
(REC)	active recreational facilities as established in the <i>Recreation and Open</i>
(KLC)	Space Element or by the Town Council.
Conservation	No buildings. Restricted to boardwalks, docks, observation decks, and
(CON)	similar facilities as allowed by the Town and all regulatory agencies.
Public/Utility	The maximum floor area ratio is 0.25. The maximum impervious
(PUB)	surface coverage is 0.50.
	For utilities, the maximum building height is 1 story or no higher than
	20 feet for building; 2 story and 35 feet for other facilities.

Village Mixed	Minimum of 25 acres to apply for this land use. Maximum density of 4
Use (VMU)	dwelling units per acre, which may be increased to 6 dwelling units per
	acre if the development includes 20% usable public open space (no
	wetlands). Residential areas shall comprise a minimum of 70% of the
	net land area and a maximum of 85% of the net land area.
	Commercial/non-residential areas shall comprise a minimum of 15% of
	the net land area and a maximum of 30% of the net land area. This
	includes community facilities and schools.
	For developments with more than 100 acres, 5% of the non-residential
	land shall be dedicated for public/civic buildings.
	Commercial/non-residential may be 2 stories with 50% coverage as
	long as parking and other support facilities (stormwater) are met. The
	maximum building height is 35 feet.
	Public recreational uses must occupy a minimum of 10% of the useable
	open space (no wetlands).
	A minimum of 25% open space is required.
	The maximum building size is 30,000 sq. ft.; unless a special exception
	is granted to the developer by the Town Council.

	1
Town Center Mixed Use (TCMU)	The Town Center Overlay Map denotes where specific uses are permitted within the Town Center (see the Town's <i>Town Center</i> <i>Overlay Map</i> ). For areas designated Commercial Core, all new buildings must be 2 stories or provide a minimum street façade elevation of at least 15-feet to create a vertical enclosure along Central Avenue. The maximum building height is 35 feet. In order to maintain the historic character of the downtown area, the Land Development Regulations will cap the maximum size of any one business in the Town Center Overlay at 5,000 square feet. A maximum 2.0 floor area ratio is permitted if parking requirements are achieved. Where new residential uses are constructed in the commercial core, these uses shall be located on the second floor of buildings. (Existing single-family units on Central Avenue west of Dixie Drive and units fronting on Oak Street and Holly Street are considered permitted uses. Single-family residences may not be constructed elsewhere within the Town Center Commercial Area. Properties in the Town Center Commercial Area within the designated sections of W. Central Avenue, oak Street and Holly Street may be converted to non-residential uses, and once converted, may not revert to single-family residential uses. For areas designated Office/Services or Residential, the maximum impervious surface coverage is 0.40. May live and/or work in these areas.
	For areas designated Residential, the maximum density is 4 units per acre.
	There is a total of 81.73 acres in the Town Center Overlay. About 23.3% of the Town Center Overlay is comprised of roads which are laid out in a grid system. About 52.5% of the Town Center Overlay area is designated for residential use. About 16% of the Town Center is designated for commercial/office/professional services use (with the possibility of residential on the second floor) and about 8.2% is designated as flex space, where either office, professional services, or residential uses – or a live/work combination of those uses is permitted.
	Open space within the Town Center will not be defined as it is for other areas within the Town. Rather, the Town has established maximum impervious surface coverage standards that may not be surpassed within the various uses in the Town Center. The areas designated as Commercial Core have a maximum impervious surface coverage of 100%. Areas designed office/professional services and/or residential shall have a maximum impervious surface coverage of 40% and areas designated as residential in the Town Center shall have a maximum impervious surface of 50%. In the commercial core of the Town Center, the Town anticipates a master stormwater system which will allow maximum coverage for buildings and surface parking.

# **POLICY 1.1.2:** *Land Use Categories.* The land use categories, as depicted on the Town's 2035 Future Land Use Map (FLUM) shall permit the following uses and activities.

**Conservation** - Conservation lands shall include those lands so designated on the *FLUM*. These areas are generally composed of open land, water, marsh and wetlands and environmentally sensitive areas. Conservation lands may be either publicly or privately owned. It is intended that the natural and open character of these areas be retained and that adverse impacts, which may result from development, shall be prohibited or minimized. Adverse impacts shall be presumed to result from activities, which contaminate or degrade wetlands and environmentally sensitive areas, or natural functions and systems associated with such areas. Permitted uses within the Conservation category shall be limited to the following and shall be further controlled by the Land Development Regulations.

- Activities intended for the conservation, reestablishment and re-nourishment, or protection of natural resources.
- Recreation uses and facilities that are customarily described as passive in nature including, but not limited to, fishing, hiking and biking, canoeing, kayaking, and the use of other similar small, quiet low-speed watercraft.
- Very low intensity outdoor or water-dependent recreational related uses (excluding commercial marinas) that are determined not to conflict with the intent of the Conservation category, subject to applicable Federal, State and local policies and permitting requirements.

*Neighborhood Commercial* - The Neighborhood Commercial land use category is intended to provide appropriate locations for neighborhood and community businesses providing services and retail sales for the Town and the nearby communities. Permitted uses within the Neighborhood Commercial category shall be limited to the following uses unless a special exception is granted to applicant by the Town Council.

• General Commercial. These areas shall include those businesses that provide retail goods and services, which serve the routine and daily needs of residents, including banks and professional services,

grocery and convenience stores, retail shops, and restaurants. Public and private elementary and middle schools are also allowed.

- Limited Commercial. These areas shall include low intensity office, service and retail businesses that are compatible when located in close proximity to neighborhoods. These uses are intended primarily to serve the needs of the closely surrounding neighborhood.
- **Professional and Office.** These areas shall be limited to small neighborhood scale businesses and professional offices that are compatible with, and have no measurable or noticeable adverse impacts, upon surrounding residential uses. Such uses include offices for doctors and dentists (but not clinics or hospitals), accountants, architects, attorneys, engineers, land surveyors, real estate brokers, financial planners, insurance and real estate agents and the like.

Light Industrial – The Light Industrial category shall be limited to light manufacturing and production, storage, warehousing and distribution uses as further controlled by the Land Development Regulations. Light industrial uses may have outdoor storage and business-related activity, but such uses shall not include processes that create negative effects to surrounding properties due to noise, heat, fumes, debris, chemicals or hazardous materials. High schools are permitted in this category.

**Rural Lifestyle** – The Rural Lifestyle category shall be primarily limited to single-family detached homes with agricultural uses. Limited commercial activities are permitted such as bed and breakfast establishments, horseback riding facilities, and farm stands for fruits and vegetables grown on that location.

Low Density Residential – The Low Density Residential category shall be primarily limited to single-family detached homes. Residential uses in this category shall be permitted in those areas so designated in accordance with the applicable permitted density and as further controlled by the Land Development Regulations and the Florida Building Code.

**Medium Density Residential** - The Medium Density Residential category shall be primarily limited to single-family detached homes, townhomes, or similar type of uses. Support community facilities and elementary schools are also permitted in this category. Residential uses in this category shall be permitted in those areas so designated in accordance with the applicable permitted density and as further controlled by the Land Development Regulations and the Florida Building Code.

**Institutional** – The Institutional category shall be primarily limited to schools, religious facilities, day care facilities (child and adult), government buildings, cemeteries, or similar uses as identified by the Town Council.

**Recreation** – These areas generally include public parks or private parks that are open and available to the public. Note: Some park and open space lands may be more appropriately designated as Conservation, such as lands with wetlands or other environmentally sensitive areas. Permitted uses shall include active and passive recreation activities including bikeways and pedestrian trails, or other similar facilities as identified by the Town Council.

**Public/Utility** - These areas include uses such as government facilities and essential utilities, including police, fire and Town Hall buildings and wastewater facilities.

**Town Center Mixed Use** – Primarily intended for mixed-use development in the historical downtown area. The historical downtown area is an economic, cultural, social, historic and architectural anchor of the Town. In order to sustain these qualities, new development and redevelopment within the Town Center Mixed Use District shall be reflective of the architectural styles and fabric of the area. Consistency and compatibility with the existing built environment shall be considered in the review and issuance of development permits within the Town Center Mixed Use District. In order to preserve the quaint character of downtown Howey-in-the-Hills, size limitations will also be placed on individual businesses. Redevelopment will focus on orienting buildings and roadways to a pedestrian scale.

**Village Mixed Use** – Primarily intended to create sustainability and maintain the unique charm of the Town, including the provisions of reducing the dependability on the automobile, protecting more open land, and providing quality of life by allowing people to live, work, socialize, and recreate in close proximity. Elementary, middle, and high schools are also permitted in this category. **POLICY 1.1.4:** *Interpretation of Open Space and Density Designations.* Open space is figured on the Gross Land Area. Up to 50% of the open space requirement may be met with wetlands. Open space may include landscaped buffers and stormwater facilities if they are designed to be a park-like setting with pedestrian amenities and free form ponds. Open space may be passive or active. Open space may include public recreational components of developments. The majority of the open space shall be permeable; however, up to 10% may be impervious (plazas, recreational facilities, etc.). Wet ponds are not counted as part of that 10%.

Densities would be determined by the Net Land Area. The Net Land Area is figured by taking the Gross Land Area (total property less any lakes or water bodies), then subtracting from that any open space requirements, then subtracting from that any remaining unbuildable acreage (remaining wetlands).

#### **OBJECTIVE 1.2:** *Residential Quality and Neighborhood Cohesiveness.*

Designate and promote sufficient areas for quality residential development and neighborhood cohesiveness and require the availability of adequate facilities to support demands necessitated by existing and future housing development and associated populations.

- **POLICY 1.2.1:** Adequate Residential Land Area. The Town shall ensure that adequate residential land uses needed to support the population during the planning period shall be designated on the *Future Land Use Map*. The residential land uses shall continue to reflect a pattern that promotes neighborhood cohesiveness and identity. All residential uses shall be subject to the requirements established in the Town's Land Development Regulations.
- **POLICY 1.2.2:** *Open Space Requirements.* The Town shall continue to ensure that residential development is consistent with the open space requirements established below:

	Minimum open space requirements
Rural Lifestyle	50%
Low Density	2 dwelling units per acre
Residential	
Medium	25%
Density	
Residential	

Within the Terry Center Orealers
Within the Town Center Overlay, open
space as defined herein is not required.
The areas designated as Commercial Core
have a maximum impervious surface
coverage of 100%. Areas designed
office/professional services and/or
residential shall have a maximum
impervious surface coverage of 40% and
areas designated as residential in the Town
Center shall have a maximum impervious
surface of 50%.
25%
0.50 floor area ratio; 70% max. impervious
surface coverage
70% max. impervious surface coverage; .6
FAR
25%
Max. 30% impervious surface coverage
No buildings except boardwalks, docks,
observation decks, and similar facilities as
allowed by the Town and all regulatory
agencies.
0.25 FAR; max. impervious surface
coverage of 50%

*Open Space:* Open space is figured on the Gross Land Area. No greater than 50% of the open space requirement may be met with wetlands. Open space may include landscaped buffers and stormwater facilities if they are designed to be a park-like setting with pedestrian amenities and free form ponds. Open space may be passive or active. Open space may include public recreational components of developments. The majority of the open space shall be permeable; however, up to 10% may be impervious (plazas, recreational facilities, etc.). Wet ponds are not counted as part of that 10%.

# **POLICY 1.2.3:** *Encroachment of Incompatible Non-residential Development.* Residential areas delineated on the *Future Land Use Map* shall be protected from the encroachment of incompatible non-residential development. Community facilities and services which best serve the health, safety, and welfare of citizens when located in residential areas, shall be permitted uses therein so long as the activity complies with criteria established in this *Plan* and those in the Town's Code of Ordinances.

- **POLICY 1.2.4:** *Residential Screening Techniques.* The Town shall require new commercial, light industrial, and manufacturing development to install landscaping, visually obstructive fencing or man-made berms, or other appropriate screening techniques obstructing view of the commercial, light industrial, or manufacturing site from areas designated for low or medium density residential if the proposed commercial, light industrial, or manufacturing building is incompatible with the residential area.
- **POLICY 1.2.5:** Access to and Circulation within Residential Areas. Transportation systems within designated residential areas delineated on the *Future Land Use Map* shall be designed to accommodate traffic conditions that maintain public safety, encourage alternative modes of transportation, and limit nuisances. Access to residential areas shall comply with policies established within the *Transportation Element*.
- **POLICY 1.2.6:** *Transition of Residential Densities.* The Town shall continue to orient the transition of residential densities on the *Future Land Use Map* toward higher densities along major transportation corridors and areas adjacent to commercial or other intensive land uses, while lower residential densities shall be directed towards areas further from the Town center (i.e., the central commercial district) and in areas adjacent to agricultural lands.
- **POLICY 1.2.7:** *Compatibility of Residential Densities and Public Facilities.* Residential densities shall be compatible with available public facilities and their capacity to serve development. Residential areas designated on the *Future Land Use Map* shall be allocated according to a pattern that promotes efficiency in the provision of public facilities and services and furthers the conservation of natural resources. Public facilities shall be required to be in place concurrent within the impacts of development.
- **POLICY 1.2.8:** Concurrency Management System Criteria. All public facilities and services must be in place consistent with the criteria established within the Town's Concurrency Management System. Development applications for new residential development shall not be approved unless water, sewer, drainage, park, transportation, solid waste, and public school capacities are available consistent with level of service standards and according to deadlines established within the Concurrency Management System.

- **POLICY 1.2.9:** *Residential Density and the Future Land Use Map.* The Town shall ensure that residential density on the *Future Land Map* is based on the following considerations:
  - past and anticipated future population and housing trends and characteristics;
  - provision and maintenance of quality residential neighborhoods and preservation of cohesive neighborhoods;
  - protection of environmentally sensitive lands; and
  - transition of density between low, medium and high residential districts.
- **POLICY 1.2.10:** *Group Home and Foster Care Facilities.* The Town shall continue to allow the location of group homes and foster care facilities in residential areas. These facilities shall serve as alternatives to institutionalization.

#### **CHAPTER 8**

# CHAPTER 8

# **Development Standards**

8.00.00	GENERAL	
8.01.00	PROJECT DESIGN	
8.02.00	ROADS	
8.02.01	General	
8.02.02	Roadway Classification and General Standards	4
8.02.03	Construction Standards	
8.02.04	Intersections	6
8.02.05	Access	6
8.02.06	Cul-De-Sacs	7
8.02.07	Islands and Medians	7
8.02.08	Street Signs	8
8.02.09	Bicycle and Pedestrian Ways	
8.02.10	Traffic Impact Analysis	9
8.03.00	PARKING	21
8.03.01	General	21
8.03.02	Dimension Requirements	
8.03.03	General Design Requirements	22
8.03.04	Parking Lot Surfaces	22
8.03.05	Stacking Area for Various Drive-Through Facilities	23
8.03.06	Loading Areas	23
8.03.07	Parking Spaces Required	
8.04.00	UTILITIES	24
8.04.01	Utility Ownership and Easement Rights	
8.04.02	Potable Water System	25
8.04.03	Sanitary Sewer System	
8.04.04	Reclaimed Water Systems	27
8.04.05	Stormwater Management	27
8.05.00	OTHER UTILITIES	40
8.05.01	Exterior Lighting	40
8.05.02	Underground Utilities	
8.06.00	ENVIRONMENTAL PRESERVATION AND PROTECTION	43
8.06.01	Vegetation and Soil Protection	43
8.06.02	Disposal of Debris	

Adopted on February 27, 2012

#### CHAPTER 8

8.07.00	OPEN SPACE	45
8.07.01	General	45
8.08.00	SCREENING STANDARDS	45
8.09.00	APPEALS PROCEDURE	45
List of Tables Table 8.02.02 Ro	adway Classifications and Standards	4

Tuble 0102102 Houd way clubbilleadons and ballaadas minimum min	
Table 8.02.04 Intersections.	6
Table 8.03.07 Parking Requirements	23
Table 8.04.05 (H) (5) The following maximum runs of pipe shall be used when spacing access structures of any	
type:	32
Table 8.04.05 (H) (6) (d) Minimum manhole diameters for intersecting pipe sizes shall be as follows	
Table 8.04.05 (I) (5) (a) (1) Minimum manhole diameters for intersecting pipe sizes shall be as follows	

#### **CHAPTER 8**

#### 8.00.00 **GENERAL**

Development standards are established to ensure adequate levels of light, air, and density; to maintain and promote functional compatibility of uses; to promote the safe and efficient circulation of pedestrian and vehicular traffic; to provide for orderly phasing of development; and otherwise protect the public health, safety, and general welfare.

#### 8.01.00 PROJECT DESIGN

The natural topography and vegetation should be preserved and used, where possible, in the design of circulation ways, buildings and structures, parking areas, recreation areas, open space, and drainage facilities. The proposed location and arrangement of structures should not be detrimental to existing or planned adjacent land uses.

All development shall be in accordance with the Town of Howey in the Hills construction specifications. If any discrepancy is discovered between this LDC and the construction specifications, or any other Town policy, the most stringent and restrictive specification, condition, and/or directive shall apply at the discretion of the Town. All development must also comply with the applicable requirements established in the Americans with Disabilities Act (ADA), the Florida Building Code, and any other local, State, or Federal requirement that may apply.

This chapter addresses design standards for transportation-related facilities, utility systems, and environmental protection. For the purposes of this chapter, "utility system" shall mean all distribution, collection, and treatment facilities and appurtenances for potable water, sanitary sewer, reclaimed water, and stormwater management either operated by the Town or subject to regulation by the Town.

#### 8.02.00 ROADS

#### 8.02.01 General

The character, width, grade, and location of all streets and bridges shall conform to the standards in this section and shall be considered in their relation to existing and planned streets, to topographical conditions, to public convenience and safety, and in their appropriate relation to the proposed uses of the land to be served by such streets.

- A. Roads shall be planned in conformity with the Comprehensive Plan.
- B. The street layout of proposed developments shall be coordinated with the street system of the surrounding area or with plans for streets in said area on file with the Town.
- C. All streets shall be public, unless private streets are specifically approved by the Town Council. All streets shall meet all design standards as outlined in this chapter. A condominium, homeowners', or property owners' association shall be

created with all duties and powers necessary to ensure perpetual ownership and maintenance of any private roads. If a guardhouse or gate is provided, plans and specifications, including means of access for Town utility vehicles and emergency vehicles, shall be submitted for the review and approval of the Town Council through the development review process.

- D. All streets shall be constructed to the exterior property lines of the development unless they are permanently terminated by cul-de-sac or an intersection with another street. Streets that may be continued in a future phase of a subject development or may be logically extended as part of a future development shall include a temporary cul-de-sac.
- E. Developments with at least 50 residential units shall provide at least two (2) separate and distinct entrances/access points.
- F. The Town shall facilitate and coordinate for the possible future development of adjoining property of a similar character by providing for joint access or cross access.

#### 8.02.02 Roadway Classification and General Standards

The following table identifies four (4) categories of roadways. Design standards are generalized; the Town Council may apply greater or lesser restrictions, depending upon site-specific considerations. Flexibility in local road design is also provided in the event alleys are used or common parking areas are provided for.

Street Type	Min. R-O-W Width	Lane Width excl. of curbs	# of Lanes	Median Width incl. curb	Grassed Utility Strip and Curb (each side)	Drainage Structures	Sidewalk and Bike Lane (each side)
Arterials	100 feet	12 feet	4	20 feet	6 feet	Curb and Gutter	6-foot sidewalk; 4-foot bike lane
Collectors	90 feet	12 feet	4	14 feet	5 feet	Curb and Gutter	5-foot sidewalk; 4-foot bike lane
Local Roads (typical residential street)	50 feet	24 feet of pavement	2	None Required	8 feet	Curb and Gutter (Swales possible for larger lot subdivisions)	5-foot sidewalk; no bike lane required
Local Roads (with on-street parking)	50 feet	22 feet of pavement with 8-foot wide on- street parking on one side	2	None Required	5 feet	Curb and Gutter	5-foot sidewalk; no bike lane required

#### Table 8.02.02 Roadway Classifications and Standards

Right-of-way and lane widths shall be in conformance with the above listed standards, except when:

A. Lesser right-of-way or pavement width may be allowed by the Town where rightof-way conditions are physically constrained by existing structures, specimen trees, or other natural or man-made constraints.

- B. A lesser standard may be considered if it is more consistent with the existing streets in the area.
- C. Additional right-of-way and/or pavement width may be required by the Town to promote public safety and convenience or to ensure adequate access, circulation, and parking.
- D. Where a proposed development abuts or contains an existing street of inadequate right-of-way or pavement width, additional right-of-way and pavement shall be provided by the developer in conformance with these standards.

#### 8.02.03 Construction Standards

The following minimum road construction standards shall apply to all private or public roads:

- A. Arterials and Collectors
  - 1. Sub-base stabilization utilizing local materials (sand-clay) shall be twelve (12) inches deep, after mixing and compaction to not less than ninety-eight (98) percent of the maximum density in accordance with FDOT specifications, extending one (1) foot beyond each side of the proposed paving width, including curb and gutter, if any. Such sub-base stabilization six (6) inches deep shall be extended an additional five (5) feet each side over the shoulder of the street for the remainder of the sub-base.
  - 2. Base course shall be placed on the previously prepared sub-base, be constructed of either limerock or sand-clay, and be compacted to a depth of not less than eight (8) inches to meet the density requirements of FDOT specifications, and extend six (6) inches beyond each side of the proposed paving width;
  - 3. Soil cement may be used as a base material as an alternate to limerock or sand-clay at the discretion of the Town.
  - 4. Prime coat shall be applied to the previously prepared base course utilizing cut-back Asphalt Grade RC-70 or RC-250 in accordance with FDOT specifications. Emulsified asphalt materials shall not be accepted.
  - 5. Surface pavement course shall be constructed on the previously primed base course utilizing Type III or Type S-1 Asphaltic Concrete to provide a minimum surface width of not less than twenty-four (24) feet and a minimum compacted depth of one and one-half (1 <sup>1</sup>/<sub>2</sub>) inches of such pavement after mixing, placement, and compaction in accordance with FDOT specifications.
  - 6. Surface pavement shall be constructed to full-depth in a single continuous operation, regardless of number of lifts required. Asphalt pavement shall not be constructed in two or more lifts separated by time.
- B. Local Roads. Local street construction shall conform to the foregoing specifications for arterial and collector streets, except that:
  - 1. Sub-base stabilization shall be not less than eight (8) inches deep.
  - 2. Base course shall not be less than six (6) inches deep.
  - 3. Surface pavement course shall be not less than twenty-four (24) feet in width and shall have a minimum compacted depth of not less than one (1) inch.

- 4. Alternate materials may only be used if approved by the Town Engineer.
- 5. All plans shall be subject to review and approval by the Town Engineer.
- 6. Surface pavement shall be constructed to full-depth in a single continuous operation, regardless of number of lifts required. Asphalt pavement shall not be constructed in two or more lifts separated by time.

#### 8.02.04 Intersections

In general, the intersection of streets shall be laid out as follows:

- A. Streets shall intersect at an angle of ninety (90) degrees, unless circumstances acceptable to the Town indicate a need for a lesser angle of intersection.
- B. Property lines at street intersections shall be rounded with a minimum radius of twenty-five feet (25'). A greater radius shall be required for angles of intersection less than ninety (90) degrees.
- C. The minimum radius return of pavement edge, or back of curb, at all typical intersections approximating a right angle shall be as follows:

#### **Table 8.02.04 Intersections**

Road Type	Minimum Radius (in feet)
Local to Collector	35
Local or Collector to Arterial	40
Arterial to Arterial	50

- D. A taper or turn lane may be required for roads with a functional classification of collector or arterial, or a design speed of thirty-five (35) miles per hour or greater.
- E. Roundabouts may also be considered, where appropriate. Standards shall be generally as outlined in the Florida Department of Transportation's *Florida Roundabout Guide*.

#### 8.02.05 Access

Access shall be provided as follows:

- A. Each new development that has at least 50 residential units shall have at least two separate and distinct access points. If the shape or location of the property prohibits this, then the single entrance to the development must incorporate a 24-foot minimum pavement width for ingress and a 24-foot minimum pavement width for egress. Length of this 24-foot section must be adequate for projected traffic.
- B. In order to provide ease and convenience in ingress and egress to private property and the maximum safety with the least interference to the traffic flow on collectors and arterials, the number and location of driveways and other entrances shall be subject to approval as part of the plan review process. With nonresidential development, joint access and cross access shall be promoted by the Town whenever possible.

#### **CHAPTER 8**

- C. Tapers, deceleration lanes, acceleration lanes, left turn lanes, bypass lanes, or other facilities shall be provided as requested by the Town Engineer or other agencies (Lake County or FDOT) to protect the safe and efficient operation of all roadways.
- D. All proposed lots or developments shall have a minimum of thirty feet (30') of frontage at the right of way line.
- E. Roads connecting interior development to a collector or arterial street, if not already paved, shall be improved by the developer to the standards of this chapter.
- F. Vehicular circulation for all uses, except for properties in the Town Center Overlay, shall typically be contained within the property, and vehicles located within one portion of the development shall have access to all other portions without using the adjacent street system, unless there are planned street connections to adjacent properties.
- G. Plans must illustrate that proper consideration has been given to the surrounding street system, also taking into consideration traffic volumes, proposed street improvements, traffic capacities, pedestrian movements, and safety.

#### 8.02.06 Cul-De-Sacs

Permanent dead-end streets shall not exceed six hundred sixty feet (660') in length. Each cul-de-sac street shall have a minimum pavement width of 24 feet and a minimum cul-de-sac right of way radius of 50 feet. Cul-de-sacs shall be discouraged where street connections are possible.

#### 8.02.07 Islands and Medians

- A. Landscaped islands and medians shall be encouraged within the public rights-ofway.
- B. Residential streets with straight expanses of pavement shall have landscaped islands every 600 feet. Those landscaped islands shall have a minimum width (back of curb to back of curb) of ten feet (10') and a minimum length of seventy-five feet (75'). Right-of-way lines shall be adjusted accordingly.
- C. Cul-de-sacs shall have landscaped center islands with a minimum diameter of fifteen feet (15').
- D. All landscaped islands and medians within new developments shall be maintained by the homeowners' or property owners' association. Language outlining these specific areas shall be included in the homeowners' or property owners' association documents.
- E. Landscaped islands and medians may not be counted as open space.
- F. All islands and medians shall be surrounded by a curb and improved with ground cover and other landscaping that does not, and will not at plant maturity, interfere with sight distance.
- G. All islands and medians shall be landscaped and irrigated. Landscape and irrigation plans shall be submitted as part of the Final Plan process.

#### **CHAPTER 8**

#### 8.02.08 Street Signs

Design and placement of traffic signs shall be in conformance with the standards of the Florida Department of Transportation (FDOT) as specified in the Manual on Uniform Traffic Control Devices for Streets and Highways and the Town of Howey in the Hills specifications manual. In addition, the following standards shall apply, except when FDOT standards are more restrictive:

- A. At least two (2) street name signs shall be placed at each four-way street intersection and one (1) at each "T" intersection.
- B. Signs shall be installed free of visual obstruction.
- C. Street name signs for Town streets shall have white letters on a blue background and include the Town logo. Street name signs for private streets shall have white letters on a black background. Colors other than black are subject to Town Council approval.
- D. The surface of all signs shall have reflective material, 3M grade or better.
- E. Street names shall be chosen by the developer, submitted to the Town as part of the Final Plan process, and sent to Lake County by the Town Clerk for formal approval. In proposing street names, the developer should recognize the following:
  - 1. Street names should be relatively easy to spell and pronounce,
  - 2. The street name shall not be a duplicate or near duplicate of another street located in the County,
  - 3. That the continuation of an existing street shall bear the name of the existing street, provided, however, that the Town Council may waive this requirement where the continuation of a street crosses a collector or arterial and the areas on both sides of the collector or arterial are intended to be developed as interior subdivisions.
  - 4. Any street names that Town staff believes are questionable or objectionable shall be first approved by the Town Council prior to forwarding the names to Lake County for final approval.

#### 8.02.09 Bicycle and Pedestrian Ways

Bicycle and pedestrian ways include sidewalks, bikeways, bike lanes, pedestrian paths, and multi-use trails that may be used by pedestrians, bicyclists, skaters, and golf carts for recreation. Except as provided below, bicycle and pedestrian ways may meander between the curb and right-of-way line where necessary to preserve topographical or natural features or to provide visual interest, provided a grassed or landscaped area at least three feet (3') wide is retained to separate the pathway from the adjacent road. Bicycle and pedestrian ways construction and material standards shall comply with those set forth in the Town's standard construction detail sheets.

- A. Bikeways and Bike Lanes
  - 1. Bike lanes shall be provided in both directions along every new arterial and collector road or during the widening of any existing arterial and collector roads.

#### CHAPTER 8

- 2. A bike lane shall consist of a four (4) foot paved width between the outermost traffic lane and the curb. Where on-street parking is permitted, the bicycle lane shall be located between the parking lane and the outer edge of the vehicular traffic lane.
- 3. Bike lanes shall be constructed of the same materials and specifications as the vehicular travel lanes.
- 4. For roads under the Town's discretion, the Town Council may approve an eight (8) foot sidewalk/bikeway as a substitute for the on-street bike lane.
- B. Bike Racks. Bike racks shall be required as part of all non-residential developments. The type of bike rack and number shall be determined as part of the site plan or subdivision plan review process.
- C. Sidewalks
  - 1. Sidewalks shall be provided on both sides of streets. This requirement may be waived for large lot single-family developments.
  - 2. Sidewalks shall be separated from the adjacent roadway by a grassed or landscaped strip. Exceptions to this regulation may be allowed by the Town Council in certain areas in the Town Center where wider sidewalks are required.
  - 3. Minimum sidewalk widths shall be as specified in Table 8.02.02.
  - 4. All sidewalk design and construction shall meet the requirements of the Florida Accessibility Code and the American Disability Act.
  - 5. Development shall provide pedestrian connections to adjacent properties and shall connect on-site sidewalks with those already located or approved on adjacent property.
  - 6. Where residential development is proposed for infill parcels in areas where no sidewalk network exists, sidewalks shall not be required except where the sidewalk can connect to an existing network or the development covers 80% or more of a block face.

#### 8.02.10 Traffic Impact Analysis

A Traffic Impact Analysis (TIA) shall be provided at the first submission of the Preliminary Site Plan or Preliminary Subdivision Plan.

A. Requirements for a TIA

The level of detail and type of TIA for each project will depend on the number of new net peak-hour trips generated, as detailed below. The amount of new net peak-hour project trips generated by the proposed development, which accounts for adjustments for internal capture and pass-by trips, if applicable, shall be based on its proposed land uses and calculated using the trip generation methodologies and guidelines contained herein. A TIA is also required for all aspects of site development and impact assessment. This includes, but is not limited to, updates to previously approved developments and Comp Plan amendments.

- B. Levels of TIA
  - 1. Tier 1 TIA: 0-25 New Net Peak-Hour Trips. If the traffic impacts of a proposed development can be clearly determined without the submittal of a

9

Adopted on February 27, 2012

TIA, and all parties involved (the Town, MPO, FDOT, applicant, etc.) are in agreement (including on any necessary mitigation), the submittal of a full TIA may not be necessary. This would likely most often occur with smaller, less intense projects that generate negligible trips. If an applicant believes that their project meets this criterion, the applicant must submit a Request for Exemption Letter. It should be noted that, ultimately, these trip thresholds are only guidelines and Exemptions are granted at the discretion of the Town. The requirements for the Request for Exemption Letter are discussed later in this section.

- 2. Tier 2 TIA: 26-100 New Net Peak-Hour Trips. A project that generates between twenty-six (26) and one-hundred (100) new net peak-hour project trips shall require the preparation of a TIA unless the applicant believes their project is more in keeping with a Tier 1-type project. In such a case, the applicant may submit a Request for Exemption Letter. Approval and granting of this exemption, however, is strictly at the discretion of the Town. In addition, as an option, applicants may submit a Methodology Letter prior to the submittal of the TIA. The requirements for a Tier 2 TIA, Request for Exemption Letter and Methodology Letter are discussed later in this section. The classification of a project as a Tier 2 TIA is at the discretion of the local government.
- 3. Tier 3 TIA: 101 or More New Net Peak-Hour Trips. A project that generates one-hundred and one (101) or more new net peak hour project trips shall require the preparation of a more-detailed TIA than would normally be required for a Tier 2 project. This requirement for additional detail will be at the discretion of the Town and will be negotiated as part of the methodology review process which involves the submittal and review of a Methodology Letter, to be approved by the Town prior to the submittal of the TIA. In general, a project requiring a Tier 3 TIA shall be required to use the Lake Sumter MPO's currently adopted travel demand model to evaluate future traffic conditions. The requirements for a Tier 3 TIA and Methodology Letter are discussed in sections below. The classification of a project as requiring a Tier 3 TIA is at the discretion of the Town.
- C. Review Process. The applicant shall submit three (3) hard copies and one (1) electronic copy (PDF) of the TIA to the Town Clerk as part of the Preliminary Plan submittal package. The Town and the MPO will review the submittal. The submittal will also be provided to and be reviewed by, any other agencies (such as FDOT and Lake County) with responsibility for roads that are impacted by the development. After review, the Town will provide the applicant with a memorandum which contains specific comments from all parties regarding the TIA. These comments must be addressed and necessary mitigation agreed upon prior to final approval of the Plan under review.
- D. Request for Exemption and Methodology Letter. A Request for Exemption Letter is sometimes applicable, as discussed above. At a minimum, the Request for

#### **CHAPTER 8**

Exemption Letter, based on the guidelines stated herein, shall provide the following information:

- 1. Purpose (also include grounds for exemption)
- 2. Project Description
- 3. Site Location/Site Plan
- 4. Area of Influence/Study Area
- 5. Trip Generation Based on Guidelines Set Forth in this chapter
- 6. Trip Distribution/Assignment Required to determine availability of capacity and to update the Lake County Transportation Concurrency Management System (TCMS)
- E. Methodology Letter. A Methodology Letter shall be submitted to the Town prior to submittal of the TIA, for any project that generates one-hundred and one (101) or more new net peak hour trips. The Methodology Letter, also optional prior to submittal of a Tier 2 TIA, is required to:
  - 1. Identify whether the project will require a Tier 2 or Tier 3 TIA.
  - 2. Identify any critical issues such as, but not limited to, trip generation, trip distribution, the extent of the study, the area of influence, the horizon years, specific time periods to be analyzed, and data sources.
  - 3. Ensure that all relevant issues are adequately addressed in the TIA and that no extraneous elements are included in the study.
  - 4. Help the applicant understand the Town's expectations should further studies be required.
- F. At a minimum the Methodology Letter, based on the guidelines stated herein, shall provide the following information:
  - 1. Purpose
  - 2. Project Description
  - 3. Site Location/Site Plan
  - 4. Area of Influence/Study Area \*
  - 5. TCMS Data for Study Area Roadways \*
  - 6. Intersections to be Analyzed
  - 7. Planned and Programmed Improvements
  - 8. Trip Generation
  - 9. Trip Distribution
  - 10. Trip Assignment
  - 11. Future Traffic Volumes
  - 12. Future Intersection Volumes

\*Prior to submitting the Methodology Letter, the applicant should request the Town and MPO provide a study area report, generated by the Lake County TCMS software, based on location, and proposed land uses. This shall include a study area map and current TCMS data spreadsheet, including existing volumes, existing Level of Service (LOS), LOS standards, service volumes, and committed/reserved trips (background).

G. Report Format. In order to provide consistency and facilitate review of the TIA, the following outline shall be followed to the extent possible:

#### **CHAPTER 8**

Item 4.

- 1. Table of Contents
  - a. List of Figures
  - b. List of Tables
- 2. Introduction
  - a. Purpose
  - b. Project Description
  - c. Site Location and Site Plan
  - d. Study Area/Area of Influence \*
  - e. Planned and Programmed Improvements
  - f. Committed Development
- 3. Existing Roadway and Traffic Conditions
  - a. Pertinent Existing Roadway Information \*
  - b. Existing Segment Geometry
  - c. Existing Intersection Geometry
  - d. Existing Traffic Volumes \*
  - e. Existing Level of Service \*
- 4. Future Roadway Conditions
  - a. Pertinent Future Roadway Information
  - b. Future Segment Geometry
  - c. Future Intersection Geometry
- 5. Future Traffic Conditions
  - a. Background Traffic \*
  - b. Trip Generation
  - c. Trip Distribution and Assignment
  - d. Future Traffic Volumes
- 6. Transportation Assessment
  - a. Segment Analysis
  - b. Intersection Analysis
  - c. Turn Lane Analysis
  - d. Access Analysis
- 7. Mitigation Strategies
  - a. Recommended Improvements
  - b. Proportionate Share calculation (if applicable)

- 8. Summary/Conclusions
  - a. A brief discussion (one or two paragraphs) shall be provided to highlight the TIA Tier classification (Tier 1, Tier 2 or Tier 3), methodology followed and general results.
  - b. Action requested (e.g., approval of mitigation strategy) of the Town shall be specified.
- 9. Appendix
  - a. Traffic Count Data
    - 1. Average Daily 24-Hour or Peak-Hour Traffic Counts (collected, as necessary)

**CHAPTER 8** 

#### TOWN OF HOWEY-IN-THE-HILLS LAND DEVELOPMENT CODE DEVELOPMENT STANDARDS

- 2. Peak-Hour Turning Movement Counts (A.M., P.M., Midday, Weekend (collected, as necessary)
- b. Capacity Analysis Summary Sheets
  - 1. Existing Conditions
  - 2. Future Conditions (per phase, if required)
  - 3. Future Mitigated Condition (per phase, if required)
- c. Lake County TCMS Spreadsheet
- d. Trip Distribution plot from the MPO Travel Demand Model (Tier 2, if necessary, and Tier 3 TIS)

\* Prior to submitting the Methodology Letter, the applicant should request the Town/MPO provide a study area report, generated by the Lake County TCMS software, based on location, and proposed land uses. This shall include a study area map and current TCMS data spreadsheet, including existing volumes, existing LOS, LOS standards, service volumes, and committed/reserved trips (background).

- H. TIA Report Breakdown The following section describes the minimum content/information that shall be included in each chapter or section of the TIA based on the outline provided above.
  - 1. Table of Contents, List of Figures and List of Tables. A Table of Contents, List of Figures and List of Tables shall be provided as part of the TIA report.
  - 2. Introduction. This chapter, or section, shall contain pertinent information about the proposed project. The information that shall be provided is discussed below.
  - 3. Purpose. The Tier (1, 2 or 3) of TIA and reason for the submittal of the TIA shall be stated. For example, it shall be stated if the TIA is being submitted for a development plan approval, Comp Plan amendment, or an update to a previously approved development/phase.
  - 4. Project Description. A brief description of the proposed project shall be provided. The following information shall be provided and can be presented as a bulleted list or table:
    - a. Area Type (Rural, Transitional, Urban)
    - b. Type of Development (e.g., Residential, Retail, etc.)
    - c. Institute of Transportation Engineers (ITE) Land Use Code(s)
    - d. Size of development in standard ITE units (e.g., dwelling units for residential)
    - e. Location/Description of the proposed development site access
    - f. Anticipated opening/buildout year (by phase, if necessary)
    - g. Analysis years (by phase, if necessary)
    - h. Analysis periods (e.g., AM, PM, Mid-day, etc)

- i. Source of adopted roadway Level of Service (refer to TCMS spreadsheet)
- 5. Site Location and Site Plan. An area figure/map shall be provided to show the location of the project in relation to the surrounding region. This figure shall show the area of influence of the project, as discussed in the following

#### CHAPTER 8

section. In addition, a site plan shall be included in this section to provide an overview of the project and site access.

6. Study Area/Area of Influence. The study area to be addressed by the applicant shall be regional in nature and shall include all roadways and major intersections affected by the proposed development. For those projects requiring a Methodology Letter, the study area will be defined prior to submittal of the TIA. The applicant should request the Town/MPO provide the study area based on location and proposed land use (provided by applicant). The extent of the study impact area shall be determined by the area of influence of the project. The area of influence shall be established as one half (1/2) the total trip length associated with the land use of the proposed development, based upon the Lake County Transportation Impact Fee Update Study Final Report (see table in Appendix A, column "E"). The area of influence shall be based on the "as the car drives" distance as opposed to the "as the bird flies" distance. The roadway segments and intersections within the area of influence shall be considered for further study. In cases where the proposed project involves multiple land uses, the study area shall be defined as one-half the total trip length associated with the land use having the longest total trip length.

It should be noted that once the study area has been established based on the previously described methodology, there is the potential that not all intersections and segments within the study area will require full analysis. The intersections requiring full data collection and analysis will be determined by the anticipated effect of the proposed development at each location. The principal factors in this determination include the project trip distribution on the study area network and existing LOS and operations on the study area roadways and at the subject intersections. As the affect of the project traffic on more distant segments and intersections diminishes, specific locations may be removed from further consideration. Additionally, factors that could also influence the area of influence are the existing and future land uses in the area, and the existing and future transportation network. The study area roadways and intersections may be discussed during the methodology review process, but ultimately, it is at the discretion of the Town to reduce or expand the study area, as deemed necessary.

7. Planned and Programmed Improvements. This section shall identify and discuss all planned and programmed roadway improvements relevant to the study area. This includes all local, State and Federal projects that have been planned or funded. The section shall include a list of planned or programmed improvements, location/limits, programmed phases with years, and the name of the agency responsible for implementing the project. Only those programmed improvements contained in the first three (3) years of the relevant work program, and funded for construction, shall be considered as

capacity "in-place." If no programmed or planned improvements are relevant to the study area, the applicant shall indicate that there are no planned or programmed improvements within the project study area within the next three years. In general, the Lake County TCMS will be kept up to date with planned and programmed improvements from the first three years of the work program.

- 8. Committed Development. This section shall include discussion and figures pertaining to Approved/Committed Development. In general, the Lake County TCMS will be kept updated with committed/reserved trips relevant to the study area. If no information is available then an appropriate growth rate, as approved by the Town shall be used.
- 9. Existing Roadway and Traffic Conditions. The applicant is responsible for collecting or obtaining the existing conditions data required to effectively produce a TIA that meets the Town's requirements. The existing conditions data will include information on existing roadway geometry, existing traffic control, existing traffic volumes and existing LOS. This information shall be from field observations and the Lake County TCMS spreadsheet and may be presented collectively using tables and/or figures.
- 10. Pertinent Existing Roadway Information. Any information that does not fall strictly into the existing segment and intersection categories shall be documented. This may include discussion and figures pertaining to Access Management (e.g., restricted, unrestricted), Functional Classification (e.g., arterial, collector, local road), Area Type (e.g., urban, urban transitioning, or rural/undeveloped), etc.
  - a. Existing Segment Geometry. Information shall be provided about the existing geometry or laneage of the study segments. Typically, this information is depicted in a figure or listed in a table.
  - b. Existing Intersection Geometry. Information shall be provided about the existing geometry or laneage of the study intersections. Typically, this information is depicted in a figure or listed in a table.
  - c. Existing Traffic Volumes. A discussion and appropriate tables/figures shall be provided to present existing year Average Daily Traffic (ADT) and peak-hour directional volumes on study area roadway segments, and existing year peak-hour turning movement counts (TMCs) at the study area intersections. P.M. peak-hour directional volumes are provided in the Lake County TCMS spreadsheet, provided at or before methodology. In cases where no information exists in the TCMS for a particular segment (zeroes in the TCMS), manual/tube counts shall be required. For such a situation, count data from the most recent FDOT Traffic Information DVD and/or the Lake County Annual Traffic Counts program may also be utilized to obtain segment volumes. Historical TMC data collected by others that is less than one (1) year old may also be utilized, with prior Town approval, provided that the counts are grown to present day volumes using an accepted growth rate.

15

#### CHAPTER 8

- d. Existing Level of Service. Existing LOS analyses shall be conducted for segments and intersections based on currently accepted traffic engineering principles. Methods that incorporate and apply appropriate techniques from the latest edition of the Highway Capacity Manual (HCM) are acceptable. These methods may include the use of the latest available versions of the Highway Capacity Software (HCS), Synchro, LOSPLAN and the FDOT Generalized Service tables. The existing LOS shall be compared to the adopted LOS standards used for concurrency determination and shall be consistent with the Transportation Element of the Town's Comprehensive Plan. The LOS standards for an intersection analysis shall be the conservative adopted roadway LOS standard of the intersecting roadways. For the majority of facilities, the Lake County TCMS will be kept up to date with the adopted LOS standards, area type, facility type, maximum service volume, etc. as they apply to the When an applicant is utilizing the FDOT transportation network. Generalized Service tables, particular attention shall be given to the appropriate selection of criteria based on Access Management (e.g., restricted, unrestricted), Functional Classification (e.g., arterial, collector, urban transitioning, local road). Area Type (e.g., urban, or Before conducting an analysis utilizing rural/undeveloped), etc. LOSPLAN, the applicant shall verify with the Lake County TCMS that an analysis on the affected segments has not already been developed, and is being applied in the TCMS, within the past year. If an approved LOSPLAN analysis, less than one (1) year old, exists within the Lake County TCMS, the applicant shall utilize these results for the applicable segments of the system within the study area.
- e. Future Roadway Conditions. This section shall contain information pertaining to the future (build-out year) roadway conditions. Generally, if the future roadway conditions are not substantially different from the existing year (as would be the case when there are no pertinent planned and programmed improvements) then this section may not be necessary and a brief statement to that effect shall be provided.
- f. Pertinent Future Roadway Information. Any information that does not fall strictly into the existing segment and intersection categories shall be documented. This may include discussion and figures pertaining to Access Management (e.g., restricted, unrestricted), Functional Classification (e.g., arterial, collector, local road), Area Type (e.g., urban, urban transitioning, or rural/undeveloped), etc. If the pertinent roadway information does not differ from that of the then this may be stated in lieu of tables or figures.
- g. Future Segment Geometry. This section shall include information about the future geometry or laneage of the study segments. Typically, this information can be depicted in a figure or listed in a table. If the future segment geometry does not differ from the existing segment geometry, then this may be stated in lieu of tables or figures.

- h. Future Intersection Geometry. This section shall include information about the future geometry or laneage of the study intersections. Typically, this information can be depicted in a figure or listed in a table. If the future intersection geometry does not differ from the existing intersection geometry, then this information may be stated in lieu of any tables or figures.
- i. Future Traffic Conditions. The applicant shall provide a graphical summary or table of the future year background traffic, plus the proposed development traffic for the A.M. peak hour, P.M. peak-hour, Mid-day peak-hour or weekend peak-hour (whichever is applicable). These volumes shall include both segment and turning movements within the study area. Note that deminimis impacts are defined by Florida Statute as project impacts equating to less than 1% of the maximum service volume for the impacted roadway segment. Cumulative deminimis impacts may not exceed 110% of the maximum service volume for non-hurricane evacuation routes or 100% of the maximum service volume for designated hurricane evacuation routes.
- j. Background Traffic. Background (committed/reserved) traffic from approved developments in the area shall be tracked and is maintained within the Lake County TCMS. As such, in most cases, a separate determination of background traffic will not be required.
- k. Trip Generation. Trip generation involves estimating the number of trips that will be produced from or attracted to the proposed development. The latest edition of the ITE Trip Generation manual shall be used to determine proposed project trip estimates. The estimates obtained from this source must be used with good judgment as they are based on national data and may not take into account any special features that the local subject site might have. Opportunities are available for reducing the estimated trips to derive net, new, external trips and include:
  - 1. INTERNAL CAPTURE Internal capture refers to the percentage of trips generated by a multiple land use development (e.g., having a combination of retail, office and/or residential uses) that take place entirely within that development. Deductions may be made to the total site-generated trip estimates of a multi-use development by estimating the amount of internal capture for individual land uses. The ITE Trip Generation Handbook contains the recommended procedure for estimating internal capture deductions.
  - 2. PASS-BY TRIPS Retail land uses experience pass-by trip "capture" from the adjacent traffic stream. Pass-by trips are those already on the network making intermediate stops en-route between an origin and a primary trip destination, without route diversion. These trips shall not be included in the new trip estimates. In general, pass-by trips should not exceed 10% of the background traffic on the adjacent roadway, nor 25% of total trip generation. However, fast-food restaurants, gas

stations/convenience stores, pharmacies/drug stores and drive-in banks, due to their high pass-by nature, may exceed 25% of the total, with permission from the Town. New trip percentages, by land use, are provided in the Lake County Transportation Impact Fee Update Study Final Report (see table in Appendix A, column "F"). The use of internal capture and pass-by rates shall be approved at the discretion of the Town.

- 1. Trip Distribution and Assignment. Trip distribution is a process by which the trips generated in one (1) traffic analysis zone (TAZ), or by one land use, are allocated to other TAZs, or other land uses, in the study area. Trip assignment is the process of numerically assigning the distributed trips to specific transportation facilities. The term "trip distribution" is sometimes used to define both procedures of trip distribution and assignment. Trip distribution and assignment may be based on the Lake Sumter MPO's currently adopted travel demand model, market analysis, existing traffic flows, applied census data, or professional judgment (manually distributed). In general, this section shall present the forecasted trip assignment based on the development's trip generation and distribution estimates. This typically takes the form of figures providing the percentage of total proposed project trips on the individual roadways in the transportation study network. The procedures and logic for estimating the trip distributions must be well documented. The trip distribution and assignment patterns shall be presented for each phase of the development or as requested by the Town. Unless otherwise agreed at Methodology, proposed projects which are projected to generate one hundred and one (101) or more net new peak-hour project trips (Tier 3 TIA) should utilize the Lake Sumter MPO's currently adopted travel demand model to derive trip assignment percentages.
- m. Future Traffic Volumes. This section shall include discussion and figures presenting future year ADT on study roadway segments and future year peak-hour TMCs at the study intersections. Typically, this information can be depicted in a figure or listed in a table. This estimate of future year traffic volumes on the study area transportation network would result from the summation of the proposed project volumes, determined after the processes of trip generation (including adjustment for internal capture and pass-by trips), trip distribution and assignment, committed/reserved trips from the Lake County TCMS, and existing traffic volumes.
- n. Transportation Assessment. LOS analyses shall be conducted and use the future and projected traffic volumes, as obtained following the guidance provided. The analysis shall be based on currently accepted traffic engineering principles. Methods that incorporate and apply appropriate techniques from the latest edition of the Highway Capacity Manual are acceptable. These methods may include the use of HCS, Synchro 6 and higher, LOSPLAN and FDOT Generalized Service tables. The LOS

standards used for concurrency determination shall be consistent with the Transportation Element of the Town's Comprehensive Plan. The LOS standards for an intersection shall be the most conservative adopted roadway LOS standard of the intersecting roadways. For the majority of facilities, the Lake County TCMS will be kept up to date with the adopted LOS standards, area types, facility types, maximum service volumes, etc., as they apply to the transportation network.

- o. Segment Analysis. A roadway segment analysis shall be performed on each of the study segments. If the analysis indicates that the future segment LOS will be below the adopted LOS standard, potential mitigation measures shall be developed, as well as a fair share calculation for these measures. The latest version of LOSPLAN can also be used to develop an alternative capacity/service volume based on corridor-specific data. The LOSPLAN analyses must be approved by the local government and shall be applied in the TCMS as the new capacity.
- p. Intersection Analysis. A signalized or unsignalized intersection analysis shall be performed on each of the study intersections. The procedure shall utilize Highway Capacity Manual techniques, as previously mentioned. The existing LOS shall be compared to the adopted LOS standards, used for concurrency determination, and shall be consistent with the Transportation Element of Town's Comprehensive Plan. The LOS standards for an intersection shall be the most conservative adopted roadway LOS standard of the intersecting roadways. A summary of the analysis results shall be tabulated with the software output included in the Appendix section. If the analysis determines that the future intersection LOS will be below the adopted LOS standard, potential mitigation measures shall be developed as well as fair share calculation for these measures.
- q. Turn Lane Analysis. For intersections with failing turning movements, the need for additional turn lanes and an analysis of turn lane storage length adequacy shall be conducted.
- r. Access Analysis. The TIA shall include an assessment of on-site and offsite turn lane adequacy, required storage, potential for signalization, sight distance and other intersection safety aspects, and on-site circulation as it may affect access. Use of joint access driveways is encouraged to reduce the total number of connections to the roadway network. The following points should be considered in determining the need for turn lanes:
  - 1. The total traffic generated by the anticipated traffic distribution, the number of access points and the projected turning movement volumes.
  - 2. A traffic analysis indicates that turn lanes would be necessary to maintain capacity on fronting roads and/or at adjacent or nearby intersections.

#### **CHAPTER 8**

- 3. Entrances are proposed at locations where grade, topography, site distance, traffic, or other unusual conditions indicate that turn lanes would be needed to improve safety.
- s. Mitigation Strategies. If the transportation assessment reveals that the potential project will not result in a deficiency in the existing roadway network, then no project-related improvements are required. However, mitigation strategies must be developed if the transportation assessment determines that the proposed project will potentially result in a deficiency in the LOS of transportation facilities. This process involves addressing the extent of the mitigation strategies/solutions as well as calculation of fair share cost.
- t. Recommended Improvements. Mitigation strategies must be developed if the transportation assessment determines that the proposed project will potentially result in a deficiency in the Level of Service of transportation facilities. Mitigation measures for segments, intersections, turn lanes and site access shall be developed to allow the build condition to operate above the local government's acceptable Level of Service standards. These measures may include, but are not necessarily limited to:
  - 1. Revised striping
  - 2. Addition of turn lanes
  - 3. Addition of travel lanes
  - 4. Addition of storage lanes
  - 5. Lengthening of storage lanes
  - 6. Installation of traffic signals
  - 7. Installation of traffic control signs
  - 8. Restriction of turning movements
  - 9. Adjustment of cycle lengths
  - 10. Introduction of additional signal phases

Improvements must be concurrent with the impacts of development. If reasonable mitigation measures cannot be implemented to assure that traffic will operate in an efficient way, a more detailed evaluation of project size, land use types, and development phasing may be required. If viable transportation improvements cannot be recommended, then steps must be taken to reduce the project's impact on the adjacent roadway network to acceptable levels.

u. Proportionate Share Calculation. The intent of the proportionate share option is to provide applicants an opportunity to proceed under certain conditions, notwithstanding the failure of transportation concurrency, by contributing their share of the cost of improving the impacted transportation facility. However, the ability of the Town to fund improvements is subject to budget constraints. Consequently, it should be noted that the determination of a project's proportionate share cost and the applicant's ability to pay that cost is not a guarantee the project will be

# TOWN OF HOWEY-IN-THE-HILLS LAND DEVELOPMENT CODE DEVELOPMENT STANDARDS 0

approved. In addition, there is no guarantee of a funding match by the Town or other agency to facilitate implementation of the proposed mitigation strategy unless it is formalized in an agreement. The formula below is provided as guidance where:

- v. Increase in Service Volume. Increase in service volume is the change in peak-hour maximum service volume of the roadway that would result from the construction of the improvement necessary to maintain the adopted LOS.
- w. Cost of Improvement. Cost of improvement is the cost of construction, at the time of developer payment, of an improvement necessary to maintain the adopted level of service. Construction cost includes all improvement associated costs, including engineering design, right-of-way acquisition, planning, engineering, inspection, and other associated physical development costs directly required and associated with the construction of the improvement, as determined by the governmental agency having maintenance authority over the roadway.
- x. Project Trips. Project trips are the trips from the stage or phase of the project under review that are assigned to a roadway segment and have triggered a deficiency based upon comparison to the adopted LOS.
- 11. Summary/Conclusions. A brief discussion (one or two paragraphs) shall be provided to highlight the TIA Tier classification (Tier 1, Tier 2 or Tier 3), methodology followed and general results. In addition, the action requested (e.g., approval of mitigation strategy) of local government shall be specified.
- 12. Appendix
  - A. Traffic Count Data
    - 1. Average Daily 24-Hour Traffic Volumes (as necessary)
    - 2. Peak-hour Turning Movement Volumes (A.M./P.M./Midday, as necessary)
  - B. Capacity Analysis Summary Sheets
    - 1. Existing Conditions
    - 2. Future Conditions (per phase if required)
    - 3. Future Mitigated Condition (per phase if required)
    - 4. Lake County TCMS spreadsheet (relevant sections)

21

5. Trip Distribution Plot

#### 8.03.00 **PARKING**

#### 8.03.01 General

All developments in all zoning districts shall provide a sufficient number of parking spaces to accommodate the number of vehicles that ordinarily are likely to be attracted to the development in question. Accessible parking spaces shall be provided in accordance with the Florida Building Code.

#### **CHAPTER 8**

#### 8.03.02 Dimension Requirements

- A. Parking Space Size. Each parking space shall contain a rectangular area at least 20 feet long and 10 feet wide. Lines demarcating parking spaces may be drawn at various angles in relation to curbs or aisles, so long as the parking spaces so created contain within them the same effective parking area as the rectangular area required by this section.
- B. Accessible (Handicap) Spaces. Accessible spaces shall be provided and sized in accordance with the Florida Building Code.

#### 8.03.03 General Design Requirements

- A. Parking lots shall be designed so that vehicles may exit such areas without backing onto a public street.
- B. Parking spaces shall be designed so that vehicles can not block sidewalks.
- C. Visible pedestrian crosswalks, using alternative materials such as brick or other paver materials, should be designed into parking lots to promote safety.
- D. Every vehicle accommodation area that abuts a building or a fire hydrant shall be provided with a fire lane.
- E. Parking lots shall be properly lit. The lighting shall be contained on site.
- F. Where parking areas abut sidewalks, bollards or other materials may be required to enhance safety.

#### 8.03.04 Parking Lot Surfaces

Parking lot areas that include lanes for drive-through windows or that are required to have more than five (5) parking spaces, shall be graded and surfaced with asphalt, concrete, or other material that will provide equivalent protection against potholes, erosion, and dust. Parking lots with five or less parking spaces and which have no drive-through window lanes may be graded and surfaced with a pervious concrete paver or other suitable material to provide a surface that is stable and will help to reduce dust, potholes, and erosion. The perimeter of such parking areas shall be defined by bricks, railroad ties, or other similar materials. In addition, whenever such an area abuts a paved street, the driveway leading from such street to the parking lot (or the direct connection to the street) shall be paved for a distance of fifteen (15) feet back from the edge of the paved street. The pavement must meet the same standards as other paved parking areas.

At the option of the developer and the approval of the Town:

- A. Up to 25% of the required parking spaces for any site may be met with a pervious concrete paver or other suitable material to provide a surface that is stable and will help to reduce dust, potholes, and erosion.
- B. Up to 25% of the parking required for places of worship may be provided on grass. Grassed parking areas shall be required to meet all stormwater, setback and other applicable provisions of this Code as though the area was being paved. No

#### **CHAPTER 8**

grassed parking shall be established within any required open space or landscaped area, and no such area shall be credited toward required buffers and open space.

#### 8.03.05 Stacking Area for Various Drive-Through Facilities

All uses with drive-through windows shall provide vehicle stacking area based on the following criteria. The stacking area shall be designed based on a 10 foot by 22-foot space per required vehicle. The stacking area shall be designed so as to operate independently of other required parking and circulation areas.

Each drive-through restaurant shall accommodate 6 vehicles (10'X22') per service lane, with a minimum of 3 of those being behind the order station. All other drive-through facilities shall accommodate a minimum of 3 vehicles per service lane.

#### 8.03.06 Loading Areas

Whenever the normal operation of any development requires that goods, merchandise, or equipment be routinely delivered to or shipped from that development, sufficient off-street loading and unloading areas shall be provided to accommodate the delivery or shipment operations in a safe and efficient manner. Loading and unloading areas shall be located and designed so they are not visible from adjacent streets, nor adjacent residential areas.

Loading and unloading areas shall be located so that the vehicles intended to use them can maneuver safely to and from a public right-of-way, and complete the loading and unloading operations without obstructing or interfering with any public right-of-way or any parking space or parking lot aisle.

No area allocated to loading and unloading facilities may be used to satisfy the area requirements for off-street parking, nor shall any portion of any off-street parking area be used to satisfy the requirements for loading and unloading facilities.

#### 8.03.07 Parking Spaces Required

Table 8.03.07 provides the parking space requirements for the Town. Applicants for development and redevelopment within the Town Center Overlay may elect to pay into a public parking fund if they can not fit the required number of parking spaces on their property.

Use	Minimum Parking Spaces (Except Town Center)
ACLF	3 spaces for every 5 beds
Animal Services	1 space per 200 square feet of Gross Floor Area
Automobile Sales and Service	1 space per 250 square feet of Gross Floor Area
Automobile Repair/ Service Station	3 spaces per service bay and 1 space per employee
Bank	1 space per 300 square feet of Gross Floor Area
Bar or Nightclub	1 space per 75 square feet of Gross Leasable Area.

#### **Table 8.03.07 Parking Requirements**

#### **CHAPTER 8**

Barber or Beauty Salon	1 space per 200 square feet of Gross Leasable Area
Bed and Breakfast Inn	1 space for each guest unit
Bowling Alley	5 spaces per lane
Business Office	1 space per 200 square feet of Gross Floor Area
Churches/Places of Worship	1 space for each 4 seats, plus 1 space/residential unit, plus 1 space/200 sq.
	ft. of floor area not used for services or residential purposes
Convenience Stores with gasoline sales	2 spaces for every 4 pumps plus one space per employee
Convenience Stores without gasoline sales	1 space per 150 square feet of Gross Floor Area
Day Care Center	5 spaces for transient use plus one per employee
Family care; Groups Care; Institutional Care	1 space per 4 beds plus one per employee
Funeral Home	1 space per 100 square feet of Gross Floor Area
Furniture Store	1 space per 500 square feet of Gross Floor Area
Use	Minimum Parking Spaces (Except Town Center)
Golf Course	6 spaces per hole; reference other categories for other uses (i.e., restaurant,
	meeting space)
Hospital	1 space for each bed plus 1 per employee
Hotel/Motel	1 space for each room plus 1 space/employee. If the hotel has a restaurant,
	1 space/100 sq.ft. of Gross Floor Area for the restaurant. If the hotel has
	meeting space, 1 space/100 sq.ft. of Gross Floor area for that space.
Library/Club	1 space per 300 square feet of Gross Floor Area
Medical Clinic	1 space per 200 square feet of Gross Floor Area
Nursing Home	1 space per 4 beds plus 1 space per employee
Office or Office Park	1 space per 300 square feet of Gross Floor Area
Personal Services not identified elsewhere	1 space per 250 square feet of Gross Floor Area
Personal Storage Facility/Mini Warehouse	1 space/10 units (min. 6 spaces), equally distributed. If manager housed on-site, add two spaces.
Private Recreation Facility	1 space per 200 sq. ft. within enclosed buildings; add. spaces will be
2	required for outdoor facilities to be determined with site plan review or at
	time of permitting
Residential	2 per unit, not including garage
Restaurant (fast food; carry out)	7 spaces per 1,000 sq. ft. of Gross Floor Area
Restaurant (sit down)	1 space per 100 square feet of Gross Floor Area
Retail Sales	1 space per 250 square feet of Gross Floor Area
Schools (private); Public buildings	1 space for each 4 seats in the main assembly area or 1 space for each 250
· _	sq. ft. of Gross Floor Area if no assembly area.
Shopping Center	1 space per 250 square feet of Gross Floor Area
Theaters	1 space per 3 seats, plus one space for each employee on the largest shift
Wholesale/Manufacturing	1 space per 400 sq. ft. for sales and 1 space for every 2 employees on the
	maximum shift for manufacturing

Table 8.03.07 above, the number of accessible spaces must comply with the minimum requirements of the Florida Building Code.

The Town Council recognizes that the Table of Parking Requirements set forth above cannot and does not cover every possible situation that may arise. In cases not specifically mentioned in the above table, the Town will determine the parking requirements using this table, and whatever additional information it deems reasonable.

#### 8.04.00 UTILITIES

#### 8.04.01 Utility Ownership and Easement Rights

24

In any case in which a developer installs or causes the installation of potable water, landscape irrigation facilities, wastewater, electrical power, traffic signals, street lighting, telephone, or cable facilities, and intends that such facilities shall be owned,

operated, or maintained by a public utility or any entity other than the developer, the developer shall transfer to such utility or entity the necessary ownership or easement rights to enable the utility or entity to operate and maintain such facilities.

#### 8.04.02 Potable Water System

- A. Potable water system construction and material standards shall comply with those set forth in the Town's potable water utility specifications. Every principal use in the Town and every lot in a subdivision shall be served by the Town's potable water supply system, unless granted a specific waiver to these regulations.
- B. All applicable potable water system improvements required for new development shall be donated to the Town of Howey in the Hills.
- C. Trunk lines shall have a minimum diameter of twelve inches (12") and shall be located within an arterial street right-of-way or within a corridor approved by the Town and adequate for that purpose and conducive to the development of a Town-wide water supply system.
- D. Distribution lines within residential subdivisions shall have a minimum diameter of six (6) inches. Distribution lines within multi-family developments and non-residential developments shall have a minimum diameter of eight (8) inches.
- E. To the maximum extent feasible, distribution lines shall be located parallel to and behind the back of curb or edge of pavement. The water main shall be located to minimize conflicts with other utilities and existing or proposed structures. As a standard practice, water mains shall be installed four feet (4') off the back of curb or as approved by the Town. A minimum of five feet (5') shall be maintained between underground power, gas mains, and the water mains.
- F. System looping is required wherever practicable to increase overall capacity and service.
- G. Every development shall include a system of fire hydrants sufficient to provide adequate fire protection for the buildings located or intended to be located within such development.
- H. The Town Engineer shall determine the precise location of all fire hydrants subject to the other provisions of this section. In general, fire hydrants shall be placed six feet behind the curb line of publicly dedicated streets that have curb and gutter and at property lines of non-curbed public dedicated streets.
- I. The Town Engineer shall determine the design standards of all hydrants based on fire flow needs. Unless otherwise specified by the Town Engineer, all hydrants shall be two (2) two and one half (2 <sup>1</sup>/<sub>2</sub>) inch hose connections and one (1) four and one half (4 <sup>1</sup>/<sub>2</sub>) inch hose connection. The two and one half (2 <sup>1</sup>/<sub>2</sub>) inch hose connections shall be located at least twenty-one and one half (21 <sup>1</sup>/<sub>2</sub>) inches from the ground level. All hydrant threads shall be national standard threads. The minimum fire flow must be 500 gallons per minute with no less than 20 pounds per square inch (psi) residual pressure in single family residential areas and 1,250 gallons per minute with no less than 20 psi residual pressure for other development. The Town may require greater flow rates depending on the size of the building and/or its property use.

- J. Potable water lines that serve hydrants shall be at least 8-inch lines, or a 6-inch loop that provides the minimum flow requirements, and, unless no other practicable alternative is available, no such lines shall be dead end lines.
- K. Final development orders shall not be issued without certification that adequate potable water service is available.

#### 8.04.03 Sanitary Sewer System

- A. A sanitary sewer collection system shall be designed, permitted and constructed by the developer, in such a manner as to provide the ability for each lot or parcel to be connected to the collection system, whether concurrent with development of the subdivision or at a future date, such design, permitting and construction to be performed at the sole cost and expense of the developer. The sanitary sewer collection system shall include all necessary gravity sewer lines, manholes, lateral lines, lift stations, force mains, and all other normally associated components of any of these facilities, all in accordance with the Town's wastewater utility specifications and all requirements of State and Federal regulatory agencies having jurisdiction over such matters. In the event that the Town does not have available an operational sanitary sewer treatment facility at the time of submittal of the Florida Department of Environmental Protection (FDEP) sanitary sewer system extension permit application, the application shall be submitted to FDEP as a "dry-line" application and all of the above mentioned shall apply.
- B. Every principal use in the Town and every lot within a subdivision shall be served by a wastewater treatment and disposal system that is adequate to accommodate the reasonable needs of such use or subdivision lot and that complies with all applicable Town plans and health regulations. Service requirements and construction standards shall comply with the Town of Howey in the Hills regulations and specifications and the Lake County Health Department regulations.
- C. New development shall fund the cost of required capacity expansions, and/or extension of central wastewater lines. All new development shall design, permit, and install dry sewer lines in accordance with an approved development order if wastewater service is not currently available and the order approving authority approves a temporary treatment option. New development will be required to provide Bills of Sale to the Town for all applicable new wastewater collection, pumping, transmission, treatment, and disposal facilities.
- D. A central wastewater system shall be provided for all new development. The development of new wastewater facilities and mains, and the expansion of existing wastewater systems, shall be designed by the project engineer in accordance with all applicable State and local regulations. The Town Engineer shall review and approve all Town of Howey in the Hills wastewater systems.
- E. Individual wastewater disposal systems, if allowed by the Town, are subject to the approval of the Lake County Health Department and other regulatory agencies. Individual wastewater systems which serve only one lot may be permitted when the requirements for a central wastewater system are waived.

F. Final development orders shall not be issued without certification that adequate wastewater service is available. In service areas with pre-purchase capacity requirements, proof of purchase shall be required to constitute certification. In cases where dry lines are being installed for future connection to the wastewater collection system, a developer's agreement or other legal instrument shall be approved as part of the Final development order in order to ensure that the developer funds the future ERU connection fee and all associated costs to connect to the wastewater collection system.

#### 8.04.04 Reclaimed Water Systems

- A. New development may be required to install and donate to the Town a reclaimed water system, including distribution mains and services for irrigation in accordance with the Town's specifications.
- B. If a reclaimed water system is required, new development shall extend distribution lines along the entire property frontage, to accommodate service to adjacent properties.
- C. If an existing reclaimed water system is within 1,000 feet of a new development, the development will be required to connect to the existing reclaimed water system.
- D. System looping is required wherever practicable to increase overall capacity and service.
- E. New development shall use non-potable water sources for irrigation, if possible, until reclaimed service is available. The use of potable water for irrigation is permitted if no other source is available.

#### 8.04.05 Stormwater Management

- A. General requirements for stormwater management
  - 1. Protection of water resources is critical to the public health, safety, and welfare. Innovative approaches to stormwater management shall be encouraged and the concurrent control of erosion, sedimentation, and flooding are essential and mandatory.
  - 2. No drainage system, natural or manmade, shall be altered, designed, constructed, abandoned, restricted or removed without prior approval of the Town and all appropriate State and Federal agencies.
  - 3. No site alteration shall adversely affect the existing surface water flow pattern, impact drainage of any other landowner, cause siltation of wetlands, pollution of downstream wetlands, or reduce the natural retention or filtering capabilities of wetlands.
  - 4. Stormwater management applies to all project categories articulated in the land development code.
  - 5. No person may subdivide or make any changes in the use of land or construct or reconstruct a structure or change the size of a structure or introduce illicit discharges to the Town's stormwater management system nor shall construction commence for any development until the drainage design for

such project has been approved by the Town and appropriate State and Federal agencies. The drainage design plans and calculations for the development shall be prepared, signed and sealed by a Florida registered professional engineer. The design shall equal or exceed design standards set forth hereinafter and shall also meet or exceed the design criteria, policies and procedures established by the St. Johns Water Management District, the Florida Department of Environmental Protection, the Florida Department of Transportation and any other local, State or Federal agency with appropriate jurisdiction.

- 6. Approval by the Town of the stormwater management plan for any development shall be contingent on receipt of written proof of approval of any required stormwater management permit from the St. Johns River Water Management District and any other applicable permitting agency. However, receipt by the Town of such written proof of approval will not result in automatic approval of the stormwater management plan by the Town.
- B. Control of dust, dirt, erosion and construction site runoff
  - 1. The property owner or his agent shall acquire the necessary permits, if applicable, from the Florida Department of Environmental Protection (FDEP), the St. Johns River Water Management District (SJRWMD), the U.S. Army Corps of Engineers (ACOE), and the Florida Department of Natural Resources (FDNR).
  - 2. The property owner or his agent must implement and operate all erosion and sediment control measures required to retain sediment on-site and to prevent violations of applicable water quality standards. If construction is scheduled to occur within open water areas, turbidity curtains must be correctly placed to control sedimentation and turbidity within the water body.
  - 3. Erosion and sediment control best management practices shall be used during construction to retain sediment on site. Land which has been cleared for development and upon which construction will not begin within 30 days shall be protected from erosion and sedimentation by adequate methods acceptable to the Town. Wetlands and other water bodies shall not be used as sediment traps during or after development.
  - 4. As a general requirement, all areas under development shall have temporary erosion and sediment control devices in place at all times during the construction phase. Said devices shall provide the necessary treatment of runoff such that Federal and State surface water quality standards are not violated at any time. These devices shall be removed at the end of the project only after approval by the Town Engineer.
  - 5. Any construction project, regardless of location, shall be required to control construction site runoff to meet Federal and State surface water quality standards. Nothing herein shall prevent or preclude any State or Federal water quality enforcement agency from imposing penalties for violations of State or Federal law.

- 6. Any unauthorized or illicit discharges will be subject to enforcement pursuant to Town Code and as otherwise provided by law.
- 7. All projects shall have an approved erosion control plan on file with the Town. This plan shall be prepared by the appropriate design professional for the project or, as an alternative, by the licensed contractor whose name the building permit is under. As with all other site improvement or building permit documents, an approved copy of this plan shall be maintained at the jobsite for the duration of the project.
- 8. No work on the site shall commence prior to approval of the erosion control plan by the Town.
- 9. The erosion control plan shall include the placement and use of silt fences, swales, retention areas, hay bales, temporary grassing, turbidity barriers or other such devices as needed to prevent the transport of sediment from the site and into storm drains and waterbodies. Fill or runoff will not be allowed to encroach onto adjacent properties without the necessary easements.
- 10. The owner and contractor shall be responsible for adhering to these requirements and shall also be responsible for correcting any damage caused by the lack or improper use thereof. This shall include cleaning of storm inlets and pipes that become blocked, partially or fully, by debris, trash or sediment from a construction site.
- C. Design Criteria
  - 1. All development projects, unless specifically exempted, must provide for retention and/or detention of stormwater runoff.
  - 2. The post-development peak rate of discharge must not exceed the predevelopment peak rate of discharge for the 25-year, 24-hour storm.
  - 3. Pollution abatement volume shall be in accordance with St. Johns River Water Management District criteria.
  - 4. Approval of Final Plans for any development shall not be granted until the Town is in receipt of a copy of the St. Johns River Water Management District permit.
  - 5. Projects shall be designed so that stormwater discharges meet, at a minimum, the water quality criteria set forth by the St. Johns River Water Management District in order to achieve the State water quality standards.
  - 6. The stormwater management system shall not create an adverse impact to upstream or downstream areas. Off-site areas which discharge to or across a site proposed for development shall be accommodated in the stormwater management plans for the development. No stormwater management permit application shall be approved until the applicant demonstrates that the runoff from the project shall not overload or otherwise adversely impact any downstream areas.
  - 7. The stormwater management system shall not cause adverse environmental impacts to wetlands, fish, wildlife, or other natural resources.
  - 8. The minimum twenty-four-hour level of service standards for design storms by facility type shall be as follows:

## **CHAPTER 8**

Item 4.

- a. Principal arterial bridges: 100 yr, 24 hr
- b. Other bridges: 50 yr, 24 hr
- c. Cross drains: 25 yr, 24 hr
- d. Storm sewers: 10 yr, 24 hr
- e. Detention/retention structures: 25 yr, 24 hr
- f. Ditches, swales or culverts for stormwater external to developments: 25 yr, 24 hr
- g. Ditches, swales, or culverts for stormwater internal to developments: 10 yr, 24 hr
- 9. The design storm frequency to be used for the design of pavement drainage shall be as follows:
  - a. Arterial streets: Ten-year, hydraulic gradient line, 1.0 feet below gutter line.
  - b. Collector and local streets: Ten-year, hydraulic gradient line, 0.5 feet below gutter line.
- 10. Design criteria for pollution abatement using retention or detention with filtration.
  - a. The bottom of a required retention or detention-with-filtration pond shall be a minimum of three feet above the estimated seasonal high water table. Where this is not possible due to a high water table, underdrains will be installed with a minimum invert elevation of one foot below the pond bottom, along the entire perimeter of the pond unless a geotechnical engineer can show to the satisfaction of the Town Engineer that a lesser amount of underdrain can adequately control the high water table.
  - b. Final design seepage rates will be determined by a geotechnical engineer. All necessary calculations to support the above shall be submitted to, and are subject to, the approval of the Town Engineer.
- D. Design criteria of detention facilities to reduce peak rate of flow
  - 1. The detention pond will be sized to limit the peak rate of discharge from the developed site to that discharge generated prior to development. Supporting calculations shall be submitted and will contain, as a minimum, runoff hydrographs for the pre-developed site and the post-developed site, and a discharge hydrograph after routing through the proposed detention facility.
  - 2. All routing calculations to be submitted must consider the tailwater of the receiving facility. If the receiving facility is an existing storm sewer, the hydraulic gradient line elevation (HGL) of this receiving facility can be assumed at one-half foot below its gutter in elevation unless a detailed study of the existing system indicates otherwise.
  - 3. Credit for seepage to further reduce the peak rate of discharge will not be allowed unless accompanied by supporting documentation prepared by a geotechnical engineer. All detention ponds shall be dry within 72 hours following the storm event.
- E. Design criteria where a positive outfall is not available

- 1. When a positive outfall is not available for stormwater discharge the on-site pond shall be designed to retain the 100-year storm event. The pond shall be designed to evacuate a daily volume equivalent to one inch of runoff from the total area contributing to the pond. The pond shall be dry within 11 days following the storm event. If geotechnical data certified by a geotechnical engineer is submitted showing that an 11-day drawdown is impossible to achieve, a specific Town Council waiver of this requirement will be required.
- 2. When the project discharges to landlocked lakes that have no positive outfall which are adjacent to properties of one ownership, on-site detention ponds shall be designed to accommodate the pollution abatement volume as required by the St. Johns River Water Management District from the developed site prior to discharge. The design engineer shall demonstrate to the satisfaction of the Town Engineer the magnitude and nature of any impact of runoff from the developed site upon the landlocked lake(s).
- 3. When the project discharges to landlocked lakes that have no positive outfall, which are adjacent to properties of more than one ownership, on-site detention ponds shall be designed to accommodate the 25-year, 96-hour storm. Post-development runoff rate and runoff volume shall not exceed pre-development runoff rate and volume. The design engineer shall demonstrate to the satisfaction of the Town Engineer the magnitude and nature of any impact of runoff from the developed site upon the landlocked lake(s).
- F. Soil reports
  - 1. Soil reports indicating estimated seasonal high water table, permeability rate, and the classification of soils existing on the site and referenced in the stormwater calculations shall be submitted to the Town Engineer. Soils reports shall be prepared, signed and sealed by a geotechnical engineer registered in the State of Florida.
- G. Stormwater discharges
  - 1. Storm drainage into natural water bodies shall be avoided except to convey runoff from an event exceeding the design storm, or as permitted by the St. Johns River Water Management District. Outfalls shall be designed to prevent bottom scour. Acceptable methods include use of an energy dissipator, or in the case of a lake, extending the outfall to discharge at a depth of ten feet or half the maximum depth of the lake, whichever is less.
  - 2. Should the proposed development area contain an existing natural watercourse, drainage way, channel, etc., such natural watercourse and the vegetation inherent therewith shall be maintained and the proposed development designed so as to preserve same. However, the use of such natural watercourse to carry runoff from any development may be permitted if provision for control of sediment in the excess runoff is made prior to entrance of the runoff to the natural watercourse.

- H. Storm sewer design
  - 1. Design discharges.

**CHAPTER 8** 

## TOWN OF HOWEY-IN-THE-HILLS LAND DEVELOPMENT CODE DEVELOPMENT STANDARDS

- a. Storm sewer system design is to be based upon a ten-year-frequency event. The system shall be designed to handle the flows from the contributory area within the proposed subdivision. Then, the system shall be analyzed a second time to ensure that any off-site flows can also be accommodated. This second analysis shall consider the relative timing of the on-site and the off-site flows in determining the adequacy of the designed system.
- 2. Minimum pipe diameter.
  - a. The minimum diameter of pipe to be used in storm sewer systems is 15 inches. Designs shall be based upon six-inch increments in sizes above 18 inches.
- 3. Stormwater pipe material.
  - a. Pipe of the following types, meeting the specified AASHTO and ASTM requirements are accepted by the Town for use in stormwater conveyance systems.
  - b. Steel Reinforced Concrete ASTM C76, ASTM C443
  - c. High Density Polyethylene AASHTO M294, ASTM D3350, ASTM F477STM
  - d. Non-Asbestos Fiber-Cement ASTM C1450, ASTM C443
- 4. Pipe grade.
  - a. All storm sewers shall be designed and constructed to produce a minimum velocity of 2.5 fps when flowing full. No storm sewer system or portion thereof will be designed to produce velocities in excess of 20 fps, providing that the outlet ends have sufficient erosion protection and/or energy dissipaters.
- 5. Maximum lengths of pipe.

## Table 8.04.05 (H) (5) The following maximum runs of pipe shall be used when spacing access structures of any type:

Pipe Size	Maximum length of pipe run
15 inches	200 feet
18 inches	300 feet
24 to 36 inches	400 feet
42 inches and larger	500 feet

6. Inlets, manholes, and junction boxes.

32

a. All pipe access structures constructed to provide access to sanitary sewers, storm drains or similar facilities shall be constructed of Portland cement concrete, either poured-in-place or precast. No masonry structures will be

## TOWN OF HOWEY-IN-THE-HILLS LAND DEVELOPMENT CODE DEVELOPMENT STANDARDS 0

permitted except as necessary to connect to existing facilities and where prior approval of the Town Engineer has been obtained in writing.

- b. All pipes shall extend through walls and be flush with inside wall. Paved inverts are required.
- c. For all concrete structures, all fins and irregular projections shall be chipped off flush with the surface immediately following the removal of forms. All projecting wires and nails shall be cut off at least one-half inch under the surface. All construction and expansion joints in the completed work shall be left carefully tooled and free of mortar and concrete. Joint filler shall be left exposed for its full length, with clean edges. Mortar topping for upper horizontal surfaces shall not be used.
- d. Masonry, when allowed, shall be constructed neatly. All surfaces shall be plastered with half-inch thick cement mortar composed of one part of Type I Portland cement and two parts sand, so as to prevent leakage. Plastered areas should not crack and should be properly prepared to bond to old surfaces.

## Table 8.04.05 (H) (6) (d) Minimum manhole diameters for intersecting pipe sizes shall be as follows

Nominal Pipe Inside Diameter (inches)	Structure Inside Diameter (feet)
up to 30	4.00
30 to 48	6.00
Larger	Special design

- e. Arterial and collector street inlets shall be spaced to prevent the spread of stormwater runoff from exceeding half of a travel lane width. Local and subdivision street inlets shall be spaced to prevent the spread of stormwater runoff from exceeding one inch above the crown of the road.
- f. The maximum allowable gutter run will be 1,200 feet on streets with standard curb and gutter, and 600 feet on streets where Miami curbs and gutters are used.
- 7. Design tailwater.
  - a. All storm sewer systems shall be designed taking into consideration the tailwater of the receiving facility. In the case where the detention pond is the receiving facility, the design tailwater level can be estimated from the information generated by routing through the pond the hydrograph resulting from ten-year frequency storm of duration equal to that used in designing the pond.

- b. The design tailwater level can be assumed to be the ten-year pond level corresponding to the time at which peak inflow occurs from the storm sewer into the pond. In lieu of the above detailed analysis, however, a simpler design tailwater estimate can be obtained by averaging the established 25-year design high-water elevation for the pond and the pond bottom elevation for "dry bottom" ponds or the normal water elevation for "wet bottom" ponds.
- 8. Hydraulic gradient line computations.
  - a. The hydraulic gradient line for the storm sewer system shall be computed taking into consideration the design tailwater on the system and the energy losses associated with entrance into and exit from the system, friction through the system, and turbulence in the individual manholes/catch basins/junctions within the system.
  - b. Hydraulic grade line computations shall take into account entrance and exit losses; friction losses; and the minor losses associated with inlets and manholes. The tailwater of the receiving water body shall be taken into consideration.
- 9. Stormwater conveyance.
  - a. Sites shall be developed to maximize the amount of overland runoff that is percolated into the soil and to minimize direct runoff into adjoining streets and water courses.
  - b. Stormwater runoff from roofs and other impervious surfaces shall be diverted into swales or similarly controlled. Storm sewers shall be designed to convey the runoff generated during a 10-year storm event.
- 10. Unstabilized earthen open channels and outfall ditches are not permitted.
  - a. Whenever land within 200 feet of the mean high water line (as established by the USGS) of a lake is developed, terraces sloping away from the lake, a tree line, or alternatives approved by the Town Engineer shall be provided to minimize stormwater runoff into the lake and to maximize groundwater recharge.
- I. Treatment of stormwater runoff
  - 1. Stormwater management systems shall include best management practices used in the industry to minimize pollution and remove oil, suspended solids, and other objectionable material in stormwater runoff within acceptable limits.
  - 2. Treatment facilities shall be designed by a Florida registered engineer to the stricter applicable design and performance criteria established by this Code or the St. Johns River Water Management District. Additionally, the Florida Department of Environmental Protection Manual, and the Florida Development Manual, A Guide to Sound Land and Water Management, including the requirements of Chapter 6 thereof, shall be used as best management practices.
  - 3. All percolation areas shall be grassed or planted with suitable vegetation to absorb excess nutrients.

#### Item 4.

## TOWN OF HOWEY-IN-THE-HILLS LAND DEVELOPMENT CODEDEVELOPMENT STANDARDS

### **CHAPTER 8**

- 4. Diversion structures are preferred for positive outfall systems. Other innovative designs features or materials may be appropriately incorporated into the design of primary and secondary systems with supporting documentation and the approval of the Town Engineer.
- 5. All stormwater management systems shall be of low maintenance design. It is the property owner's responsibility to maintain all primary and secondary drainage facilities on site.
  - a. Stormwater ponds:
    - 1. All stormwater retention/detention ponds shall be fenced unless they can meet one of the following conditions:

## Table 8.04.05 (I) (5) (a) (1) Minimum manhole diameters for intersecting pipe sizes shall be as follows

Maximum Side Slopes	Maximum Excavation Depth
2H : 1V	2'
3H : 1V	3'
5H : 1V	5'
6H : 1V	6' or greater

- 2. Ponds graded at 5H:1V or 6H:1V may be deeper than shown above and remain unfenced <u>ONLY</u> if the 5H:1V or 6H:1V slope is carried not less than two (2) feet below the lower of the control elevation or the normal water elevation.
- 3. All required fencing shall be of a decorative type and shall be in keeping with the required buffer treatments, character, and/or architecture of the project.
- 4. Ponds shall be configured in a curvilinear manner to create more of a natural looking feature. Ponds constructed on slopes will be evaluated on a case-by-case basis.
- 5. The minimum bottom width and/or length of any pond shall be four feet.
- 6. All ponds shall have a minimum one foot of freeboard to the design high water resulting from the design storm.
- b. The minimum requirements for maintenance berms are as follows:
  - 1. Ponds with fencing: Ten feet around pond perimeter <u>inside</u> the fence. Maximum side slope no greater than 10H:1V.
  - 2. Ponds without fencing: Five feet around pond perimeter.
  - 3. Maximum side slope no greater than 5H:1V.

- 6. Road underdrains
  - a. In cases where there is a prevalence of soils that exhibit adverse water table characteristics, underdrains and/or fill or other acceptable alternatives that will provide necessary measures to maintain the structural

integrity of the road will be required. The determination of need shall be made by reference to certified geotechnical investigations prepared as part of the project design data submitted to the Town.

- b. Wherever road construction or lot development is planned in areas of the proposed subdivision having soil types with unacceptable water table characteristics, underdrains and/or fill shall be provided and shown on the engineering plans. Underdrains must be designed with free gravity outlet at carefully selected discharge points. Erosion control measures shall be provided as needed at all discharge points.
- c. Wherever road cuts in otherwise suitable soils indicate that the finish grade will result in a road-surface-to-water-table relationship that is unacceptable to the Town Engineer, underdrains or other acceptable alternatives approved by the Town Engineer to provide measures to maintain the structural integrity of the road will be required.
- d. Wherever roadway construction reveals unexpected water bearing strata that could cause deterioration of the pavement, underdrains or other acceptable alternatives approved by the Town Engineer to provide measures to maintain the structural integrity of the road will be required even though not shown on the plans.
- e. Filtering media shall conform to the appropriate Florida Department of Transportation standard and consist of stone, gravel, or slag and shall contain no friable materials.
- f. Underdrain pipe shall be HDPE perforated pipe fully encased in a tubular filter fabric "sock", with both the pipe and the filter fabric "sock" meeting applicable AASHTO and ASTM standards for pipe intended for subsurface drainage applications.
- J. Development within special flood hazard area (100-year flood)

- 1. All development within areas of special flood hazard as delineated on the official flood insurance rate maps (FIRM) shall comply with the following requirements:
  - a. Establish, to the satisfaction of the Town Engineer, the elevation of the 100-year flood.
  - b. Finished floor slab elevations of all habitable structures shall be constructed at an elevation no less than 20 inches above the 100-year storm elevation, unless approved by the building division; in no instance, however, may the finished floor slab elevation be less than one foot above the 100-year storm elevation.
  - c. Development shall not result in an increase in the 100-year flood elevation. No fill shall be allowed to be placed in the 100-year floodplain without an equivalent volume of soil removed to compensate for the loss of flood storage. Compensating storage is to be determined by the volume of material removed above the ordinary high water table and below the 100-year flood elevation established for that area. Fill placed in the 100-year floodplain shall not reduce the flow rate.

### CHAPTER 8

- d. Any proposed alteration of floodways or floodplains must be approved by all agencies which have jurisdiction over such activities.
- K. Stormwater quality
  - 1. Every use shall be so operated as to prevent the discharge into any storm sewer, stream, canal, lake, waterbody or the ground of any sewage, waste or unapproved substance which will be considered dangerous or discomforting to persons or animals or which will damage plants or crops beyond the lot line of the property on which the use is located.
  - 2. Allowed discharges: The following is a list of substances allowed to discharge into the Town's storm sewer system provided they are not identified as a source of pollutants to any receiving waterbody:
    - a. Water line flushing.
    - b. Rising ground waters.
    - c. Uncontaminated pumped ground water.
    - d. Discharges from potable water sources.
    - e. Air conditioning condensate.
    - f. Irrigation water.
    - g. Water from crawl space pumps.
    - h. Footing drains.
    - i. Individual residential car washing.
    - j. Dechlorinated swimming pool discharges.
    - k. Street wash waters.
    - 1. Discharges or flows from emergency firefighting activities.
    - m. Reclaimed water line flushing authorized pursuant to a permit issued by the Town.
    - n. Flows from uncontaminated roof drains.
    - o. All other non-storm substances discharged into the Town's storm sewer system are to be considered illicit discharges that would pose a threat to the health, safety and welfare of the public and are hereby prohibited. Any unauthorized or illicit discharges will be subject to enforcement as set forth in the Town's Charter, Code of Ordinances or as otherwise specified by law.
- L. Inspections

Subsequent to development approval, including necessary permits, the developer or permittee shall, during construction, arrange and schedule the following inspections by the Town Engineer or designee:

- 1. During clearing operation and excavation to assure that effective control practices relative to erosion and sedimentation are being followed.
- 2. All underground conveyance and control structures prior to backfilling.
- 3. Final inspection when all systems required by the permittee's approved stormwater management plan have been installed.
- 4. The professional engineer for the project shall submit to the Town a signed and sealed set of as-built plans on paper and on electronic media in AutoCad drawing file (PDF format), to certify the system has been constructed as

designed and satisfies all conditions of the stormwater management permit. Where changes have been made to the stormwater management system which deviates from the approved construction plans, the professional engineer shall submit supporting documentation with the as-built plans which proves that the stormwater systems shall be in compliance with this section.

- 5. Maintenance and compliance inspections of stormwater management systems shall be conducted on a routine, periodic basis, as deemed appropriate by the Town, or as complaints arise concerning the system. By seeking and obtaining a permit under this section, the operator and owner shall be deemed to have consented to inspections by the Town and other appropriate regulatory agencies or Town Engineer or designees upon presentation of proper identification by the representative(s) of the agency(s) conducting the inspection.
- M. Maintenance

Prior to the acceptance of the stormwater management system, a written stormwater management system maintenance plan shall be submitted to the Town which shall contain documentation sufficient to demonstrate that the operation and maintenance agency is the legal entity empowered and obligated to perpetually maintain the stormwater management facilities.

- 1. The Town considers the following entities acceptable to operate and maintain stormwater management facilities:
  - a. Governmental agencies including the Town, County, and State.
  - b. Active water control districts or drainage districts, or Community Development Districts, or Special Assessment Districts.
  - c. Nonprofit corporations including homeowners' associations, property owners' associations, condominium associations, or master associations under certain conditions which ensure that the corporation has the financial, legal, and administrative capability to provide for the long-term operation and maintenance of the facilities.
- 2. The property owner or developer as permittee is normally not acceptable as a responsible entity, especially when the property is to be sold to various third parties. However, the property owner or developer may be acceptable under one of the following circumstances:
  - a. The property is wholly owned by permittee and the ownership is intended to be retained. This would apply to a farm, corporate office, or single industrial facility, for example.
  - b. The ownership of the property is retained by the permittee and is either leased or rented to third parties (such as in some shopping centers), for example.
- 3. The stormwater management system to be maintained by the legal entity shall have adequate easements to permit the Town to inspect and, if necessary, to take corrective action should the legal entity fail to maintain the system properly. The owner shall be liable to the Town for any costs or expenses

incurred by the Town in taking the necessary corrective action plus ten percent (10%) for an administrative fee.

- 4. Maintenance of stormwater facilities shall allow the stormwater management system to perform as originally designed and permitted by the Town and other appropriate governmental agencies.
- 5. Maintenance shall include compliance with Town building and construction codes, and all other applicable Town codes. No owner or successor shall remove, destroy, modify, subvert or render inoperable, through act or omission, any part of a stormwater system unless approved by the Town Engineer and appropriate governmental agencies in writing in advance of any alteration.
- 6. The legal entity shall execute and record a document acceptable to the Town attorney which defines its authority and responsibility for maintenance of the stormwater management system, defines how the maintenance is to be performed, defines the funding mechanisms for the required maintenance, and provides a legal mechanism assuring the perpetuation of the maintenance.
- 7. In order to assure maintenance during a two-year maintenance period, security shall be submitted before acceptance of the constructed facilities. The security shall be in the form of an approved financial instrument which may include, but not be limited to, cash or performance bonds and letters of credit. The amount of security shall be as required by the Town. The security shall be released at the end of the two-year period upon inspection which confirms that the system has been properly maintained and is operating in accordance with the approved construction plans.
- 8. If inspection reveals that the legal entity is not maintaining the system in accordance with this section, the Town shall give the legal entity written notice of the corrective actions required to be taken. If the legal entity fails to complete such corrective action within 30 days after notification, the Town may enter upon the property and take the necessary corrective action.
- N. Enforcement

If the Town Engineer determines that the project is not being carried out in accordance with the approved plan or if any project subject to this chapter is being carried out without a permit or if illicit discharges are being introduced to the Town's stormwater management system, he is authorized to:

- 1. Issue written notice to the applicant/owner specifying the nature and location of the alleged noncompliance, with a description of the remedial actions necessary to bring the project into compliance by a date as determined by the Town Engineer, but in no event more than seven (7) days.
- 2. Issue a stop work order directing the applicant/owner or person in possession to cease and desist all or any portion of the work which violates this chapter. If the remedial work is not completed within the specified time, the applicant/owner shall then bring the project into compliance.

#### **CHAPTER 8**

### 8.05.00 OTHER UTILITIES

### 8.05.01 Exterior Lighting

Exterior lighting shall provide adequate illumination to safely guide vehicles and pedestrians into, out of, and within a site. Exterior lighting shall also serve to deter certain crimes. Exterior lighting shall be arranged to eliminate glare on site and spillover onto adjacent properties and public streets.

- A. Street Lighting
  - 1. Street lighting on both public and private streets shall be installed by the developer in coordination with the appropriate provider and in accordance with the requirements of this Code. All such street lighting must be installed at the developer's expense contemporaneous with the construction of site improvements and prior to issuance of a Certificate of Completion. All such street lighting shall become operational no later than the request for issuance of a Certificate of Completion. All utilities shall be installed underground. The street lighting plan shall comply with all applicable Code requirements and shall be subject to the approval of the Town Engineer prior to installation.
  - All developments shall provide for installation of streetlights in conjunction with the construction of new roadways or reconstruction or widening or initial paving of existing roads in accordance with the following standards. For roads under Lake County or State jurisdiction, alternate lighting plans may be required.
  - 3. Proposed street lighting along these rights-of-way must be submitted as part of the Final Plan set and reviewed and approved by the utility provider and the Town or agency with jurisdiction of the roadway. All electrical wiring for streetlights shall be underground. The developer will need to check with the Town to obtain information on the approved street lighting fixtures.
  - 4. Each lighting plan submitted to the Town shall, at a minimum, depict the following:
    - a. Location of lighting fixtures
    - b. Height of light poles
    - c. Type of lighting fixtures
    - d. Levels of illumination
    - e. Color of light
    - f. Deflector and beam direction
    - g. Area to be lighted by each lighting fixture

- 5. The following provisions are applicable to street lighting installed on local streets within new residential subdivisions:
  - a. The developer shall be responsible for the installation, maintenance, repair, replacement and operational costs of street lighting installed on public streets until the end of the calendar year in which the Town receives written notice from the developer that certificates of occupancy have been issued for buildings constructed on seventy-five percent (75%)

of the lots in the subdivision which is the subject of the Certificate of Completion which includes such street lighting.

- b. Beginning with the calendar year following such notice, the Town shall be responsible for the maintenance, repair, replacement and operational costs of such street lighting, except for specialized street lighting which is subject to a separate agreement with the Town. The Town shall assume responsibility as aforesaid only for standard street lighting costs on public streets. The written notice from the developer regarding issuance of certificates of occupancy is subject to verification by the Town for accuracy.
- At the time of the pre-construction conference, the developer shall (1) c. advise the Town regarding the type of street lighting to be installed, and (2) based upon the billing estimate received by the Town from the power company with respect to the proposed street lighting, pre-pay to the Town the street lighting costs (including charges related to specialized street lighting, if applicable) for the first year (i.e., 12 months) for all such street lighting installed on public streets and the Town shall use such funds for the payment of street lighting invoices received from the power company. Thereafter, the Town shall annually invoice the developer in advance for said street lighting costs until such time as the Town receives written notice from the developer that certificates of occupancy have been issued for seventy-five percent (75%) of the lots in the subdivision as set forth above. If such invoice is not paid when due, then the Town shall discontinue the issuance of further building permits for such subdivision until payment is made. The Town will forward any such future invoices to a homeowners' association upon receipt of written notice from the developer that the responsibilities for the payment of such invoice (including charges related to specialized street lighting, if applicable) has been transferred to such association and satisfactory evidence, in recordable form, indicating the homeowners' association has agreed to assume such costs. Currently, the Town does not receive itemized invoices from the power company for street lighting installed on public streets and, therefore invoices to the developer or association are based on estimated costs. The developer/association shall not be entitled to a refund for prepaid street lighting costs incurred during the calendar year in which the Town receives written notice from the developer that certificates of occupancy are issued for seventy-five percent (75%) of the lots in the subdivision.
- d. If a developer has installed specialized street lighting on a public street, then in such event the developer, the applicable homeowners' association and the Town shall, prior to or at the time of approval of the first plat, enter into an agreement acceptable to the Town which provides that commencing at the time the Town becomes responsible for the standard street lighting costs on such public street the developer and/or the

association shall reimburse (and shall continue to reimburse) the Town for the additional costs above the standard street lighting costs thereafter incurred by the Town in connection therewith plus an administrative charge equal to ten percent (10%) of the additional costs. Nothing contained herein shall be construed to prevent the homeowner association from entering into such agreement during the time it is controlled by the developer.

- e. Any annual invoices for payment of public street lighting shall be due and payable thirty (30) days from the date of such invoice. Should payment not be received within said time frame, then such invoices shall bear interest at the rate of eighteen percent (18%) per annum until paid. If any such invoice remains unpaid for a period of sixty (60) days, then the Town may take any action deemed necessary in order to collect such unpaid invoice, including but not limited to, the retaining of the services of a collection agency or attorney, and initiating legal proceedings for collection thereof. In such event, the Town shall be entitled to receive its reasonable attorney's fees, paralegal fees and other costs and expenses, whether incurred prior to, during, or subsequent to court proceedings or on appeal.
- f. The developer shall be responsible for the installation, maintenance, repair, replacement and operational costs of street lighting installed on private streets. The developer shall directly contract with the power company regarding such street lighting. The obligations of the developer under this subsection may be transferred to and assumed by the applicable homeowners' association. The Town shall have no responsibility for the installation, maintenance, repair, replacement and operational costs of street lighting installed on private streets.
- B. Lighting of Parking Lots and Vehicular Use Areas
  - 1. Lighting of parking lots and other vehicular use areas shall be at the minimum necessary to provide adequate lighting for safety, while ensuring that the fixtures do not permit lighting to spill over onto adjoining properties.
  - 2. All developers shall submit lighting plans in conjunction with the Final Plan submittal. Each lighting plan for parking lots and vehicular submitted to the Town shall, at a minimum, depict the following:
    - a. Location of lighting fixtures
    - b. Height of light poles
    - c. Type of lighting fixtures
    - d. Levels of illumination
    - e. Color of light
    - f. Deflector and beam direction
    - g. Area to be lighted by each lighting fixture

42

3. Lighting plans are subject to review and approval by the Town. All costs associated with lighting of these areas are the responsibility of the property owner.

C. Other Exterior Lighting

It is the policy of the Town to permit adequate exterior lighting for safety and use purposes, while ensuring that exterior lighting does not spill over onto adjacent properties. For developments that require exterior lighting for outdoor recreation or other purposes, the lighting plans shall be included as part of the Final Plan submittal package. No exterior lighting shall be installed without prior approval of the Town. All such exterior lighting shall be the responsibility of the property owner.

## 8.05.02 Underground Utilities

- A. Utility lines of all kinds, including but not limited to those of franchised utilities, electrical power, telephone, cable television, and gas, shall be constructed and installed beneath the ground in the street right-of-way and/or a front yard utility easement within new developments.
- B. The underground installation of appurtenances such as transformer boxes, pedestal-mounted service or terminal lines for electricity, telephone, cable television, or gas service, or similar service hardware necessary for the provision of electric, telephone, cable television, and gas service, shall not be required; provided, however, such appurtenances may be installed underground at no cost to the Town.
- C. It shall be the developer's responsibility at the developer's expense, to make the necessary arrangements with each utility in accordance with the utility's established policies.

## 8.06.00 ENVIRONMENTAL PRESERVATION AND PROTECTION

## 8.06.01 Vegetation and Soil Protection

- A. Purpose and Intent. The purpose of this section is to prohibit the destruction of natural vegetation and the changing of natural grades and drainage problems until a development order or development permit has been approved. Additionally, this section provides for protective measures for both vegetation and soils to be implemented prior to construction.
- B. Required Vegetation Preservation. The following preservation measures shall be implemented on all construction sites as applicable:
  - 1. Clearing Procedures. The applicant shall be responsible for insuring that all possible measures are taken during the clearing process to avoid damage to trees and vegetation designated to remain after construction. This shall include use of hand labor rather than large machinery where necessary to protect trees to be preserved. All felled material shall be promptly and carefully removed from the site in order to avoid potential damage to remaining trees and vegetation and the harboring of insects, snakes, and rodents.
  - 2. Protective Barricades. Protective barricades shall be constructed (prior to clearing) around all trees and vegetation designated to remain. These

43

Adopted on February 27, 2012

barricades shall be located at the dripline of the trees or vegetation and shall specifically be comprised of orange netting together with four foot (4'), 2-by-2 posts. Where this cannot reasonably be accomplished, the applicant will locate the barricade as close to one (1) foot away from the tree trunk for every diameter at breast height (DBH) inch as is practical or reasonable, when approved by the Town Engineer or his or her designee. The barricade should be rigid and sturdy enough to survive the construction period, however, any suitable new or scrap material may be used in its construction. With the approval of the Town Engineer or his or her designee, large wooded areas may be tagged or similarly designated instead of barricaded.

- a. Absolutely no fill, building materials, trash, or other objects shall be placed inside these barriers. If fill is deposited adjacent to these areas, a suitable temporary or permanent retaining structure shall be constructed to prevent siltation of the barricaded area.
- b. Barricades are to be adequately maintained and shall remain in place until their removal or modification is approved in writing. Failure of the applicant to properly locate and/or maintain the barricade may result in the issuance of a Stop Work order, and the requirement that the applicant provide a restoration plan to the Town Engineer or his or her designee.
- 3. Excavations. Swales and minor negative grade changes should always be designed around the dripline area as much as possible. Any exposed roots shall be trimmed. Piping should be used where deep swales or ditches would require significant grade change adjacent to trees.
- 4. Trenching. Trenching of any type should be avoided in the dripline area. Where underground installations are required adjacent to the trunks of specimen trees, tunneling should be used. When trenching or tunneling near trees to remain, protective measures should be taken.
- C. Required Soil Conservation. The following soil conservation measures shall be taken on all construction sites as required.
  - 1. During Construction. The contractor shall follow standard practices or details specifically included in his environmental permit to prevent erosion and the depositing of soils off the construction site. These practices shall include the protection of bare soils from wind forces and stormwater.
  - 2. After Construction. All disturbed areas shall be mulched, seeded, or sodded to restore the original vegetation as required by the permit-issuing authority, and shall be maintained as such. The removal or lack of maintenance of vegetation resulting in on-site and/or off-site erosion (sedimentation or siltation or both) or wind-blown loss of soils shall be deemed a violation of this section.

## 8.06.02 Disposal of Debris

The burying of rubbish, logs, lumber, building materials, underbrush, trash or other matter which would decompose or allow the land to thereafter settle is hereby prohibited.

### **CHAPTER 8**

### 8.07.00 OPEN SPACE

#### 8.07.01 General

- A. Open space is required of all new development. Open space may consist of buffers, stormwater ponds, public and private park areas, wetlands, and other pervious area that is set aside for conservation or is to be left undeveloped.
- B. For stormwater ponds to be counted as open space, they must be designed as an amenity in addition to their primary function as a stormwater facility. The features that are required for stormwater park amenities include landscaping, pedestrian paths or trails, picnic areas, and other activities of a more passive nature. For wet ponds, aeration and aquatic plants are also required.

### 8.08.00 SCREENING STANDARDS

- A. Service areas visible from a public right-of-way or abutting properties shall be screened by a combination of landscape and hardscape. This may include berming or walls in combination with landscaping.
- B. Solid waste refuse facilities shall be screened by a six-foot wall with a decorative face (brick, stucco, or stone). Such walls shall screen the refuse receptacle on three sides with the access side oriented towards the interior of the site and away from areas visible to abutting properties. The access side of the storage area shall be equipped with opaque doors or gates.
- C. Utility fixtures, ventilation equipment, and mechanical equipment, when outside a structure, shall be screened with walls, fences, dense plant material, or a combination thereof.

#### 8.09.00 APPEALS PROCEDURE

Any applicant may appeal a decision of any Town consultant or employee in the enforcement or interpretation of this Chapter or LDC. The appeal shall be filed within 60 days from the date of a DRC report or other consultant or employee decision. Upon filing the appropriate application and payment of an appeal fee set by resolution of the Town Council, the Town Clerk shall process such appeal. The Board of Adjustment, by a majority vote, may affirm, reverse, or modify the decision.



TMHConsulting@cfl.rr.com 97 N. Saint Andrews Dr. Ormond Beach, FL 32174 PH: 386.316.8426

## MEMORANDUM

TO:	Howey-in-the-Hills Parks and Recreation Board Howey-in-the-Hills Planning Board
CC:	J. Brock, Town Clerk
FROM:	Thomas Harowski, AICP, Planning Consultant
SUBJECT:	Parks Master Plan
DATE:	April 20, 2023

Last year the Town applied for a technical assistance grant from the Department of Economic Opportunity (DEO) to prepare a park master plan for the Town. The Town was not awarded a grant, but the DEO is expected to announce another round of grant funding shortly. The hope is that the Town can update and resubmit the grant application for consideration. If a grant is awarded, the funds will need to be used during the 2023 - 2024 state fiscal year. If the program rules remain the same, there is no matching fund requirement. Typically, the projects are under contract to begin in October or November and need to be concluded by the end of April at the latest.

A copy of the grant application submitted last year is attached for your review. The proposed work program includes an active role for the Parks Board and the Planning Board working jointly to encourage and manage citizen involvement in the program and formulating plan recommendations. The proposal follows generally accepted planning methodology including the following steps:

- Inventory of facilities and recreation/parks assets
- Review of current comprehensive plan requirements
- Needs survey
- Alternative choices for parks and programs
- Recommended Plan
- Final report

The needs survey is proposed to include a general community survey using Survey Monkey or a similar service where residents can participate online. The survey content will be developed with staff and the advisory boards. Once the alternatives have been narrowed, the recommended plan and final report will include concept plans for some of the park facilities. These plans and overall report can be used to prioritize projects and include proposed projects in the Town's capital improvements program. The objective of this report is to advise the two boards of the prospective application including the role the Board will have in the program and to seek the two boards' support for the overall project.

## 2022-2023 COMMUNITY PLANNING TECHNICAL ASSISTANCE GRANT APPLICATION PARKS AND RECREATION ASSESSMENT

### SUBMITTED BY

#### TOWN OF HOWEY-IN-THE-HILLS, FLORIDA

#### <u>REQUEST</u>

The Town of Howey-in-the-Hills is requesting a technical assistance planning grant to provide analysis and plans to direct the implementation of the Town's goals, objectives and policies guiding parks, recreation, and open space within the Town. The requested funding will allow the Town to prepare a plan for parks improvements leading to identifications of capital improvements projects, a reassessment of the Town's level of service for parks and recreation and an assessment of funding sources to support parks development.

#### STATEMENT OF NEED

The Town of Howey-in-the-Hills has adopted a comprehensive plan which includes a Parks and Open Space Element which was reviewed in 2010 and 2017 as part of the regular comprehensive plan assessment. Other than minor revisions to the inventory and data and analysis, no significant revisions were made to the element following either assessment. The Parks and Open Space Element includes a level of service standard (acres of park per 1000 population) and policy guidelines for various recreation facilities. Over the years the Town has made some improvements and additions to two key facilities which are the primary service locations in the Town. The Town is currently experiencing rapid development growth with pending or approved projects proposing almost 1,800 new residences as compared to a current total of about 770 dwelling units. The impact of the planned and proposed new development on the Town's resources will be significant, and this study proposes to analyze recreation and park needs for current and anticipated residents, identify needed improvements, and prepare the comprehensive plan goals, objective and policies and capital improvements programming to meet the anticipated need.

In 2019, the Town completed a plan for bicycle paths and sidewalks using an earlier technical assistance grant. This plan led to revisions of the comprehensive plan policies the identification of preferred routes for bicycle facilities, and the identification

of capital projects for inclusion in the Town's capital improvements program. In addition to the comprehensive plan amendments, the study has led to the inclusion of an annual allocation it the Town budget for sidewalk maintenance and upgrades, the inclusion of programmed sidewalk improvements on SR 19 in cooperation with FDOT, and the inclusion of a major leg of the Town's proposed bicycle path network as a component of a new development linking SR 19 with Number Two Road.

The proposed study will link with the plans from the bicycle and pedestrian plan and provide a critical opportunity for the Town to address parks needs arising from the anticipated rapid development of major residential projects in the Town's approved development inventory. Without the proposed plan, the Town may miss an opportunity to fully capitalize on parks development opportunities offered in the near future. Additionally, the Town has struggled in the past with maintenance needs for Sarah Maude Mason preserve and other elements of its park inventory. The plan will assess options for facility maintenance. Finally, the Town has been receiving inquiries about offering trending recreation opportunities such as pickleball. The study will assess the demand for additional park facility offerings and how they can best be incorporated into the Town's parks and recreation programming.

The proposed parks study design presents a work program which will be overseen by the Town's Parks and Recreation Board in combination with the Planning and Zoning Board. These citizen advisory boards will meet jointly to review work product, advise on the analysis and study recommendations, and manage the public participation process which includes a survey of recreation needs and interests and offers opportunities for general public input. The study will conclude with a submittal to the Town Council for acceptance and inclusion in the Town's provision of parks and recreation services going forward. All Town meetings offer the opportunity for in-person and virtual participation.

#### PROPOSED PROJECT TASKS

The planning program the Town has designed to respond to the needs identified above consists of six tasks. These tasks are outlined below along with the corresponding deliverable products. These tasks are summarized in Table A and Table B providing a performance time schedule and payment plan.

#### Task 1: Kick-off Meeting

This task will introduce the study program to the advisory boards, Town Council and general public. The program will identify the work program and schedule and identify opportunities for general public input.

#### **Task 2 Parks and Recreation Inventory**

This task will prepare a list of Town facilities including the size, location, access, available facilities and condition of facilities in the current park system. The

inventory will include Lake County facilities that are positioned to support recreation needs for the Town, and it will look at privately available parks and recreation opportunities including the Mission Inn resort and parks approved within various private developments now entering the development phase. The inventory will also examine the Town's funding sources including the parks impact fee. The task will include one joint meeting of the Parks and Recreation Board and the Planning and Zoning Board.

#### **Task 3 Comprehensive Plan Assessment**

Task 3 will be a review of the goals, objectives and policies included in the Town's comprehensive plan to determine their continued relevance and identify any potential revisions, additions or deletions. The assessment will also include requirements for park facilities mandated by the Village Mixed Use land use classification. The task will include one joint meeting of the Parks and Recreation Board and the Planning and Zoning Board.

#### **Task 4 Survey of Needs**

Task 4 will offer a survey opportunity using available survey technology to identify parks and recreations needs as expressed by Town residents. The task will include design of the survey instrument, administration of the survey, and collation and analysis of the results. The task will include one joint meeting of the Parks and Recreation Board and the Planning and Zoning Board.

### **Task 5 Plan Evaluation**

Task 5 will use the information from the inventory and assessment of current facilities along with the survey of park and recreation desires to develop options for management and improvement of current facilities and the addition of new recreation and park facilities. The task will include one joint meeting of the Parks and Recreation Board and the Planning and Zoning Board.

### Task 6 Recommended Plan

This task will select from the alternative action options to prepare a recommended plan including capital improvements projects, amendments to the comprehensive plan, if necessary, and other actions to support park and recreation needs. The recommended plan will include up to four park concept plans as directed by the Town. A final plan report will be prepared for use by the Town. The task will include one joint meeting of the Parks and Recreation Board and the Planning and Zoning Board. A workshop meeting will also be scheduled with the Town Council to present the plan and report.

## PROJECT BUDGET BY TASK

Task 1 Kick-off Meeting	\$ 1,300
Task 2 Parks and Recreation Inventory	\$13,000
Task 3 Comprehensive Plan Assessment	\$ 5,800
Task 4 Survey of Needs	\$ 7,400
Task 5 Plan Evaluation	\$12,200
Task 6 Recommended Plan	\$19,700
Total Program	\$59,400

Work will be performed as contracted services for consultants or subcontractors.

# TABLE ASCOPE OF WORK

TASK DESCRIPTION	DELIVERABLES
<b>Task 1 Kick-off Meeting</b> This task will introduce the study program to the advisory boards, Town Council and general public. The program will identify the work program and schedule and identify opportunities for general public input.	Meeting Notice Meeting Minutes
<b>Task 2 Inventory</b> Inventory of existing public and private park facilities including facility type, size, location, and condition.	Inventory Report Meeting Notice Meeting Minutes
Task 3 Comprehensive Plan Assessment. Task 3 will be a review of the goals, objectives and policies included in the Town's comprehensive plan to determine their continued relevance and identify any potential revisions, additions, or deletions. The assessment will also include requirements for park facilities mandated by the Village Mixed Use land use.	Technical Memorandum to advisory board. Meeting Notice Meeting Minutes
Task 4 Survey of Needs Task 4 will offer a survey opportunity using available survey technology to identify parks and recreations needs as expressed by Town residents. The task will include design of the survey instrument, administration of the survey, and collation and analysis of the results.	Technical memorandum summarizing survey results. Meeting Notice Meeting Minutes
<b>Task 5 Plan Evaluation</b> Task 5 will use the information from the inventory and assessment of current facilities along with the survey of park and recreation desires to develop options for management and improvement of current facilities and the addition of new recreation and park facilities.	Technical memorandum presenting alternative actions Meeting Notice Meeting Minutes
<b>Task6 Recommended Plan</b> This task will select from the alternative action options to prepare a recommended plan including capital improvements projects, amendments to the comprehensive plan, if necessary, and other actions to support park and recreation needs. The recommended plan will include up to four park concept plans as directed by the Town. A final plan report will be prepared for use by the Town	Final Plan Report Recommended CIP projects Recommended comprehensive plan amendments, if any Meeting Notice Meeting Minutes (For advisory board and Town Council meetings)

DELIVERABLE	DUE DATE	PAYMENT AMOUNT
Kick-off meeting notice and	November 30, 2022	\$1,300
minutes		
Technical Report #1,	December 31, 2022	\$13,000
Inventory		
Meeting notice and minutes		
Technical Report #2,	January 20, 2023	\$5,800
Comprehensive Plan		
Assessment		
Meeting notice and minutes		
Technical Report #3,	February 3, 2022	\$7,400
User survey results.		
Meeting notice and minutes		
Technical Report #4,	March 17, 2023	\$12,200
Plan evaluation and		
alternatives		
Meeting notice and minutes		
Final Report and	April 30, 2023	\$19,700
recommended plan,		
CIP amendments,		
Comprehensive Plan		
Amendments, if any		
Meeting notice and minutes		
for advisory board meeting		
and Town Council meeting		
Total Program		\$59,400

## TABLE B IMPLEMENTATION SCHEDULE AND PAYMENT PLAN

• Assumes a November 1, 2022, start date.