



JACKSON PARISH POLICE JURY
Jackson Parish Police Jury Administrative Building
160 Industrial Drive
Jonesboro, Louisiana 71251-3446
Phone: (318) 259-2361
www.jacksonparishpolicejury.org

September 01, 2021 Grants Committee

MEMBERS

District 1
TODD CULPEPPER
P. O. Box 323
Quitman, LA. 71268
(318) 259-4184 (Work)
(318) 243-1084

District 2
LEWIS CHATHAM
1575 Mariah Road
Chatham, LA. 71226
(318) 235-0254

District 3
AMY C. MAGEE
2332 Walker Road
Jonesboro, LA. 71251
(318) 235-0002

District 4
JOHN W MCCARTY
2766 Hwy 155
Quitman, LA 71268
(318) 259-9694

District 5
TARNESHALA COWANS
598 Beech Springs Road
Jonesboro, LA. 71251
(318) 475-0893

District 6
REGINA H. ROWE
159 Hughes Rd.
Jonesboro, LA 71251
(318) 259-7923

District 7
LYNN TREADWAY
505 Fifth Street
Jonesboro, LA 71251
(318) 259-7673
(318) 680-8510

DATE: Wednesday, September 01, 2021
TIME: 12:00 PM
LOCATION: Jackson Parish Police Jury Administrative Building
Nathaniel Zeno Jr. Meeting Room
160 Industrial Drive
Jonesboro, LA 71251

AGENDA:

Call to Order
Invocation & Pledge of Allegiance
Public Comments

Agenda Items

- [1.](#) Discuss and recommend action, if necessary, on ARP expenditures
- [2.](#) Discuss other American Rescue Plan projects
3. Discuss and recommend action, if necessary, on committee suggestions or requests concerning other grant funding
4. Discuss and recommend action, if necessary, on letters of request for grant funding

Set Date & Time of Next Meeting

Adjourn

Committee: Ms. Amy Magee, **Chairman**
Mr. Todd Culpepper
Ms. Tarneshala Cowans

In accordance with the Americans with Disabilities Act, if you need special assistance, please contact Gina Thomas at (318) 259-2361, extension 3 describing the assistance that is necessary.

It is possible that a quorum of the Police Jury may be in attendance at the meeting, but no action of the Police Jury as a whole will be taken.

Background Information

1) Fiscal Year End	<input type="text" value="December"/>	<u>Notes:</u>
Base Year Revenue Period	<input type="text" value="12/31/2019"/>	FY used for base year calculation
2) Calculation Date	<input type="text" value="12/31/2020"/>	
Number of Months	<input type="text" value="12"/>	Months between Base Year and Calculation Date

Estimate Revenue

3) Base Year Revenue	<input type="text" value="\$ 8,446,822"/>	Use Worksheet to Calculate
4) Growth Rate	<input type="text" value="4.1%"/>	Use Worksheet to Calculate
Counterfactual Revenue	<input type="text" value="\$ 8,793,142"/>	Estimated Revenue Without Pandemic
5) Actual Revenue	<input type="text" value="\$ 7,638,798"/>	Use Worksheet to Calculate

Reduction in Revenue

Fiscal Year Ended 12/31/2020

Revenue Reduction	<input type="text" value="\$ 1,154,344"/>
Revenue Reduction %	<input type="text" value="-13.1%"/>

JACKSON PARISH COURTHOUSE - EXISTING HVAC EQUIPMENT LIST (2021)

ITEM	AREA SERVED	LOCATION	TYPE	YEAR INSTALL	CAPACITY			AGE YRS.	ESTIMATED REMAINING LIFE (YRS)	OPINION OF REPLACEMENT COST
					AIRFLOW CFM	CW FLOW GPM	COOLING TONS			
AHU #1	First Floor - Sheriff's Addition, East Half	Ground Floor Below Sheriff's Offices	Four-pipe, multizone 4 zones Acme MC-78	1967	3,320 cfm@ 1.9" Static 2 HP	24 Gpm	9.5	54	Past Life Expectancy	\$ 91,000
AHU #2	Clerk of Court's Office First Floor	Ground Floor Below Sheriff's Offices	Four-pipe, single zone Trane CCD\B06	1989	2,700 cfm@ 1.65" Static 3 HP	20 Gpm	8.1	32	Past Life Expectancy	\$ 45,000
AHU #3	First Floor Courthouse	First Floor Courthouse Mechanical Room	Four-pipe, multizone 7 zones Acme MC-250	1967	9,515 cfm@ 2.4" Static 10 HP	58 Gpm	24	54	Past Life Expectancy	\$ 106,000
AHU #4	Second Floor Courthouse West Half	Second Floor Courthouse West Mechanical Room	Four-pipe, multizone 5 zones Acme VC-78	1967	3,585 cfm@ 1.9" Static 2 Hp	27 Gpm	10.3	54	Past Life Expectancy	\$ 92,000
AHU #5	Second Floor Courthouse East Half	Second Floor Courthouse East Mechanical Room	Four-pipe, Single zone with 4 reheat coils Acme VC-62	1967	2,625 cfm@ 1.7" Static 2 Hp	20 Gpm	8.1	54	Past Life Expectancy	\$ 45,000
AHU #6	Third Floor Courthouse West Half	Third Floor Courthouse West Mechanical Room	Four-pipe, Single zone with 4 reheat coils Daikin CAH06	2017	2,700 cfm@ 1.75" Static 3 Hp	17.7 Gpm	8.1	4	21	
AHU #7	Third Floor Courthouse Court Room	Third Floor Courthouse East Mechanical Room	Four-pipe, Single zone Acme VC-160	1967	6,230 cfm@ 1.9" Static 5 Hp	53 Gpm	21.8	54	Past Life Expectancy	\$ 60,000
AHU #8	Third Floor Courthouse SE Private Rooms	Third Floor Courthouse East Mechanical Room	Four-pipe, Single zone with 3 reheat coils Trane LPCAB03	2002	1,390 cfm@ 1.6" Static 1 HP	7 Gpm	4.6	19	6	\$ 44,000
Boiler #1	Air Handling Units and Re-heat Heating Coils	Courthouse Ground Floor Boiler Room	Condensing, forced draft, hot water boiler Aerco Benchmark 2.0	2006	2000 mbh gas input			15	10	
Boiler #2	Air Handling Units and Re-heat Heating Coils	Courthouse Ground Floor Boiler Room	Condensing, forced draft, hot water boiler Hydrotherm KN-20	2019	2000 mbh gas input			2	18	
Heating Water Pumps #1 and #2	Boilers #1 and #2	Courthouse Ground Floor Boiler Room	End Suction Centrifugal - 3 Hp 73 Gpm @52' Tdh	2019				2	18	
Chiller #1	AHU's 1 thru 8	Exterior, West Side of Courthouse	Water Cooled Recip Trane RTAA125 125 Tons, 224 gpm	2002				19	1	\$ 170,000
Chilled Water Pumps #1 and #2	Chiller #1	Courthouse Ground Floor Boiler Room	End Suction Centrifugal - 10 Hp 267 Gpm @75' Tdh	2019				2	18	
Reheat Coils 1 thru 12	AHU's 5,6,8	Second & Third Floors Courthouse	Duct mounted with 3-way valves for temperature control	1967				54	Past Life Expectancy	\$ 50,000
					TOTALS			95		\$ 703,000