



City Council Work Session Meeting Agenda

July 21, 2026 at 5:00 PM

Jefferson City Municipal Building

1. Call to Order

Opening Prayer

Pledge of Allegiance

2. Citizen Comments (Citizens should state their name, address, and limit comments to five minutes.)

3. Communications from the Mayor

4. Reports from Committees, Council Members, and other Officers

a. Presentation of Employees of the Quarter - **Holly Cox**

5. Items for Discussion

a. Proposed purchase of Portable Radios - **Lee Turner**

b. Proposed Change Orders #13-#14 to Fire Station #2 - **Lee Turner**

c. Request to purchase two HVAC units for the Community Center - **Kevin Bolden**

d. Request authorization to Induct Charles "Pop" Wright into the Sports Hall of Fame
- **Kevin Bolden**

e. Request to purchase Pickup Truck for Meter Readers - **Porter Massengill**

f. Request to purchase Service Truck - **Porter Massengill**

g. Request to purchase Backhoe - **Porter Massengill**

h. Request to purchase IWorQ Asset and Data Tracking Program - **Porter Massengill**

i. Request to purchase Mowing Tractor - **Porter Massengill**

j. Request to purchase Single Axle Dump Truck - **Porter Massengill**

k. Request to purchase equipment and authorize installation of emergency equipment
for 3 patrol units - **Andy Dossett**

l. Request to limit the number of Certificates of Approvals for liquor stores - **Councilman Melton**

6. Appointments

- a. **Parks and Recreation Committee** - The members are appointed for a two-year term by the City Council. There are two vacant positions to be filled.

7. Calendar/Upcoming Events

- a. The July HZC/Regional Planning Commission/BZA meeting will be on Monday, July 27, 2026.
- b. The August Council Meeting will be on Monday, August 3, 2026.
- c. The June Work Session will be on Tuesday, August 18, 2026.
- d. The August HZC/Regional Planning Commission/BZA meeting will be on Monday, August 24, 2026.

8. Announcements

- a. The Selection Committee for the Downtown Improvement Grant will meet at 5:30pm on Tuesday, July 28, 2026.
- b. National Night Out sponsored by JCPD and JCFD will be from 6:00pm - 8:00pm on Tuesday, August 4, 2026.
- c. The JCPD will be holding a Citizen's Police Academy beginning Thursday, August 6th. Citizens are encouraged to apply.
- d. Jefferson City Parks and Recreation Dept. has been awarded a Healthy Active Rural Tennessee Grant from the Tennessee Dept. of Health.

9. Adjourn



Jefferson City Fire Department AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Lee Turner, Fire Chief

DATE: 7/13/2026

SUBJECT: FY26-27 Portable Radio Purchase/Waiver of Sealed Bid Requirement for State Contract Pricing

BACKGROUND:

- The Jefferson City Fire Department is updating its portable radio inventory to improve communication interoperability and responder safety.
- The impact of this purchase will directly impact the safety of our responders and personnel during operations on emergency incident scenes and daily operations.

FISCAL IMPACT:

The cost of the Five (5) portable radios is approved through the JCFD FY2026-27 Budget. The cost for the Five (5) Kenwood VP8000 Multiband Radios on State Contract Pricing is \$5,480.15 each, for a total of \$27,400.77. Funding in the amount of \$30,000 has been approved for the purchase through the FY2026-27 Fire Department Budget.

REQUEST/RECOMMENDATION:

I am requesting to waive the sealed bid process requirement and purchase the 6 multiband portable radios from LandAir Communications.

ATTACHMENTS:

LandAir Communications Quote



Post Office Box 37
Kodak, TN 37764-0037

TWO Locations to Serve You
 Sevierville • Pigeon Forge • Gatlinburg • Johnson City • Kingsport • Bristol
 144 Knife Works Lane • 148 Old Gray Station Rd
 Sevierville, TN 37876 • Johnson City, TN 37615
 (865) 453-2300 • (423) 283-0618

QUOTATION 21009883

DATE 7/14/2026
 TERMS Net 15
 CUST PO # _____
 SHIP VIA _____

Bill To:

JEFFERSON CITY FIRE DEPARTMENT
 PO BOX 530
 112 CITY CENTER DRIVE
 JEFFERSON CITY, TN

Ship To:

JEFFERSON CITY FIRE DEPARTMENT
 PO BOX 530
 112 CITY CENTER DRIVE
 JEFFERSON CITY, TN

PAGE #: 1

QTY.	ITEM NO.	DESCRIPTION	PRICE	DISC	EXTENDED
5	EFJ VP-8000	VP8000 MULTIBAND PORTABLE (DUAL BAND CONFIGURATION UHF/7/800MHZ) GREEN HOUSING, KMC-70GR, 3400MAH BATTERY, CHARGER, ALL BAND ANTENNA, P25 CONV, P25 PHASE 1, P25 PHASE 2, DMR CONVENTIONAL, NXDN CONVENTIONAL, NXDN TRUNKING, DIGITAL TWO-TONE, WIFI PROGRAMMING CAPABLE, INSTANT REPLAY, ARC4/ADP ENCRYPTION	\$7,879.00		\$39,395.00
-1	DISCOUNT	DISCOUNT - CUSTOMER SALES	\$11,994.23		(\$11,994.23)
NOTES:			SUBTOTAL \$27,400.77 SHIPPING \$0.00 SALES TAX \$0.00		
All Quotations valid for 30 days unless otherwise specified. Your signature is acceptance of the pricing, terms and conditions stated within this Quotation.			Quotation Total \$27,400.77		
AUTHORIZED BY: _____ Please PRINT Name SIGNATURE : _____ DATE : ____/____/____			QUOTATION ONLY Do not pay from this document.		



FIRE DEPARTMENT AGENDA ITEM REPORT

TO: Mayor and City Council
FROM: Lee Turner, Chief
DATE: July 1, 2026
SUBJECT: Proposed Change Orders #13-#14 to Fire Station #2

BACKGROUND:

- Change Order #13 increases the contract by \$5,424.91 to add brick to wing walls and structural support.
- Change Order #14 increases the contract by \$12,830.00 to change the height of parapet walls.

FISCAL IMPACT:

The net price change for the project will now be \$18,254.91 for these two change orders. The new contract sum will be \$5,194,319.84.

REQUEST/RECOMMENDATION:

We are requesting Change Orders #13 and #14 be approved as presented and recommended by the City's Architect.

ATTACHMENTS:

Change Order #13
Change Order #14

AIA® Document G701® – 2017

Change Order

PROJECT: <i>(Name and address)</i> Jefferson City Fire Station No. 2 1075 Odyssey Road Jefferson City, TN 37760	CONTRACT INFORMATION: Contract For: Jefferson City Fire Station No. 2 Date: 05-12-2025	CHANGE ORDER INFORMATION: Change Order Number: 013 Date: 06-11-2026
OWNER: <i>(Name and address)</i> City of Jefferson City, TN 112 City Center Drive Jefferson City, TN 37760	ARCHITECT: <i>(Name and address)</i> Allen & Hoshall 5746 Marlin Road Suite 102 Chattanooga, TN 37411	CONTRACTOR: <i>(Name and address)</i> McSpadden Inc P. O. Box 948 Dandridge, TN 37725

THE CONTRACT IS CHANGED AS FOLLOWS:

(Insert a detailed description of the change and, if applicable, attach or reference specific exhibits. Also include agreed upon adjustments attributable to executed Construction Change Directives.)

ASI # 4--Add Brick to Wing Walls and Structural Support

Labor	\$3,050.19	
Material	2,519.37	
Equipment	952.44	
ADD	6,522.00	Add 14 Days

Delete CO # 11 (Not Approved)--Deduct (\$1,097.09) and Deduct 2 Days

C.O. # 13 Totals an ADD of \$5,424.91 Plus 12 Days

The original Contract Sum was	\$ 5,202,800.00
The net change by previously authorized Change Orders	\$ (26,735.07)
The Contract Sum prior to this Change Order was	\$ 5,176,064.93
The Contract Sum will be increased by this Change Order in the amount of	\$ 5,424.91
The new Contract Sum including this Change Order will be	\$ 5,181,489.84

The Contract Time will be increased by Twelve (12) days.
The new date of Substantial Completion will be 08-13-2026

NOTE: This Change Order does not include adjustments to the Contract Sum or Guaranteed Maximum Price, or the Contract Time, that have been authorized by Construction Change Directive until the cost and time have been agreed upon by both the Owner and Contractor, in which case a Change Order is executed to supersede the Construction Change Directive.

NOT VALID UNTIL SIGNED BY THE ARCHITECT, CONTRACTOR AND OWNER.

 _____ ARCHITECT (Signature)	 _____ CONTRACTOR (Signature)	_____ OWNER (Signature)
BY: Robert Thew, Project Architect (Printed name, title, and license number if required)	BY: Charles S McSpadden, VP (Printed name and title)	BY: Mayor Mitch Cain (Printed name and title)
7/13/2026 _____ Date	July 10, 2026 _____ Date	_____ Date

AIA® Document G701® – 2017

Change Order

PROJECT: <i>(Name and address)</i> Jefferson City Fire Station No. 2 1075 Odyssey Road Jefferson City, TN 37760	CONTRACT INFORMATION: Contract For: Jefferson City Fire Station No. 2 Date: 05-12-2025	CHANGE ORDER INFORMATION: Change Order Number: 014 Date: 06-11-2026
OWNER: <i>(Name and address)</i> City of Jefferson City, TN 112 City Center Drive Jefferson City, TN 37760	ARCHITECT: <i>(Name and address)</i> Allen & Hoshall 5746 Marlin Road Suite 102 Chattanooga, TN 37411	CONTRACTOR: <i>(Name and address)</i> McSpadden Inc P. O. Box 948 Dandridge, TN 37725

THE CONTRACT IS CHANGED AS FOLLOWS:

(Insert a detailed description of the change and, if applicable, attach or reference specific exhibits. Also include agreed upon adjustments attributable to executed Construction Change Directives.)

Change in Height of Parapet Walls

Labor \$5,217.17
Material 5,395.85
Equipment 2,216.98
ADD \$12,830.00

The original Contract Sum was	\$ 5,202,800.00
The net change by previously authorized Change Orders	\$ (21,310.16)
The Contract Sum prior to this Change Order was	\$ 5,181,489.84
The Contract Sum will be increased by this Change Order in the amount of	\$ 12,830.00
The new Contract Sum including this Change Order will be	\$ 5,194,319.84

The Contract Time will be increased by Fourteen (14) days.
The new date of Substantial Completion will be 08-27-2026

NOTE: This Change Order does not include adjustments to the Contract Sum or Guaranteed Maximum Price, or the Contract Time, that have been authorized by Construction Change Directive until the cost and time have been agreed upon by both the Owner and Contractor, in which case a Change Order is executed to supersede the Construction Change Directive.

NOT VALID UNTIL SIGNED BY THE ARCHITECT, CONTRACTOR AND OWNER.


ARCHITECT *(Signature)*

BY: Robert Thew, Project Architect
(Printed name, title, and license number if required)

7/13/2026
Date


CONTRACTOR *(Signature)*

BY: Charles S. McSpadden, VP
(Printed name and title)

July 10, 2026
Date

OWNER *(Signature)*

BY: Mayor Mitch Cain
(Printed name and title)

Date



PARKS & RECREATION DEPARTMENT

AGENDA ITEM REPORT

TO: City Council

FROM: Parks & Recreation

DATE: July 21, 2026

SUBJECT: Two HVAC units for the Community Center

BACKGROUND:

- This project involves the replacement of (2) original HVAC units at the Jefferson City Community Center.
- This will help with the heating and cooling of the building.

FISCAL IMPACT:

- This is included in the 2026-2027 budget. The total amount budgeted for the project was \$50,000.00.
- The cost for the completion of this project is \$47,500.00. It comes in \$2,500.00 under budget.

REQUEST/RECOMMENDATION:

I'm requesting council to waive the bid process and use RT Service to order these units.

ATTACHMENTS:



RT SERVICE LLC
1809 Pleasant Ridge Road
Talbot, TN 37877
(865) 621-1156

Section 5, Item c.

Proposal

Date: 07-17-2026
No. 071726

Customer:

Jefferson City
1122 City Center Drive
Jefferson City TN. 37760

Property:

Re: Jefferson City
Community Center

Scope: Remove existing Gas Package RTU for the Weight and Locker rooms and replace with American Standard/Trane Gas Package unit. This proposal includes New Thermostat, all materials and Labor to complete task.

Total Proposal: \$24,250.00

Authorized Signature: _____

Rodney Templin, Owner

Acceptance of Proposal Signature

By: _____

Title: _____

Date: _____

TERMS: NET 30 DAYS OR PROGRESSIVE MONTHLY BILLING

Note: This proposal may be withdrawn by us if not accepted within 30 days. All materials are guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specifications involving extra cost will be completed upon written consent of the customer and will become an extra charge above the estimated cost. All agreements contingent upon strikes, accidents, or delays beyond our control. Customer will carry fire, tornado, and other necessary property insurance. Any conflict between this agreement and state or local law makes this agreement null and void.



RT SERVICE LLC
1809 Pleasant Ridge Road
Talbott, TN 37877
(865) 621-1156

Section 5, Item c.

Proposal

Date: 07-17-2026
No. 071726 -1

Customer:

Jefferson City
1122 City Center Drive
Jefferson City TN. 37760

Property:

Re: Jefferson City
Community Center

Scope: Remove existing Gas Package RTU for the Hall area / work out room and replace with American Standard/Trane Gas Package unit. This proposal includes New Thermostat, all materials and Labor to complete task.

Total Proposal: \$ 23,000.00

Authorized Signature: Rodney Templin
Rodney Templin, Owner

Acceptance of Proposal Signature

By: _____

Title: _____

Date: _____

TERMS: NET 30 DAYS OR PROGRESSIVE MONTHLY BILLING

Note: This proposal may be withdrawn by us if not accepted within 30 days. All materials are guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specifications involving extra cost will be completed upon written consent of the customer and will become an extra charge above the estimated cost. All agreements contingent upon strikes, accidents, or delays beyond our control. Customer will carry fire, tornado, and other necessary property insurance. Any conflict between this agreement and state or local law makes this agreement null and void.



PARKS & RECREATION DEPARTMENT
AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Kevin Bolden, Director

DATE: July 21, 2026

SUBJECT: Induct Charles “Pop” Wright into the Sports Hall of Fame

BACKGROUND:

- Charles “Pop” Wright was a well-recognized citizen of Jefferson City and had a huge impact on Jefferson City’s youth through volunteering his time to coach and teach the game of baseball through the Jefferson City Little League baseball program.

FISCAL IMPACT:

- None

REQUEST/RECOMMENDATION:

I want to ask the council's approval to induct Charles “Pop” Wright into the Jefferson City Sports Hall of Fame at our next regularly scheduled meeting on August 3rd.

ATTACHMENTS:



WATER/SEWER DEPARTMENT
AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works and Utilities

DATE: July 16, 2026

SUBJECT: Meter Reader Pickup Truck

BACKGROUND:

- City Council approved \$50,00.00 in the 26-27 budget for this item. Because of growth in the City, it is necessary to add an extra meter reader and vehicle to get billing done in a timely fashion.

FISCAL IMPACT:

The cost will be \$42,470.00 per statewide contract quote (SWC209) quote from Allen Jay Fleet. This is \$7,530.00 under the budget approved amount.

REQUEST/RECOMMENDATION:

I am requesting City Council to waive the bid process and move this item to the agenda for the regular City Council meeting on August 3, 2026, for consideration and approval.

ATTACHMENTS:

Quote



865-285-0348

2401 E Lamar Alexander Parkway, Maryville, TN 37804

QUOTATION # 308Q7013


Valid through August 16, 2026 @ 12:38 pm

Prepared For:

Jefferson City (TN)
 Brian Rhodes
 Phone:
 112 City Center Drive (POB 530)
 Jefferson City, TN 37760
 brhodes@jeffersoncitytn.gov

Prepared By:

Russell Moles
 Government Fleet Sales (TN)
 Phone: 865-285-0348
 Fax: 865-684-4911
 Email: rmoles@tnfleetsales.net



For the full detailed quotation, [click here](#) to view or download the PDF version of this quote. You can sign and fax this in, or you can save time by simply electronically accepting this quote below.

Line Item Detail

QTY	Description	Picture	Unit Price	Ext Price
2026 Chevrolet Silverado 1500				
1	(CK10903) 4WD Reg Cab 140" Work Truck		\$39,265.00	\$39,265.00
1	Summit White		\$0.00	\$0.00
1	Interior:Jet Black, Vinyl seat trim		\$0.00	\$0.00
1	Engine, TurboMax		\$0.00	\$0.00
1	Transmission, 8-speed automatic, electronically controlled		\$0.00	\$0.00
Line # 5 Optional Equipment - Factory Installed				
1	Factory Installed		\$2,360.00	\$2,360.00
1	Includes Provisions for a 2027MY Price Increase, there may or may not be a price increase. 2026 Ordering Cut-Off Monday for this model and pricing has not yet been publishes by General Motors		\$0.00	\$0.00
Line # 5 Optional Equipment - Aftermarket				
1	Tool Box		\$845.00	\$845.00
			SubTotal:	\$42,470.00
			Shipping:	\$0.00
			Sales Tax:	\$0.00
			Total:	\$42,470.00

Ready to Order?

Order Confirmation

We reserve the right to cancel orders arising from errors, inaccuracies, or omissions.

IP Address 63.135.179.232
PO Number
(Acceptance constitutes an electronic Purchase Order)
Comments

Email Address brhodes@jeffersoncitytn.gov
Printed Name
Signature
"signatures" could include: /john smith/; /js/; /js123/, etc

Click to Accept

Have Questions?

Not Ready To Accept? Have Questions?

Submit

(Note, you will receive a copy of your message by email.)

No questions posted yet.

Time expressed in Eastern Daylight Time UTC-04:00

This page was created using QuoteValet - The online quote delivery and acceptance vehicle for QuoteWerks.

ALAN JAY

FLEET SALES

Tennessee State Wide Contract # 209

DATE: Jul 16, 2026

QUOTE

JOBQ7013

PREPARED FOR:

Brian Rhodes

Jefferson City (TN)

112 City Center Drive (POB 530)

Jefferson City, TN 37760

Phone

CREATED BY:

Russell Moles

Regional Government Sales Manager

AJ's TENNESSEE FLEET SALES

2401 EAST LAMAR ALEXANDER PARKWAY

MARYVILLE, TN 37804

V. 865-285-0348

F. 865-681-4911

E. rmoles@tnfleetsales.net

AJ #	Payment Terms	Valid Through
	NET 15	Aug 16, 2026

VEHICLES & EQUIPMENT w/OUTSIDE EQUIPMENT INSTALLS ARE INVOICED AT THEY TIME THEY ARE DELIVERED TO YOUR UPFITTER OF CHOICE.

INVOICE(S) DUE 30 DAYS FROM INVOICE DATE

Please Issue All PO's & COI's to our Corporate Office

Qty	Description	Manufacturer	Part Number	Unit Price	Ext. Price
-----	-------------	--------------	-------------	------------	------------

2026 Chevrolet Silverado 1500

1	(CK10903) 4WD Reg Cab 140" Work Truck		AUTOBOOK	\$39,265.00	\$39,265.00
1	Summit White		COLOR	\$0.00	\$0.00
1	Interior:Jet Black, Vinyl seat trim		TRIM	\$0.00	\$0.00
1	Engine, TurboMax		L3B	\$0.00	\$0.00
1	Transmission, 8-speed automatic, electronically controlled		TRANSMISSION	\$0.00	\$0.00

Line # 5 Optional Equipment - Factory Installed

1	Factory Installed		FACTORY	\$2,360.00	\$2,360.00
1	Includes Provisions for a 2027MY Price Increase, there may or may not be a price increase. 2026 Ordering Cut-Off Monday for this model and pricing has not yet been publishes by General Motors		2027	\$0.00	\$0.00

Line # 5 Optional Equipment - Aftermarket

Please Issue All PO's & COI's to our Corporate Office

Qty	Description	Manufacturer	Part Number	Unit Price	Ext. Price
1	Tool Box		AFTERMARKET	\$845.00	\$845.00

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in white unless another color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Vehicles Subject to Production by Vehicle Manufacturer.

Tax	\$0.00
Shipping	\$0.00
TOTAL	\$42,470.00

ALAN JAY

FLEET SALES

Contract Number: 88753 - SWC209 EVENT # 32110-13710
Quote ID: 73266
Agency: JEFFERSON CITY (TN)
Date: 7/16/2026

Thank you from the Alan Jay Fleet Team for the opportunity to provide this quotation for (1) 2026 CHEVY SILVERADO 1500 REGULAR CAB PICKUP 4WD 2.7L Turbo WT 8' BED, please review carefully and contact us with any errors or changes.

MSRP:	\$44,115.00
Base Price:	\$39,265.00
Factory Options:	\$2,360.00
Aftermarket Options:	\$845.00
Purchase Total:	\$42,470.00

Per attached vehicle specifications.

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in the color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Quoted By: RUSSELL MOLES / 865-285-0348 / Russell.Moles@AlanJay.com



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

GOVERNMENT PRICE QUOTE

Quote

PHONE (800) ALANJAY (252-6529)		DIRECT 863-402-4236	WWW.ALANJAY.COM	73266-1
Corporate Office	2003 U.S. 27 South Sebring, FL 33870	MOBILE 865-285-0348	Mailing Address	P.O. BOX 9200 Sebring, FL 33871-9200
		FAX 863-402-4221		

ORIGINAL QUOTE DATE
7/16/2026

PRICE QUOTE FORM

REVISED QUOTE DATE
7/16/2026

REQUESTING AGENCY	JEFFERSON CITY (TN)			
CONTACT PERSON	BRIAN RHODES	EMAIL	brhodes@jeffersoncitytn.gov	
PHONE	865-475-6617	MOBILE	FAX	

Contract No. 88753 - SWC209 EVENT # 32110-13710

MODEL	CK10903 1WT	MSRP	\$44,115.00
2026 CHEVY SILVERADO 1500 REGULAR CAB PICKUP 4WD 2.7L Turbo WT 8' BED			

CUSTOMER ID	GOVERNMENT PRICE	\$39,265.00
BED LENGTH	8' Bed	

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
GAZ	Summit White	\$0.00
H2G	Jet Black, Vinyl seat trim	\$0.00
L3B	Engine, TurboMax	\$0.00
MFC	Transmission, 8-speed automatic, electronically controlled	\$0.00
1WT	OPTIONS Work Truck Preferred Equipment Group	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
CGN	Chevytec spray-on bedliner, Black	\$540.00
CTT	Hitch Guidance	\$0.00
E63	Durabed, pickup bed	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GU6	Rear axle, 3.42 ratio	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system	\$0.00
QBN	Tires, 255/70R17 all-season, blackwall	\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall	\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	\$0.00
Z82	Trailer Package	\$420.00
	Option/package discount	\$0.00
2027	2027 PRICE INCREASE (5%)	\$1,400.00

FACTORY OPTIONS \$2,360.00

AFTERMARKET OPTIONS	DESCRIPTION	
10GAL	PER TENNESSEE STATE CONTRACT, 10 GALLONS OF FUEL TO BE ADDED TO VEHICLE.	\$0.00
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
SHARP PDI	Factory PDI by SHARP MOTOR COMPANY (PAID BY FACTORY)	\$0.00
LMR PULASKI-JACKSBORO	LMR PULASKI-JACKSBORO	\$0.00
ATB-18-LP	HD Aluminum tool box with low-profile single lid and 18" depth.	\$845.00

AFTERMARKET OPTIONS \$845.00



GOVERNMENT
PRICE QUOTE

Contract No. 88753 - SWC209 EVENT # 32110-13710

TRADE IN	TOTAL COST	\$42,470.00
YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~		
	TOTAL COST LESS TRADE IN(S) QTY 1	\$42,470.00

Estimated Annual payments for 60 months paid in advance: \$9,764.73
Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY RUSSELL MOLES GOVERNMENT ACCOUNT MANAGER Russell.Moles@AlanJay.com
"I Want to be Your Fleet Provider"
I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.
I am always happy to be of assistance.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Window Sticker

SUMMARY

[Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work TruckMSRP:\$41,700.00

Interior:Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, TurboMax

Transmission, 8-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10903	[Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck	\$41,700.00
OPTIONS		
1WT	Work Truck Preferred Equipment Group	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
CGN	Chevytec spray-on bedliner, Black	\$545.00
CTT	Hitch Guidance	Inc.
E63	Durabed, pickup bed	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GAZ	Summit White	\$0.00
GU6	Rear axle, 3.42 ratio	\$0.00
H2G	Jet Black, Vinyl seat trim	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system	\$0.00
L3B	Engine, TurboMax	\$0.00
MFC	Transmission, 8-speed automatic, electronically controlled	\$0.00
QBN	Tires, 255/70R17 all-season, blackwall	\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall	\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	\$0.00
Z82	Trailer Package	\$425.00
—	Option/package discount	(\$1,350.00)
SUBTOTAL		\$41,320.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Adjustments Total	\$0.00
Destination Charge	\$2,795.00
TOTAL PRICE	\$44,115.00

FUEL ECONOMY

Est City:17 MPG
Est Highway:21 MPG
Est Highway Cruising Range:588.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Standard Equipment

Package

Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam

Mechanical

Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)

Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)

Durabed, pickup bed (STD)

GVWR, 6900 lbs. (3130 kg) (Regular Cab Long Bed model requires 4WD.)

Rear axle, 3.42 ratio

Push Button Start

Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)

Transfer case, single speed electronic Autotrac with push button control (4WD models only)

Four wheel drive

Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power

Alternator, 220 amps (Included with (L3B) TurboMax engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)

Recovery hooks, front, frame-mounted, Black

Frame, fully-boxed, hydroformed front section

Suspension Package, Standard

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill

Exhaust, single outlet

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

Tires, 255/70R17 all-season, blackwall (STD)

Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET

RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Exterior

- Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
- Bumpers, front, Black (semi-gloss)
- Bumpers, rear, Black (semi-gloss)
- CornerStep, rear bumper
- Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
- Headlamps, halogen reflector with halogen Daytime Running Lamps
- IntelliBeam, automatic high beam on/off
- Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (Incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
- Taillamps with incandescent tail, stop and reverse lights
- Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection cap, top
- Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
- Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
- Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

Entertainment

- Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
- Sirius XM, delete (Can be upgraded to (U2K) SiriusXM.)
- Audio system feature, 2-speaker system (Requires Regular Cab model.)
- Wireless phone projection for Apple CarPlay and Android Auto
- Bluetooth for phone, connectivity to vehicle infotainment system
- Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

- Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Interior

- Seat trim, Vinyl
- Seat adjuster, driver 4-way manual
- Seat adjuster, passenger 4-way manual
- Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
- Steering wheel, urethane
- Steering column, Tilt-Wheel, manual with wheel locking security feature
- Steering column lock, electrical
- Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5" diagonal monochromatic display
- Exterior Temperature Display located in radio display
- Compass located in instrument cluster
- Window, power front, drivers express up/down
- Window, power front, passenger express down
- Door locks, power
- Remote Keyless Entry, with 2 transmitters
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Power outlet, front auxiliary, 12-volt
- USB Ports, 2, Charge/Data ports located on instrument panel
- Air conditioning, single-zone manual
- Mirror, inside rearview, manual tilt
- Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

- Automatic Emergency Braking
- Front Pedestrian Braking
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

- Daytime Running Lamps with automatic exterior lamp control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET

RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✓ Complete)

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

HD Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: Silverado TurboMaxTM engines, 3.0L & 6.6L Duramax[®] Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Silverado TurboMaxTM engines, 3.0L & 6.6L Duramax[®] Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (☒ Complete)

Weight Ratings

WEIGHT RATINGS

Front Gross Axle Weight Rating:	3800 lbs
Rear Gross Axle Weight Rating:	3800 lbs
Gross Vehicle Weight Rating:	6900.00 lbs



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.82
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		

Mileage

EPA Fuel Economy Est - Hwy	21 MPG	Cruising Range - City	476.00 mi
EPA Fuel Economy Est - City	17 MPG	Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	588.00 mi	Estimated Battery Range	N/A

Engine

Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/166	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Powertrain

Traction Battery

Usable/net Traction Battery Capacity (kWh)	N/A	Gross Traction Battery Capacity (kWh)	N/A
--	-----	---------------------------------------	-----

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	9.3	EPA Greenhouse Gas Score	4
--	-----	--------------------------	---

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2759 lbs
Curb Weight - Rear	1840 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1041.00 lbs
Reserve Axle Capacity - Rear	1960.00 lbs	As Spec'd Curb Weight	4599.00 lbs
As Spec'd Payload	2301.00 lbs	Maximum Payload Capacity	2301.00 lbs
Gross Combined Wt Rating	14500 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4599.00 lbs	Reserve Axle Capacity	3001.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	6900.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9300 lbs	Wt Distributing Hitch - Max Tongue Wt.	930 lbs
Fifth Wheel Hitch - Max Trailer Wt.	9200 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2300 lbs
Maximum Trailering Capacity	9600 lbs		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET

RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (Complete)

Chassis

Suspension

Suspension Type - Front	Independent coil-over-shock	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	44.6 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



ALAN JAY FLEET
RUSSELL MOLES | 863-402-4236 | RUSSELL.MOLES@ALANJAY.COM

Vehicle: [Fleet] 2026 Chevrolet Silverado 1500 (CK10903) 4WD Reg Cab 140" Work Truck (✔ Complete)

Chassis

Brakes

Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	28 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		

Exterior Dimensions

Wheelbase	139.5 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	229.68 in
Width, Max w/o mirrors	81.14 in	Height, Overall	75.59 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.1 in	Ground Clearance, Rear	8.1 in
Body Length	0.00 ft	Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	98.18 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	89.1 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 29001. Data Updated: Jul 16, 2026 1:51:00 AM UTC.



PUBLIC WORKS DEPARTMENT AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works

DATE: July 16, 2026

SUBJECT: Street Department 1 Ton Service Truck Purchase

BACKGROUND:

City Council approved \$90,00.00 in the 26-27 budget for this equipment purchase.

FISCAL IMPACT:

The cost will be \$88,436.34 per the statewide contract quote (SWC 209) from Carl Black Auto Group. This is \$1,563.66 under the budget approved amount.

REQUEST/RECOMMENDATION:

I am requesting City Council waive the bid process and move this item to the agenda for the regular City Council meeting on August 3, 2026, for consideration and approval.

ATTACHMENTS:

Quote



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

2026 3500 C&C Jefferson City w Upfitting 2nd

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA
Work Truck



**Carl Black Auto Group State of TN Contract #209**

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)

Price Summary**PRICE SUMMARY**

	VQ2	MSRP
Base Price	\$44,975.60	\$49,100.00
Total Options	\$40,665.74	\$43,753.06
Vehicle Subtotal	\$85,641.34	\$92,853.06
Destination Charge	\$2,795.00	\$2,795.00
Grand Total	\$88,436.34	\$95,648.06

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.

**Carl Black Auto Group State of TN Contract #209**

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (Complete)

Weight Ratings**WEIGHT RATINGS**

Front Gross Axle Weight Rating:	4800 lbs
Rear Gross Axle Weight Rating:	10400 lbs
Gross Vehicle Weight Rating:	14000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (Complete)

Selected Model and Options

MODEL

CODE	MODEL	VQ2	MSRP
CK31003	2026 Chevrolet Silverado 3500HD CC 4WD Reg Cab 146" WB, 60" CA Work Truck	\$44,975.60	\$49,100.00

COLORS

CODE	DESCRIPTION
GAZ	Summit White

EMISSIONS

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00	\$0.00

ENGINE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

TRANSMISSION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
MKM	Transmission, 10-Speed automatic (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

AXLE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00	\$0.00

WHEELS

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
PYW	Wheels, 17" (43.2 cm) painted steel (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
QZT	Tires, LT235/80R17E all-terrain, blackwall (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

SPARE TIRE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
9L3	Spare tire delete (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

PAINT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
GAZ	Summit White	0.00 lbs	0.00 lbs	\$0.00	\$0.00

SEAT TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

SEAT TRIM

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
H2G	Jet Black, Vinyl seat trim	0.00 lbs	0.00 lbs	\$0.00	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)

RADIO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
VK3	License plate kit, front (will be shipped to orders with ship -to states that require front license plate)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
5N5	Rear Camera Kit. Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory. See Upfitter Integration Bulletin for installation instructions at www.gmupfitter.com	0.00 lbs	0.00 lbs	\$64.24	\$73.00

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
VQ2	Fleet Processing Option	0.00 lbs	0.00 lbs	\$0.00	\$0.00

CUSTOM EQUIPMENT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	VQ2	MSRP
Additional	Carl Black Discount	0.00 lbs	0.00 lbs	(\$200.00)	\$0.00
Aftermkt	Upfitting	0.00 lbs	0.00 lbs	\$42,705.06	\$42,705.06
Gov	Assistance	0.00 lbs	0.00 lbs	(\$2,600.00)	\$0.00
Service	Fee	0.00 lbs	0.00 lbs	\$975.00	\$975.00
SWC	Adjustment	0.00 lbs	0.00 lbs	(\$278.56)	\$0.00
Options Total		0.00 lbs	0.00 lbs	\$40,665.74	\$43,753.06

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (Complete)

Standard Equipment

Mechanical

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 10-Speed automatic (STD)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

Auto-locking rear differential

Air filter, heavy-duty

Air filtration monitoring

Transfer case, two-speed, electronic shift with push button controls (Requires 4WD models.)

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Trailer brake controller, integrated

Recovery hooks, front, frame-mounted, Black

Body, Chassis Cab

Frame, fully-boxed, hydroformed front section and an open "C" rear section

GVWR, 14,000 lbs. (6350 kg)

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Fuel tank, front and rear, 63.5 gallon

Capped Fuel Fill

Exterior

Wheels, 17" (43.2 cm) painted steel (STD)

Tires, LT235/80R17E all-terrain, blackwall (STD)

Spare tire delete Deletes the spare tire and wheel. (STD)

Dual Rear Wheels

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)

Exterior

Wheel trim, painted center caps

Bumpers, front, Black

Bumper, rear, delete

Moldings, beltline, Black

Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)

Headlamps, halogen reflector with halogen Daytime Running Lamps

IntelliBeam, automatic high beam on/off

Lamps, Smoked Amber roof marker, (LED)

Lamps, cargo area, cab mounted integrated with center high mount stop lamp with switch in bank on left side of steering wheel

Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package.)

Mirror caps, Black

Glass, solar absorbing, tinted

Door handles, Black grained

Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)

Audio system feature, 2-speakers (Requires Regular Cab model.)

Bluetooth for phone, connectivity to vehicle infotainment system

Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Vinyl seat trim

Floor covering, rubberized-vinyl

Steering column, Tilt-Wheel, manual with wheel locking security feature

Steering wheel, urethane

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)

Interior

Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Compass, located in instrument cluster

Driver Information Center, 3.5" diagonal monochromatic display

Universal Vehicle Module Includes module, customer interface harness and instructions. Provides vehicle data over an open CAN network (J1939). 10 switchable inputs/outputs and Custom Configuration Tool to integrate upfit equipment controls. Software features that support Auto Vehicle Start, Shutdown Inhibit, Fast Idle and Snow Plow.

Exterior Temperature Display located in radio display

Brake lining wear indicator

Window, power front, drivers express up/down

Window, power front, passenger express down

Door locks, power

Remote Keyless Entry, with 2 transmitters

Cruise control, electronic with set and resume speed, steering wheel-mounted

Power outlet, front auxiliary, 12-volt

USB Ports, 2, Charge/Data ports located on instrument panel

Air conditioning, single-zone

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger

Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)

Back-up alarm calibration. This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting (Not available with (8S3) Back-up alarm.)

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Automatic Emergency Braking

Front Pedestrian Braking

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

This document contains Information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



Carl Black Auto Group State of TN Contract #209

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✓ Complete)

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Following Distance Indicator

Forward Collision Alert

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use

OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.6L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.6L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains Information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.

**Carl Black Auto Group State of TN Contract #209**

Danielle Donnell Rodriguez | 615-504-8811 | drodriguez@carlblack.com Edison #88785

Vehicle: [Fleet] 2026 Chevrolet Silverado 3500HD CC (CK31003) 4WD Reg Cab 146" WB, 60" CA Work Truck (✔ Complete)



Note:Photo may not represent exact vehicle or selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 28817. Data Updated: Jun 24, 2026 1:50:00 AM UTC.



PUBLIC WORKS DEPARTMENT
AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works

DATE: July 16, 2026

SUBJECT: Street Department Backhoe Purchase

BACKGROUND:

City Council approved \$185,00.00 in the 26-27 budget for this equipment purchase.

FISCAL IMPACT:

The cost will be \$152,662.56 per the Sourcewell quote from Contractor’s Machinery, Inc.
This is \$32,337.44 under the budget approved amount.

REQUEST/RECOMMENDATION:

I am requesting City Council to move this item to the agenda for the regular City Council meeting on August 3, 2026 for consideration and approval.

ATTACHMENTS:

Quote



CONTRACTOR'S MACHINERY, INC.

3310 Wrights Ferry Rd.
Louisville, TN 37777-4138



Maryville (865) 982-6452

Fax (865) 982-6461

June 19, 2026

"Government Quote"

*Sent Via Email Only

Attention: Porter Massengill/Brian Rhodes
City of Jefferson City
1032 N. Highway 92, Suite A
Jefferson City, TN 37760

NEW CASE 580SN 4WD LOADER BACKHOE (Serial # NSC786331)

- Tier 4 Final Engine
- Cab w/Left Hand Door w/Heater, AC, Bluetooth
- 12.0L x 16.5, 10 Ply
- 19.5L x 24.0 10Ply R4 Rear
- 1 or 2-Way Auxiliary Hydraulics Extend-a-hoe Package
- Heavy Front Counterweight
- Pilot Controls w/Power Lift
- Flip Over Stabilizer Pads
- Loader Performance Package (Ride Control, Comfort Steer & 3 Spool Pkg.)
- 82" Long Lip Loader Bucket with Bolt on Cutting Edge
- 24" Backhoe Bucket
- Suspension Seat w/Armrests
- Case Site watch Telematics
- 5-year Telematic Subscription

MSRP:	\$201,198.00
Gov't Discount:	-\$56,335.44
Sub-Total:	\$144,862.56
Freight & PDI:	\$3,550.00
Total:	\$148,412.56

- | | | |
|-------------------------------|---------------|-------------------|
| • <u>Factory Thumb Option</u> | <u>Total:</u> | <u>\$4,250.00</u> |
|-------------------------------|---------------|-------------------|

NOTE: Quote is for stock unit shown. Subject to prior sale.
Quote valid for 30 days.

*Total w/Thumb option
\$ 152,662.56*

Above Pricing Reflects Standard Machine Warranty

- Standard Base Full Machine Warranty 12 Months Unlimited Hours
- Additional Powertrain & Hydraulics Warranty 24 Months/2,000 Hours
- Engine Emissions & Fuel Systems Warranty 5 Year/3,000 hours
- Extended Warranty available upon request



PUBLIC WORKS DEPARTMENT

AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works

DATE: July 16, 2026

SUBJECT: IWorQ Street Condition Survey and Sign Inventory

BACKGROUND:

City Council approved \$30,000.00 in the 26-27 budget for this item. It is a digital (video) of all City streets (appx. 75 miles), plus ranking on the condition of each. Also, it will be capturing our sign inventory.

FISCAL IMPACT:

The cost will be \$27,700.00 per the quote from IWorQ Systems. This is \$2,300.00 under the budget approved amount. Public Works uses IWorQ Systems for work order management, so this is compatible with these systems. There are no recurring costs associated with this survey, unless we need to update sometime in the future.

REQUEST/RECOMMENDATION:

I am requesting City Council to move this item to the agenda for the regular City Council meeting on August 3, 2026 for consideration and approval.

ATTACHMENTS:

Quote



Service Agreement

For PublicWorks1 Asset & Data Tracking Services

Prepared for:

Jefferson City, TN
112 City Center Drive
P.O. Box 530, Jefferson City, TN 37760
Centerline Miles: 75

Prepared by:

Todd Mattson
iWorQ Systems

Agreement ID: 262321



Jefferson City, TN here, known as ("Customer"), enters into THIS SERVICE(S) AGREEMENT ("Agreement") with PublicWorks1 Inc. ("PW 1") with its principal place of business 1125 West 400 North, Suite 102, Logan, UT 84321.

Recitals

Whereas the Customer is seeking onsite data collection services provided by Public Works 1.

Whereas the Customer is seeking technical support and software provided by iWorQ Systems Inc.

Therefore, in consideration of the mutual promises contained in this agreement, the parties agree as follows:

1. Data Tracking Services:

PW 1 will send staff member(s) onsite to track requested street-level imagery, assets, and GPS data points utilizing our Trimble MX7 high resolution camera and / or a pavement condition assessment if requested. The price in Appendix A is based on the mileage provided by the Customer.

2. CUSTOMER RESPONSIBILITY:

Customer agrees to provide the time, implementing personnel to assist in scheduling and completing the onsite assessment, and to implement iWorQ's service(s) and application(s). iWorQ will assign a senior account manager and an account management team to implement service(s) and application(s). Typical implementation will take less than 60 days. iWorQ account managers will call twice per week, provide remote training once per week, and send weekly summary emails to the implementation team. iWorQ can provide project management and implementation documents upon request.

3. Customer Data & Software Terms of Access:

Customer acknowledges that an iWorQ Service(s) Agreement is required in conjunction with this agreement for a term of 3 years, and that customer is authorized to access and track the converted PW 1 data in the associated iWorQ software applications.

Customer data will be stored on AWS GovCloud. iWorQ will use commercially reasonable efforts to backup, store and manage Customer data. iWorQ does backups twice per week and offsite backups twice per week. The subscription will renew each year on the anniversary date of this Agreement unless terminated (see 6. TERMINATION).

Customer can run reports and export data from iWorQ application(s) at any time.

Customer can pay iWorQ for additional data management service(s), onsite backups, application(s) and other service(s).



Street Level imagery is provided through iWorQ. Street Level imagery (360 Degree JPG) will not be downloadable through iWorQ. PW1 will make the imagery publicly available.

Data upload and usage is provided to every customer. This includes uploading files up to 25MB and 100GB of managed data usage on AWS GovCloud. Additional upload file sizes and managed data usage sizes can be provided based on the application(s) and service(s) listed in Appendix A.

Customers can upload and store images with personal information like driver's license, and more. This data can be used by the customer to complete the permitting, licensing, or code enforcement processes. Customer understands that the data must be uploaded and stored in the sensitive data upload section of the iWorQ software for access and security purposes.

iWorQ is not responsible for: (1) For the content entered into iWorQ's database, (2) For images or documents scanned locally and uploaded by the iWorQ users, (3) For documents or images uploaded by citizen over the web, and (4) For data sent to the Customer by iWorQ.

Data upload and usage is provided to every customer. This includes uploading files up to 25MB and 100GB of managed data usage on AWS GovCloud. Additional upload file sizes and managed data usage sizes can be provided based on the application(s) and service(s) listed in Appendix A.

Customers can upload and store images with personal information like driver's license, and more. This data can be used by the customer to complete the permitting, licensing, or code enforcement processes. Customer understands that the data must be uploaded and stored in the sensitive data upload section of the iWorQ software for access and security purposes.

iWorQ is not responsible for: (1) For the content entered into iWorQ's database, (2) For images or documents scanned locally and uploaded by the iWorQ users, (3) For documents or images uploaded by citizen over the web, and (4) For data sent to the Customer by iWorQ.

Billing:

PW 1 will invoice Customer after the team has come onsite and completed the data collection and/or assessment. The invoice will be generated and will be sent out the day fieldwork has been completed. PW 1 will send the invoice by mail and by email to the address listed in Appendix A. Terms of the invoice are net 30 days. Any billing changes will require that a new Service Agreement be signed by the Customer.

Any additional costs imposed by the Customer including business licenses, fees, or taxes will be added to the Customer's invoice yearly.



4. TERMINATION:

Either party may terminate this agreement after the initial 3-Year Term, without cause if the terminating party gives the other party sixty (60) days written notice. Should the Customer terminate any application(s) and or service(s) the remaining balance will immediately become due. Should the Customer terminate any part of the application(s) and or service(s) a new Service(s) Agreement will need to be signed.

Termination will discontinue all application(s) and or service(s) under this Agreement; PW1 will provide customer with an electronic copy of all of Customer's data, if requested by the Customer. Backups will be completed within 3-5 business days.

During the term of the Agreement, the Customer may request a copy of all of Customer's data for a cost of no more than \$2500; and all provisions of this Agreement will continue.

5. CUSTOMER SUPPORT:

Customer support and training are FREE and available Monday-Friday, from 6:00 A.M. to 5:00 P.M. MST, for any authorized user with a login. iWorQ provides unlimited remote Customer training (through webinars), phone support, help files, and documentation. Basic support requests are typically handled the same day. iWorQ provides "Service NOT Software".

6. ACCEPTABLE USE:

Customer represents and warrants that the applications and services will only be used for lawful purposes, in a manner allowed by law, and in accordance with reasonable operating rules, and policies, terms and procedures. iWorQ may restrict access to users upon misuse of applications and services.

7. CUSTOMER IMPLEMENTATION INFORMATION:

Primary Implementation Contact: _____ Title: _____

Office Phone: _____ Cell (required): _____ Email: _____

Secondary Implementation Contact: _____ Title: _____

Office Phone: _____ Cell (required): _____ Email: _____

**8. CUSTOMER BILLING INFORMATION:**

Billing Contact: _____ Title: _____

Billing Address: _____

Office Phone: _____ Cell: _____

Email: _____

PO #: _____ Tax Exempt ID # (required): _____

Note: If a tax-exempt number is not provided, a 10% service increase will be added to the yearly invoice.

9. ACCEPTANCE:

The effective date of this Agreement is listed below. Authorized representatives of Customer and iWorQ have read the agreement and agree and accept all the terms.

Signature: _____

Effective Date: _____

Printed Name: _____

Title: _____

Office Phone: _____

Cell: _____

Unless otherwise stated, Invoice Date is the first day of the month after signature and Effective Date.



APPENDIX A SERVICES AND PRICING SCHEDULE

THIS PAGE INTENTIONALLY LEFT BLANK

**Service & Travel Fees**

PublicWorks1 Services	Agreement Pricing
Pavement Condition Assessment	\$22,200.00
Data Collection & Asset Conversion	\$0.00
Travel Fees	\$5,500.00

Services Total (This amount will be invoiced once.) \$27,700.00

NOTES AND SERVICE DESCRIPTION

- I. Invoice for the Service(s) will be sent out the day work on this project starts.
- II. This Agreement has been provided at the Customer's request and is valid for 90 days.



Service(s) Descriptions

Pavement Condition Assessment

- Pavement Condition Assessment using distress severity and extent
- A pavement distress identification based on remaining service life (RSL), and the SHRP distress (alligator, transverse, edge, patching and potholes, longitudinal)
- A condition for each segment, and a network pavement condition distribution is part of the deliverable.
- A recommended treatment for each pavement segment
- A complete data set entered in the iWorQ Pavement Management application (Purchase of the software is required)
- The information and data required for budgeting and planning is part of the deliverable.

Data Collection and Asset Conversion

- Trimble MX7 Image Collection
- Data Conversion
- Presented/Delivered Data Shapefile for the following Assets:
 - Sign



PUBLIC WORKS DEPARTMENT AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works

DATE: July 16, 2026

SUBJECT: Street Dept. 4X4 Mowing Tractor Purchase

BACKGROUND:

City Council approved \$75,00.00 in the 26-27 budget for this equipment purchase.

FISCAL IMPACT:

The cost will be \$64,125.36 per the Sourcewell quote from Plateau Truck and Tractor, LLC. This is \$10,874.64 under the budget approved amount.

REQUEST/RECOMMENDATION:

I am requesting City Council waive the bid process and move this item to the agenda for the regular City Council meeting on August 3, 2026, for consideration and approval. If possible, I would like Council to consider adding the side mower attachment option, at a cost of \$51,407.01, as this would improve the speed and quality of the mowing of rights-of-way in the City.

ATTACHMENTS:

Quote

Quote Provided By
PLATEAU TRUCK & TRACTOR, LLC
Mark Stiles
1606 GENESIS RD.
CROSSVILLE, TN 38555
email: marks@tractorstore.com
phone: 4236182400

-- Standard Features --

-- Custom Options --



Kubota

M Series

M5-091HDC-1

4WD, HYDRAULIC SHUTTLE TRANSMISSION & ROPS

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
Fuel Tank Capacity: 27.7 Gal
60 Amp Alternator ROPS
80 Amp Alternator Cab
12V 900 CCA Battery
SAE Gross HP: 92.5
Engine Net HP: 85.5
Max. PTO HP: 76
Cab @ 2600 Engine RPM
ROPS @ 2400 Engine RPM

TRANSMISSION

8F/8R Two Range, 4-Speed
12F/12R Two Range, 6-Speed
540/540E
24F/24R Two Range, 6-Speed Hi/Low
540/540E
24 speed on M5-111 only
Auto 4WD Function
Electro-Hydraulic Shuttle Shift
Clutch - Multi Plate Wet
Planetary Final Drives
Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
2WD: Tubular Steel Beam Telescoping
4WD: Cast Iron, Bevel Gear 55 deg
Planetary Final Drives
Adj. (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 27.7 gal
DEF Tank Capacity: 3.2 gal
Cooling System: 11 qts
Crankcase: 11.3 qts
Hydraulics/Trans: 15.85 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm
RPM Memory
Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature
Gear Speed Digital Light Indicator
Digital Light Indicator F/R Direction

ULTRA GRAND CAB II

4-post, ROPS Certified
RH & LH Doors
Tinted Glass Doors and Windows
In-roof Window
Tilt Steering Wheel
Dual Level Air Conditioning & Heater
Front and Wiper/Washer
Front Sun Visor
Retractable Seat belt
LH & RH Side Mirrors
Radio Ready Cab
Steps, Left and Right Side
Interior Dome Light
12V - 30-Amp 2 Wire Coupler
12V - 3 Pin 30-Amp Coupler
12V - Outlet
Cup Holder
Instructor Seat Ready
Hom

SAFETY EQUIPMENT

Flip-Up PTO Shield

EXHAUST EMISSION CONTROL
TYPE

DPF System (Diesel Particulate Filter)
SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: ROPS:
2400 rpm
Cab: 2600 rpm
Power Steering: 5.4 gpm
Impl. Flow ROPS: 15.9 gpm
Impl. Flow Cab: 17.0 gpm
Total Flow - ROPS: 21.3 gpm
Total Flow - Cab: 23.1 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)
(1) FD (Float Detent) on -1 models (2 Total standard)

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch
8 Speed Models
@ Lift Points: 7055 lbs
(ASAE) @ 24" Behind: 5181 lbs
12/24 Speed Models
@ Lift Points: 8600 lbs
(ASAE) @ 24" Behind: 7275 lbs
2 External Lift Cylinders
Telescoping Lower Links
Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF (540)

Live-Independent Hyd. PTO
SAE 1 3/8" Six Splines
540 rpm @ 2205 Eng. rpm
540 rpm @ 2035 Eng. rpm 12/24 speed
540E* @ 1519 Eng. rpm
* If equipped 12/24 Standard

M5-091HDC-1 Base Price: \$80,342.00

Selected Kubota Attachments

(1) AIR RIDE SEAT SUSPENSION UPGRADE KIT M9270-AIR RIDE SEAT SUSPENSION UPGRADE KIT	\$775.00
(1) M5 AIR RIDE SEAT WIRING HARNESS PNF M9205-M5 AIR RIDE SEAT WIRING HARNESS PNF	\$31.00
(1) REAR WINDOW WIPER KIT W/WASHER M7649-REAR WINDOW WIPER KIT W/WASHER	\$330.00
(1) INSIDE MIRROR KIT FOR M5 CAB TRACTOR PNF M9128-INSIDE MIRROR KIT FOR M5 CAB TRACTOR PNF	\$63.00
(1) AT&T TELEMATICS MODEM DCU6700-AT&T TELEMATICS MODEM	\$490.00
(1) M SERIES TELEMATICS HARNESS M6712-M SERIES TELEMATICS HARNESS	\$181.00

Total Kubota Attachments: \$1,870.00

Total Attachments: \$1,870.00

Configured Price: \$82,212.00

Sourcewell Discounts:

Kubota Items: (\$18,086.64)

Total Discount: (\$18,086.64)

SUBTOTAL: \$64,125.36

Factory Assembly: \$325.00

Kubota Item Fees:

Dealer Assembly: \$390.50

Freight Cost: \$793.75

PDI: \$400.00

Training: \$250.00

Radio and installation: \$395.00

Terrain King KSM60 Side Mower: \$51,407.01

Total Unit Price: \$118,086.62

Quantity Ordered: 1

Final Sales Price: \$118,086.62

Purchase Order Must Reflect Final Sales Price.

To order, place your Purchase Order directly with the quoting dealer

LIGHTING

2 Headlights - Tail lights
4 Hazard Flasher Lights w/ Turn Signals
2 Grille Mounted Worklights
2 Front Cab Halogen Worklights
2 Rear Halogen Worklights

Electric Key Shut Off
Parking Brake
Turn Signals
SMV Sign
7-Pin Electrical Trailer Connector

Section 5, Item i.

SELECTED TIRES

sub455

FRONT - 320/85R24 R1W GOODYEAR OPTTRAC

REAR - 460/85R30 R1W GOODYEAR OPTTRAC

***All equipment specifications are as complete as possible as of the date on the quote. Additional attachments, options, or accessories may be added (or deleted) at the discounted price. All specifications and prices are subject to change. Taxes are not included. The PDI fees and freight for attachments and accessories quoted may have additional charges added by the delivering dealer. These charges will be billed separately. Prices for product quoted are good for 60 days from the date shown on the quote. All equipment as quoted is subject to availability.**

© 2018 Kubota Tractor Corporation. All rights reserved.

DRAFT

Specifications

Model			M5-091						M5-111						
ROPS / CAB			2WD		4WD				2WD		4WD				
			HF ROPS	HFC CAB	HD ROPS	HD12 ROPS	HDC CAB	HDC12 CAB	HF ROPS	HFC CAB	HD ROPS	HD12 ROPS	HDC CAB	HDC12 CAB	HDC24 CAB
Engine			V3800CR-TIEF4						V3800CR-TIEF4						
Type (Make : KUBOTA)			4 cylinders In-line, Common Rail System, direct Injection, w/intercooler, DPF, DOC, SCR						4 cylinders In-line, Common Rail System, direct Injection, w/intercooler, DPF, DOC, SCR						
No. of cylinders/Aspiration			4 turbocharged												
Rated Engine HP (97/68/EC)	HP (kW)		92.5 (69.0)						105.6 (78.8)						
Engine net power (SAE J1349)	HP (kW)		85.5 (63.8)						100 (74.6)						
PTO power (at rated engine RPM)	HP (kW)		76 (56.7)						89 (66.4)						
Total displacement	cu.in. (cc)		230 (3769)												
Rated engine RPM			2400	2600	2400		2600	2400	2600	2400		2600			
Fuel tank capacity	gal. (ℓ)		27.7 (105)												
Alternator			60A	80A	60A		80A	60A	80A	60A		80A			
Transmission															
No. of speeds			F8 / R8		F12/R12 F8 / R8		F12/R12	F8 / R8		F12/R12 F8 / R8		F12/R12	F24/R24		
Main gear shift			(4 speed)		(6 speed) (4 speed)		(6 speed)	Fully synchronized (4 speed)		(6 speed) (4 speed)		(6 speed)			
Dual speed (Hi-Lo)			N/A						Std						
Shuttle shift			Electro hydraulic shuttle												
Non-Clutch shift			N/A						Std						
Main clutch type			Multiple wet disc												
Brake type			Hydraulic wet disc												
Differential lock (Front / Rear)			Limited Slip Differential / mechanical												
4WD clutch type			mechanical, on the go						Electro Hyd						
PTO															
Type			Live-Independent PTO, electro-hydraulic clutch with brake												
Speed	rpm		540		540/540E		540	540/540E	540		540/540E		540	540/540E	
Hydraulics															
Pump capacity (3-Point Hitch) ROPS/CAB	gpm (ℓ/min.)		15.9 (60)	17.0 (64.3)	15.9 (60)	17.0 (64.3)		15.9 (60)	17.0 (64.3)	15.9 (60)	17.0 (64.3)				
3-Point Hitch			Telescopic lower link ends, Telescopic Stabilizers												
Category			II												
Control system			Position, draft (top link sensing) & mixed control												
Lift capacity at 24 In. behind lift point (ISO)	lbs. (kg)		4630 (2100)		6063 (2750)		4630 (2100)	6063 (2750)	4630 (2100)		6063 (2750)				
Lift capacity at 24 In. behind lift point (ASAE)	lbs. (kg)		5181 (2350)		7275 (3300)		5181 (2350)	7275 (3300)	5181 (2350)		7275 (3300)				
Cylinder type			2 External cylinders												
No. of standard remote valves			1 (Max3)												
Other features															
4WD system			N/A		Bevel gear type with 55 degree turning angle		N/A		Bevel gear type with 55 degree turning angle						
Steering			Hydrostatic power steering												
Tilt steering			Standard												
Hood type / Pedal type			Full open, slanted, steel / hanging												
Deck type (w/rubber mat)			Full-flat on ROPS/CAB models												
Panel type			Electronic												
Roof window			N/A	Std	N/A		Std	N/A	Std	N/A		Std			
RPM memory			Standard												
Standard tire size															
Front			7.5-18 F2		11.2-24 R1		7.5-18 F2		12.4-24 R1						
Rear			18.4-28 R1						18.4-30 R1						
Dimensions & weight															
Overall length	in. (mm)		156.0 (3975)		155.9 (3960)		156.5 (3975)		155.9 (3960)						
Overall height	top of ROPS	in. (mm)	98.8 (2510)	-	98.8 (2510)	-		99.8 (2535)	-	99.8 (2535)	-				
	top of CAB	in. (mm)	-	100.2 (2545)	-	100.2 (2545)		-	101.2 (2570)	-	101.2 (2570)				
Overall width (minimum)	in. (mm)		77.2 (1960)		78.3 (1990)		78.3 (1990)		79.1 (2010)						
Wheelbase	in. (mm)		90.0 (2285)		88.6 (2250)		90.0 (2285)		88.6 (2250)						
Crop clearance (Front axle)	in. (mm)		20.5 (520)		18.7 (475)		20.5 (520)		19.7 (500)						
Tread width	Front	in. (mm)	56.7-80.3 (1440-2040)		59.8-63.8 (1520-1620)		56.7-80.3 (1440-2040)		59.8, 63.8 (1520, 1620)						
	Rear	in. (mm)	59.8-75.6 (1520-1920)												
Turning radius (w/o brake)	ft. (m)		12.1 (3.7)		13.8 (4.2)		12.1 (3.7)		13.8 (4.2)						
Tractor weight	ROPS models	lbs. (kg)	5622 (2580)		6041 (2770)		5754 (2640)		6173 (2830)		-				
	CAB models	lbs. (kg)	-		6482 (2940)		-		6900 (3130)		-		7033 (3190)		

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only.

Some of the items pictured in this brochure are optional, and not standard equipment. Please contact your local Kubota dealer for warranty, safety or product information. For your safety, KUBOTA strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. Not for sale in Nebraska.

©2014 Kubota Corporation

Kubota®

KUBOTA TRACTOR CORPORATION

Kubota Tractor Corporation, 3401 Del Amo Boulevard, Torrance CA 90503
 Western Division: 1175 S. Guild Ave., Lodi, CA 95240 Tel (209) 334-9910
 Central Division: 14855 FAA Boulevard, Fort Worth, TX 76155 Tel (817) 571-0900
 Northern Division: 6300 at One Kubota Way, Groveport, OH 43125 Tel (614) 835-1100
 Southeast Division: 1025 Northbrook Parkway, Suwanee, GA 30024 Tel (770) 995-8855

Visit our web site at: www.kubota.com



FRONT LOADER

The M-Series Front Loader puts power and visibility front and center.

Quick Coupler

This standard M-Series feature makes attaching buckets, bale spears and pallet forks quick and easy. A Euro type quick coupler is optionally available.

4-Bar Linkage



Thanks to an upgraded 4-bar bucket linkage, the rollback and dumping angle has been increased for quicker scooping and dumping.

Loader Lever

Conveniently located in the central console, the Loader Lever provides quick and easy control of loader operations.

Quick-Mount Attach/Detach

Attach or detach the front loader in moments without the use of tools. The boom stands and mounting pins make this task a snap, allowing an extra measure of productivity and tractor versatility. A single-lever valve hose Quick Coupler (option), available for the loader's hydraulic fittings, allows you to release all four lines at once.



Front Loader Specifications

Model		LA1854	
Tractor applications		M5-091, M5-111	
Boom Cylinder Fulcrum		Height position	Power position
Maximum Lift Height (Pivot pin)	in. (mm)	145.7 (3700)	131.9 (3350)
Clearance w/Attachment Dump	in. (mm)	110.6 (2808)	94.7 (2405)
Reach @ Maximum Height	in. (mm)	19.1 (484)	34.4 (875)
Maximum Dump Angle	degrees	52	64
Reach w/Attachment on Ground	in. (mm)	87.9 (2233)	
Maximum Rollback Angle	degrees	40	
Digging Depth (When Bucket is Level)	in. (mm)	7.8 (198)	7.3 (185)
Overall Height in Carry Position	in. (mm)	66.7 (1695)	
Material Bucket Width / capacity (Heaped)	in. /cu.ft.(m³)	72 / 19.43 (0.55), 84 / 22.60 (0.64)	
Lift Capacity (Pivot pin)	lbs. (kg)	3990 (1810)	4144 (1880)
Raising Time to Full Height w/out Load ¹⁾	second	4.2	
Lowering time w/out Load (powerdown) ¹⁾	second	2.9	
Attachment Rollback Time	second	2.4	
Attachment Dumping Time	second	2.2	

¹⁾w/Standard valves.

HEAVY DUTY

Long-lasting strength, durability and reliability to tackle just about anything with ease.

Hydraulics

The hydraulics on the M5-091/M5-111 are powerful and fast-acting. External hydraulic cylinders improve lifting power and ensure easier maintenance, while the large pump capacity (17 gpm; 15.9 gpm for ROPS models) shortens front-loader cycle times, enhancing productivity and performance. One (SCD) hydraulic remote valve is standard, with the option to add up to 2 more. An optional flow control valve lets you adjust the oil flow volume.

540/540E Change Lever


The PTO lever is now located inside the cabin for more convenient access. You no longer have to exit the cabin to operate the PTO lever when working with PTO implements.

Bevel-Gear Front Axle

The bevel-gear front axle provides the M5-091/M5-111 with greater all-around maneuverability. It enables M5-091/M5-111 tractors a tighter turning radius than ever before—an amazing 55 degrees. This makes easy work of jobs in tight spaces. Limited Slip Differential on the front and Differential Lock on the rear are standard features, offering increased stability and traction on challenging ground conditions.

Hydraulic Independent PTO

Pulling, lifting, cutting or baling; the standard 540 rpm hydraulic independent PTO of the Kubota M-Series tractors makes your toughest work easier. The PTO brake engages when the clutch is shut off and securely holds the PTO shaft. The PTO clutch can be hydraulically engaged and disengaged on the go. This means mowing, operating hay equipment or spraying orchards are all made more efficient. 1000rpm and 540E PTOs are optionally available.



3-Point Hitch

The Category II 3-point hitch provide fast and simple attachment of rear-mounted implements weighing up to 4,630 lbs./2,100 kg (ISO standard) or 5182lbs./2350 kg (ASAE standard) and optionally up to 6064 lbs./2,750 kg (ISO standard) or 7275 lbs./3,300 kg (ASAE standard). On models with the FR12/R12 or F24/R24 transmission, the hitch is compatible with implements weighing up to 6064 lbs./2,750 kg (ISO standard) or 7275 lbs./3,300 kg (ASAE standard).

Floating Lift Rods


Floating lift rods are standard on both sides of the M5-091 and M5-111. Floating lift rods give the M5-091/M5-111 tractors a smoother ride and enhanced traction while using the 3-point hitch, especially on uneven terrain.

Economy PTO (standard on F12/R12 and F24/R24 models)


The M5-091/M5-111 optional economy PTO can save you money as well as reduce operating noise. Simply select "540E" and the PTO shaft rotation speed is maintained at 540 rpm while the engine speed runs at 1519rpm with limitation to 1772rpm. Thereby reducing both operating noise and fuel consumption.



M5-091/M5-111 HDC12 TRAVELING SPEED (F12/R12, 18.4-30 rear tires) @ rated engine rpm



M5-091/M5-111 HDC24 TRAVELING SPEED (F24/R24 w/ Dual Speed, 18.4-30 rear tires) @ rated engine rpm



TRANSMISSION

A choice of three transmissions gives you the tractor performance you need with less hassle.

F8/R8 Transmission

The synchronized four speeds of the main shift and a high/low range supply tractors with 8 Forward and 8 Reverse speeds.

F12/R12 Transmission (Factory option)

For heavy-duty work such as plowing, hay work and heavy trailer applications, the M5-091 and M5-111 can be equipped with an F12/R12 transmission. This transmission features six speeds of the main shift and a high/low range giving it a total of 12 Forward and 12 Reverse speeds.

F24/R24 Transmission Non-Clutch Shift with Dual Speed (Factory option)

The M5-111 CAB models can be fitted with the F24/R24 transmission for users who demand maximum performance. With six synchromesh speeds in the main shift, Dual Speed which offers instant upshifts and downshifts, and a high/low range, it offers 24 Forward and 24 Reverse speeds.

Over Drive (F12/R12 and F24/R24 models only)

The Over Drive function keeps the engine revolutions at around 2000 rpm during high speed driving for better fuel economy.

Electro Hydraulic Shuttle

Better than ever, our Electro Hydraulic Shuttle for the M5-091/M5-111 makes shifting between forward and reverse smooth and quick. With the Hydraulic Shuttle, a column-mounted lever, conveniently located next to the steering wheel, does all the work. Boost productivity, especially while using loaders, by eliminating the need to depress the clutch every time you change directions. And when attaching



implements, our improved inching feature is easy to perform, giving you the same feel as a half-clutch operation.

Hydraulic Wet Disc Brakes

To decrease operator effort and increase overall tractor longevity, the Kubota M5-091 and M5-111 is standard with Hydraulic Wet Disc Brakes. These brakes require less pedal effort and retain high performance efficiency even after repeated heavy-duty work.

Multiple Wet Disc Clutch

The multiple wet disc clutch provides durability and a long operating life.

Limited Slip Differential

Limited Slip Differential on the front helps you maintain a stable travel speed should the drive wheel on either side of the tractor slip. A standard feature on the M5-091 and M5-111, Limited Slip Differential is perfect when reliable traction is essential.

Easy to shift 4WD Engagement

Switching the 4-wheel drive on and off is easy and quick, and done with one simple lever (One simple switch for M5-111 HDC24). Best of all, there's no need to stop the tractor even when moving out of a field onto a road, so you can stay productive. The 4WD indicator on the LED readout lets you know you're in 4WD.

(Do not engage while carrying heavy loads, or when rear wheel is spinning.)

COMFORT

A spacious and ergonomically designed cab brings comfort to the workplace.

Instructor's Seat (Optional)

The optional instructor's seat is useful when training new operators. When not in use, it can be folded down to increase spaciousness.

New Functional Platform

The M5-091/M5-111 cab has been redesigned for better ergonomics. All levers (except the 4WD lever) and electrical switches are located on the right side for easy access and continuous operations.

Easy-Step Tilt Steering Wheel

The steering wheel of the cab gets out of the way when the operator is dismounting the tractor. Just step on a pedal and raise the steering wheel to its original position.

Heater/Air Conditioner

The heating and cooling unit is now located under the seat. The overall air circulation in the cab has been optimized by the cab's rounded glass as well as by placing the air outlets in the dash tower to keep you cooler on hot summer days and warmer on cold mornings, for year around environment control.



Standard Equipment


- Front halogen work lights
- Front windshield wiper and washer
- Rear halogen work lights
- Interior dome light
- External left and right mirrors
- Sun visor
- Cup holder
- Power outlet
- 7-pin trailer coupler

Options

- Additional 2 front work lights for CAB models
- Rear wiper and washer
- Rear defogger
- 130Amp for CAB (80 Amp for ROPS) alternator
- Air ride seat suspension
- CD/radio with weather band
- Radio with weather band

ULTRA GRAND CAB II

More space and more visibility make our cab a great place to work.



Sunroof with Retractable Sunshade

A glass sunroof provides a clear view of the front loader fully raised and pallet forks. The non-opening sunroof is equipped with a retractable sunshade to keep the sun out of the cab while traveling or performing low-level types of work.




Ultra Grand Cab II

Here's a feature you can really get into: an extra-wide, ultra-spacious, fully enclosed cab. One of the largest in its class, this stylish new cab is equipped with air conditioning, a sunroof with retractable sunshade, and rubber cushions that provide new levels of comfort and operating efficiency all year round. Full-length doors open wide for easy access, while the flat floor and unobstructed ceiling provide more head and leg room. All displays, levers and controls are ergonomically located for easy access and intuitive operation.

Rounded Glass

We've rounded the cab glass of our Ultra Grand CAB II to provide the operator with more visibility and a more spacious feel—ideal for long days inside the cab. Furthermore, we've increased the glass coverage area on the cab door, which makes it easier to get in and out of the cab.

• Stay Productive On Your Farm By Using Constant RPM Management



— Constant RPM Management Switch ON
 — Constant RPM Management Switch OFF

"The engine speed drops when the load exceeds the engine performance."

Note:

In a mechanically-controlled engine, the engine speed changes according to increases and decreases in the load. For example, when working in a hilly area, the load increases and engine speed drops while ascending a slope, and conversely the load drops when descending. These changes in engine speed effect the travel speed and PTO-driven implements. In order to minimize these effects, the operator must make fine adjustments to the travel speed and hand throttle lever.

When the Constant RPM Management switch

is turned "On", the engine speed will be kept nearly constant in response to a certain level of work fluctuations. This improves the accuracy of work without the need for troublesome manipulation of the travel speed and hand throttle lever.

There is a limit to the range within which a constant speed can be maintained. If a load exceeding the engine performance is applied, the engine speed will drop. The purpose of Constant RPM Management is not to increase the engine power.



Constant RPM Management

The M5-091/M5-111 engines feature a new electronic governor that gives you electronic control of engine RPM. Activating the system keeps engine revolution constant, preventing drops in PTO speed and enabling stable operation. It makes working with PTO-driven implements much more efficient.



RPM Memory

RPM memory lets you save the RPM setting for an oft-performed task, such as PTO work, front loader work, or changing directions. To recall that setting, simply press a single button, and you can start working immediately without having to adjust the throttle.

NEW ENGINE


Kubota Clean Diesel Solution (K-CDS)

Re-engineered to exceed the latest emissions standards Kubota engines offer clean performance that exceeds even the latest emissions standards, thanks to the latest advances in clean-engine technology. Selective Catalytic Reduction (SCR) sprays the hot exhaust from the engine with diesel exhaust fluid (DEF), which transforms the exhaust into harmless water vapor and nitrogen. The Common Rail System (CRS) electronically controls the timing and amount of high-pressure injected fuel in stages for optimal combustion, which results in greater efficiency, better fuel economy, and less engine noise. The combination of these two system with a Diesel Particulate Filter (DPF) muffler and an Exhaust Gas Recirculation (EGR) system ensure the M5-091 and M5-111 meet the Tier4 Final emissions regulations.



EPA EMISSION REGULATION

With the start of 2012, EPA Tier4 Interim will be enforced to over 56kW off-highway diesel engines. Kubota has been executing emissions reductions for more than a decade. However, it is a big challenge this time. Furthermore, Tier 4 Final will be enforced in 2015, and by which engine manufacturer must lower both PM (Particulate Matter) and NOx (Nitrogen Oxide) to nearly zero level.



EPA nonroad emission regulations:
56-75 kW

M5-111


The M5-091/M5-111 tractors have been redesigned and re-engineered inside and out for greater comfort and cleaner emissions. You'll work comfortably, thanks to a new extra-wide, ultra-spacious cabin that features a convenient optional instructor's seat and a glass sunroof with retractable sun shade. And you'll work clean, thanks to a re-engineered exhaust system that combines Selective Catalytic Reduction with a Common Rail System, Diesel Particulate Filter muffler, and Exhaust Gas Recirculation system to dramatically reduce emissions without sacrificing power or economical performance. Best of all, the M5-091/M5-111 carry the Kubota name, so you can depend on them to get the job done.



NEW M5-091

**Spacious, clean, and dependable.
The new M5-091/M5-111 tractors.**





Section 5, Item i.

For Earth, For Life
Kubota

M

KUBOTA DIESEL TRACTOR
M5-091/M5-111

A new wide cabin, dramatically cleaner emissions, and powerful engines highlight the new M5-091/M5-111 diesel tractors from Kubota.





the CuttingEdge Safetyprogram

T.M.O.S.T. (Tractor Mower Operator Safety Training) 8 Hour Safety Training Course

- Includes both classroom & hands-on training with your actual equipment
- Led by an instructor with 28+ years of safety training experience, who is an OSHA Authorized, National Association of Safety Professionals (NASP) certified Safety Training / Planning Specialist and Equipment Authorized Trainer with an unusual methodology of making safety training fun and interesting
- Based upon the strict guidelines of the American Equipment Manufacturers Assn. (AEM)
- Covers ANY and ALL industrial mower and agricultural tractor manufacturers including but not limited to: Terrain King, Alamo Industrial, Tiger, M&W, Rhino, Bush Hog, John Deere, New Holland, Woods, Land Pride And Many Others
- Conducted at your location directly with your employees OR with your safety trainer(s)

What are the benefits to me and my organization?

- Pre and post-course testing for all participants
- Effective training can significantly decrease mower-related incidents
- Potentially affects your bottom line
- Supports your commitment to providing a safe, hazard free work environment for your employees



Additional Courses Offered:

- TMOST 2.5 Hour Safety Training
- Workplace Safety & Personal Responsibility
- Operator & Technician Service Tips

For More Information, Please Contact:

Jim Green – Trainer
jwgreen@alamo-group.com
830-305-4294 cell

www.terrainking.com/safety




**OEM PERFORMANCE
PARTS**
TERRAIN KING

Terrain King™ Performance OEM Parts offer the safety, durability and warranty protection you expect.

- Tested to Meet All SAE & ASAE Safety Standards
- Stocking Programs Available
- High Wear Kits Available


We have a team of knowledgeable, experienced representatives ready to help you with your selection and to assist in finding the parts you need.

If you have any questions, please contact us at:
oemparts@terrainking.com



MOUNTING FRAME

- Mid-Mounted Between Front and Rear Wheels of Tractor



- Dual Rear Axle Supports Offer a More Solid Mounting Foundation



HYDRAULIC RESERVOIR


- Large Fender Mounted Tank Allows for System Capacity of 55 Gallons



MOWER LIFT ASSEMBLY


- Can Raise 17" Above Grade*
- Can Lower 6" Below Grade*
- 3 1/2" Bore Lift & Curbing Cylinders

* Depending on Tractor Applications



HYDRAULICS

- Steel Gear Type Pump
- Rated 74 HP and Flow 51 GPM at 2400 RPM
- Maximum Operating Pressure: 3000 PSI
- 47 GPM At Operating Speed of 2200 RPM



MOWER LIFT ARM


- 3 1/2" Bore x 6 1/4" Stroke Cylinder
- 1,300 PSI Relief Pressure
- Optional 30° Break-Away Capability

ALTERNATE CUTTING HEAD DESIGN

- 45° x 18 3/4" Chamfered Rear Corner to Prevent Rear Tire Interference
- Required For Breakaway Option

TERRAINKING™

Engineering Practical Solutions™




GENERAL SPECS

- 60" Cutting Swath
- Cutting Capacity: 2"
- Total Weight: 2492 lbs.
- Ability to Mow 90° Up to 45° Down

COMPATIBLE TRACTORS

- KUBOTA M8560 series
- KUBOTA M9960 series
- KUBOTA M108S series
- KUBOTA M100GX series
- KUBOTA M110GX series



CUTTING HEAD


- 1/2" x 4" Steel Updraft Blades
- 1 1/4" x 6" Steel Blade Carrier

SKID SHOES

- Full-Length & Replaceable

DEFLECTORS

- Front & Rear Chain Guards



HYDRAULIC CONTROL VALVE

- Valve to Raise / Lower Mower:
2 Spool, Open Center, Tapered
Positive Metering Type

Performance Matched
to **Kubota**
Tractors

TERRAINKING™

Engineering Practical Solutions™

sold exclusively
by selected
Kubota dealers

KSM60

Manufactured by Terrain King™ — a reputation you can trust



PUBLIC WORKS DEPARTMENT AGENDA ITEM REPORT

TO: Mayor and City Council

FROM: Porter Massengill, Director of Public Works

DATE: July 16, 2026

SUBJECT: Street Dept. Single Axle Dump Truck Purchase

BACKGROUND:

City Council approved \$150,00.00 in the 26-27 budget for this equipment purchase.

FISCAL IMPACT:

The cost will be \$144,185.09 per the Sourcewell quote from Joe Johnson Equipment.
This is \$5,814.91 under the budget approved amount.

REQUEST/RECOMMENDATION:

I am requesting City Council waive the bid process and move this item to the agenda for the regular City Council meeting on August 3, 2026, for consideration and approval.

ATTACHMENTS:

Quote



QUOTATION - SWITCH-N-GO 2026

ACCOUNT	CITY OF JEFFERSON CITY
CONTACT	BRIAN RHODES
DATE	17-Jul-26

To provide one (1) Switch-N-Go Interchangeable Truck Body Hoist system, suitable to be mounted on a factory approved, customer supplied chassis (mounting not included)

Features:

Winch Cable Hoist System

Powder Coated Carbone Steel

Electric Winch Cable Capacity with Swivel Hook and Cable V Roller

50 degree dump angle

Self-Engaging body lock to secure body for transport and dumping

Easy one person Loading, dumping and off loading

Installation Kit- Includes the following: Power Wire, Ground Wire, Controller/Pendant, In-Cab harness, 600amp ANL fuse and Fender Mounting Kits

Installation extra

OPTION CONTENT:

PART NO.	DESCRIPTION	Order	PRICE PER UNIT
6670514	11' Electric hoist with 15,000lb winch - 14 ton dump capacity	1	\$ 15,210.36
6110501-KIT	Universal mounting bumper with light bars (Ford, Ram, CV, GMC chassis)	1	\$ 1,236.00
3170174	One pair of plastic fenders for 19.5 tires, with mounting brackets	1	\$ 739.00
4600604	Fuel Filler Bracket Assembly, Bolt- On Design	1	\$ 73.00
3304055	2" Receiver tube with hardware kit	1	\$ 54.00
3790034	Wireless pendant controller	1	\$ 1,047.20
6920502	11' Dump body with standard bulkhead 3.1 cu yard	1	\$ 8,237.60
	SnowDogg® EXII Snow Plow with RapidLink	1	\$ 15,330.93
4210130	7' x 18' Mesh tarp & hardware kit with retention bow kit, 98" aluminum w/ end collars for SNG dump bed only	1	\$ 386.00
6120109	11' Stainless Steel Salt spreader body Electric Model)- 4.8 cu yd, mounted on workready subframe with retractable legs	1	\$ 18,346.00
Terms & Conditions: Pricing is in USD, taxes extra Quote Valid for 7 days Licencing Fees are extra		SUBTOTAL	\$ 60,660.09
		Freight IN	\$ 1,500.00
		CHASSIS	\$ 73,025.00
		FREIGHT OUT	
		PDI/INSTALL ELECTRIC SYSTEM:	\$ 9,000.00
		TOTAL PRICE	\$ 144,185.09

Respectfully Submitted,
 Cory Cook
 Parts & Service Support Representative
Joe Johnson Equipment
Subsidiary of Federal Signal Corporation
 4519 Old Charlotte Highway, Monroe, NC 28110
 Tel 704-289-6488 | 800-222-6803
 Cell: 704-310-6381

I, acknowledge that I have reviewed and accept the Terms & Conditions on pages two of this quotation.
 By signing below, I agree to purchase the unit as outlined in the quotation above and as per the Terms & Conditions Attached

Signature *Date*

Print Name



Customer Contract Number:
 28794
 Sourcewell Contract: 040924-FSC

QUOTATION - SWITCH-N-GO 2026

TERMS & CONDITIONS

1. **PRICES:** All orders are subject to current prices in effect at the time of order acknowledgement. F.O.B. Point: Unless otherwise stated, all prices listed are F.O.B. . JJE reserves the right to increase the order price set forth in this Proposal Summary at any time before delivery to Buyer to reflect any increase in JJE's costs to manufacture or deliver the ordered product due to any factor beyond the reasonable control of JJE. JJE shall provide Buyer with prompt electronic notice of any such price increase. Buyer shall have five days from receipt of such notice to cancel its order, absent which Buyer shall be deemed to have consented to the price increase.

2. **PAYMENT:** In full is required at time of delivery. All orders are subject to current prices in effect at the time of this Agreement. The sale price is valid for [7] days from the quotation date. A quotation does not guarantee availability of the Equipment. Unless otherwise specified, all shipments are F.O.B. . The Purchaser shall pay all Insurance, taxes, shipping charges, and other costs or expenses relating to the sale and transfer of the Equipment, it being the intent that the sales price shall be net to the JJE of any and all costs or expenses. In the event of cancellation of this agreement, the Purchase shall assume all costs associated with the cancellation. All Purchaser supplied chassis must meet the requirements of the body manufacturer and JJE. The costs of any chassis modifications or repairs shall be borne by the Purchaser. All warranty work is F.O.B. the closest JJE location.

3. **DEPOSIT:** If applicable and as set out on page one of this Agreement, any deposit shall be due and payable at the time of signing this Agreement. At delivery of the Equipment, the amount of the deposit shall be credited to the Purchase Price. If the Purchaser cancels or is in default with this Agreement in accordance with Section 10, any deposit paid by the Purchaser shall become forfeited to JJE as liquidated damages, as a genuine pre-estimate of its damages but without prejudice to any rights and remedies contained herein or which JJE may have at law.

4. **RISK OF LOSS.** After delivery of the Equipment in good order to the Carrier of Purchaser's choice, risk of loss shall be with the Purchaser and JJE's responsibility shall cease. JJE reserves and Purchaser grants to JJE a purchase money security interest in the Equipment and all cash receivables or cash from resale thereof to secure the full payment and performance by Purchaser of its liabilities and obligations to JJE under this Agreement. If Purchaser is located in the Province of Québec, JJE reserves and Purchaser grants to JJE, at the discretion of JJE: i) a hypothec in the Equipment sold and all cash receivables or cash from resale thereof for a sum equal to the total amount of the orders plus an additional hypothec of 20%, the whole with interest thereon at the rate of twenty percent (20%) per annum from the date of the order, or ii) a reservation of ownership of the Equipment until full payment of the sale price notwithstanding delivery. Purchaser acknowledges that this document may be filed with the appropriate authorities as a financing statement and Purchaser agrees to execute and deliver such documents as JJE may request in order to perfect its security interest (or hypothec or reservation of ownership).

5. **FORCE MAJEURE.** JJE shall be excused for any delay or failure to perform due to any cause beyond its reasonable control, including but not limited to civil commotion or riot, natural disaster, lightning, fire, earthquake, storm, flood, drought, severe weather conditions, other acts of God, disease, health epidemic or pandemic, accident, explosion, power surges, industrial action, boycotts, lockouts, strikes or other labor trouble or concerted acts of workmen, delays in transportation or delivery, shortages or inability to secure raw materials, fuel, power, machinery or other equipment necessary for production, currency restriction, embargo, acts of civil or military authority, acts of the public enemy, acts of war, action or inaction by a government (including a change in law), material changes in import or export duties, terrorism or threats of terrorism. JJE's shipping schedule shall be extended by a period equal to the time lost because of any excusable delay. In the event JJE is unable to perform in whole or in part because of any excusable failure to perform, JJE may cancel orders without liability to Purchaser.

6. **SHIPPING:** a) If shipment is delayed beyond the time stipulated pursuant to this Agreement by any cause beyond the control of JJE, the delivery date shall be extended for a period equal to the delay due to such cause. JJE will in no way be held liable for loss or damages, direct or consequential, due to delays in delivery cause by events outside our direct control. b) If shipment is delayed by fault of the Purchaser, payment of the Purchase Price shall not be delayed thereby and the Equipment shall be at the Purchaser's risk of damage or loss from any cause whatsoever and any expense incurred in handling, storage or insuring the Equipment shall be paid by the Purchaser.

7. **WAIVER OF CLAIMS.** Acceptance of the Equipment by the Purchaser from the Carrier will constitute a waiver of all claims against JJE for damage or delay resulting or arising from any cause in relation to this Agreement or the Equipment. Purchaser waives, to the fullest extent permitted by law, the application of all applicable laws relating to the sale of property in any jurisdiction. Buyer agrees that the provisions of this Agreement are commercially reasonable.

8. **TITLE.** Title to and ownership of the Equipment and to all repairs, replacements of and accessions to the Equipment shall not pass to the Purchaser after delivery but shall remain with and is reserved by JJE until payment in full of the Purchase Price together with all other amounts due hereunder. To the extent the Purchase Price is not fully paid, the Purchaser may not move the Equipment outside of Canada.

9. **DEFAULT.** If the Purchaser defaults in compliance with any term or condition of this Agreement, or defaults in payment of any installment of the Purchase Price or any applicable taxes or charges relating to the Equipment, or uses the Equipment for an illegal purpose, or if levy is made upon the Equipment, or if any bankruptcy, receivership, winding-up or insolvency proceedings are instituted by or against the Purchaser, or if at any time JJE reasonably deems the Purchaser at risk of any of the foregoing, then and in any such events the entire balance of the Purchase Price and all notes given therefore together with all expenses, costs and solicitors fees incurred by JJE in the collection of the Purchase Price shall become immediately due and payable on account of the Purchase Price shall remain the property of JJE as payment for the use and depreciation of the Equipment and not as a penalty.

10. **LIABILITY AND INDEMNIFICATION.** JJE shall not be held liable or responsible for any damages, whether on account of personal injuries or otherwise suffered or sustained in the operation of the Equipment, nor for any damages resulting to Purchaser by reason of any delays or any alleged failure of the Equipment to operate. Purchaser shall defend, indemnify and hold harmless JJE, its subsidiary and affiliated companies, their officers, agents and employees, from and against all loss liability, claim, action or expense including reasonable attorney's fees by reason of bodily injury including death, and property damage, sustained by any person or persons, including but not limited to employees of Purchaser, as a result of the maintenance, ownership, use, operation, storage, erection, dismantling, servicing or transportation of Equipment or Purchaser's failure to comply with this order.

11. **REPOSSESSION AND REMEDIES.** In the event of default by the Purchaser in Section 8 and subject to the applicable laws:

a) JJE, in addition to all remedies available at law or hereunder, may take possession of the Equipment without notice or demand and without legal process and for the purpose of taking possession of and removing the Equipment JJE or its assigns or agents may enter into or upon the Purchaser's lands and premises using such forces as is necessary in the circumstances. The Purchaser hereby waives all claims for damages arising out of the re-possession, removal or re-sale of the Equipment as against to JJE or JJE's assigns.

b) If the Equipment comes into possession of JJE through the re-possession, voluntary surrender thereof by the Purchaser or otherwise, JJE may at its option sell the Equipment for its own account or may re-sell the Equipment on behalf of the Purchaser either at a 12. **PRIVACY.** Purchaser hereby consents and authorizes JJE and its affiliates, agents, subcontractors and representatives, from time to time, (a) to collect, verify, use, disclose and communicate to third parties (including credit bureaus, financial institutions, creditors, vendors, partners, regulatory agencies and other persons) any credit information, financial or other information about Purchaser (the "Information"), including personal information (if any) and information relating to their creditworthiness, financial capacity and payment history, as JJE deems necessary to process, complete, manage and enforce the transactions contemplated herein and any other existing or possible transactions, or as required or otherwise permitted by law; (c) to provide information to persons to whom JJE wishes to assign, grant an interest in or otherwise dispose of rights or obligations under the transactions herein; and (d) to provide copies of this Agreement to any person.

13. **INTERPRETATION.** The Purchaser and JJE agree that this Agreement shall be interpreted, construed and be governed by and in accordance with the laws of the Province / State in which it was made. The Purchaser and JJE further agree that should any term or condition, or any part thereof, contained in this Agreement be unenforceable or prohibited by present or future provincial or federal laws, then such term or condition, or part thereof, shall be ineffective to the extent of such unenforceability or prohibition. Failure at any time by JJE to exercise any of its rights under this Agreement shall not constitute a waiver thereof nor prejudice JJE's right to enforce it thereafter.

14. **ENTIRE AGREEMENT.** It is acknowledged and agreed that this Agreement constitutes the entire agreement between JJE and Purchaser and there are no representations, warranties, conditions or guarantees, expressed or implied, statutory or otherwise, other than contained herein.

15. **ASSIGNMENT.** This Agreement will ensure to the benefit of and be binding upon the parties hereto and their respective successors and permitted assigns. Without the prior written consent of JJE, Purchaser will not, to the extent the Purchase Price has not been fully paid: (i) assign, transfer, pledge, hypothecate or otherwise encumber this Agreement, or the Equipment, any part thereof or any interest therein; or (ii) lend or lease the Equipment, any part thereof or any interest therein.

16. **DISCLAIMER.** Except as may be expressly set out in the Description of Equipment term of this Agreement there are no expressed or implied warranties on the part of JJE as to the quality, merchantability, capability or fitness for a particular purpose of the equipment which is the subject of this agreement.

17. **INTEREST.** Interest or any overdue payment shall be at the rate of eighteen (8%) percent per annum, without prejudice to any other conditions of this Agreement.

18. **INSURANCE.** The Purchaser hereby undertakes to keep the Equipment fully insured against loss by reason of accident, fire, theft and all other risks to an amount not less than the amount owed to JJE, such insurance being payable to JJE, until the Purchase Price of the Equipment together with all interest and costs which may have been incurred, have been paid. The Purchaser undertakes to supply evidence of such insurance satisfactory to JJE upon demand. If the Purchaser does not place such insurance on the Equipment, JJE shall have the right to affect such insurance at the expense of the Purchaser, who hereby undertakes to pay the premium for the same.

19. **TRADE-INS.** The Purchaser hereby warrants and represents that all equipment and machinery granted, sold or assigned to JJE in connection with this Agreement in satisfaction of the Purchase Price or otherwise shall be free and clear of all liens, levies, charges and encumbrances. The Purchaser further agrees to indemnify and hold harmless JJE from and against liens, levies, charges and encumbrances that the JJE may be required to pay or discharge in respect of such machinery or equipment.

20. **ENGLISH.** The parties agree that they have requested that this Sales Agreement as well as any other documents relating to this Sales Agreement, including notices, schedules and authorizations, shall be drawn up in the English language only. Les parties ont convenu que cette convention de même que tous les documents s'y rattachant, y compris tout avis, annexe et autorisation, soient rédigés en anglais seulement.

21. **FURTHER ASSURANCES.** The Purchaser hereby authorizes JJE to file such financing statements and do such acts, matters and effects as JJE may deem appropriate to protect its interests in the Equipment until payment in full of the Purchase Price together with all amounts due hereunder

AKINS CHRYSLER DODGE JEEP RAM
220 WEST MAY STREET
WINDER, GA 306808300

Configuration Preview

Date Printed: 2026-07-10 8:18 AM VIN: Quantity: 1
Estimated Ship Date: VON: Status: BA - Pending order

Sold to: Ship to:
AKINS CHRYSLER DODGE JEEP RAM (66709) AKINS CHRYSLER DODGE JEEP RAM (66709)
220 WEST MAY STREET 220 WEST MAY STREET
WINDER, GA 306808300 WINDER, GA 306808300

Vehicle: 2026 5500 REG CAB CHASSIS 4X4 (204.5 in WB - CA of 120 in) (DP0L66)

	Sales Code	Description
Model:	DP0L66	5500 REG CAB CHASSIS 4X4 (204.5 in WB - CA of 120 in)
Package:	2XA	Customer Preferred Package 2XA
	E8L	6.4L V8 HEMI HD Engine
	DFZ	8-Spd TorqueFlite HD Auto Trans
Paint/Seat/Trim:	PW7	Bright White Clear Coat
	APA	Monotone Paint
	*TX	HD Vinyl 40/20/40 Split Bench Seat
	-X8	Black/Diesel Gray
Options:	XAC	ParkView Rear Back-up Camera
	MRU	Black Tubular Side Steps
	MDA	Front License Plate Bracket
	LPE	Cargo and CHMSL Lamp
	AH5	Payload Upgrade Package
	A7B	Tradesman Level 1 Equipment Group
	2S6	MyFlexCare Service Plan
	XHC	Trailer Brake Control
	5N6	Easy Order
	166	Zone 66-Orlando
Discounts:	4EX	Sales Tracking
Destination Fees:	YGS	6.2 Additional Gallons of Gas

Order Type: Retail PSP Month/Week:
Scheduling Priority: 4-Dealer Order Build Priority: 99
Salesperson:
Customer Name:
Customer Address:



Jefferson City Police Department AGENDA ITEM REPORT

TO: Mr. James A. Gallup, City Manager
FROM: Andy Dossett, Chief of Police
DATE: July 17, 2026
SUBJECT: FY 26-27 Police Vehicle Emergency Equipment and Installation

BACKGROUND:

- Equipment purchase and installation of police emergency equipment for (3) new Patrol units.

FISCAL IMPACT:

- Cost will be approximately \$45,000.

REQUEST/RECOMMENDATION:

I recommend the bid process be waived and the 3 Patrol SUV's be constructed by Dana Safety Supply on the state-wide contract.

ATTACHMENTS: