

AGENDA

CALL TO ORDER

PLEDGE OF ALLEGIANCE

ROLL CALL

OLD BUSINESS

- [1.](#) Approval of Minutes

AUDIENCE PARTICIPATION

PRESENTATIONS

- [2.](#) Military Retiree Appreciation Day Proclamation

NEW BUSINESS

- [3.](#) Equipment Replacement Request - Dump Truck
- [4.](#) Purchase of Spartan S180, Model 4106

REPORTS - City Attorney, City Administrator, Department Heads, Councilmembers

- [5.](#) Library Update
- [6.](#) Fleet Report
- [7.](#) City Administrator Report

PROCLAMATIONS

- [8.](#) Kansas Reads to Preschoolers Month Proclamation

OTHER ITEMS OF INTEREST

ADJOURNMENT

Regular meetings are held on the first and third Thursday of each month. For information on how to view prior meetings, please visit our website at <https://www.lansingks.org>. Any person wishing to address the City Council, simply proceed to the microphone in front of the dais after the agenda item has been introduced and wait to be recognized by the Mayor. When called upon, please begin by stating your name and address. A time designated "Audience Participation" is listed on the agenda for any matter that does not appear on this agenda. The Mayor will call for audience participation. Please be aware that the City Council and staff may not have had advance notice of your topic and that the City Council may not be able to provide a decision at the meeting. If you require any special assistance, please notify the City Clerk prior to the meeting.

AGENDA ITEM

TO: Tim Vandall, City Administrator
FROM: Tish Sims, City Clerk
DATE: October 14, 2024
SUBJECT: Approval of Regular Meeting Minutes

The Regular Meeting Minutes of October 3, 2024 are enclosed for your review.

Action: Staff recommends a motion to approve the Regular Meeting Minutes of October 3, 2024, as presented.

AGENDA ITEM # 1

CITY OF LANSING
CITY COUNCIL MEETING

REGULAR MEETING MINUTES
October 3, 2024

Call To Order:

The regular meeting of the Lansing City Council was called to order by Mayor McNeill at 7:00 p.m.

Roll Call:

Mayor McNeill called the roll and indicated which Councilmembers were in attendance.

Councilmembers Present:

Ward 1: Kevin Gardner

Ward 2: Donald Studnicka and Jake Kowalewski

Ward 3: Kerry Brungardt and Jesse Garvey

Ward 4: Dan Clemons and Pete Robinson

Councilmembers Absent: Gene Kirby

OLD BUSINESS:

The Regular Meeting minutes of September 19, 2024, were provided for review.

Councilmember Clemons made a motion to approve the Regular Meeting Minutes of September 19, 2024, as presented. Councilmember Garvey seconded the motion. No discussion took place.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

Audience Participation:

Presentations:

Life Saving Award

Police Chief Steve Wayman will present a Life Saving Award to Officer Jori Bell and Kim Bolewshi.

COUNCIL CONSIDERATION OF AGENDA ITEMS:

Community Satisfaction Survey

Rachael Snider and Dave Santee from True North Market Insights briefed the Council on the results of the community survey.

Executive Session – Non-Elected Personnel Matters

Councilmember Brungardt made a motion to go into Executive Session for the discussion of personnel matters of non-elected personnel pursuant to the non-elected personnel matter exception K.S.A. 75-4319(b)(1) for 10 minutes, beginning at 7:45 PM and returning to the Council Chambers at 7:55 PM and to include the City Council. Councilmember Clemons seconded the motion.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

Councilmember Clemons made a motion to return to Open Session at 7:55 PM. Councilmember Garvey seconded the motion. No binding action was taken.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

Executive Session – Economic Development

Councilmember Garvey made a motion to go into Executive Session for the preliminary discussion of Economic Development activities, K.S.A. 75-4319(b)(4) for 20 minutes, beginning at 7:56 PM and returning to the Council Chambers at 8:16 PM and to include the City Council, City Administrator, City Attorney and Economic Development Director. Councilmember Kowalewski seconded the motion.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

Councilmember Garvey made a motion to return to Open Session at 8:16 PM. Councilmember Clemons seconded the motion. No binding action was taken.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

Councilmember Garvey made a motion to authorize the mayor to sign an agreement for legal services between the City of Lansing, KS and Catalina Thompson. Councilmember Clemons seconded the motion. No discussion took place.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

REPORTS:

Department Heads: Nothing to report.

City Attorney: Nothing to report.

City Administrator:

- Progress on City Hall update.
- Insurance claim update.
- RFP sent out for Insurance Brokers.
- Copier service provider update.
- Fire Department negotiations update.

Governing Body:

Councilmember Gardner:

- Thanked Officer Bell and Ms. Bolewshi for their efforts.

Councilmember Kowalewski:

- Thanked True North Market Insights.

Councilmember Garvey:

- Thanked Officer Bell and Ms. Bolewshi for their bravery.

Councilmember Robinson:

- Thanked Police Chief Wayman for recognizing Officer Bell and Ms. Bolewshi.
- Reminded citizens to vote.

Councilmember Clemons:

- Thanked Officer Bell and Ms. Bolewshi for their efforts.
- Thanked Police Chief Wayman for recognizing Officer Bell and Ms. Bolewshi.

Councilmember Brungardt:

- Thanked Officer Bell and Ms. Bolewshi for their efforts.

Councilmember Studnicka:

- Thanked Officer Bell and Ms. Bolewshi for their efforts.

ADJOURNMENT:

Councilmember Studnicka made a motion to adjourn. Councilmember Brungardt seconded the motion. No discussion took place.

Roll Call Vote: Aye: Councilmembers Gardner, Kowalewski, Garvey, Robinson, Clemons, Brungardt, and Studnicka; Nay: none; Abstain: none; Absent: Councilmember Kirby; The motion was approved.

The meeting was adjourned at 8:25 PM.

ATTEST:

City Clerk Tish Sims, CMC

AGENDA ITEM

TO: Tim Vandall, City Administrator
FROM: Tish, City Clerk
DATE: October 14, 2024
SUBJECT: Military Retiree Appreciation Day Proclamation

A proclamation in recognition of Military Retiree Appreciation Day on October 26^h, 2024.

Norman Greczyn will be in attendance to receive the proclamation.

Policy Consideration: N/A

Financial Consideration: N/A

Action: None

AGENDA ITEM # 2



Military Retiree Appreciation Day Proclamation

Whereas: Military retirees have served our country faithfully in times of peace and war; and

Whereas: Military retirees have made significant sacrifices in defense of our freedom and liberty; and

Whereas: A large number of military retirees and their families live, work, and play in the Lansing community; and

Whereas: The Fort Leavenworth Garrison will conduct a Retiree Appreciation Day on Saturday, October 26, 2024

Now, Therefore: I, Anthony R. McNeill, Mayor of the City of Lansing, State of Kansas, do hereby join the Fort Leavenworth Garrison in recognizing the contributions, sacrifices, and loyalty of military retirees in our community by recognizing Saturday, October 26, 2024, as

"Military Retiree Appreciation Day"

In witness thereof, I have hereunto set my hand and caused the great seal of the City of Lansing to be affixed this 17th day of October, in the Year of Two Thousand and Twenty-four.

City of Lansing

Anthony R. McNeill, Mayor

Tish Sims, CMC, City Clerk

AGENDA ITEM

TO: Tim Vandall, City Administrator
FROM: Elizabeth Sanford, Finance Director
DATE: October 14, 2024
SUBJECT: Equipment Replacement Request

Attached is an equipment replacement request for a 1-ton gasoline dump truck for the Parks Department. This truck would replace a 2014 1-ton diesel dump truck that has consistent maintenance issues outside of standard preventative maintenance due to the emission system. This truck is part of the fleet used for snow removal. The current truck will be auctioned off and is estimated to offset the cost of the new truck by approximately \$30,000.

• 1-Ton gasoline dump truck	<u>\$90,000</u>
TOTAL	\$90,000

Action:
Staff recommends that the City Council authorize the purchase of a 1-ton gasoline dump truck for an amount no greater than \$90,000 from the Equipment Reserve Fund.

AGENDA ITEM # 3

Equipment Replacement Request

Department: Parks and Recreation

Requested Item: 1 ton gasoline dump truck

Item being replaced: 1 ton diesel dump truck

Justification for replacement: The current dump truck in our fleet is a 2014 diesel. We have had consistent issues with this vehicle primarily due to the emissions system. We have performed around \$10,000.00 in repairs on this vehicle outside of standard preventative maintenance during the City's ownership. Around \$3400.00 of these repairs have occurred this year. We also have had the issue of being without this truck for over a month at a time due to the lack of availability of parts and lack of technicians on multiple occasions. We believe that we would be better served by a gasoline engine due to the nature of the in-town driving that we do primarily with this vehicle. The emissions system on this truck requires consistent high temperature operations (highway driving) to function correctly. This vehicle also has an inconsistent leak in the pump for the bed lift that has currently been patched. The pump and parts are obsolete and unavailable, and multiple technicians have informed us that a retrofit will be difficult and costly. The truck we are requesting would be very similar to what we have, just gasoline instead of diesel.

The current truck would be auctioned off and the City has a history of similar vehicles bringing a good price. Recent auctions of similar trucks on Purple Wave have realized \$30,000.00 - \$35,000.00.

Replacement Cost: \$90,000.00

AGENDA ITEM

TO: Mayor McNeill, Lansing City Council
FROM: Tim Vandall, City Administrator
DATE: October 14, 2024
SUBJECT: Purchase of Spartan S180, Model 4106

Over the last few weeks, incoming staff has reviewed specifications of what is needed to equip the incoming Lansing Fire Department. A pumper truck will be needed to ensure adequate fire suppression and emergency in the future for Lansing and Delaware. Based on the City's needs, while also taking into account the lead time and proximity of future maintenance, the City has selected the Spartan S180, Model 4106. A full list of the specifications is included in the agenda materials. Warranty maintenance on this model can take place nearby in Grain Valley, Missouri.

The contract states a delivery timeframe of 245 days from the contract signing, which, if signed October 17th, would put delivery on or around June 19, 2025. Moving forward now allows the build to begin even more the department transition.

Policy Consideration: Section 4-10 of the City Purchasing Policy allows sole-source purchases when conditions dictate. In this instance, the City is aware of longer lead times with other brands. Additionally, this is a specialized piece of equipment, making it a challenge to compare attributes of different brands in a true apples to apples fashion.

Financial Consideration: The total proposal lists \$851,501 to be paid upon delivery. However, the City could receive a discount of \$21,874 if we prepay, lowering the cost to \$829,627. The funds previously allocated from the American Rescue Plan Act are available for just under \$400,000 of the purchase; however, the funds we will receive upon dissolution may not be available until March 2025. While paying up front is an option to save our taxpayers \$21,874, it may make the City's reserves look less healthy next year during our audit and budget season. Again, utilization of the reserves would be temporary as the City is slated to receive at least \$600,000 (potentially close to \$800,000) upon dissolution in March.

Action: Approval of purchase of Spartan S180, Model 4106 for an amount not to exceed \$851,501 to be paid upon delivery, OR for an amount not to exceed \$829,627 to be paid up front.

AGENDA ITEM # 4



SALES CONTRACT

This agreement made by and between Ed M. Feld Equipment Co., Inc. (Company) and

800 First Terrace City of Lansing Kansas KS 66043 Lansing

1. ACCEPTANCE: The "Company" agrees to sell and the "Buyer" agrees to purchase a quantity of one (1) Spartan S180 4106 Pumper, as described in the specifications hereto attached and made part of this contract, in accordance with the terms and conditions listed on contract pages A, B, & C.

2. DELIVERY: The apparatus schedule shall be dependent on the production schedule at time of order. The estimated delivery date of the apparatus to Feld Fire for final inspection and upfit, is 245 days from contract signing.

If inability to obtain exclusive or brand name materials causes completion or delivery problems, the Company shall advise the Buyer of said problem. The Company resolves to examine alternative sources of said material. Material substitutions shall be mutually agreed upon by the Buyer and the Company. No substitutions shall be made without the execution of a written Change Order by the Buyer.

3. CHANGE ORDERS: Changes to the contract may be requested by the Buyer after the execution of the contract. Changes shall be reviewed for cost and schedule impact by the Company. Changes shall be sequentially numbered. Change Orders shall be prepared by the Company and executed by the Buyer. The price of the apparatus shall be adjusted to take into account any Change Orders. Any or all Change Orders may extend the completion and delivery of the apparatus.

4. SPECIFICATIONS: The Company agrees that all material and workmanship in and about this apparatus shall comply with the hereto attached specifications.

5. WARRANTY: Shall be as proposed in the attached Spartan specifications.

6. PRICE: The Buyer shall pay, as a purchase price for the apparatus, per HGACBuy Contract FS12-23 confirmed terms and fair price, paid at delivery, the sum of Eight Hundred Fifty-One Thousand Five Hundred One Dollars and zero cents(\$851,501.00)



SECTION A

All prices are less any applicable local, state or federal taxes which may be applied to the apparatus proposed. Payment shall be made to Ed M. Feld Equipment Co., Inc. of 113 N. Griffith Rd Carroll, IA 51401.

7. TERMS OF PAYMENT:

- i. **Contract payment of One Hundred Percent (100%) shall be paid at time of delivery of the apparatus.**
- ii. It is agreed that the apparatus and equipment covered by this contract shall remain the property of the Company and not be placed in service until the entire contract price has been paid.

8. **Ed M. Feld Equipment Co., Inc.** requires, and the customer agrees, that the unit shall be inspected and/or delivered within seven (7) days of notice that the unit has been completed and an agreed inspection time has been scheduled at purchaser.

9. **CANCELLATION:** This contract is subject to cancellation by Buyer only upon payment to Company of reasonable cancellation charges, which shall take into account expenses already incurred and commitments made by Company.

This contract, to be binding, must be signed by an officer of the Ed M. Feld Equipment Co., Inc. or a person authorized, by Ed M. Feld Equipment Co., Inc. to do so.



SECTION B

This contract, including its appendices, embodies the entire understanding between the parties relating to the subject matter contained herein and merges all prior discussions and agreements between them. No agent or representative of the Company has authority to make any representations, statements, warranties or agreements not herein expressed and all modifications of amendments of this agreement, including the appendices, must be in writing signed by an authorized representative of each of the parties hereto.

IN WITNESS WHEREOF, the Buyer and the Company have caused this contract to be executed by their duly authorized representatives this **8th day of October 2024, terms of this contract expire end of business day November 5th, 2024**

COMPANY	BUYER
Ed M. Feld Equipment Co., Inc. 113 N. Griffith Rd Carroll, IA 51401	City of Lansing
BY: _____	BY: _____
NAME: <u>Spencer Stephens</u>	NAME: _____
TITLE: <u>Apparatus Sales Consultant</u>	TITLE: _____
DATE: _____	DATE: _____
	WITNESSED: _____
	NAME: _____
	TITLE: _____
	DATE: _____



SECTION C

Customer Information Sheet

To assist in processing your order, please furnish the following information with the contract.

Owner Information (For Apparatus Title - MSO)

Name of Owner: _____
Address: _____
City/State/Zip: _____
Contact Name/Title: _____
Phone: _____ Fax: _____

Station Information (For Service - Where Apparatus Will Be Housed)

Name of End User: _____
Address: _____
City/State/Zip: _____
Contact Name/Title: _____
Phone: _____ Fax: _____

Job Coordinator (For Engineering Changes & Approval, Etc.)

Contact Name/Title: _____
Address: _____
City/State/Zip: _____
Phone: _____ Fax: _____

Person Responsible for Billing/Payments

Contact Name/Title: _____
Address: _____
City/State/Zip: _____
Phone: _____ Fax: _____

Quote SO

Feld Fire

Quote No: 10045-0001
10/08/2024 15:18:00

PART NO	S	DESCRIPTION	QTY	ID
		== S180 Model 4106 Side Control Pumper - Boiler Plate - 10.310 10/01/24 ==		ERVS
00-00-0050		STAR QW Data Book v10.31 Release: 10.1.2024 / Expires: 2.15.2025	1	ERVS
00-00-0106		***Base Model 4106***Base Model 4106***Base Model 4106***Base Model 4106***	1	ERVS
00-00-155S	>	BOILER PLATE - Star Pumper (S180)	1	ERVS
00-01-100S	>	-- General Specifications, Pumper (S180)	1	ERVS
00-01-2500		-- Engine Availability	1	ERVS
00-01-3000	>	-- NO Dealer BIO Details- Use Drop Down to add a 'Dealer' section adds	1	ERVS
00-03-1110		-- Bid (Generic Specs) Drawing	1	ERVS
00-05-2500		-- NO Bid Security/Bid Bond	1	ERVS
00-06-2500		-- NO Performance Bond	1	ERVS
00-07-2500		-- NO Warranty Bond	1	ERVS
00-08-3100		-- Single Source Manufacturer (Generic Specs)	1	ERVS
00-08-4110		-- Tag On Order/Cooperative Purchasing Agreement (Generic)	1	ERVS
00-10-4000	>	-- Finite Element Analysis (Generic specs)	1	ERVS
00-13-1000		-- 2 Hard Copy Sets Supplied Component Info, Pumper/Tanker (Generic Specs)-English	1	ERVS
00-13-2010		-- {Qty} Hard Copy Set-Electrical Schematics-English	1	ERVS
00-13-9000		-- Warning and Information Labels - English	1	ERVS
00-30-5100		-- NO Online Customer Interaction	1	ERVS
00-40-0100	>	-- Liability Insurance, \$10 mill (Generic Specs)	1	ERVS
00-60-1000		-- General Warranty, -2 Year (Generic Specs)	1	ERVS
00-90-8200		-- 10 Year Plumbing Warranty, (Generic Specs)	1	ERVS
00-10-0100		Third Party Pump & Low-Voltage Electrical Certification Test (NFPA)-Full Specs	1	ERVS
00-30-055S		Apparatus Inspections, Pumper (S180)	1	ERVS
00-30-4005		-- NO Final Inspection	1	ERVS
00-38-0200		NO Apparatus Training	1	ERVS
00-95-000S		Apparatus Requirements. Pumper/RM Pumper/Dryside Tanker (S180)	1	ERVS
00-95-1E50		-- NO Maximum Overall Length Requirement (Max OAL)	1	ERVS
00-95-2E50		-- NO Maximum Overall Height Requirement (Max OAH)	1	ERVS
00-95-3E00	>	-- Maximum Overall Width, (OAW) = 99" (Apparatus Body)	1	ERVS
00-95-5E50		-- NO Maximum Wheelbase	1	ERVS
00-95-9E00		-- NO Altitude Performance Requirement	1	ERVS
		== S180 Model 4106 Side Control Pumper - Chassis - 10.310 10/01/24 ==		ERVS
01-01-110S	>	SPARTAN CUSTOM CHASSIS, SC Pumper (S180)	1	ERVS
01-01-1010		-- ***Metro Star*** CUSTOM CHASSIS	1	ERVS
04-00-010S		-- Spartan Major Chassis Modifications, (S180)	1	ERVS
04-00-4550	>	-- Jackshaft for pump mount (1/2 chassis provided jackshaft selected in SPARcon)	1	ERVS
04-00-4600	>	-- Drill Frame for Body Installation- DO NOT DELETE< REQUIRED LINE ITEM-READ NOTE	1	ERVS
06-25-0500		-- Horizontal Exhaust, Spartan Provided	1	ERVS
06-26-0105		-- Exhaust Heat Shield, Front Compartment	1	ERVS
04-12-1500	>	-- Back up alarm (Chassis Provided)	1	ERVS
04-18-1200	>	-- Hazard light/ in cab (Chassis Provided)	1	ERVS
04-20-0300		-- NO Cab Exterior Spotlights	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
04-22-000S	>	-- CAB INTERIOR ACCESSORIES **MUST SELECT IN FT BUILDER*** (S180)	1	ERVS
04-20-0005		-- NO Handheld Spotlights	1	ERVS
04-21-0005		-- NO Map Light	1	ERVS
04-22-0100		-- NO Cab Accessory Mounting Panel For Doghouse	1	ERVS
04-22-0200		-- NO Rear Facing Engine Tunnel Shelf -Between EMS compts	1	ERVS
04-22-0300		-- NO Door Storage Pockets	1	ERVS
04-22-0400		-- NO PAC TRAC Boards-NEED STAY OUT ZONES FOR APS IF APPLIC	1	ERVS
04-22-0500		-- NO Upper Rear Storage Shelf	1	ERVS
04-22-0700		-- NO MDT Tray (not available on comm cabs)	1	ERVS
04-22-0800		-- NO Laptop Swivel	1	ERVS
04-22-0900		-- NO Map & Binder Storage (CUSTOM CAB)	1	ERVS
04-22-2000		-- NO Rear Wall Upper Storage Compartment	1	ERVS
04-25-001S		-- NO ER Provided EMS Compartment - MUST BE SELECTED IN FT BUILDER (S180)	1	ERVS
04-26-001S		-- CAB EXTERIOR ACCESSORIES (CUSTOM CHASSIS) (S180)	1	ERVS
04-26-0050		-- NO Pike Pole Storage	1	ERVS
04-26-0100		-- NO Exterior Cab Tray Assembly	1	ERVS
04-50-005S		-- *ELECTRICAL/AIR CHARGING SYSTEM PACKAGE (S180)	1	ERVS
04-50-010S		-- Electrical charging system installed (Chassis Provided) (S180)	1	ERVS
04-52-0105		-- NO Shoreline to be installed by body manufacturer	1	ERVS
04-55-0100		-- NO Additional Air Charging System Provided (Can select Chassis Provided option)	1	ERVS
04-58-000S		-- Bumper Options, Custom Chassis (S180)	1	ERVS
04-58-0105		-- Bumper Extension (Chassis Provided) (use drop down for X-lay options)	1	ERVS
04-58-0200		-- Bumper Apron (Chassis Provided)	1	ERVS
04-58-0310		-- NO Front Bumper Compartment LH	1	ERVS
04-58-0315		-- NO Front Bumper Compartment RH	1	ERVS
04-58-040S		-- Front Bumper Compartment, Center (Chassis Provided) (S180)	1	ERVS
04-59-0010		-- Front bumper hose well cover (Chassis Provided)	1	ERVS
04-60-0200		-- NO Bumper Compartment Matting	1	ERVS
04-61-0400		-- NO Bumper Guide Poles	1	ERVS
04-64-000S		-- SIREN CONTROL HEAD-CUSTOM CHASSIS (S180)	1	ERVS
04-64-0100		-- Siren Head (Chassis Provided)	1	ERVS
04-65-000S		-- SIREN SPEAKER, CUSTOM CHASSIS (S180)	1	ERVS
04-65-0040		-- Siren Speaker(s) (Chassis Provided & installed)	1	ERVS
04-67-000S		-- NO ER Provided Mechanical Siren - MUST BE SELECTED IN FT BUILDER (S180)	1	ERVS
04-80-010S		-- NO ER Provided Fire Bell - MUST BE SELECTED IN FT BUILDER (S180)	1	ERVS
04-85-000S		-- AIR HORNS, CUSTOM CHASSIS (S180)	1	ERVS
04-85-0100		-- Air Horn (Chassis Provided & Installed)	1	ERVS
04-87-0000	<	-- Chassis Required Labeling & Miscellaneous Options, English, custom cab Where applicable, style/brand of labels to match call out in plumbing	1	ERVS
04-87-5000		-- Apparatus Information Label-English	1	ERVS
04-87-6031		-- Cab Helmet Warning Label (Chassis Supplied-English verbiage)	1	ERVS
04-92-0100		-- Tire Pressure Observation System- Spartan Chassis	1	ERVS
04-92-1000		-- Tire Pressure Indicators (Chassis Provided)	1	ERVS
05-02-0100		-- Vehicle Data Recorder & Seat Belts Spartan Chassis	1	ERVS
05-02-1000		-- Vehicle Data Recorder (Chassis Supplied)	1	ERVS
05-10-1000	>	-- ESC Brakes stability control system - (SEE ENG NOTE) - (Chassis Provided)	1	ERVS
06-22-000S		-- Cab Tilt Options, SC Pumpers (S180)	1	ERVS
06-22-056S		-- Cab Tilt Pendant Control -Lower Pump Access Panel- w/ Hinged Door (S180)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
06-22-1205		-- Air Tank Drain Lines -(extended)	1	ERVS
06-46-0000		-- NO Cab Back Overlay- Top Mount Pump Control, suggest adding option	1	ERVS
07-05-0100		-- NO Auxiliary A/C for Cab	1	ERVS
70-20-1200	>	-- Engine Compartment Light (Chassis Provided)	1	ERVS
70-36-000S	>	-- Under Chassis Lights (Chassis Provided) (S180)	1	ERVS
70-36-1000	>	-- NO Front Bumper Underbody Lighting	1	ERVS
04-45-0050		NO Intercom System	1	ERVS
04-45-0500		NO Radio Antenna Mounting Base	1	ERVS
04-48-0100		NO Tailboard to Cab Buzzer	1	ERVS
04-86-0100		NO Auxiliary Cab Gauges Added by Body Builder	1	ERVS
04-95-3050		NO Tire Chains	1	ERVS
05-15-005S		Helmet Restraints (S180)	1	ERVS
05-15-0154		-- Helmet Restraints -Fire Department Supplied & Installed-	1	ERVS
06-20-0002	>	NO Front Mud Flaps Added	1	ERVS
06-20-0010	>	Mud flaps - Rear/Individual (W/Logo)	1	ERVS
06-43-0050		NO Wheel Covers	1	ERVS
		== S180 Model 4106 Side Control Pumper - Pump Control - 10.310 10/01/24		ERVS
		==		
26-10-250S		Pump Compartment Construction, Pumper - Access Work Light (S180)	1	ERVS
26-10-2910		-- Vibra-Torq Pump Compartment Mounting, Pumpers/Tankers	1	ERVS
26-13-0005		-- NO Pump Compartment Heater	1	ERVS
26-13-3045		-- NO Heat Pan	1	ERVS
26-13-7000		-- NO Extreme Arctic Pump Enclosure/Insulation Package	1	ERVS
26-15-0100		-- NO Air Chuck Outlet/Inlet	1	ERVS
70-20-2145		-- (1) 54.00 inch Pump Compartment Work Light (LED Tube, OnScene Access)	1	ERVS
26-10-310S		Left Side Operator's Panel- Pumpers (S180)	1	ERVS
25-05-0000		-- NO Open Door Warning	1	ERVS
26-05-0125		-- Valve Control-Innovative Controls- Side Mount {NEW}	1	ERVS
26-10-160T		-- Panel Lights -SC-DP Interm Steps w/ Hand Cutouts-Full Length OS Access (S180)	1	ERVS
26-10-191S		-- Pump Panel Light Shield Chamfered Ends - Rear Only (S180)	1	ERVS
26-10-2017		-- Pump Panel Light Activation- Park Brake	1	ERVS
26-10-710S		-- NO Speedlays Provided Integral to Pump Compartment-Side Control - 55" PH (S180)	1	ERVS
26-11-9205	>	-- Pump Compt Fwd Wall Pump Access-No Overlay (for Side Control)	1	ERVS
26-12-0549	>	-- Pump Compartment Width - 55"	1	ERVS
26-41-103S		-- Right Side Panels Split - Removable (Brushed SST L & R sides) W/ Strg Cnty(S180)	1	ERVS
27-15-001T		-- Storage Cavity/Mounting Provisions (S180)	1	ERVS
27-15-003S		-- Left Side Storage Cavity-1 Cavity or Mnt Provision provided (S180)	1	ERVS
27-15-010S		-- Left Side Suction Hose-25' of 5" Cavity (S180)	1	ERVS
27-16-0020		-- Cavity located rearward of steamer inlet	1	ERVS
27-16-011S		-- (1) D&S Aircraft Hold Down Strap (S180)	1	ERVS
27-16-1010		-- Superliner Medium Gray Interior Finish	1	ERVS
27-16-9000		-- Pump House Storage Trim - Brushed Stainless Steel	1	ERVS
27-15-0040		-- NO Right Side Storage Cavity/Mounting Provisions	1	ERVS
27-00-000S		-- Running Board Details, - Hosewell RS Only w/ Matting (S180)	1	ERVS
27-10-000S		-- HOSE WELL PACKAGES-Select this option (S180-SC)	1	ERVS
27-10-051S		-- Right Side Only- Floating Hosewell-Chamfered Corners - 8" Deep-Smooth Alum(S180)	1	ERVS
27-01-015S		-- (2) D&S Aircraft Style Seat Belt Hold Down Straps (S180)	1	ERVS
27-07-001S		-- Left - w/ 3/16" Embossed Aluminum Diamond Plate Overlay (S180)	1	ERVS
27-12-0000		-- NO Auxiliary Stepping provided (Slide Out/Pull Out/Fixed)-ADD for 4x4s	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
27-11-902S		-- Hosewell Matting-VersaFlex (S180)	1	ERVS
04-60-0280		-- Matting-Black color	1	ERVS
58-56-0000		-- NO Running Board Lighting	1	ERVS
28-25-1700		-- NO Radio Compartment	1	ERVS
28-15-006S		PSG - Fire Research Corporation "InControl 400" (S180)	1	ERVS
09-02-0110		-- Pump Panel Harness for PSG	1	ERVS
09-09-021S	>	-- Intake Pressure Relief - TFT, All Pumps (S180)	1	ERVS
09-09-5000	>	-- NO Intake Plumbing Extension	1	ERVS
28-22-0010	>	Master Gauge Readings-MUST SELECT IF NOT ON GOVERNOR (PumpBoss/TPG)	1	ERVS
28-25-0100		Pump Testing Ports	1	ERVS
28-25-015S		Water Tank Gauge Package(s) (S180)	1	ERVS
28-50-0105		-- FRC TankVision PRO WLA300-A00 Tank Level Gauge-Operator's Panel	1	ERVS
28-51-0030		-- Chassis Included Water Gauges (S180)	1	ERVS
28-51-0050		-- NO Interior Chassis 'mini' Water Gauge	1	ERVS
28-51-0100		-- NO Auxiliary Water Gauge	1	ERVS
28-51-0110		-- NO Additional Water Gauge	1	ERVS
28-51-0120		-- NO Extra Water Gauge	1	ERVS
28-25-0220	>	Air Horn Button-Red Momentary Rocker (For Use w/ IC Panel)	1	ERVS
28-25-0300		NO Gauge - Chassis Fuel/DEF at Pump Panel {Custom Chassis Only}	1	ERVS
28-25-0500		NO Pump Hour Meter	1	ERVS
28-25-112S		Innovative Control Six Place Switch Panel - Chrome Bezel (S180)	1	ERVS
54-50-3015		Pump Compartment Top- (NO DUNNAGE) 3/16" Embossed Aluminum Diamond Plate Surface	1	ERVS
54-50-4000		NO Pump Compartment Upper Storage (Integral Pump Compartment)	1	ERVS
54-50-4005		NO Pump Compartment Upper Storage (Above Pump Compartment)	1	ERVS
		== S180 Model 4106 Side Control Pumper - Plumbing - 10.310 10/01/24 ==		ERVS
08-21-002S		Waterous Pump, CSU 2000 GPM (s/s) (S180)	1	ERVS
08-21-0105		-- CSU Verbiage (std w/ F. P. impeller)	1	ERVS
08-58-0200		-- Pump Warranty Waterous (7 year)	1	ERVS
08-75-1500		-- Pump De-Rated to 1500GPM	1	ERVS
09-23-0020		-- Mechanical Seals	1	ERVS
09-24-001S		-- Air pump shift (Chassis Provided) SELECT IN SPARCON (S180)	1	ERVS
09-71-0010		-- NO Manual Override for Pump Shift Provided	1	ERVS
09-38-0100		-- Trident Air Primer -Single Primer Actuation	1	ERVS
09-38-0305		-- Push Button Primer Control	1	ERVS
10-12-010S		-- 6" Inlets w/ Std Length Tubes (for internal MIVs, select drop down) (S180)	1	ERVS
10-12-10SL		-- 6" Inlet LEFT SIDE w/ Std Length Tube (S180)	1	ERVS
10-25-1000	>	-- 6" Long Handled, Chrome Plated Cap-(Logo)	1	ERVS
10-12-10SR		-- 6" Inlet RIGHT SIDE w/ Std Length Tube (S180)	1	ERVS
10-25-1000	>	-- 6" Long Handled, Chrome Plated Cap-(Logo)	1	ERVS
09-01-0700		Master Drain - Turn - Class 1 (Midship Mounted Pumps)	1	ERVS
09-38-3100	>	NO Thermal Relief Valve (All brands universal)	1	ERVS
09-70-0010		Pump Cooling/Circulation Line	1	ERVS
09-70-042S		(Qty 2) Pump Anodes - discharge and suction (S180)	1	ERVS
09-70-0500	>	-- NO Pump Anode(s)-Paint Finish	1	ERVS
09-72-0000		NO Paint Pump	1	ERVS
09-73-0000		NO Painting of Piping	1	ERVS
12-10-100S		Plumbing Specs - Sch 10 Stainless Steel, - 3" manifold - Class 1 Drains (S180)	1	ERVS
12-10-1250		-- Plumbing Line Protection	1	ERVS
12-10-1295		-- Plumbing Termination Securement - coated cable	1	ERVS
12-10-1305		-- Manual Drains Class One #115639 J-Style Lift Handle-IC labels N/A	1	ERVS
12-11-010S		NO Foam or CAFS System (Independent system of water pump), (S180)	1	ERVS
18-65-901T		-- Single Foam Tank - 20 gallon (S180)	1	ERVS
18-70-0100		-- Each Foam Tank Integral w/ Booster Tank (<30 gallons)	1	ERVS
18-72-010S		-- single tank 1" drain plug (S180)	1	ERVS
14-05-0000		NO Front Suction	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
14-07-0000		> NO Rear Suction	1	ERVS
14-10-010S		2.5 - 3" Left Side Inlet (S180-SC)	1	ERVS
14-30-001S		-- Akron 8000 Series Valve - 2.5" - Direct Control (S180)	1	ERVS
14-35-0015		-- Valve(s) Controlled -Directly /Suction Valve w/ Lever-	1	ERVS
14-45-000S		-- 2.5" Side Inlet Piping (S180)	1	ERVS
14-55-0500		-- Term: 2.5" NPT x 2.5" NST adapt w/Plug	1	ERVS
14-75-0305		-- Side Inlet to be located in forward position	1	ERVS
14-10-0205		NO Auxiliary Left Side Inlet	1	ERVS
14-10-0405		NO Right Side Inlet	1	ERVS
14-10-0605		NO Auxiliary Right Side Inlet	1	ERVS
15-05-010S		(Qty 1) 2.5" - 3" Left Side Discharge Rack & Sector (S180)	1	ERVS
16-30-0135		-- Akron Rack & Sector Actuated Valve - 2.5"	1	ERVS
16-35-0020	>	-- Valve(s) Controlled - Discharge Location w/ Push/Pull for R&S	1	ERVS
16-44-051S		-- 2 1/2" Discharge Piping (side discharges) (S180)	1	ERVS
16-52-1100		-- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
15-05-0405		NO Left Side Master Discharge (Top Mount Application Only)	1	ERVS
15-05-061S		(Qty 1) 2.5" - 3" Right Side Discharge (S180)	1	ERVS
16-30-012S		-- Akron 8000 Series Valve - 2 1/2" Operators Panel (S180)	1	ERVS
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	1	ERVS
16-44-051S		-- 2 1/2" Discharge Piping (side discharges) (S180)	1	ERVS
16-52-1100		-- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
15-05-111S		(Qty 1) Side 3" - 4" Master Discharge-Right Side (S180)	1	ERVS
16-30-020S		-- Akron 8000 Series Valve - 3" Operators Panel (S180)	1	ERVS
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	1	ERVS
16-44-171S		-- 4" Discharge Piping (side mstr) (S180)	1	ERVS
16-53-6000		-- Term: 4" NPT x 5" Storz elbow w/cap	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
15-05-161S		2.5" - 3" Left Rear Discharge (S180)	1	ERVS
16-30-0105		-- Akron 8000 Series Valve - 2 1/2"	1	ERVS
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	1	ERVS
16-44-071S		-- 2 1/2" Discharge Plumbing (rear discharges) (S180)	1	ERVS
16-52-1100		-- Term: 2.5" NST x 2.5"NST x 2.5"NST Chrome Elbow w/cap	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
15-05-1705		NO Auxiliary Left Rear Discharge	1	ERVS
15-05-2005		NO Right Rear Discharge	1	ERVS
15-05-2205		NO Auxiliary Right Rear Discharge	1	ERVS
15-05-3205		NO Large Diameter Center Position Rear Discharge	1	ERVS
15-05-3305		NO Large Diameter Right Rear Discharge	1	ERVS
15-05-3405		NO Large Diameter Left Rear Discharge	1	ERVS
16-20-004S		CROSSLAY AREA - Adjustable Crosslays - Access Lights (S180)	1	ERVS
16-20-001S		-- Minimum 25" Deep Adjustable Crosslay Width, w/ chiksan terminations (S180)	1	ERVS
16-20-012S		-- 1/4" Adjustable Crosslay Divider-Full Length-DA finish (S180)	1	ERVS
16-20-0150		-- NO Turtle Tile Flooring - Crosslay	1	ERVS
16-20-020S		-- {Qty} Crosslay - 1.75"-200' (S180)	2	ERVS
16-30-0005		-- Akron 8000 Series Valve - 2"	2	ERVS
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	2	ERVS
16-44-011S		-- 2" Discharge Plumbing (x-lays, speedlays, side body preconnects) (S180)	2	ERVS
16-50-1000		-- Term: 2" NPT x 1.5" NST Brass Chiksan (no cap)	2	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	2	ERVS
18-61-042S		-- (2) Foam Capable Discharges (S180)	2	ERVS
16-20-040S		-- {Qty} Crosslay - 2.50" -200' (S180)	1	ERVS
16-30-012S		-- Akron 8000 Series Valve - 2 1/2" Operators Panel (S180)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	1	ERVS
16-44-061S		-- 2 1/2" Discharge Plumbing (x-lays, speedlays) (S180)	1	ERVS
16-50-2000		-- Term: 2.5" NPT x 2.5" NST Brass Chiksan (no cap)	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
16-20-1600	>	-- NO Deadlay for 1.75"	1	ERVS
16-20-1700	>	-- NO Deadlay for 2.5"	1	ERVS
16-64-0010	>	-- Brushed Stainless Steel Trim Around Crosslay Opening (NO rollers)	1	ERVS
16-65-004S		-- Crosslay HB Cover w/ hand hold cutout (hinged, 3/16" emb alum dimnd plate (S180)	1	ERVS
16-65-0100		-- NO Mechanical Latches provided for hinged Crosslay Cover	1	ERVS
16-65-0200		-- Crosslay End Covers-Dealer Provided and Installed	1	ERVS
16-67-0100		-- NO Crosslay Rollers	1	ERVS
78-00-012S		-- (Qty 2) 18" OnScene "Access" LED Strip lights-front of body (S180)	1	ERVS
78-00-0205		-- Crosslay Light Activation-Park Brake	1	ERVS
16-20-1000		NO Speedlays Integral to Pump Compartment (MATCH selection in pump control)	1	ERVS
16-20-1020		NO Speedlay/At Walkway Area (For Top Mount Applications Only w/ Walkway)	1	ERVS
16-21-0000		NO Hose Bed Pre-Connect	1	ERVS
16-22-001S		DELUGE & ACCESSORIES, Dual Control (S180-SC)	1	ERVS
16-22-010S		-- (1) Deluge Waterway - Dual Control (S180-SC)	1	ERVS
16-30-025S		-- Akron 8000 Series - 3" w/ Trident 4" Handwheel Single Control (S180)	1	ERVS
16-44-151S		-- 3" Discharge Piping (deluge) - w/ Xtend-a-Gun (S180)	1	ERVS
16-79-0010	>	-- Deluge-locate pipe center location, above pump	1	ERVS
16-83-0110	>	-- Tele pipe, TFT, Ext-A-Gun, 18", 3" VIC x 3"M NPT	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-0000		-- NO Foam/CAFS Supplied to Discharge	1	ERVS
16-23-001U		(1) Front Bumper Discharge - 2.5" (S180)	1	ERVS
16-30-0105		-- Akron 8000 Series Valve - 2 1/2"	1	ERVS
16-35-0010	>	-- Valve(s) Controlled -Operator's Panel-	1	ERVS
16-44-101S		-- 2 1/2" Discharge Plumbing (2 1/2" fbd) (S180)	1	ERVS
16-44-9000		-- NO Painted Front Bumper Discharge Plumbing	1	ERVS
16-45-0110		-- NO Air Blowout for Front Bumper Discharge	1	ERVS
16-50-208S		-- Term: 2.5" NPT x 2.5" NST SST Chiksan (grav shield) (no cap) (S180)	1	ERVS
16-75-001S		-- Locate FBD on Top Right Front of Bumper Apron (S180)	1	ERVS
16-75-0205		-- Chiksan Guard- DA Finish	1	ERVS
16-61-0100	>	-- Gauge specified later- OR use drop down for alternative	1	ERVS
18-61-040S		-- (1) Foam Capable Discharge (S180)	1	ERVS
16-24-0005		NO Washdown Water System	1	ERVS
16-24-5000		NO Front Bumper Spray Nozzles	1	ERVS
16-29-000S		NO Booster Reel (S180)	1	ERVS
16-29-0010		NO Auxiliary Booster Reel- (NON front bumper locations)	1	ERVS
16-29-0015		NO Booster Reel-Front Bumper Compartment (REQ APPROVAL)	1	ERVS
16-60-001S		DISCHARGE GAUGES - 10 Gauges (S180-SC)	1	ERVS
16-60-050S	>	-- {Qty} Innovative Controls TC 63 mm gauge (IC Bezels available) (S180-SC)	10	ERVS
16-62-0100		-- 0-400 PSI Scale Reading-Gauge	10	ERVS
16-62-0400		-- Black Markings on white gauge face	10	ERVS
16-62-0500		-- NO LED backlight	10	ERVS
16-62-080S		-- Innovative Controls Bezels for Gauges (S180-SC)	10	ERVS
28-10-059S		-- IC Apparatus Labeling - Deluxe Labels, (S180-SC)	10	ERVS
28-10-0700		-- Standard Spartan IC Tags- Grey Background-NO SPEC VERB	10	ERVS
28-10-0750		-- NO Diagrammatic Decal (pump operator's panel)	10	ERVS
28-10-0800	>	-- NO Mechanical Fasteners for labels, Deluxe	10	ERVS
28-10-0900	>	-- NO Bezels for Top Control Handles- N/A for IC control handles, no bezels avail	10	ERVS

PART NO	S	DESCRIPTION	QTY	ID
28-10-0910		-- NO Trim Bezels for Controls & Discharge and Inlet Cutouts on Side Pump Panels	10	ERVS
16-60-5000		NO GAUGE HEATERS	1	ERVS
20-00-001S		(Qty 1) Tank to Pump Line - SST Schedule 10 - Waterous 3 1/2" (S180)	1	ERVS
20-05-0100		-- Integral Tank to Pump Check Valve	1	ERVS
20-28-061S		-- Waterous Valve - 3 1/2" (S180)	1	ERVS
20-35-0010	>	-- Valve(s) Controlled at Operator's Panel	1	ERVS
20-10-011S		(Qty 1) 2" Tank Re-fill Line (S180)	1	ERVS
20-26-0110		-- Akron 8000 Series Valve - 2"	1	ERVS
20-35-0010	>	-- Valve(s) Controlled at Operator's Panel	1	ERVS
20-15-001T		(Qty 1) Right Rear Direct Tank Fill (S180)	1	ERVS
20-26-021S		-- Akron 8000 Series Valve - 2 1/2" (S180)	1	ERVS
20-35-0015	>	-- Valve(s) Controlled Directly at Valve Location w/ Lever	1	ERVS
20-45-020S		-- 2 1/2" Piping, Rear Direct Tank Fill (S180)	1	ERVS
14-50-0010		-- ****Rear Suction Inlet/Intake-Left Exposed	1	ERVS
20-50-1000		-- Term: 2 1/2" NST Elbow w/Plug	1	ERVS
20-55-0115		-- One (1) Fill located on right rear side	1	ERVS
20-20-0010		NO Side Direct Tank Fill Provided	1	ERVS
		== S180 Model 4106 Side Control Pumper - Body - 10.310 10/01/24 ==		ERVS
30-11-100S		Extruded .125 Aluminum Body Material Construction (S180)	1	ERVS
30-12-520S		-- PPG Painting/Finish Specifications (S180)	1	ERVS
30-12-600S		-- Body Paint - Single - (S180)	1	ERVS
30-12-700T	< >	-- Body Paint color CUSTOM (S180)	1	ERVS
		Body Color Shall Match: Pierce 90 / FLNA3042 Sikkens. We want PPG paint in body and chassis but needs to match those codes.		
30-12-606S		-- Compt. Superliner Finish, Alum (S180)	1	ERVS
30-12-6540		-- Superliner Medium Gray Color	1	ERVS
88-00-0100		-- NO Undercoating	1	ERVS
30-12-5500		-- 10 Year Structural Body Warranty, Aluminum (Generic Specs)	1	ERVS
30-12-5850		-- Paint Warranty - 10 year Prorated, Aluminum (Generic Specs)	1	ERVS
54-50-104S		-- Diamond Plate front overlays and raw Alum rear overlays (S180)	1	ERVS
54-50-2110		-- Front Vertical Overlay Corner Trim - 16 Gauge Brushed Stainless Steel	1	ERVS
54-50-221S		-- Rear Vertical Overlay Corner Trim - 16 Gauge Brushed Stainless Steel (S180)	1	ERVS
54-75-0010		-- Catwalks- embossed aluminum diamond plate (see drop down for avail options)	1	ERVS
30-20-1000		Vibra-Torq Body Mounting, Pumper, Tanker, Wildland	1	ERVS
30-30-1000		99" Wide Body	1	ERVS
30-31-0100		NO Compartment Drains (REQ FOR ULC, ADD BY DROP DOWN)	1	ERVS
30-31-5000		Compartment Filter Vent System	1	ERVS
30-31-5005		NO Power Vent	1	ERVS
33-40-031S	>	1650-3M (RS) Ladder Box {5" taller side compt}-Short Wheel Panel HT (S180 4106)	1	ERVS
33-45-033S		-- Non Locking Roll-Up Doors (-21/22/23) Side Compts - Painted Default (S180)	1	ERVS
37-90-001S		-- R.O.M (Roll-Up Doors) - Painted - w/ Door Protectors (S180)	1	ERVS
37-90-011S		-- Side Compartment Doors, track & trim wet painted w/ Door Protectors (S180)	1	ERVS
37-91-000S		-- Roll-up door Protectors (side compts) (S180)	1	ERVS
37-91-0010		-- Roll-up door Protector- Natural Finish	1	ERVS
37-91-0100		-- NO Drain Tubes for Roll Up Door Protector/Cover	1	ERVS
37-92-0105		-- Both, Left & Right/HS (roll-up door assist straps)	1	ERVS
37-96-0020		-- Door Open Switch/Warning Light - Roll Up Doors ROM	1	ERVS
37-10-001S		-- Rear Center Compartment- "B-1" (38"w x 41"h framed) w/ Door Protectors (S180)	1	ERVS
37-10-010S		-- Rear Compt - R.O.M Non Lock Roll Up Door Option w/ Door Protectors (S180)	1	ERVS
37-41-001S	>	-- Rear Center Compartment Door, track & trim wet painted w/ Door Protector (S180)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
37-42-001S		-- Roll-up door Protectors (rear compt) (S180)	1	ERVS
37-42-0100		-- Roll-up door Protector-Natural Finish	1	ERVS
37-42-0200		-- NO Drain Tubes for Roll Up Door Protector/Cover	1	ERVS
37-43-0005		-- NO ROLL-UP Door Assist Straps (rear compartment)	1	ERVS
37-96-0015		-- Door Open Switch/Warning Light - Roll Up Door ROM (Single)	1	ERVS
37-50-0010	>	-- NO Fuel Tank Access -Custom Chassis ONLY option-	1	ERVS
37-55-0010	>	-- NO 'Built In' Permanent Recessed Intermediate Step Above B-1	1	ERVS
37-65-0010		-- Rear Transverse Compt Partitions - Permanent	1	ERVS
37-65-0105		-- Blitzfire Mount Reinforcement- Left Rear {Watch step locations}	1	ERVS
37-98-0010		-- Brushed Stainless Steel Sill Plates	1	ERVS
38-05-001S		-- Compartment Lighting, OnScene Access (S180)	1	ERVS
70-30-220S		-- ON SCENE "Access" LED Strip (S180)	1	ERVS
70-30-2320	>	-- (Qty) Over wheel Compts - (2) "Access" LED Lights	2	ERVS
70-30-2340	>	-- (Qty) Full Height Compts - (2) "Access" LED Lights	4	ERVS
70-30-2350		-- Rear Center Compt - (2) "Access" LED Lights	1	ERVS
70-30-8000		-- NO Auxiliary Compartment Lighting-mounted across top/RU door protector	1	ERVS
70-30-9000		-- NO Door Liner Lighting-Requires Hinged Doors ONLY option	1	ERVS
71-00-0010		-- NO Under Shelf Lighting REQ's Shelving to be called out	1	ERVS
71-50-0100		-- Compartment Lighting Activation - Battery, Ignition, Door Switch	1	ERVS
38-10-007S		-- Rear Tailboard - Flat Back - Removable (S180)	1	ERVS
38-11-019S		-- Step - 17.5" Deep w/3/16" Embossed Aluminum Diamond Plate Overlay (S180)	1	ERVS
38-15-0010	>	-- NO Auxiliary Steps Below Rear Tailboard (may add for 4x4's-required)	1	ERVS
38-17-0000		-- NO Tailboard Hose Well Packages- Select 20" Tailboard	1	ERVS
38-17-0100		-- NO Tailboard Hose Trough Packages-Select 20" Tailboard	1	ERVS
53-25-0010		-- NO Rear Slide Out Platform-Dir. Below Body (NON SMART STEP STYLE)	1	ERVS
39-01-001S		-- Wheel Wells, Single Axle - Short Height Wheel Panel No SCBA (S180)	1	ERVS
39-03-002S	>	-- Wheel Well panels to be painted, Single Axle L & R Fuel Fill - No SCBA (S180)	1	ERVS
52-60-0010		-- NO SCBA Storage in Wheel Wells	1	ERVS
56-05-2020		-- Left & Right Side- Cast Products Rear Fuel Fill Assmby, *CUSTOM CAB*-Pumper/Res	1	ERVS
56-10-0000		-- NO Wheel Well Protection Flap-REQUIRES overwheel compartment call out	1	ERVS
39-15-000S		-- Rear Fenderettes to be Polished Stainless (S180)	1	ERVS
39-16-0000		-- NO Blackout Coating Applied to Fenderette	1	ERVS
43-10-0110		-- NO Upper Storage Compartments/Body Wall Adjustment-1650	1	ERVS
43-24-0000		-- NO Underbody Storage Compartments	1	ERVS
50-15-300S		-- Hose bed Description - A Frame (S180)	1	ERVS
30-13-0005		-- NO embossed hose bed extension	1	ERVS
30-14-0005		-- Hose bed Walls w/Brushed Stainless Steel Finish	1	ERVS
30-14-2000		-- Rear Hose bed Corners Trimmed w/ Brushed SST	1	ERVS
30-14-5000	>	-- Hose Bed Side Walls Cap w/ Brushed SST	1	ERVS
50-12-4000		-- Walls to be 90" tall	1	ERVS
50-30-000S		-- Hose Bed Cover - S180 - A Frame (S180)	1	ERVS
50-32-010S		-- 'A' Frame Aluminum Diamond Plate Hose Bed Cover (S180)	1	ERVS
50-32-0150		-- NO Black Out Hard Hose Bed Cover Coating	1	ERVS
50-32-0190		-- Hose Bed Cover Stops short of Front of body (rearward of fill towers)	1	ERVS
50-33-000S		-- Manually Raised MANUAL RAISED COVERS Ea. covers raised independently (S180)	1	ERVS
53-30-127S		-- (2) Handrails - knurled Alum/LED - Front vertical flange of HB covers (S180)	1	ERVS
53-31-0500		-- Handrail Illumination Light Color (White/Clear)	1	ERVS
53-32-0020		-- Illuminated Handrail Activation - Ground Lights or Park Brake	1	ERVS
53-30-327S		-- (2) Handrails - Knurled Alum/Bright Anodized - Rear A Frame Structure (S180)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
50-33-0065		-- Positive Latch Device for front of A frame hose bed cover	1	ERVS
50-34-0130		-- Rear Hose Bed Restraint - Dealer Provided	1	ERVS
70-31-5450		-- Two (2) OnScene "Access" LED Lights in Hose bed Cover	1	ERVS
78-05-0010		-- NO Hose bed Lights-Telescoping, Light tower or other is specified	1	ERVS
50-15-328T		-- Dunnage Area in Hose bed - No Cover - w/ Lighting - No Divider (S180)	1	ERVS
50-15-3390	>	-- Dunnage Area Hose Bed - Embossed Floor	1	ERVS
50-15-340S		-- NO Hose bed Dunnage Area Cover w/ Dunnage Lighting (S180)	1	ERVS
70-31-326S		-- One (1) OnScene "Access" LED 18" Light in Hose Bed Dunnage (S180)	1	ERVS
50-15-401S	>	-- {Qty} Full Height Hose Bed Divider(s) w/hand cut-out(s) (S180)	1	ERVS
50-15-6010		-- NO Belly Cut(s) in Hose Bed Divider	1	ERVS
50-15-4100	>	-- NO Auxiliary Shortened Hose Bed Divider (NOT flush with top of hose bed)	1	ERVS
50-15-9E05		-- NO Specific Hose Load Specified-Will Meet NFPA requirements	1	ERVS
60-00-159T		-- Spartan Tank - 1000 gal low hose bed pumper (S180)	1	ERVS
60-00-0010		-- Spartan Tank Verbiage (low hose bed)	1	ERVS
60-00-0050		-- Spartan Tank Warranty (For bid specs)	1	ERVS
60-00-011S		-- Fill Tower & Overflow 6" (less than 1500 gal.) (S180)	1	ERVS
60-00-020S		-- Fill Tower Location - Left Frt Hose bed (S180)	1	ERVS
60-00-030S		-- Single Tank Sump Verbiage (USE for 1 TTP valve) (S180)	1	ERVS
60-00-0310		-- Sump 3" Plug (no valve)	1	ERVS
60-00-0400		-- Tank Outlets Verbiage	1	ERVS
62-25-001T		-- Ladder Compartment - Right Side - 24' / 14' / 10' w/ 2 Aux Pike Poles (S180)	1	ERVS
62-25-1200	>	-- Ladder Compt Made of 1/8" Smooth Aluminum	1	ERVS
62-27-001S		-- Compartment RIGHT on side of Water Tank-Vertical (S180)	1	ERVS
62-29-0020	>	-- Compt. open in pump compartment	1	ERVS
62-29-1010		-- Ladder Compt. Door Hinge location -Inboard Edge-	1	ERVS
62-29-1900		-- Ladder Compartment Door, (Door Matches Rear Overlay) STD	1	ERVS
62-29-8010		-- Reflective Chevron Material on Ladder Compartment Door	1	ERVS
62-29-9000		-- NO Ladder Box Layout Decal	1	ERVS
62-35-001S		-- Duo Safety Ladders - 24' / 14' / 10' - Spartan Supplied Ladders (S180)	1	ERVS
62-35-101S		-- Duo Safety Package-1-24' 2 section ext / 1-14' Roof/ 1 - 10' Folding (S180)	1	ERVS
90-11-0070	>	-- Duo Safety 24' Alum 900A 2 sect	1	ERVS
90-12-0030	>	-- Duo Safety 14' Alum 775A roof	1	ERVS
90-13-0030	>	-- Duo Safety 10' Alum 585A Attic	1	ERVS
62-38-002S		-- (3) Pike Poles Metal Storage Tubes (std hook) - Dealer Supplied Pike Poles(S180)	1	ERVS
62-38-002T		-- (2) Auxiliary Pike Poles Metal Storage Tubes (std hook) - Dealer Supplied (S180)	1	ERVS
62-40-000S		-- Extend Inner Wall of Ladder Compartment for open storage (S180)	1	ERVS
70-31-3005		-- NO Hose Bed Dunnage Compartment Lighting	1	ERVS
65-00-000S		-- Suction Hose Storage, Split Depth HL/HR Compartments-No Ladder Rack (S180)	1	ERVS
66-00-020S		-- Suction Hose Carriers, Split Depth HL/HR compartments-No Ladder Rack (S180)	1	ERVS
66-02-010S		-- (2) Suction Hose Carriers-6" x 10'-(1) LS and (1) RS Catwalk (S180)	1	ERVS
66-02-9020		-- Suction Hose Carrier - Anodized Aluminum	1	ERVS
66-08-010S		-- (2) Suction Hose for Carrier-Spartan Provided-6" x 10' (S180)	1	ERVS
90-31-0110	>	-- {Qty} 6" x 10' w/ lightweight cplg - Clear PVC	2	ERVS
90-40-0100		-- NO Strainer Provided	1	ERVS
66-00-0090		-- NO Auxiliary Suction Hose Storage	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
66-20-0010		-- NO Folding Tank Storage-Enclosed Compartment	1	ERVS
50-60-0005		NO Rescue Equipment Storage Compartments (Stokes, Backboards, Little Giant)	1	ERVS
51-05-0005		Vertical Unistrut (ALL) Body Compartments, Pumper (includes rear)	1	ERVS
51-06-0000		NO Horizontal Unistrut {DO NOT add if Spartan is prov. Wall Mount Boards}	1	ERVS
52-13-000S		SINGLE AXLE-OverWheel Compartment Partial Partitions Standard (S180)	1	ERVS
52-13-001S		-- Overwheel Partitions-Partial Front & Rear (Both Sides) (S180)	1	ERVS
52-13-1300	>	NO Fixed Vertical Side Compartment Dividers	1	ERVS
52-13-1400		NO Fixed Vertical B1 Compartment Dividers	1	ERVS
52-14-0005	>	NO Adjustable Vertical Side Compartment Dividers	1	ERVS
52-14-1000		NO Adjustable Vertical B1 Compartment Dividers	1	ERVS
52-15-0010		NO Protective Matting-Compartment Floors	1	ERVS
52-16-000T		Shelving and Roll Out Tray Packages - CUSTOM PACKAGE - no R2 (S180)	1	ERVS
52-16-002U	>	-- Shelving Package - CUSTOM PKG - {SEE PDF for Shelving Capacity.} (S180)	1	ERVS
52-16-021S	>	-- {QTY} Full Width x Half Depth - Upper Shelf (S180)	5	ERVS
52-40-0105		-- {Qty} L1 Compartment	1	ERVS
52-40-0110		-- {Qty} L2 Compartment	1	ERVS
52-40-0115		-- {Qty} L3 Compartment	1	ERVS
52-40-0205		-- {Qty} R1 Compartment	1	ERVS
52-40-0215		-- {Qty} R3 Compartment	1	ERVS
52-16-041T	>	-- {QTY} Full Width x Full Depth-Lower Shelf*ADD LOCATIONS W/ PKG IND (S180)	1	ERVS
52-22-002T		-- Roll-Out Tray Package - CUSTOM PACKAGE - no R2 (S180)	1	ERVS
52-22-820T		-- {Qty} Floor Mount Roll Out-Full Width-(300#/100% w/FDR) no R2 (S180)	2	ERVS
52-40-0105		-- {Qty} L1 Compartment	1	ERVS
52-40-0110		-- {Qty} L2 Compartment	1	ERVS
52-22-0205		-- NO Adjustable Mount Roll Out Trays	1	ERVS
52-26-0005		-- NO Protective Matting-Shelves/Trays (this is all inclusive)	1	ERVS
52-26-2005	>	-- DA-Tray/Shelf Finish	1	ERVS
52-26-3000		-- NO Tray Retro-Reflective Striping	1	ERVS
52-26-4000		-- NO Shelf Retro-Reflective Striping	1	ERVS
52-39-0010		NO Tool boards (PAC TRAC, PEG, ALUM, WOOD)	1	ERVS
52-41-1005		NO Removable Tool Box, for tools, cribbing, etc...	1	ERVS
52-42-0010		NO Storage for Air Bags	1	ERVS
52-80-0005		NO Breathing Air Cascade System	1	ERVS
52-85-002S		SCBA Air Bottle Rack (S180)	1	ERVS
52-85-011S	>	-- Angled Open Storage Rack-For (7) Bottles with Shelf- (180)	1	ERVS
52-85-1110		-- R2 Compartment	1	ERVS
52-85-1505		-- NO Auxiliary SCBA Air Bottle Rack	1	ERVS
52-91-0005		NO SCBA Bracket Package	1	ERVS
53-00-010S		RUB RAIL PACKAGE (S180)	1	ERVS
53-00-011S		-- Side Rub Rails - Anodized Aluminum - (S180)	1	ERVS
53-01-011S		-- Rub Rail Retro-Reflective Striping (3M Diamond Grade) (S180)	1	ERVS
53-01-0310		-- Stripe to be 3M Diamond Grade Ruby Red	1	ERVS
53-02-010S		-- Rear Rub Rail - Anodized Aluminum - (S180)	1	ERVS
53-01-040S		-- Rub Rail Retro-Reflective Striping (3M Diamond Grade) - Rear (S180)	1	ERVS
53-01-0510		-- Stripe to be 3M Diamond Grade Ruby Red	1	ERVS
53-15-001S		FOLDING STEPS, IC Illuminated LED (LF, RF, RR - S180)	1	ERVS
53-17-0050		-- Folding Step Chrome Finish - Chrome Plated	1	ERVS
53-17-0100		-- w/Logo, White Step Light & Down Light, Safety Label, & Flying Lead Termination	1	ERVS
53-17-1110		-- NO Left Rear Steps	1	ERVS
53-17-121S		-- Three (3) Left Forward Steps (S180)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
53-30-120S		-- (1) 10" Handrails - Knurled Alum/LED - Catwalk Angled 30° (S180)	1	ERVS
53-31-0500		-- Handrail Illumination Light Color (White/Clear)	1	ERVS
53-32-0005		-- Illuminated Handrail Activation - Park Brake	1	ERVS
58-60-0005		-- Step Light Activation - Park Brake	1	ERVS
53-17-131S		-- Three (3) Right Forward Steps (S180)	1	ERVS
53-30-120S		-- (1) 10" Handrails - Knurled Alum/LED - Catwalk Angled 30° (S180)	1	ERVS
53-31-0500		-- Handrail Illumination Light Color (White/Clear)	1	ERVS
53-32-0005		-- Illuminated Handrail Activation - Park Brake	1	ERVS
58-60-0005		-- Step Light Activation - Park Brake	1	ERVS
53-17-151S		-- Three (3) Right Rear Steps (S180)	1	ERVS
53-30-9960	>	-- NO Handrail above rear steps	1	ERVS
58-60-0005		-- Step Light Activation - Park Brake	1	ERVS
53-17-1600		-- NO Left Back of Cab Folding Step-CUSTOM CAB ONLY OPT	1	ERVS
53-17-1605		-- NO Right Back of Cab Folding Step-CUSTOM CAB ONLY OPT	1	ERVS
53-20-014S		Bolt On Intermediate Rear Step - 3/16" Embossed DP w/ Cutouts - Access (S180)	1	ERVS
53-20-0220		-- Intermediate Rear Step -Located below Hose Bed-high as possible	1	ERVS
58-50-005S		-- (1) LED Under Step Lighting, On Scene "Access" 38" (S180)	1	ERVS
58-60-0005		-- Step Light Activation - Park Brake	1	ERVS
58-50-015S		-- (2) LED Step Lighting, TechNiq E03-W000-1 w/ Bezel (S180)	1	ERVS
58-60-0005		-- Step Light Activation - Park Brake	1	ERVS
53-21-0010		NO Rear Fixed Steps	1	ERVS
53-22-0010		NO Rear/Side Access Ladder(s)	1	ERVS
53-25-0015		NO Body Side Slide Out Platforms-Underbody Style	1	ERVS
53-30-100S		HANDRAILS - Knurled Alum/Illuminated LED - w/ PH Handrail (S180)	1	ERVS
53-30-133S		-- (2) 42" Handrails - knurled Alum/LED - rear wall (flat back) (S18)	1	ERVS
53-31-0500		-- Handrail Illumination Light Color (White/Clear)	1	ERVS
53-32-0005		-- Illuminated Handrail Activation - Park Brake	1	ERVS
53-30-134S		-- (2) 20" Handrails - knurled Alum/LED - top of pump module (S18)	1	ERVS
53-31-0500		-- Handrail Illumination Light Color (White/Clear)	1	ERVS
53-32-0005		-- Illuminated Handrail Activation - Park Brake	1	ERVS
56-58-0025		DUAL Tow Eyes Below Rear Body/Compt - 1 ea side (Black Color)	1	ERVS
56-61-6010		NO Rear with Sides Rescue/Winch Receivers (USE THIS OPT FOR INTEGRAL REAR & SID	1	ERVS
56-61-6015		NO Rear Trailer Hitch Provisions Provided (DO NOT specify rear winch receiver)	1	ERVS
56-61-6020		NO Side Rescue/Winch Receiver -REAR OF AXLE (DOES NOT INC REAR)	1	ERVS
56-61-6060		NO Front Rescue/Winch Receiver	1	ERVS
56-61-6300		NO Upper Body Anchor Points	1	ERVS
56-62-0010		NO I-Zone Hose Brackets	1	ERVS
84-20-0005		NO Hydraulic Hose Reel	1	ERVS
84-45-0005		NO Utility Air Hose Reel	1	ERVS
		== S180 Model 4106 Side Control Pumper - Electrical - 10.310 10/01/24 ==		ERVS
70-01-001S		Multiplex Body Low Voltage Electrical System (S180)	1	ERVS
70-01-5005		-- 4 Year Limited Multi-plexed Electrical Warranty, (Generic Specs)	1	ERVS
70-02-001S		-- Spartan Custom Chassis is Multiplex (S180)	1	ERVS
70-05-041S		-- Multiplex Display- Spartan Standard/Discretion (NO Specs attached) (S180)	1	ERVS
70-05-0300		-- NO TRANSLATION FOR DISPLAY (for export only to add when needed for display)	1	ERVS
70-05-0600		-- NO OLED Display	1	ERVS
70-10-0040		-- Node (Combination Mount) (S180)	1	ERVS
70-11-0000		-- NO Whelen CORE system	1	ERVS
70-36-192S		Underbody Lights (6) - Side front & rear body/Tailboard (S180)	1	ERVS
70-36-2280		-- TecNiq T44 Series, 4" Rd LED Underbody Lights	6	ERVS
70-37-0020		-- Underbody Perimeter Light Activation-Match Chassis Programming	1	ERVS
72-2A-005T		Whelen Upper Lighting Package - red/blue lights (S180-4106/4114)	1	ERVS
72-2A-010S		-- Upper Zone A-Whelen (S180)	1	ERVS
72-2A-0130	>	-- Lightbar (Chassis Provided)	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
75-02-1000		-- Lightbar switched (Chassis Provided)	1	ERVS
72-2H-005T		-- Upper Zone B&D Warning - Whelen - red/blue lights (S180)	1	ERVS
72-2H-0100		-- Front Side of Body Zone B&D - No Lights installed	1	ERVS
72-2K-0010		-- Rear Side of Body Zone B&D - No Lights installed	1	ERVS
72-2K-515T		-- Aux. Zones B&D - (4) Upper Whelen ION T LED, Cntr in Hdr, Chrome -red/blue(S180)	1	ERVS
75-01-5090		-- Side Warning Lights programmed for TripleFlash 75 (S180)	1	ERVS
75-02-9210	>	-- Side Warning Lights Low Intensity Single Flash 60	1	ERVS
75-03-0045		-- Side Warning Lights are Fwd Blue / Rwd Red with Clear Lenses	1	ERVS
75-02-1200		-- NO Upper Side Lights Switch	1	ERVS
72-2M-005T		-- Upper Zone C Warning - Whelen - red/blue lights (S180-4106/4114)	1	ERVS
72-2M-014T		-- Zone C (2) L31H LED Beacons - red/blue lights (S180)	1	ERVS
75-04-0030		-- Rear Warning Lights are Red LH/Blue RH with Clear Lenses	1	ERVS
78-30-001S		-- (2) Aluminum Diamond Plate Upper Zone C Fabricated Light Box (S180)	1	ERVS
72-2M-123S		-- Aux Upper Zone C - (2) Whelen M6 Series Super-LED, Chrome Bezels (S180)	1	ERVS
75-01-0095		-- Rear Warning Lights programmed for TripleFlash 75 In/Out (S180)	1	ERVS
75-02-9120	>	-- Rear Warning Lights Low Intensity Triple Flash 75 In/Out	1	ERVS
75-04-001S		-- Rear Warning Lights are Amber with Clear Lenses (S180)	1	ERVS
72-2M-1300		-- NO Auxiliary Mid Height Zone C Warning-Whelen	1	ERVS
75-02-1430	>	-- Upper Rear Warn Lights Switched w/E-Master & Secondary Switch (Vehicle Display)	1	ERVS
74-2A-105T		Whelen Lower LED Lighting Package - red/blue lights (SC-S180)	1	ERVS
74-2B-000S		-- Lower Zone A Warning -Whelen (S180)	1	ERVS
74-2B-0010	>	-- Lower Zone A Warning (Chassis Provided)	1	ERVS
74-2B-5000		-- NO Auxiliary Lower Zone A Warning	1	ERVS
75-18-0002		-- Lower Front Warning Lights switched (Chassis Provided)	1	ERVS
74-2F-005T		-- Lower Zone B&D Warning - Whelen - red/blue lights (SC-S180)	1	ERVS
74-2F-400T		-- Zone B&D - (4) Whelen M6 Series Super-LED, Chrome Bezels - red/blue lights(S180)	1	ERVS
75-05-0295		-- Side Warning Lights programmed for TripleFlash 75 Flash In/Out	1	ERVS
75-06-0220	>	-- Side Warning Lights Low Intensity Triple Flash 75 In/Out	1	ERVS
75-11-0040		-- Side Warning Lights are Red/forward-Blue/rearward with Clear Lenses	1	ERVS
75-15-0122		-- (4) Side Lights Located- Forward Rear Wheel Panel/Tailboard	1	ERVS
74-2F-5000		-- NO Auxiliary Lower Zone B/D Warning	1	ERVS
74-6J-0015	>	-- Lower Zones B&D Cast Alum Angled Light Housing w/ Painted Insert (>13.5" tlbrd)	1	ERVS
75-18-0120		-- Lower Side Warning Lights Switched w/E-Master & Secondary Switch (Vehicle Disp)	1	ERVS
74-2J-000T		-- Lower Zone C Warning -Whelen - M9 - red/blue lights (S180)	1	ERVS
74-2J-010T		-- Zone C - (2) Whelen M9 Series Super-LED, Chrome Bezels - red/blue lights (S180)	1	ERVS
75-05-0495		-- Rear Warning Lights programmed for TripleFlash 75 Flash In/Out	1	ERVS
75-06-0320	>	-- Rear Warning Lights Low Intensity Triple Flash 75 In/Out	1	ERVS
75-12-0045		-- Rear Warning Lights are Blue LH/Red RH with Clear Lenses	1	ERVS
75-18-0220		-- Lower Rear Warning Lights Switched w/E-Master & Secondary Switch (Vehicle Disp)	1	ERVS
75-20-036S	>	-- Whelen Super LED Brake/Turn/Back-Up Assembly, M9-Series (S180)	1	ERVS
75-20-0800		-- Individual Bezel Mounts, Chrome	1	ERVS
75-20-1010		-- Taillights with Clear Lenses	1	ERVS
75-21-0010		-- Backup Lights to illuminate in reverse only	1	ERVS
75-25-301S	>	TecNiq S17 RED DOT Lighting - (7 total LED) - center lights low at rear (S180)	1	ERVS
75-25-6000	>	-- (1 per side) TecNiq Intermediate Amber Lighting (Req. for apparatus >30'	1	ERVS

PART NO	S	DESCRIPTION	QTY	ID
75-25-9010		-- Intermediate Turn Signals (mid turn, steady burn)	1	ERVS
75-26-0000		-- NO Britax lighting	1	ERVS
75-28-0000		-- NO Auxiliary Side DOT lighting	1	ERVS
75-30-0010		-- NO Auxiliary Side Turn Signal	1	ERVS
75-30-5100		-- Marker Lights - Clear Lens	1	ERVS
76-29-0005		NO Body Side Back Up Lights	1	ERVS
76-30-002S		Rear Directional Light Bar (S180)	1	ERVS
76-30-502S		-- Whelen Individual IONs-Amber, Black Bezls, (8 lights hose bed cover cap) (S180)	1	ERVS
76-31-001S		-- Whelen TACTL5 Control Head (S180)	1	ERVS
76-32-0000		-- Control Head Mounted In Chassis Supplied Panel Cutout	1	ERVS
76-33-0510	>	-- Black Superliner Coating for RDL	1	ERVS
76-70-0005		-- NO Side Directional Light Bar	1	ERVS
77-00-001S		Camera System (S180)	1	ERVS
77-00-005S		-- Camera System (Chassis Provided) (S180)	1	ERVS
77-01-0050		-- Rear camera mount underside of intermediate step (Chassis Provided Camera)	1	ERVS
77-01-5100		-- NO AUX Camera Monitor/ Camera System	1	ERVS
77-06-0000		NO Rear/Body Collision Avoidance/Sensor System	1	ERVS
12-VOLT AUXILIARY POWER RECEPTACLES, FUSE BLOCKS, GRND STUDS				ERVS
78-40-0200		NO 12-Volt Cigarette Lighter Style Outlet - 15 amp	1	ERVS
78-40-0210		NO 12-Volt Power & Ground Studs - 40 amp	1	ERVS
78-40-0220		NO 12-Volt Blue Sea Fuse Block, 6 position - 40amp batt direct	1	ERVS
78-40-0230		NO 12-Volt Dual USB 2.4A Receptacle (Batt Direct)	1	ERVS
78-40-0240		NO 12-Volt Dual USB 2.4A Receptacle (On with Master Batt)	1	ERVS
78-44-011S		12V Scene Lighting Options (S180)	1	ERVS
78-45-002S		-- (2) Stationary Scene lights located one each side rear corner (S180)	1	ERVS
78-50-8005		-- Side Scene Lights far outboard corners-NO Surface Mount Warning lights	1	ERVS
78-51-0230	>	-- Whelen Pioneer + Super-LED w/single combo optics, (PCH2), White Hsng, Chrm Bzl	2	ERVS
82-60-253S	>	-- Body Side Scene light(s) switch on the display & pump pnl-rckr swtch (S180)	1	ERVS
78-45-002U		-- (2) Stationary Scene lights located back of body, one each side (S180)	1	ERVS
78-50-8105		-- Rear Scene Lights, outboard corners-NO Surface Mount Warning lights	1	ERVS
78-51-0250		-- Whelen M9 Gradient Series Super-LED, Scene Light, Chrome Flange	2	ERVS
82-60-352S		-- Rear Scene light(s) switched on the vehicle display & rckr swtch on pp (S180)	1	ERVS
78-45-0035		-- NO 12 Volt Front Brow Scene Lights (Check SPARcon 1st on custom cabs)	1	ERVS
78-45-0040		-- NO 12 Volt Pedestals Scene Lights	1	ERVS
78-45-0045		-- NO 12 Volt "TOP" Mount Telescoping Scene Lights	1	ERVS
78-45-0060		-- NO 12 Volt "SIDE" Mount Telescoping Scene Lights	1	ERVS
80-05-000S		NO Generator/NO Dealer Installed Inverter (S180)	1	ERVS
80-80-0010		-- NO Line Voltage Outlets (120V/Shorepower)	1	ERVS
83-00-0500		NO 12VDC or 120VAC Light Tower Package	1	ERVS
== S180 Model 4106 Side Control Pumper - Extras - 10.310 10/01/24 ==				ERVS
88-50-0100	>	=LETTERING & STRIPING / PDF=	1	ERVS
88-50-025S		Striping-Reflective (S180)	1	ERVS
88-50-0500		-- Reflective Stripe - Dealer Supplied & Installed	1	ERVS
88-53-200S		Diamond Grade Retro-Reflective Chevron Striping (REAR) - w/ Bumper Chevron(S180)	1	ERVS
88-53-501S		-- Chevron Striping on Severe Duty Front Bumper (S180)	1	ERVS
88-53-6010	>	-- Chevron Striping to be Red/Fluorescent Yellow Green	1	ERVS
88-54-010S		Body Lettering (S180)	1	ERVS
88-54-0200		-- Fire Department Supplied Body/Cab Lettering	1	ERVS
88-54-9900		-- NO Auxiliary Lettering-Body	1	ERVS
88-54-9910		-- NO Additional Lettering-Body	1	ERVS
88-55-001S		Decals (S180)	1	ERVS
88-55-0100		-- Fire Department Installed Decals	1	ERVS



EMERGENCY RESPONSE

CHASSIS: SPARTAN METRO STAR EMFD 10" RR
 ENGINE: CUMMINS L9 450HP
 TRANSMISSION: ALLISON 3000 EVS
 AXLES: 22,800# FRONT / 27,000# REAR
 MODEL: 4106 STAR PUMPER
 WATER/FOAM: 1000 / 20 GALLONS
 PUMP: WATEROUS CSU 2000GPM DE-RATED TO 1500 GPM
 FOAM SYSTEM:
 GENERATOR: N/A

DOOR FRAMED OPENINGS

COMPARTMENT	DOOR FRAMED OPENING
L1	46.5-W x 70.0-H
L2	62.0-W x 43.0-H
L3	46.5-W x 70.0-H
R1	46.5-W x 70.0-H
R2	62.0-W x 43.0-H
R3	46.5-W x 70.0-H
BI	38.0-W x 33.0-H

SPECIAL NOTES:

CUSTOMER

THIS DRAWING IS A CLOSE APPROXIMATION OF YOUR FIRE APPARATUS. IN ALL CASES WHERE THE DRAWING AND THE WRITTEN SPECIFICATION DIFFER, THE SPECIFICATION SHALL PREVAIL. PLEASE WORK WITH YOUR DEALER TO ASSURE THAT THE WRITTEN SPECIFICATION REPRESENTS WHAT YOU WANT IN YOUR FINISHED PRODUCT. SPARTAN EMERGENCY RESPONSE BUILDS TO THE WRITTEN SPECIFICATION, NOT THE DRAWING TO ASSURE THAT YOUR NEEDS ARE MET.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPARTAN EMERGENCY RESPONSE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPARTAN EMERGENCY RESPONSE IS PROHIBITED. SPARTAN FIRE, LLC. D/B/A SPARTAN EMERGENCY RESPONSE.







REV	DATE	DESCRIPTION	NAME
4	4/19/24	GRAPHICS UPDATE	NS/JM/AN
3	3/28/24	WIDER PUMP HOUSE	NS/JM/AN
2	3/14/24	CUSTOMER UPDATES	NS/JM/AN
1	3/5/24	CUSTOMER UPDATES	JM
0	12/19/23	INITIAL PROPOSAL	JM/NS/AN

SCALE: NOT TO SCALE

CUSTOMER:

TRUCK NUMBER: MODEL 4106
 DEALER:

*** OPTIONAL CONTENT NOT SHOWN ***
 REFER TO QUOTEWRITER SPECIFICATIONS FOR FULL OPTION CONTENT





Proposal for a Spartan 4106 S180 Pumper

October 8th, 2024

This proposal has been prepared for:

City of Lansing, Kansas

We hereby propose to furnish to you, subject to proper signature of this proposal, by you and an officer of Ed M Feld Equipment Co Inc, dba Feld Fire, the following Pumper and Equipment to be built in accordance with the attached Spartan Metro Star S180 Specifications.

Upon completion of contract, (1) one Spartan Metro Star S180 4114 Pumper as specified by customer for **a purchase price for the apparatus, per HGACBuy Contract FS12-23 confirmed terms and fair price, the sum: Eight Hundred Fifty-One Thousand Five Hundred One Dollars and zero cents (\$851,501.00).**

- Delivery to Feld Fire for final inspection and any upfit needed shall be **245 days from contract signing**, pending a signed contract between City of Lansing, and Feld Fire.
- Spartan Motors includes a 2-year bumper to bumper warranty, serviced entirely by Feld Fire.
- ○ Price Proposal is good until end of business day November 5th, 2024
- ○ Prepayment options are available if paid within 30 days of contract signing:
 - ○ 100% Prepay would give you an additional savings of \$21,874.00
 - ○ 80% Prepay would give you an additional savings of \$17,499.00
 - ○ 50% Prepay would give you an additional savings of \$10,937.00

We appreciate the opportunity to work with you on the purchase of a new pumper,

Sincerely,

Spencer Stephens, Apparatus Sales Specialist

Spencers@feldfire.com

(816) 810-2811

A division of **ED M. FELD EQUIPMENT CO., INC.**

113 North Griffith Road • Carroll, Iowa 51401 • T 800 568 2403 • F 712 792 6658 • www.feldfire.com
 1330 NW Jefferson St., Grain Valley, MO 64029 T 816-443-2738 F 816-443-2864
 10403 Baur Blvd St E., Olivette, MO 63132



Submitted to Customer By: Spencer Stephens on October 8th,, 2024

Feld Sales Representative Signature _____

This Contract is agreed to by the parties as of the Effective Date

Feld Fire
Print

Customer: _____
Print

By: _____
Feld Fire Authorized Signature

By: _____
Customer Signature

Print Name

Print Name

Date

Date

CITY OF LANSING LIBRARY

SEPTEMBER 2024 RECAP




A MESSAGE FROM THE DIRECTOR

In September, we had the honor of hosting retired US Army Colonel and local author Kevin C.M. Benson, who shared riveting insights from his latest book, *Expectation of Valor: Planning the Iraq War*.

With stories that kept everyone on the edge of their seats, Colonel Benson took us behind the scenes of pivotal moments in military history. The audience was fully engaged, sparking a lively and thought-provoking conversation. It was an unforgettable evening of storytelling and reflection!

MONTHLY CIRCULATION: PHYSICAL & DIGITAL CHECKOUTS



A SNAPSHOT OF LIBRARY USAGE FOR SEPTEMBER 2024

2035
PATRON VISITS


162
PATRONS PARTICIPATED IN
20 PROGRAMS

2247
PHYSICAL CHECKOUTS

985
DIGITAL CHECKOUTS

IN 2024...

18,585 PEOPLE 
have visited the library

33,061 ITEMS 
borrowed, digital and physical

14,483 SESSIONS 
logged for wi-fi and public computer usage.

1,407 CHILDREN 
received take-home craft kits, sponsored by the Friends of the Library

City Clerk's Office/Building Maintenance Vehicle and Equipment Report

Vehicles

Year	Make	Model	Description	Mileage Start	Mileage Ending	Miles Driven	Comments
2023	Ram	1500	SSV Pickup	2696	2,905	209	
						0	
						0	
						0	
						0	
Total						209	

Equipment

Year	Make	Model	Description	Hours Start	Hours End	Hours Used	Comments
2018	Advance	SC1500	AutoScrubber Floor Machine	74.81	74.81	0	Community Center Cleaning
2018	Kubota	ZG227-A	Mower	400	404.8	4.8	
2021	Kaivac	1750	Cleaning Machine	12.9	12.9	0	
						0	
						0	
						0	
Total						4.8	

Lansing Community and Economic Development Department

Monthly Fleet Report

Month September **Year** 2024

Vehicles

Year	Make	Model	License Plate #	Description	Mileage Starting	Mileage Ending	Miles Driven	Comments
2015	Dodge	Journey	A6545	SUV	86,030	86,756	726	
2019	Ford	Ecosport	A4358	SUV	13,811	14,063	252	
2022	Dodge	Ram	D100764	1500 Pick up Truck	9,166	9,766	600	

Parks and Recreation Fleet Report September 2024

Vehicles:

Year	Make	Model	Description	Mileage Start	Mileage Ending	Miles Driven	Current Use	Comments
2006	Dodge	Caravan	Minivan	56,394	56,684	290	AC/Parks use	
2014	Ford	F-350	Dump Truck	26,825	26974.0	149	Parks maintenance	
2016	Jeep	Patriot	SUV	67,906	67931	25	Activity Center use	
2017	Chevrolet	Silverado	Truck	29,895	30289	394	Parks maintenance	
2018	Ford	F-350	4-DR Crew	46,424	47070	646	Parks maintenance	
Total						1504.00		

Equipment:

Year	Make	Model	Description	Hours Start	Hours End	Hours used	Current Use	Comments
1992	Massey Ferguson	1020	Tractor	1993	1993.8	0.8	Parks maintenance	
2005	Kubota	F3060	Mower	455.7	461	5.3	Parks maintenance	
2007	Turbo Tool Cat	5600	Utility Vehicle	1349.9	1354.2	4.3	Parks maintenance	
2012	Wright	ZK	Stander Mower	1246.5	1254.3	7.8	Parks maintenance	
2016	ABI	Force	Infield Groomer	411.4	412.8	1.4	Parks maintenance	
2017	Kubota	ZD1211	Mower	1158	1196.7	38.7	Parks maintenance	
2018	Polaris	Ranger	Utility Vehicle	565.2	565.2	0	Parks maintenance	<i>OUT FOR SERVICE</i>
2019	Exmark	LZ 72	Mower	897	922	25	Parks maintenance	
2019	Emark	LZ 96	Mower	369.7	373.9	4.2	Parks maintenance	
2020	Kubota	ZD1211	Mower	659.1	687.9	28.8	Parks maintenance	
2022	Wright	ZK	Stander Mower	83.3	84.3	1	Parks maintenance	
2024	Cushman	Hauler Pro Elite	Golf Cart	7.6	7.9	0.3	Parks maintenance	
Total						117.60		

Lansing Police Department
 Vehicle Fleet End of Month Report

Sep-2024

Unit	VIN Last 4	Year	Make/Model	Mileage as of 9/1	Mileage as of 10/1	Miles Driven	Assigned/ Current Use	Future Use	Comments
1	9291	2023	Dodge Durango	9436	10136	700	Chief	Chief	Limited use Chief
2	4459	2021	Dodge Durango	15635	16077	442	Captain	Captain	Limited use Captain
3	6163	2017	Dodge Charger	100195	100195	0	Lieutenant	Lieutenant	Limited use Lieutenant / Not in use
4	Reserved								
5	Reserved								
6	9963	2023	Dodge Durango	16113	17451	1338	Patrol	Sergeant	
7	Reserved								
8	Reserved								
9	Reserved								
10	4004	2018	Ford Explorer	43038	43356	318	SRO	SRO	Limited use SRO
11	4219	2024	Dodge Durango		112	112	New	Patrol	Not assigned
12	5335	2019	Dodge Durango	60673	62609	1936	Patrol	Patrol	
13	6270	2017	Dodge Charger	92264	92959	695	Patrol	Patrol	
14	5064	2022	Dodge Ram	18696	19534	838	Patrol	Patrol	
15	4580	2021	Dodge Durango	51634	53183	1549	Patrol	Patrol	
16	4003	2018	Ford Explorer	45200	46726	1526	Patrol	Patrol	
17	5063	2022	Dodge Ram	18418	19536	1118	Patrol	Patrol	
18	4458	2021	Dodge Durango	51893	52609	716	Patrol	Patrol	
				Mileage Total:		11288			

**Lansing Public Works Department
Monthly Fleet Report**

Month September Year 2024

Vehicles

Year	Make	Model	License Plate #	Description	Mileage Starting	Mileage Ending	Miles Driven	Comments
2022	Dodge	Ram 2500	B3859	Pick-up	4,312	4,455	143	
1998	Ford	1/2 ton	48091	Pick-up	75,022	75,173	151	
2005	Sterling	LT 8500	64614	Dump Truck	64,106	64,119	13	
2007	Elgin	Crosswind J+	70295	Street Sweeper	7,680	7,680	0	
2017	Chevrolet	3500	88437	Pick-up Truck	39,806	40,116	310	
2011	International	7400	75269	Dump Truck	25,445	25,490	45	
2016	Ford	F350 4x4	88468	One-ton Dump Truck	22,885	22,932	47	
2013	Ford	Explorer	80551	SUV	85,977	86,187	210	
2020	Chevrolet	3500	A8914	One-ton Dump Truck	11,181	11,206	25	
2005	Mack	Granite	B0282	Dump Truck	55,916	55,916	0	
2005	Ford	Ranger	57932	LT- Pick-up Ext	53,347	53,347	0	

Equipment

Year	Make	Model		Description	Hours Starting	Hours Ending	Hours Used	Comments
1997	JD	770BH		Grader	5,195	5,195	0	
2004	IR	DD-24		Asphalt Roller	339	340	1	
2006	IR	185		Air Compressor	244	244	0	
1997	Bobcat	763		Skid Steer	2,386	2,386	0	
2014	Case	580 SNWT		Backhoe	2,182	2,184	2	
2002	Crafco	110		Crack Sealer	902	902	0	
2009	Case	465		Skid Steer	909	912	3	
2018	John Deere	5065E		Tractor	301	306	0	
2018	Vermeer	BC1000		Chipper	22	22	0	
2022	Case	SV280B		Skidsteer	151	155	4	
2023	Bobcat	CT5558		Tractor	39	41	2	

September

City Influent	23.46 MG	City Avg Daily	.782 MGD
LCF Influent	3.91 MG	LCF Daily Avg	.130 MG
Total Biosolids	.973 MG	Precip	1.33 inches

Vehicles

Year	Make	Model	Description	Mileage Start	Mileage Ending	Miles Driven	Current Use	Comments
1999	Sterling	Vactor	Jet Truck	9015	9015	0	Collection System	
2012	Chevrolet	Tahoe	SUV	117028	117181	153	Ops/Maint.	
2019	Ford	F250	Pick Up Truck	13350	13560	210	Ops/Maint.	
2019	Ford	F250	Flatbed Truck	6160	6267	107	Ops/Maint.	
2023	Polaris	Ranger	Ops Utility	585	633	48	Operations	
2023	Polaris	Ranger	Maint Utility	298	304	6	Maintenance	
2005	Freightliner	M2106	Dump Truck	28079	28145	66	Biosolids Disposal	
Total						590		

Equipment

Year	Make	Model	Description	Hours Start	Hours Ending	Hours Used	Current Use	Comments
1991	Case	1825	Uni-Loader	998	998	0	Plant Activities	
1999	Sterling	Vactor	Jet Truck	257.5	257.5	0	Collection System	
2004	John Deere	7920	Tractor	1406	1407	1	Biosolids Disposal	
2004	Case	621D	Loader	2615	2618	3	Operations	
2023	Polaris	Ranger	Ops Utility	184	196	12	Operations	
2023	Polaris	Ranger	Maint Utility	110	113	3	Maintenance	
2006	JCB	531-70	Telehandler	739	741	2	Plant Activities	



City of Lansing
800 First Terrace
Lansing, Kansas 66043

City Administrator's Report
October 17, 2024

Agenda Items:

A request to replace a 2014 Ford F350 diesel dump truck in the Parks & Recreation Department with a one-ton gasoline truck is on the agenda. If approved, staff would solicit bids from vendors and return to the City Council with final bids for approval or disapproval. This truck has recurring maintenance issues, with several thousands of dollars regular being spent on repairs. Based on comparable vehicles, we anticipate receiving approximately \$30,000 if auctioned off on Purplewave.com. If staff comes back in January with bids that exceeds \$90,000, the Council will still have the authority to decline.

Acquisition of a Spartan S180, Model 4106 Pumper Truck is on the agenda. The contract states a delivery time of 245 days from the signing of the contract, which would put delivery in mid-June. Purchase price for this is listed as \$851,501 upon delivery, or \$829,627 if paid for up front. Just under \$400,000 in funds from what used to be ARPA funds can be utilized for half of the purchase, while the remaining funds would come from cash dispersal upon FD1 dissolution. Acquisition of this truck would incur no debt nor have an impact on property taxes; however, if we pay up front, this will make our reserves appear less than they normally would since we will not receive dissolution funds until February or March of 2025. The price includes a \$15,000 allowance on intake valves, deck gun monitors, radio installation, etc. If only \$10,000 of the equipment allowance is used, the remainder would be refunded to the City. The lifespan on a truck of this caliber is anticipated to be between 20-25 years.

A proclamation for Military Retiree Appreciation Day is on the agenda.

A proclamation for Kansas Reads to Preschoolers Month is on the agenda.

The November 7th meeting will include approval of the Town Center Sewer Project bids, as well as selection of a property/auto/casualty insurance broker.

Wastewater:

The McIntyre Sewer Project is substantially complete, with the final inspection slated for October 18th. All performance testing is completed. Final grading and temporary seeding is underway. This project was paid for partially by a GO Bond, a \$1.3Million grant from the State of Kansas, and Leavenworth County also contributed \$240,000 for design.

A draft report on the Inflow/Infiltration Project is under staff review, with a review meeting scheduled for October 23rd. All fieldwork is complete, including the few sewer mains that needed to have roots cut out and reinspected. Several buried manholes have also been located



City of Lansing
800 First Terrace
Lansing, Kansas 66043

within the project area, which have now been located, and a small project will be bid in October to raise those to grade so inspections can be performed. This project will identify defects and repairs in the collection system that contribute to excessive flows during heavy rain events.

The Town Centre Sewer Replacement Project is out to bid, with a bid opening scheduled for October 16th. The bids will be brought before the Council at the November 7th meeting. Construction should begin by the end of the year. Staff is meeting with affected landowners to review the project parameters and construction timeline. This is a comparatively smaller project compared to some of our recent projects, with a construction timeline of 120 days.

Easement exhibits and ownership reports for the Ida/Gamble Sewer Relocation project are wrapping up and will be forwarded to an appraiser for evaluation. 30% plans are expected the first week of September. This project will relocate sewers near this intersection that are oversized for the current flows to the new 7 Mile Creek 36” interceptor.

Public Works:

Staff is working to receive bids to repair/replace a rusting stormwater pipe. The pipe is located near the gas station along 4H Road. Staff is considering utilizing a pipe liner to avoid road closures.

Staff recently worked with an engineer to develop plans to make improvements to the bridge at Bernard Park. Staff will work to bid the project out in the future and ensure the work takes place during non-peak months.

New wayfinder signs from Young Sign Company were installed two weeks ago. In addition to the new wayfinder signs, older olive-green signs were removed on northbound and southbound traffic, decluttering and beautifying the signage near the intersection.

Update on ARPA Funds:

A summary of the total amount received from the federal government, and what we have spent the funds on is below. The ARPA funds need to be committed by 12-31-2024 and spent by 12-31-2026.

- \$1,823,526.76 American Rescue Plan Act Funds Received
- \$800,000 High Speed Internet in Lansing
- \$90,822 Sewer Improvements near Fairlane
- \$80,000 Sewer Improvements near First Terrace
- \$35,000 Economic Development Data (Buxton)
- \$314,667.73 Water Line Center Drive
- \$110,590.92 City Hall Building Repairs



City of Lansing
800 First Terrace
Lansing, Kansas 66043

- \$374,465.55 for J.M. Fahey-CIP Roadwork in Summer of 2024
 - (this allows the City to utilize previously allocated funds for fire equipment in 2025)

Meetings & Announcements:

There are multiple openings for Police Officer I/II. Interested candidates can apply by clicking on the “How Do I?” tab under the website homepage and clicking job opportunities. Starting pay is \$50,107/year, with opportunities for overtime. Officers with experience, education, or certification can be started higher on the pay scale. Additionally, the City offers a \$3,000 sign-on bonus for new, uncertified police officers!

The Volunteer Dinner is scheduled for Tuesday, January 7th in the Community Center.

Work on City Hall is continuing to progress. We expect some portions of the building to be painted this week, with carpeting set to begin next week. We are hopeful to be back in the City Hall building in November.

- Wednesday, October 16 Planning Commission Meeting, 7:00pm, Lansing Library
- Thursday, October 17 City Council Meeting, 7:00pm, Lansing Library
- Saturday, October 19 Fall Festival, Angel Falls Trail
- **Thursday, October 24 City Council Work Session, 7:00pm**
 - Joint Meeting with Delaware Township to Discuss Fire Protection Transition
 - Moved from 10-31 due to Halloween
- Saturday, October 26 Spooky Center, Lansing Activity Center
- Thursday, November 7 City Council Meeting, 7:00pm, Location TBD
- Monday, November 11 Veteran’s Day, City Offices Closed

Sincerely,

Tim Vandall



Kansas Reads to Preschoolers Month Proclamation

Whereas, Reading is the cornerstone of education, allowing each individual to pursue knowledge; and

Whereas, Knowledge is the finest asset we give to our children and the catalyst for achieving great things in life; and

Whereas, How well children learn to read affects how successful they are in school as well as how well they do throughout their lives, and

Whereas, Reading to babies, toddlers and preschoolers can have an incredible effect on their reading capacity; and

Whereas, Kansas Reads to Preschoolers Month, a celebration of the written word, will encourage young people to discover the complexity of the world beyond their own experience; and

Whereas, The Kansas Center for the Book at the State Library of Kansas desires to assure that all Kansas children age 0-5 years are read to during Kansas Reads to Preschoolers Month;

Whereas, The book "How Do You Hug a Porcupine?" written by Laurie Isop and illustrated by Gwen Millward has been chosen for this year's Kansas Reads to Preschoolers project; and

Now, Therefore, be it resolved that I, Anthony R. McNeill, Mayor of the City of Lansing, do hereby recognize the month of November 2024 as

"Kansas Reads to Preschoolers Month"

and urge all citizens to join in celebration of the Kansas Reads to Preschoolers program and read "How Do You Hug a Porcupine?" to your special someone.

In witness thereof, I have hereunto set my hand and caused the official seal of the City of Lansing, Kansas to be affixed. This, the 17th day of October, in the year of Two Thousand and Twenty-four.

City of Lansing

Anthony R. McNeill, Mayor

Tish Sims, CMC, City Clerk