



**TOWN OF LOS GATOS  
PLANNING COMMISSION AGENDA  
SEPTEMBER 24, 2025  
110 EAST MAIN STREET  
TOWN COUNCIL CHAMBERS  
7:00 PM**

*Emily Thomas, Chair  
Kendra Burch, Vice Chair  
Jeffrey Barnett, Commissioner  
Susan Burnett, Commissioner  
Steven Raspe, Commissioner  
Joe Sordi, Commissioner  
Rob Stump, Commissioner*

**IMPORTANT NOTICE**

This is a hybrid/in-person meeting and will be held in-person at the Town Council Chambers at 110 E. Main Street and virtually through the Zoom webinar application (log-in information provided below). Members of the public may provide public comments for agenda items in-person or virtually through the Zoom webinar by following the instructions listed below. The live stream of the meeting may be viewed on television and/or online at [www.LosGatosCA.gov/TownYouTube](http://www.LosGatosCA.gov/TownYouTube).

**PARTICIPATION**

The public is welcome to provide oral comments in real-time during the meeting in three ways:

**Zoom webinar (Online):** Join from a PC, Mac, iPad, iPhone or Android device: Please click this URL to join: <https://losgatosca.gov.zoom.us/j/84581980917?pwd=HBC1JDVAnlv95RNwWbWOUU0PKq949O.1>. Passcode: 943933. You can also type in 845 8198 0917 in the "Join a Meeting" page on the Zoom website at <https://zoom.us/join> and use passcode 943933.

When the Chair announces the item for which you wish to speak, click the "raise hand" feature in Zoom. If you are participating by phone on the Zoom app, press \*9 on your telephone keypad to raise your hand.

**Telephone:** Please dial (877) 402-9753 for US Toll-free or (636) 651-3141 for US Toll. (Conference code: 602463). If you are participating by calling in, press #2 on your telephone keypad to raise your hand.

**In-Person:** Please complete a "speaker's card" located on the back of the Chamber benches and return it to the Vice Chair before the meeting or when the Chair announces the item for which you wish to speak.

**NOTES:** (1) Comments will be limited to three (3) minutes or less at the Chair's discretion.  
(2) If you are unable to participate in real-time, you may email [planning@losgatosca.gov](mailto:planning@losgatosca.gov) with the subject line "Public Comment Item #\_\_" (insert the item number relevant to your comment).

(3) Deadlines to submit written public comments are:

- 11:00 a.m. the Friday before the Planning Commission meeting for inclusion in the agenda packet.
- 11:00 a.m. the business day before the Planning Commission meeting for inclusion in an addendum.
- 11:00 a.m. on the day of the Planning Commission meeting for inclusion in a desk item.

## MEETING CALL TO ORDER

## ROLL CALL

## PLEDGE OF ALLEGIANCE

**VERBAL COMMUNICATIONS** *(Members of the public may address the Commission on matters not listed on the agenda and are within the subject matter jurisdiction of the Commission. Unless additional time is authorized by the Commission, remarks shall be limited to three minutes.)*

**CONSENT ITEMS (TO BE ACTED UPON BY A SINGLE MOTION)** *(Before the Planning Commission acts on the consent agenda, any member of the Commission may request that any item be removed from the consent agenda. At the Chair's discretion, items removed from the consent calendar may be considered either before or after the Public Hearings portion of the agenda.)*

1. Draft Minutes of the September 10, 2025, Planning Commission Meeting

**PUBLIC HEARINGS** *(Applicants/Appellants and their representatives may be allotted up to a total of five minutes maximum for opening statements. Members of the public may be allotted up to three minutes to comment on any public hearing item. Applicants/Appellants and their representatives may be allotted up to a total of three minutes maximum for closing statements. Items requested/recommended for continuance are subject to the Commission's consent at the meeting.)*

2. Consider Making a Recommendation to the Town Council to Introduce an Ordinance Titled "An Ordinance of the Town of Council of the Town of Los Gatos Replacing Town Code Section 29, Article IX, 'Floodplain Management.'" Town Code Amendment Application A-25-004. Exempt from CEQA Pursuant to Section 15061 (b)(3), because the Ordinance makes Changes to Floodplain Management Land Use Regulations Involving No Physical Activities at this Time. Project Location: **Townwide**. Applicant: Town of Los Gatos.

## REPORT FROM THE DIRECTOR OF COMMUNITY DEVELOPMENT

## SUBCOMMITTEE REPORTS / COMMISSION MATTERS

**ADJOURNMENT** *(Planning Commission policy is to adjourn no later than 11:30 p.m. unless a majority of the Planning Commission votes for an extension of time.)*

**ADA NOTICE** In compliance with the Americans with Disabilities Act, if you need special assistance to participate in this meeting, please contact the Clerk's Office at (408) 354-6834. Notification at least two (2) business days prior to the meeting date will enable the Town to make reasonable arrangements to ensure accessibility to this meeting [28 CFR §35.102-35.104].

**NOTE** The ADA access ramp to the Town Council Chambers is under construction and will be inaccessible through June 2025. Persons who require the use of that ramp to attend meetings are requested to contact the Clerk's Office at least two (2) business days prior to the meeting date.

**NOTICE REGARDING SUPPLEMENTAL MATERIALS** Materials related to an item on this agenda submitted to the Planning Commission after initial distribution of the agenda packets are available for public inspection at Town Hall, 110 E. Main Street, Los Gatos and on the Town's website at [www.losgatosca.gov](http://www.losgatosca.gov). Planning Commission agendas and related materials can be viewed online at <https://losgatos-ca.municodemeetings.com/>.

*Planning Commission meetings are broadcast Live on KCAT, Channel 15 (on Comcast) on the 2<sup>nd</sup> and 4<sup>th</sup> Wednesdays at 7:00 p.m.  
Live and Archived Planning Commission meetings can be viewed by going to:  
[www.LosGatosCA.gov/TownYouTube](http://www.LosGatosCA.gov/TownYouTube)*

***This Page  
Intentionally  
Left Blank***



**TOWN OF LOS GATOS  
PLANNING COMMISSION  
REPORT**

MEETING DATE: 09/24/2025

ITEM NO: 1

---

**DRAFT  
MINUTES OF THE PLANNING COMMISSION MEETING  
SEPTEMBER 10, 2025**

The Planning Commission of the Town of Los Gatos conducted a Regular Meeting on Wednesday, September 10, 2025, at 7:00 p.m.

**MEETING CALLED TO ORDER AT 7:00 PM**

**ROLL CALL**

Present: Chair Emily Thomas, Vice Chair Kendra Burch, Commissioner Jeffrey Barnett, Commissioner Susan Burnett, Commissioner Steve Raspe, Commissioner Joseph Sordi, Commissioner Rob Stump.

Absent: None.

**PLEDGE OF ALLEGIANCE**

**VERBAL COMMUNICATIONS**

**A. Munchkin**

- The Earthquakes are playing this weekend, and I'm wondering if you guys have any plans to safeguard the Town. I have been trying to push Project 2026, March Madness, Superbowl, and World Cup through Town Council.

**CONSENT ITEMS (TO BE ACTED UPON BY A SINGLE MOTION)**

**1. Approval of Minutes – August 27, 2025**

**MOTION:**                      **Motion by Commissioner Burnett to approve adoption of the Consent Calendar. Seconded by Commissioner Raspe.**

**VOTE:**                        **Motion passed 6-0 with Commissioner Stump abstaining.**

**PUBLIC HEARINGS**

**2. 14331 Capri Drive**

Zone Change Application Z-23-005

APN 406-32-004

Applicant: Gordon K. Wong

Property Owner: Ravi Kiran Vallamdas

Project Planner: Ryan Safty

Consider a request for approval of a Zone Change from O (Office) to R-1:8 (Single-Family Residential, Minimum Lot Size of 8,000 square feet). Categorically exempt pursuant to CEQA Guidelines Section 15061(b)(3): Common Sense Exemption.

Sean Mullin, Planning Manager, presented the staff report.

Opened Public Comment.

Kevin Yu, GKW Architects, Applicant

- We hope we can address the concerns and compliance work for this project that were brought up at the last hearing on June 25, 2025. The primary concern at that hearing was the mass of the house, and per Planning Commission recommendation we set the second story front face back five feet. By incorporating the five-foot setback at the second story the floor area has been reduced by 338 square feet, the FAR has been reduced from 26.8 percent to 24.2 percent, and lot coverage has been reduced from 22.5 percent to 22.26 percent. We made three changes discussed at the last hearing: 1) window reduction at the southside at the master bedroom; 2) eliminated 1-foot bump-out and flushed that wall to align; and 3) provided six additional privacy screen trees to ensure privacy for the next-door neighbor.

Closed Public Comment.

Commissioners discussed the matter.

**MOTION:**                      **Motion by Commissioner Barnett** to recommend that the Town Council approve a Zone Change Application for 14331 Capri Drive. **Seconded** by **Vice Chair Burch**.

**VOTE:**                        **Motion passed unanimously.**

**3. 15860-15894 Winchester Boulevard and 17484 Shelburne Way**

Architecture and Site Application S-25-034

Conditional Use Permit Application U-25-004

Variance Application V-25-001

Subdivision Application M-25-007

APNs 529-11-013, -038, -039, and -040

Property Owner/Applicant: Green Valley Corp. d.b.a. Swenson

Project Planner: Sean Mullin

Consider a request for approval of a one-year time extension for the existing Architecture and Site (S-21-008), Conditional Use Permit (U-21-010), Variance (V-21-003), and Lot Merger (M-22-008) applications to demolish one existing office and three residential buildings, construct an assisted living and memory care facility, a variance from the maximum height and lot coverage of the zone, merger of four lots into one, and removal of large protected trees on property zoned O. A Negative Declaration (ND-22-001) was adopted for this project.

Sean Mullin, Planning Manager, presented the staff report.

Opened Public Comment.

Mark Pilarczyk, Green Valley Corp., Applicant

- We're here tonight for the extension due to capital markets. There is more cautious optimism in the capital markets now than in the past three years, and the fact that we expect to see interest rate reduction in September from the feds will help push that argument forward, so we hope to be in a much more favorable position within this one year. We are not changing anything from the original approval except for the updates to code.

Closed Public Comment.

Commissioners discussed the matter.

**MOTION:**                    **Motion by Chair Thomas** to approve a one-year time extension for the existing Architecture and Site (S-21-008), Conditional Use Permit (U-21-010), Variance (V-21-003), and Lot Merger (M-22-008) applications.  
**Seconded by Commissioner Stump.**

**VOTE:**                    **Motion passed unanimously.**

**OTHER BUSINESS**

**REPORT FROM THE COMMUNITY DEVELOPMENT DEPARTMENT**

Joel Paulson, Director of Community Development

- None.

**SUBCOMMITTEE REPORTS/COMMISSION MATTERS**

None.

**ADJOURNMENT**

The meeting adjourned at 7:34 p.m.

This is to certify that the foregoing is a true  
and correct copy of the minutes of the  
September 10, 2025 meeting as approved by the  
Planning Commission.

---

/s/ Vicki Blandin





**TOWN OF LOS GATOS  
PLANNING COMMISSION  
REPORT**

MEETING DATE: 09/24/2025

ITEM NO: 2

---

DATE: September 19, 2025  
TO: Planning Commission  
FROM: Joel Paulson, Community Development Director  
SUBJECT: Consider Making a Recommendation to the Town Council to Introduce an Ordinance Titled "An Ordinance of the Town of Council of the Town of Los Gatos Replacing Town Code Section 29, Article IX, 'Floodplain Management.'" Town Code Amendment Application A-25-004. Exempt from CEQA Pursuant to Section 15061 (b)(3), because the Ordinance makes Changes to Floodplain Management Land Use Regulations Involving No Physical Activities at this Time. Project Location: **Townwide**. Applicant: Town of Los Gatos.

RECOMMENDATION:

Forward a recommendation to the Town Council to introduce an Ordinance titled "An Ordinance of the Town of Council of the Town of Los Gatos replacing Town Code Section 29, Article IX, 'Floodplain Management.'"

CEQA:

Adopting this Ordinance is exempt pursuant to CEQA, Section 15061(b)(3), because it can be seen with certainty that the draft Ordinance will not significantly affect the physical environment in that draft Ordinance makes changes to floodplain management land use regulations involving no physical activities at this time. Future projects would be subject to CEQA.

FINDINGS:

- The proposed amendments are exempt pursuant to CEQA, Section 15061(b)(3); and
- The proposed amendments to Chapter 29 of the Town Code are consistent with the General Plan.

PREPARED BY: Nicolle Burnham  
Parks and Public Works Director

---

Reviewed by: Planning Manager and Community Development Director

---

ACTION:

The Planning Commission will forward a recommendation on the proposed Town Code amendments to the Town Council who will render the final decision.

BACKGROUND:

The National Flood Insurance Program (NFIP) was established by the federal government in 1968 to provide insurance for properties in areas at risk of flooding that could not otherwise be insured in the private marketplace. The NFIP provides flood insurance to property owners, businesses, and renters within communities that agree to participate in the program. The Town of Los Gatos has participated in the National Flood Insurance Program since January 17, 1979.

The Town's ongoing participation in and compliance with the requirements of the NFIP is required for local residents and property owners to secure flood insurance. While the Town's flood risk is relatively minor based on the Santa Clara County Flood Insurance Study and the adopted Flood Insurance Rate Maps (FIRM), residents are still encouraged to seek flood insurance, even if they are not in a mapped floodplain. This is not possible if the Town does not comply with the requirements of the NFIP.

On March 3, 2003, the Town Council adopted Ordinance 2109 and created the current version of the Town's Floodplain Ordinance, which is codified in Article IX of Chapter 29 of the Town Code. The Floodplain Ordinance is a critical component in the Town's compliance with the NFIP. Since 2003, the NFIP has made significant changes to floodplain management regulations and requirements, which the Town has not adopted. In early 2024, the Town was asked by the California Department of Water Resources (DWR) to complete a survey regarding our current Floodplain Ordinance. As a result of the Town's response to that survey, DWR encouraged the Town to update its ordinance to current standards.

DISCUSSION:

The language of the draft Ordinance (Exhibit 2) is based on template language provided by DWR and is compliant with the current NFIP. The proposed language represents a wholesale replacement of the Ordinance language. The new language updates the definitions, references the current effective FIRMs dated May 18, 2009, and outlines specific requirements for permitting structures within the mapped floodplain. This update also acknowledges the role the California Building Code plays in managing development and construction within the floodplain, whereas in the past the Building Code and Floodplain Codes were historically separate documents without direct linkage.

Development of the draft Ordinance was coordinated with the Chief Building Official, Community Development Director, the Santa Clara Valley Water District, California DWR, the Town Manager, Town Attorney, and the Finance Director.

CONCLUSION:

A. Summary

The draft Ordinance in Exhibit 2 would repeal and replace the Floodplain Ordinance in Chapter 29 (Zoning Regulations) of the Town Code.

- B. Staff recommends that the Planning Commission review the information included in the staff report and forward a recommendation to the Town Council for approval of the amendments to Chapter 29 of the Town Code in the draft Ordinance (Exhibit 2). The Planning Commission should also include any comments or recommended changes to the proposed amendments in taking the following actions:
1. Adopting this Ordinance is exempt pursuant to CEQA, Section 15061(b)(3), because it can be seen with certainty that the draft Ordinance will not significantly affect the physical environment in that draft Ordinance makes changes to floodplain management land use regulations involving no physical activities at this time. Future projects would be subject to CEQA (Exhibit 1);
  2. Make the required finding that the amendments to Chapter 29 of the Town Code in the draft Ordinance are consistent with the General Plan (Exhibit 1); and
  3. Forward a recommendation to the Town Council for approval of the proposed amendments to Chapter 29 of the Town Code in the draft Ordinance (Exhibit 2).

C. Alternatives

Alternatively, the Commission can:

1. Forward a recommendation to the Town Council for approval of the draft amendments with modifications; or
2. Continue the matter to a date certain with specific direction.

EXHIBITS:

1. Findings
2. Draft Ordinance

***This Page  
Intentionally  
Left Blank***

**PLANNING COMMISSION – September 24, 2025**  
**REQUIRED FINDINGS**

**Floodplain Ordinance Amendments**  
**Town Code Amendment Application A-25-004**

**Consider Making a Recommendation to the Town Council to Introduce an Ordinance Titled “An Ordinance of the Town of Council of the Town of Los Gatos Replacing Town Code Section 29, Article IX, ‘Floodplain Management.’” Town Code Amendment Application A-25-004. Exempt from CEQA Pursuant to Section 15061 (b)(3), because the Ordinance makes Changes to Floodplain Management Land Use Regulations Involving No Physical Activities at this Time. Project Location: Townwide. Applicant: Town of Los Gatos.**

**FINDINGS:**

**Required finding for CEQA:**

- Adopting this Ordinance is exempt pursuant to CEQA, Section 15061(b)(3), because it can be seen with certainty that the draft Ordinance will not significantly affect the physical environment in that the draft Ordinance makes changes to floodplain management land use regulations involving no physical activities at this time. Future projects would be subject to CEQA.

**Required consistency with the Town’s General Plan:**

- That the proposed amendments to Chapter 29 (Zoning Regulations) of the Town Code in the draft Ordinance are consistent with the General Plan.

***This Page  
Intentionally  
Left Blank***

## **DRAFT ORDINANCE**

### **AN ORDINANCE OF THE LOS GATOS TOWN COUNCIL AMENDING THE TOWN CODE TO REPEAL CHAPTER 29, ARTICLE IX, "FLOODPLAIN MANAGEMENT," AND REPLACE IT WITH A NEW CHAPTER 29, ARTICLE IX, "FLOODPLAIN MANAGEMENT," INCLUDING ADOPTION OF UPDATED FLOOD HAZARD MAPS.**

**WHEREAS**, the Legislature of the State of California has, in Government Code Sections 65302, 65560, and 65800, conferred upon local governments the authority to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry; and

**WHEREAS**, the Federal Emergency Management Agency has identified special flood hazard areas within the boundaries of the Town of Los Gatos ("Town") and such areas may be subject to periodic inundation which may result in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood protection and relief, and impairment of the tax base, all of which adversely affect the public health, safety, and general welfare; and

**WHEREAS**, the Town was accepted for participation in the National Flood Insurance Program on January 17, 1979 and the Los Gatos Town Council desires to continue to meet the requirements of Title 44 Code of Federal Regulations, Sections 59 and 60, necessary for such participation; and

**WHEREAS**, pursuant to the California Health and Safety Code, Division 13, Part 1.5 and Part 2.5, the Town is required to administer and enforce the *California Building Standards Code*, and such Building Codes contain certain provisions that apply to the design and construction of buildings and structures in flood hazard areas; and

**WHEREAS**, on September 24, 2025, the Planning Commission reviewed the proposed replacement of Chapter 29, Article IX, "Floodplain Management," of the Town Code, and found that the proposed replacement is consistent with the goals and policies of the Town's General Plan, and recommended adoption of the proposed replacement by the Town Council; and

**WHEREAS**, the amendments are consistent with the General Plan and its Elements; and

**WHEREAS**, the amendments are consistent with Chapter 29, "Zoning Regulations" of the Town Code; and

**WHEREAS**, the Planning Commission has determined that it is in the public interest to adopt the proposed floodplain management regulations that are coordinated with the *California Building Standards Code*.

**NOW, THEREFORE, BE IT ORDAINED** by the Town Council of the Town of Los Gatos that the following floodplain management regulations are hereby adopted.

**SECTION I. RECITALS.**

The foregoing whereas clauses are incorporated herein by reference and made a part hereof.

**SECTION II.**

This Ordinance specifically repeals and replaces the following ordinance(s) and regulation(s): Chapter 29, Article IX, "Floodplain Regulations," this Ordinance.

**CHAPTER 29, Article IX. FLOODPLAIN MANAGEMENT**

**DIVISION 1. GENERAL PROVISIONS**

**Sec. 29.90.015. Title.**

This Ordinance, in combination with the flood provisions of California Code of Regulations Title 24, the *California Building Standards Code* (hereinafter "Building Codes," consisting of the Part 2 (building), Part 2.5 (residential), Part 10 (existing building), and related codes, shall be known as the *Floodplain Management Regulations* of the Town of Los Gatos (hereinafter "this Ordinance").

**Sec. 29.90.020. Statutory authority.**

The Legislature of the State of California has, in Government Code Sections 65302, 65560, and 65800, conferred upon local governments the authority to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry.

**Sec. 29.90.025. Scope.**

The provisions of this Ordinance, in combination with the flood provisions of the Building Codes, shall apply to all proposed development entirely or partially in flood hazard areas established in Section 29.90.075 of this Ordinance.

**Sec. 29.90.030. Applicability.**

For the purposes of jurisdictional applicability, this Ordinance shall apply in the Town of Los Gatos. This Ordinance shall apply to all applications for development, including building permit applications and subdivision proposals, submitted on or after the effective date of this Ordinance.



## DIVISION 2. DEFINITIONS

### Sec. 29.90.035. General.

The following words and terms shall, for the purposes of this Ordinance, have the meanings shown herein. Where terms are not defined in this Ordinance and are defined in the Building Code (CCR Title 24 Part 2) and used in the Residential Code (CCR Title 24 Part 2.5), such terms shall have the meanings ascribed to them in those Codes. Where terms are not defined in this Ordinance or the Building Code, such terms shall have ordinarily accepted meanings such as the context implies.

### Sec. 29.90.040. Definitions.

*Accessory Structure* means a structure on the same parcel of property as a principal structure and the use of which is incidental to the use of the principal structure. For floodplain management purposes, the term includes only accessory structures used for parking and storage.

*Agricultural Structure* means a walled and roofed structure used exclusively for agricultural purposes or uses in connection with the production, harvesting, storage, raising, or drying of agricultural commodities and livestock, including aquatic organisms. Structures that house tools or equipment used in connection with these purposes or uses are also considered to have agricultural purposes or uses.

*Alteration of a watercourse* means a dam, impoundment, channel relocation, change in channel alignment, channelization, or change in cross-sectional area of the channel or the channel capacity, or any other form of modification which may alter, impede, retard, or change the direction and/or velocity of the riverine flow of water during conditions of the base flood.

*ASCE 24* means the standard *Flood Resistant Design and Construction*, referenced by the Building Code, developed and published by the American Society of Civil Engineers, Reston, VA. Where cited, ASCE 24 refers to the edition of the standard that is referenced by the Building Code.

*Base flood* means the flood having a 1-percent chance of being equaled or exceeded in any given year. [Also defined in CCR Title 24 Part 2.]

*Base flood elevation* means the elevation of the base flood, including wave height, relative to the National Geodetic Vertical Datum (NGVD), North American Vertical Datum (NAVD), or other datum specified on the Flood Insurance Rate Map (FIRM). [Also defined in CCR Title 24 Part 2.]

*Basement* means, for the purpose of floodplain management, the portion of a building having its floor subgrade (below ground level) on all sides. [Also defined in CCR Title 24 Part 2.]

*Building Code* means California Code of Regulations Title 24, the *California Building Standards Code*, the family of Building Codes specifically adopted by the State of California and composed of:

- (1) Part 2, applicable to buildings and structures other than dwellings within the scope of this part.
- (2) Part 2.5, applicable to one- and two-family dwellings, townhouses not more than three stories, and accessory structures.
- (3) Part 10, applicable to existing buildings (as defined in that code).
- (4) Other specified codes.
- (5)
- (6) Design flood means the flood associated with the greater of the following two areas:
- (7)
- (8) Area with a flood plain subject to a 1-percent or greater chance of flooding in any year.
- (9) Area designated as a flood hazard area on a Town's flood hazard map, or otherwise legally designated.

[Also defined in CCR Title 24 Part 2.]

*Design flood elevation* means the elevation of the "design flood," including wave height, relative to the datum specified on the Town's legally designated flood hazard map. In areas designated as Zone AO, the design flood elevation shall be the elevation of the highest existing grade of the building's perimeter plus the depth number (in feet) specified on the flood hazard map. In areas designated as Zone AO where a depth number is not specified on the map, the depth number shall be taken as being equal to 2 feet (610 mm). [Also defined in CCR Title 24 Part 2.]

*Development* means any manmade change to improved or unimproved real estate, including but not limited to, buildings or other structures, temporary structures, temporary or permanent storage of materials, mining, dredging, filling, grading, paving, excavations, drilling operations, flood control projects, and other land-disturbing activities.

*Encroachment* means the placement of fill, excavation, buildings, permanent structures or other development into a flood hazard area which may impede or alter the flow capacity of riverine flood hazard areas.

*Exceptional hardship* means, for the purpose of variances from this Ordinance or the Building Code, the exceptional difficulty that would result from a failure to grant a requested variance. Mere economic or financial hardship is not exceptional. Inconvenience, aesthetic considerations, physical handicaps, personal preferences, or the disapproval of one's neighbors do not, as a rule, qualify as exceptional hardships. All of these circumstances can be resolved through other means without granting variances, even when the alternatives are more expensive or require the property owner to build elsewhere or put the parcel to a different use

than originally intended.

*Existing manufactured home park or subdivision* means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) was completed before October 3, 1988.

*Expansion to an existing manufactured home park or subdivision* means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).

*Flood or flooding* means a general and temporary condition of partial or complete inundation of normally dry land from:

- (1) The overflow of inland or tidal waters.
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.
- (3) Mudslides (i.e., mudflows) which are proximately caused by flooding.

*Flood control project* means a dam or barrier design and constructed to keep water away from or out of a specified area, including but not limited to levees, floodwalls, and channelization.

*Flood damage-resistant materials* means any construction material capable of withstanding direct and prolonged contact with floodwaters without sustaining any damage that requires more than cosmetic repair. [Also defined in CCR Title 24 Part 2.]

*Flood hazard area* means the greater of the following two areas:

- (1) The area within a floodplain subject to a 1-percent or greater chance of flooding in any year.
- (2) The area designated as a flood hazard area on the Town's flood hazard map, or otherwise legally designated.

[Also defined in CCR Title 24 Part 2.]

*Flood Insurance Rate Map (FIRM)* means an official map of a Town on which the Federal Emergency Management Agency (FEMA) has delineated both the special flood hazard areas and the risk premium zones applicable to the Town. [Also defined in CCR Title 24 Part 2.]

*Flood Insurance Study (FIS)* means the official report provided by the FEMA containing the FIRM, the Flood Boundary and Floodway Map (FBFM), the water surface elevation of the base flood, and supporting technical data. [Also defined in CCR Title 24 Part 2.]

*Floodplain Administrator* means the Town official designated by title to administer and enforce the floodplain management regulations.

*Floodway* means the channel of the river, creek, or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than a designated height. [Also defined in CCR Title 24 Part 2.]

*Fraud or victimization* means, for the purpose of variances from this Ordinance or the Building Code, the intentional use of deceit to deprive another of rights or property, making a victim of the deprived person or the public. As it pertains to buildings granted variances to be constructed below the elevation required by the Building Code, future owners or tenants of such buildings and the Town as a whole may bear the burden of increased risk of damage from floods, increased cost of flood insurance, and increased recovery costs, inconvenience, danger, and suffering.

*Functionally dependent use* means a use that cannot perform its intended purpose unless it is located or carried out in close proximity to water, including only docking facilities, port facilities necessary for the loading or unloading of cargo or passengers, and shipbuilding or ship repair facilities. The term does not include long-term storage, manufacture, sales, or service facilities.

*Highest adjacent grade* means the highest natural elevation of the ground surface prior to construction next to the proposed walls or foundation of a structure.

*Historic structure* means any structure that is:

- (1) Listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register.
- (2) Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary to qualify as a registered historic district.
- (3) Individually listed on the inventory of historic places maintained by the California Office of Historic Preservation.
- (4) Individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified by the California Office of Historic Preservation.

*Letter of Map Change (LOMC)* means an official determination issued by FEMA that amends or revises an effective FIRM or FIS. LOMCs include:

- (1) Letter of Map Amendment (LOMA): An amendment based on technical data showing that a property was incorrectly included in a designated special flood

hazard area. A LOMA amends the current effective FIRM and establishes that a specific property, portion of a property, or structure is not located in a special flood hazard area.

- (2) Letter of Map Revision (LOMR): A revision based on technical data that may show changes to flood zones, flood elevations, special flood hazard area boundaries and floodway delineations, and other planimetric features.
- (3) Letter of Map Revision Based on Fill (LOMR-F): A determination that a structure or parcel of land has been elevated by fill above the base flood elevation and is, therefore, no longer located within the special flood hazard area. In order to qualify for this determination, the fill must have been permitted and placed in accordance with the Town's floodplain management regulations.
- (4) Conditional Letter of Map Revision (CLOMR): A formal review and comment as to whether a proposed flood protection project or other project complies with the minimum National Flood Insurance Program (NFIP) requirements for such projects with respect to delineation of special flood hazard areas. A CLOMR does not revise the effective FIRM or FIS; upon submission and approval of certified as-built documentation, a LOMR may be issued by FEMA to revise the effective FIRM.

*Light-duty truck* means, as defined in 40 C.F.R. 86.082-2, any motor vehicle rated at 8,500 pounds Gross Vehicular Weight Rating or less which has a vehicular curb weight of 6,000 pounds or less and which has a basic vehicle frontal area of forty-five (45) square feet or less, which is:

- (1) Designed primarily for purposes of transportation of property or is a derivation of such a vehicle.
- (2) Designed primarily for transportation of persons and has a capacity of more than twelve (12) persons.
- (3) Available with special features enabling off-street or off-highway operation and use.

*Lowest floor* means the lowest floor of the lowest enclosed area, including basement, but excluding any unfinished or flood-resistant enclosure, usable solely for vehicle parking, building access, or limited storage provided that such enclosure is not built so as to render the structure in violation of the non-elevation requirements of the Building Codes. [Also defined in CCR Title 24 Part 2.]

*Manufactured home* means a structure that is transportable in one or more sections, built on a permanent chassis, designed for use as a single-family dwelling with or without a permanent foundation when connected to the required utilities, and constructed to the Manufactured Home Construction and Safety Standards promulgated by the U.S. Department of Housing and Urban Development. Also see definitions in Health and Safety Code sections 18000.(a)(2) and 18001.(a). For the purposes of floodplain management, the term also includes mobile homes and recreational vehicles, park trailers, travel trailers, and similar transportable structures that are placed on a site for 180 consecutive days or longer.

*Manufactured home park or subdivision* means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

*Market value* means the price at which a property will change hands between a willing buyer and a willing seller, neither party being under compulsion to buy or sell, and both having reasonable knowledge of relevant facts. As used in this Ordinance, the term refers to the market value of buildings and structures, excluding the land and other improvements on the parcel. Market value may be established by one of the following methods: (1) Actual Cash Value (replacement cost depreciated for age and quality of construction); (2) tax assessment value adjusted to approximate market value by a factor provided by the Property Appraiser; or (3) a qualified independent appraiser.

*New manufactured home park or subdivision* means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) was completed on or after October 3, 1988.

*Nuisance* means that which is injurious to safety or health of an entire Town or neighborhood, or any considerable number of persons, or unlawfully obstructs the free passage or use, in the customary manner, of any navigable lake, river, bay, stream, canal, or basin.

*Permit for floodplain development* means an official document or certificate issued by the Town, or other evidence of approval or concurrence, which authorizes performance of specified development activities that are located in flood hazard areas and that are determined to be compliant with this Ordinance.

*Recreational vehicle* means a vehicle that is built on a single chassis, 400 square feet (37.16 m<sup>2</sup>) or less when measured at the largest horizontal projection, designed to be self-propelled or permanently towable by a light-duty truck, and designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel or seasonal use. A recreational vehicle is ready for highway use when it is on its wheels or jacking system, is attached to the site only by quick disconnect type utilities and security devices and has no permanently attached additions. Also see definitions in Health and Safety Code section 18010.

*Riverine* means relating to, formed by, or resembling a river (including tributaries), stream, brook, etc.

*Special flood hazard area (SFHA)* means the land area subject to flood hazards and shown on a FIRM or other flood hazard map as Zone A, AE, A1-30, A99, AR, AO, AH, V, VO, VE, or V1-30. [Also defined in CCR Title 24 Part 2.]

*Substantial damage* means damage of any origin sustained by a structure whereby the

cost of restoring the structure to its before-damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred. [Also defined in CCR Title 24 Part 2.]

*Substantial improvement* means any repair, reconstruction, rehabilitation, alteration, addition, or other improvement of a building or structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the improvement or repair is started. When the structure has sustained substantial damage, any repairs are considered substantial improvement regardless of the actual repair work performed. The term does not, however, include either:

- (1) Any project for improvement of a building required to correct existing health, sanitary, or safety code violations identified by the Building Official and that are the minimum necessary to assure safe living conditions.
- (2) Any alteration of a historic structure provided that the alteration will not preclude the structure's continued designation as a historic structure.

[Also defined in CCR Title 24 Part 2.]

*Utility and Miscellaneous Group U* means buildings and structures of an accessory character and miscellaneous structures not classified in any special occupancy, as described in the Building Code.

*Variance* means a grant of relief from the requirements of this Ordinance which permits construction in a manner otherwise prohibited and where specific enforcement would result in exceptional hardship.

*Violation* means a development that is not fully compliant with this Ordinance or the flood provisions of the Building Code, as applicable.

*Watercourse* means a river, creek, stream, channel, or other topographic feature in, on, through, or over which water flows at least periodically.

#### **Sec. 29.90.045. Purposes and objectives.**

The purposes and objectives of this Ordinance and the flood load and flood resistant construction requirements of the Building Codes are to promote the public health, safety, and general welfare and to minimize public and private losses due to flood conditions in specific flood hazard areas through the establishment of comprehensive regulations for management of flood hazard areas, designed to:

- (1) Minimize unnecessary disruption of commerce, access, and public service during times of flooding.
- (2) Require the use of appropriate construction practices in order to prevent or minimize future flood damage.

- (3) Manage the alteration of natural floodplains, stream channels, and shorelines to minimize the impact of development on the natural and beneficial functions of the floodplain.
- (4) Manage filling, grading, dredging, mining, paving, excavation, drilling operations, storage of equipment or materials, and other development which may increase flood damage or erosion potential.
- (5) Prevent or regulate the construction of flood barriers which will divert floodwater or increase flood hazards.
- (6) Contribute to improved construction techniques in the floodplain.
- (7) Minimize damage to public and private facilities and utilities.
- (8) Help maintain a stable tax base by providing for the sound use and development of flood hazard areas.
- (9) Minimize the need for rescue and relief efforts associated with flooding.
- (10) Ensure that property owners, occupants, and potential owners are aware of property located in flood hazard areas.
- (11) Minimize the need for future expenditure of public funds for flood control projects and response to and recovery from flood events.
- (12) Meet the requirements of the NFIP for Town participation as set forth in Title 44 Code of Federal Regulations, Section 59.22.

**Sec. 29.90.050. Coordination with California Building Standards Code.**

Pursuant to the requirement established in State statute that the Town of Los Gatos administer and enforce the *California Building Standards Code*, the Town Council of the Town of Los Gatos hereby acknowledges that the Building Codes contain certain provisions that apply to the design and construction of buildings and structures in flood hazard areas. Therefore, this Ordinance is intended to be administered and enforced in conjunction with the Building Codes.

**Sec. 29.90.055. Disclaimer of liability.**

This Ordinance is not intended to create liability on the part of Town of Los Gatos, any officer or employee thereof, the State of California, or the FEMA, for any flood damage that results from reliance on this Ordinance or any administrative decision lawfully made hereunder. The Floodplain Administrator and any employee charged with the enforcement of this Ordinance, while acting for the Town in good faith and without malice in the discharge of the duties required by this Ordinance or other pertinent law or ordinance, shall not thereby be rendered liable personally and is hereby relieved from personal liability for any damage occurring to persons or property as a result of any act or by reason of an act or omission in the discharge of official duties. Any suit instituted against an officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this Ordinance shall be defended by a legal representative of the Town until the final termination of the proceedings. The Floodplain Administrator and any subordinate shall not be liable for cost in any action, suit, or proceeding that is instituted in pursuance of the provisions of this Ordinance.



**Sec. 29.90.060. Other laws.**

The provisions of this Ordinance shall not be deemed to nullify any provisions of local, state, or federal law.

**Sec. 29.90.065. Abrogation and greater restrictions.**

This Ordinance supersedes any ordinance in effect in flood hazard areas. However, this Ordinance is not intended to repeal, abrogate, or impair any existing ordinances including land development regulations, subdivision regulations, zoning ordinances, stormwater management regulations, or Building Codes, nor any existing easements, covenants, or deed restrictions. In the event of an overlap or conflict between this Ordinance and any other ordinance, code, regulation, easement, covenant, or deed restriction, the more restrictive shall govern.

**DIVISION 3. APPLICABILITY**

**Sec. 29.90.070. General applicability.**

This Ordinance, in conjunction with the Building Codes, provides minimum requirements for development located in flood hazard areas, including the subdivision of land; filling, grading, and other site improvements; installation of utilities; installation, placement, and replacement of manufactured homes; placement of recreational vehicles; installation of tanks; temporary structures and temporary or permanent storage; utility and miscellaneous Group U buildings and structures; certain building work exempt from permit under the Building Codes; and flood control projects.

**Sec. 29.90.075. Establishment of flood hazard areas.**

The Flood Insurance Study (FIS) for Santa Clara County, California and Incorporated Areas dated May 18, 2009, and all subsequent amendments and revisions, and the accompanying FIRMs, and all subsequent amendments and revisions to such maps, are hereby adopted by reference as a part of this Ordinance and serve as the basis for establishing flood hazard areas. Where the Building Code establishes flood hazard areas, such areas are established by this section. Additional maps and studies, when specifically adopted, supplement the FIS and FIRMs to establish additional flood hazard areas. Maps and studies that establish flood hazard areas are on file at the Department of Parks and Public Works (41 Miles Avenue) and the Town Development Department (110 E. Main Street).

**Sec. 29.90.080. Interpretation.**

In the interpretation and application of this Ordinance, all provisions shall be:

- (1) Considered as minimum requirements.
- (2) Liberally construed in favor of the governing body.

- (3) Deemed neither to limit nor repeal any other powers granted under state statutes.

#### **DIVISION 4. DUTIES AND POWERS OF THE FLOODPLAIN ADMINISTRATOR**

##### **Sec. 29.90.085. Designation.**

The Director of Parks and Public Works is designated the Floodplain Administrator. The Floodplain Administrator shall have the authority to delegate performance of certain duties to other employees.

##### **Sec. 29.90.090. General authority.**

The Floodplain Administrator is authorized and directed to administer and enforce this Ordinance. The Floodplain Administrator shall have the authority to render interpretations of this Ordinance and to establish policies and procedures in order to clarify the application of its provisions. Such interpretations, policies, and procedures shall be consistent with the intent and purpose of this Ordinance and the flood provisions of the Building Code and shall not have the effect of waiving specific requirements without the granting of a variance pursuant to Division 8 of this Ordinance. The Floodplain Administrator is authorized to waive the submission of site plans, construction documents, and other data that are required by this Ordinance, but that are not required to be prepared by a qualified California (CA) Licensed Land Surveyor or Civil Engineer when it is found that the nature of the proposed development is such that the review of such submissions is not necessary to ascertain compliance with this Ordinance.

##### **Sec. 29.90.095. Coordination.**

The Floodplain Administrator shall coordinate with and provide comments to the Building Official to administer and enforce the flood provisions of the Building Code and to ensure compliance with the applicable provisions of this Ordinance. The Floodplain Administrator and the Building Official have the authority to establish written procedures for reviewing applications and conducting inspections for buildings and for administering and documenting determinations of substantial improvement and substantial damage made pursuant to Section 29.90.105 of this Ordinance.

##### **Sec. 29.90.100. Duties.**

The Floodplain Administrator, in coordination with other pertinent offices of the Town, shall:

- (1) Review all permit applications and plans to determine whether proposed development is located in flood hazard areas.
- (2) Review all applications and plans for development in flood hazard areas for compliance with this Ordinance.
- (3) Review, in coordination with the Building Official, required design certifications and

documentation of elevations specified by the Building Code to determine that such certifications and documentations are complete.

- (4) Review applications and plans for modification of any existing development in flood hazard areas for compliance with this Ordinance.
- (5) Require development in flood hazard areas to be reasonably safe from flooding and to be designed and constructed with methods, practices, and materials that minimize flood damage.
- (6) Interpret flood hazard area boundaries and provide available flood elevation and flood hazard information.
- (7) Determine whether additional flood hazard data shall be obtained from other sources or developed by the applicant.
- (8) Complete the appropriate section of the Department of Housing and Town Development Floodplain Ordinance Compliance Certification for Manufactured Home/Mobile Home Installations when submitted by applicants.
- (9) Review requests submitted to the Building Official seeking approval to modify the strict application of the flood load and flood resistant construction requirements of the Building Code, to determine whether such requests require consideration as a variance pursuant to Division 8 of this Ordinance.
- (10) Coordinate with the Building Official and others to identify and investigate damaged buildings located in flood hazard areas and inform owners of the requirement to obtain permits for repairs.
- (11) Require applicants who submit hydrologic and hydraulic engineering analyses to support permit applications to submit to FEMA the data and information necessary to maintain the FIRMs when the analyses indicate changes in base flood elevations, flood hazard area boundaries, or floodway designations; such submissions shall be made within six months of such data becoming available.
- (12) Require applicants who propose alteration of a watercourse to notify adjacent communities and the NFIP State Coordinating Agency, and to submit copies of such notifications to the FEMA.
- (13) Inspect development in accordance with Division 7 of this Ordinance and inspect flood hazard areas to determine when development is undertaken without issuance of permits.
- (14) Prepare comments and recommendations for consideration when applicants seek variances for development other than buildings in accordance with Division 8 of this Ordinance.
- (15) Cite violations in accordance with Division 9 of this Ordinance.
- (16) Notify FEMA when the corporate boundaries of the Town of Los Gatos have been modified and provide a map and legal description of the changes in the corporate boundaries.

**Sec. 29.90.105. Substantial improvement and substantial damage determinations.**

For applications for building permits to improve buildings and structures, including alterations, movement, enlargement, replacement, repair, additions, rehabilitations,

renovations, substantial improvements, repairs of substantial damage, and any other improvement of or work on such buildings and structures, the Floodplain Administrator, in coordination with the Building Official, shall:

- (1) Estimate the market value or require the applicant to obtain an appraisal of the market value prepared by a qualified independent appraiser, of the building or structure before the start of construction of the proposed work; in the case of repair, the market value of the building or structure shall be the market value before the damage occurred and before any repairs are made.
- (2) Compare the cost to perform the improvement, the cost to repair the damaged building to its pre-damaged condition, or the combined costs of improvements and repairs, when applicable, to the market value of the building or structure.
- (3) Determine and document whether the proposed work constitutes substantial improvement or repair of substantial damage.
- (4) Notify the applicant when it is determined that the work constitutes substantial improvement or repair of substantial damage and that compliance with the flood resistant construction requirements of the Building Code is required and notify the applicant when it is determined that work does not constitute substantial improvement or repair of substantial damage.

#### **Sec. 29.90.110. Department records.**

In addition to the requirements of the Building Code and this Ordinance, and regardless of any limitation on the period required for retention of public records, the Floodplain Administrator shall maintain and permanently keep and make available for public inspection all records that are necessary for the administration of this Ordinance and the flood provisions of the Building Codes, including FIS and FIRMs; documents from FEMA that amend or revise FIRMs; records of issuance of permits and denial of permits; determinations of whether proposed work constitutes substantial improvement or repair of substantial damage; required certifications and documentation specified by the Building Codes and this Ordinance; notifications to adjacent communities, FEMA, and the State related to alterations of watercourses; assurance that the flood carrying capacity of altered waterways will be maintained; documentation related to variances, including justification for issuance or denial; and records of enforcement actions taken pursuant to this Ordinance and the flood resistant provisions of the Building Codes.

### **DIVISION 5. PERMITS FOR FLOODPLAIN DEVELOPMENT**

#### **Sec. 29.90.115. Permits required.**

Any person, owner, or authorized agent who intends to conduct any development in a flood hazard area shall first make application to the Floodplain Administrator and shall obtain the required permit for floodplain development. No permit shall be issued until compliance with the requirements of this Ordinance and all other applicable codes and regulations has

been satisfied. No building permit shall be issued based on CLOMRs issued by FEMA. Depending on the nature and extent of proposed development that includes a building or structure, the Floodplain Administrator may determine a permit for floodplain development is required in addition to a building permit.

**Sec. 29.90.120. Application for permit.**

The applicant shall file an application in writing on a form furnished by the Floodplain Administrator. The information provided shall:

- (1) Identify and describe the development to be covered by the permit.
- (2) Describe the land on which the proposed development is to be conducted by legal description, street address, or similar description that will readily identify and definitely locate the site.
- (3) Indicate the use and occupancy for which the proposed development is intended.
- (4) Be accompanied by a site plan and construction documents as specified in Division 6 of this Ordinance, including grading, excavation and filling plans, and other information deemed appropriate by the Floodplain Administrator.
- (5) State the valuation of the proposed work.
- (6) Be signed by the applicant or the applicant's authorized agent.
- (7) Include such other data and information required by the Floodplain Administrator to demonstrate compliance with this Ordinance.

**Sec. 29.90.125. - Validity of permit.**

The issuance of a permit for floodplain development under this Ordinance or the Building Codes shall not be construed to be a permit for, or approval of, any violation of this Ordinance, the Building Code, or any other ordinance of the Town. The issuance of a permit for floodplain development based on submitted documents and information shall not prevent the Floodplain Administrator from requiring the correction of errors and omissions. The Floodplain Administrator is authorized to prevent occupancy or use of a structure or site which is in violation of this Ordinance.

**Sec. 29.90.130. Other permits required.**

The applicant shall obtain all other required state and federal permits prior to initiating work authorized by this Ordinance and shall provide documentation of such permits to the Floodplain Administrator. Such permits include, but are not limited to, the California State Water Resources Control Board for activities that affect wetlands and alter surface water flows, in conjunction with the U.S. Army Corps of Engineers; Section 404 of the Clean Water Act.

**Sec. 29.90.135. Expiration.**

A permit for floodplain development shall become invalid when the proposed

development is not commenced within 180 days after its issuance, or when the work authorized is suspended or abandoned for a period of 180 days after the work commences. Extensions shall be requested in writing and justifiable cause demonstrated. The Floodplain Administrator is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each unless FEMA has issued notification of revision to the Flood Insurance Rate Study and FIRMs that alter the flood hazard area or floodway boundaries, flood zones, or base flood elevations, in which case the permit is invalid.

**Sec. 29.90.140. Suspension or revocation.**

The Floodplain Administrator is authorized to suspend or revoke a permit for floodplain development issued under this Ordinance wherever the permit is issued in error or on the basis of incorrect, inaccurate or incomplete information, or in violation of this Ordinance or any ordinance or code of the Town.

**Sec. 29.90.145. Appeals of decisions.**

When it is alleged there is an error in any decision or determination made by the Floodplain Administrator in the interpretation or enforcement of this Ordinance, such decision or determination may be appealed within 10 days of the decision or determination to the Planning Commission by filing a written appeal with the Town Clerk setting forth the reasons of the appeal.

**DIVISION 6. SITE PLANS AND CONSTRUCTION DOCUMENTS**

**Sec. 29.90.150. Information for development in flood hazard areas.**

The site plan or construction documents for any development subject to the requirements of this Ordinance shall be drawn to scale and shall include, as applicable to the proposed development:

- (1) Delineation of flood hazard areas; floodway boundaries and flood zone(s); base flood elevation(s); ground elevations; proposed filling, grading, and excavation; and drainage patterns and facilities when necessary for review of the proposed development.
- (2) Where base flood elevations or floodway data are not included on the FIRM or in the FIS, they shall be established in accordance with Section 29.90.155 or Section 29.90.160 of this Ordinance.
- (3) Where the parcel on which the proposed development will take place will have more than 50 lots or is larger than 5 acres and base flood elevations are not included on the FIRM or in the FIS, such elevations shall be established in accordance with Section 29.90.155(2) of this Ordinance.
- (4) Location of the proposed activity and proposed structures; locations of water supply, sanitary sewer, and other utilities; and locations of existing buildings and

- structures.
- (5) Location, extent, amount, and proposed final grades of any filling, grading, or excavation.
  - (6) Where the placement of fill is proposed, the amount, type, and source of fill material; compaction specifications; a description of the intended purpose of the fill areas; and evidence that the proposed fill areas are the minimum necessary to achieve the intended purpose.
  - (7) Existing and proposed alignment of any proposed alteration of a watercourse.

**Sec. 29.90.155. Information in flood hazard areas without base flood elevations (approximate Zone A).**

Where flood hazard areas are delineated on the FIRM and base flood elevation data have not been provided, the Floodplain Administrator is authorized to:

- (1) Require the applicant to include base flood elevation data prepared by a qualified CA Licensed Civil Engineer in accordance with currently accepted engineering practices. Such analyses shall be performed and sealed by a qualified CA Licensed Civil Engineer. Studies, analyses, and computations shall be submitted in sufficient detail to allow review and approval by the Floodplain Administrator. The accuracy of data submitted for such determination shall be the responsibility of the applicant.
- (2) Obtain, review, and provide to applicants base flood elevation and floodway data available from a federal or state agency or other source or require the applicant to obtain and use base flood elevation and floodway data available from a federal or state agency or other source.
- (3) Where base flood elevation and floodway data are not available from another source, where the available data are deemed by the Floodplain Administrator to not reasonably reflect flooding conditions, or where the available data are known to be scientifically or technically incorrect or otherwise inadequate:
  - (a) Require the applicant to include base flood elevation data in accordance with Section 29.90.155(1) of this Ordinance; or
  - (b) Specify that the base flood elevation is two (2) feet above the highest adjacent grade at the location of the development, provided there is no evidence indicating flood depths have been or may be greater than two (2) feet.
- (4) Where the base flood elevation data are to be used to support a request for a LOMC from FEMA, advise the applicant that the analyses shall be prepared by a qualified CA Licensed Civil Engineer in a format required by FEMA, and that it shall be the responsibility of the applicant to satisfy the submittal requirements and pay the processing fees.

**Sec. 29.90.160. Additional analyses and certifications.**

As applicable to the location and nature of the proposed development activity, and in

addition to the requirements of this Ordinance, the applicant shall have the following analyses signed and sealed by a qualified CA Licensed Civil Engineer for submission with the site plan and construction documents:

- (1) For development activities proposed to be located in a floodway, a floodway encroachment analysis that demonstrates that the encroachment of the proposed development will not cause any increase in base flood elevations; where the applicant proposes to undertake development activities that do increase base flood elevations, the applicant shall submit such analysis to FEMA as specified in Section 29.90.165 of this Ordinance and shall submit the CLOMR, when issued by FEMA, with the site plan and construction documents.
- (2) For development activities proposed to be located in Zone A1-30 or Zone AE but floodways have not been designated, hydrologic and hydraulic analyses that demonstrate that the cumulative effect of the proposed development, when combined with all other existing and anticipated flood hazard area encroachments, will not increase the base flood elevation more than one (1) foot at any point within the Town. This requirement does not apply in any other special flood hazard areas.
- (3) For alteration of a watercourse, an engineering analysis prepared in accordance with standard engineering practices that demonstrates the flood-carrying capacity of the altered or relocated portion of the watercourse will not be decreased, and certification that the altered watercourse shall be maintained in a manner which preserves the channel's flood-carrying capacity. The applicant shall submit the analysis to FEMA as specified in Section 29.90.165 of this Ordinance. The applicant shall notify the chief executive officer of adjacent communities and the California Department of Water Resources. The Floodplain Administrator shall maintain a copy of the notification in the permit records and shall submit a copy to FEMA.

#### **Sec. 29.90.165. Submission of additional data.**

When additional hydrologic, hydraulic, or other engineering data, studies, and additional analyses are submitted to support an application, the applicant has the right to seek a LOMC from FEMA to change the base flood elevations, change floodway boundaries, or change boundaries of flood hazard areas shown on FIRMs, and to submit such data to FEMA for such purposes. The analyses shall be prepared by a qualified CA Licensed Civil Engineer in a format required by FEMA. Submittal requirements and processing fees shall be the responsibility of the applicant. Provided FEMA issues a CLOMR, construction of proposed flood control projects and land preparation for development are permitted, including clearing, excavation, grading, and filling. Permits for construction of buildings shall not be issued until the applicant satisfies the FEMA requirements for issuance of a Letter of Map Revision.



## **DIVISION 7. INSPECTIONS**

### **Sec. 29.90.170. Inspections, in general.**

Development for which a permit for floodplain development is required shall be subject to inspection. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this Ordinance or the Building Code. Inspections presuming to give authority to violate or cancel the provisions of this Ordinance or the Building Code or other ordinances shall not be valid.

### **Sec. 29.90.175. Inspections of development other than buildings and structures.**

The Floodplain Administrator shall make or cause to be made, inspections of all development other than buildings and structures that is authorized by issuance of a permit for floodplain development under this Ordinance. The Floodplain Administrator shall inspect flood hazard areas from time to time to determine when development is undertaken without issuance of a permit.

### **Sec. 29.90.180. Inspections of manufactured homes installations.**

The Floodplain Administrator shall make or cause to be made, inspections of installation and replacement of manufactured homes in flood hazard areas authorized by issuance of a permit for floodplain development under this Ordinance. Upon installation of a manufactured home and receipt of the elevation certification required in Section 29.90.300 of this Ordinance the Floodplain Administrator shall inspect the installation or have the installation inspected.

### **Sec. 29.90.185. Buildings and structures.**

The Building Official shall make or cause to be made, inspections for buildings and structures in flood hazard areas authorized by permit, in accordance with the Building Code:

- (1) Lowest floor elevation. Upon placement of the lowest floor, including the basement, and prior to further vertical construction, certification of the elevation required in the Building Code shall be prepared by a CA Licensed Land Surveyor or Civil Engineer and submitted to the Building Official.
- (2) Final inspection. Prior to the final inspection, certification of the elevation required in the Building Code shall be prepared by a CA Licensed Land Surveyor or Civil Engineer and submitted to the Building Official.

## **DIVISION 8. VARIANCES**

### **Sec. 29.90.190. Nature of variances.**

The considerations and conditions for variances set forth in this article are based on the

general principle of zoning law that variances pertain to a piece of property and are not personal in nature. A variance may be issued for a parcel of property with physical characteristics so unusual that complying with the requirements of this Ordinance would create an exceptional hardship to the applicant or the surrounding property owners. The characteristics must be unique to the property and not be shared by adjacent parcels. The unique characteristic must pertain to the land itself, not to the structure, its inhabitants, or the property owners. The issuance of a variance is for floodplain management purposes only. Federal flood insurance premium rates are determined by the NFIP according to actuarial risk and will not be modified by the granting of a variance.

It is the duty of the Town Council of Los Gatos to promote public health, safety, and welfare and minimize losses from flooding. This duty is so compelling and the implications of property damage and the cost of insuring a structure built below flood level are so serious that variances from the elevation or other requirements in the Building Codes should be quite rare. The long term goal of preventing and reducing flood loss and damage, and minimizing recovery costs, inconvenience, danger, and suffering, can only be met when variances are strictly limited. Therefore, the variance requirements in this Ordinance are detailed and contain multiple provisions that must be met before a variance can be properly issued. The criteria are designed to screen out those situations in which alternatives other than a variance are more appropriate.

#### **Sec. 29.90.195. Variances; general.**

The Planning Commission shall hear and decide requests for variances from the strict application of this Ordinance.

#### **Sec. 29.90.200. Limitations on authority.**

The Planning Commission shall base its determination on technical justifications submitted by applicants, the considerations and conditions set forth in this article, the comments and recommendations of the Floodplain Administrator and Building Official, as applicable, and has the right to attach such conditions to variances as it deems necessary to further the purposes and objectives of this Ordinance and the Building Code.

#### **Sec. 29.90.205. Records.**

The Floodplain Administrator shall maintain a permanent record of all variance actions, including justification for issuance.

#### **Sec. 29.90.210. Historic structures.**

A variance is authorized to be issued for the repair, improvement, or rehabilitation of a historic structure upon a determination that the proposed repair, improvement, or rehabilitation will not preclude the structure's continued designation as a historic structure, and the variance is the minimum necessary to preserve the historic character and design of the

structure. When the proposed work precludes the structure's continued designation as a historic building, a variance shall not be granted and the structure and any repair, improvement, and rehabilitation shall be subject to the requirements of the Building Code.

**Sec. 29.90.215. Restrictions in floodways.**

A variance shall not be issued for any proposed development in a floodway when any increase in flood levels would result during the base flood discharge, as evidenced by the applicable analyses required in Section 29.90.160(1) of this Ordinance.

**Sec. 29.90.220. Functionally dependent uses.**

A variance is authorized to be issued for the construction or substantial improvement necessary for the conduct of a functionally dependent use provided the criteria in Section 1612 of the Building Code (CCR Title 24 Part 2) or Section R322 of the Residential Code (CCR Title 24 Part 2.5) are met, as applicable, and the variance is the minimum necessary to allow the construction or substantial improvement, and that all due consideration has been given to use of methods and materials that minimize flood damages during the base flood and create no additional threats to public safety.

**Sec. 29.90.225. Considerations for issuance of variances.**

In reviewing applications for variances, all technical evaluations, all relevant factors, all other requirements of this Ordinance and the Building Code, as applicable, and the following shall be considered:

- (1) The danger that materials and debris may be swept onto other lands resulting in further injury or damage.
- (2) The danger to life and property due to flooding or erosion damage.
- (3) The susceptibility of the proposed development, including contents, to flood damage and the effect of such damage on current and future owners.
- (4) The importance of the services provided by the proposed development to the Town.
- (5) The availability of alternate locations for the proposed development that are not subject to flooding or erosion and the necessity of a waterfront location, where applicable.
- (6) The compatibility of the proposed development with existing and anticipated development.
- (7) The relationship of the proposed development to the comprehensive plan and floodplain management program for that area.
- (8) The safety of access to the property in times of flood for ordinary and emergency vehicles.
- (9) The expected heights, velocity, duration, rate of rise, and debris and sediment transport of the floodwater and the effects of wave action, if applicable, expected

at the site.

- (10) The costs of providing governmental services during and after flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, streets, and bridges.

#### **Sec. 29.90.230. Conditions for issuance of variances.**

Variances shall only be issued upon:

- (1) Submission by the applicant of a showing of good and sufficient cause that the unique characteristics of the size, configuration, or topography of the site limit compliance with any provision of this Ordinance or renders the elevation standards of the Building Code inappropriate.
- (2) A determination that failure to grant the variance would result in exceptional hardship due to the physical characteristics of the land that render the lot undevelopable.
- (3) A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, nor create nuisances, cause fraud on or victimization of the public or future property owners, or conflict with existing local laws or ordinances.
- (4) A determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.
- (5) When the request is to allow construction of the lowest floor of a new building or substantial improvement of a building below the base flood elevation, notification to the applicant in writing with the signature of the Floodplain Administrator specifying the difference between the base flood elevation and the proposed elevation of the lowest floor, stating that issuance of a variance to construct below the elevation required in the Building Code will result in increased premium rates for federal flood insurance up to amounts as high as \$25 for \$100 of insurance coverage, and that such construction below the required elevation increases risks to life and property.

### **DIVISION 9. VIOLATIONS**

#### **Sec. 29.90.235. Violations.**

Any development in any flood hazard area that is being performed without an issued permit or that is in conflict with an issued permit shall be deemed a violation. A building or structure without the documentation of the elevation of the lowest floor, other required design certifications, or other evidence of compliance required by this Ordinance or the Building Code, is presumed to be a violation until such time as required documentation is submitted. Violation of the requirements shall constitute either an infraction, misdemeanor, or be subject to a civil penalty at the Floodplain Administrators decision.

**Sec. 29.90.240. Authority.**

The Floodplain Administrator is authorized to serve notices of violation or stop work orders to owners of property involved, to the owner's agent, or to the person or persons doing the work for development that is not within the scope of the Building Codes, but is regulated by this Ordinance and that is determined to be a violation.

**Sec. 29.90.245. Unlawful continuance.**

Any person who shall continue any work after having been served with a notice of violation or a stop work order, except such work as that person is directed to perform to remove or remedy a violation or unsafe condition, shall be subject to penalties as prescribed by law and as set forth in this Chapter and the Town Code.

**DIVISION 10. BUILDINGS AND STRUCTURES****Sec. 29.90.250. Requirements for buildings and structures in flood hazard areas.**

Applications for building and structures within the scope of the Building Code that are proposed in flood hazard areas shall comply with the applicable requirements of the Building Code and any local amendments to the Building Code.

**Sec. 29.90.255. Detached garages and accessory storage structures.**

Detached garages and accessory storage structures used only for parking or storage are permitted below the base flood elevation provided the garages and accessory storage structures:

- (1) Are one story and not larger than 600 square feet in area when located in special flood hazard areas.
- (2) Are anchored to resist flotation, collapse or lateral movement resulting from flood loads.
- (3) Have flood openings in accordance with the Building Code.
- (4) Have flood damage-resistant materials used below the base flood elevation.
- (5) Have mechanical, plumbing, and electrical systems, including plumbing fixtures, elevated to or above the base flood elevation.

**Sec. 29.90.260. - Utility and Miscellaneous Group U.**

Utility and miscellaneous Group U includes buildings that are accessory in character and miscellaneous structures not classified in any specific occupancy in the Building Code, including, but not limited to, agricultural buildings, aircraft hangars (accessory to a one- or two-family residence), barns, carports, fences more than 6 feet (1829 mm) high, grain silos (accessory to a

residential occupancy), greenhouses, livestock shelters, private garages, retaining walls, sheds, stables, and towers. In addition to the Building Code requirements for fire and life safety, the following shall apply to utility and miscellaneous Group U buildings and structures in flood hazard areas:

- (1) New construction and substantial improvement of such buildings and structures shall be anchored to prevent flotation, collapse, or lateral movement resulting from flood loads, including the effects of buoyancy, during conditions of the design flood.
- (2) New construction and substantial improvement of such buildings and structures, when fully enclosed by walls, shall be elevated such that the lowest floor, including basement, is elevated to or above the design flood elevation in accordance with ASCE 24 or shall be dry floodproofed in accordance with ASCE 24.
- (3) Unless dry floodproofed, fully enclosed areas below the design flood elevation shall be constructed in accordance with ASCE 24 and limited to parking, storage, and building access.
- (4) When fully enclosed by walls, flood openings shall be installed in accordance with ASCE 24.
- (5) Flood damage-resistant materials shall be used below the design flood elevation.
- (6) Mechanical, plumbing, and electrical systems, including plumbing fixtures, shall be located or installed in accordance with ASCE 24.

## **DIVISION 11. SUBDIVISIONS**

### **Sec. 29.90.265. Minimum requirements.**

Subdivision proposals in flood hazard areas, including proposals for manufactured home parks and subdivisions, shall be reviewed to determine that:

- (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding.
- (2) All public utilities and facilities, such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage in accordance with Section 29.90.280 and Section 29.90.285 of this Ordinance, as applicable, and appropriate codes.
- (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide floodwater around and away from proposed structures.

### **Sec. 29.90.270. Subdivision requirements.**

In addition to the requirements of Section 29.90.265 of this Ordinance, where any portion of proposed subdivisions, including proposals for manufactured home parks and subdivisions, lies within a flood hazard area, the following shall be required:

- (1) The flood hazard area, including floodways, as appropriate, shall be delineated on preliminary subdivision plats.
- (2) Where the subdivision has more than 50 lots or is larger than 5 acres and base flood elevations are not included on the FIRM, the base flood elevations determined in accordance with Section 29.90.155(1) of this Ordinance.
- (3) When, as part of a proposed subdivision, fill will be placed to support buildings, the fill shall be placed in accordance with the Building Code and approval of the subdivision shall require submission of as-built elevations for each filled pad certified by a CA Licensed Land Surveyor or Registered Civil Engineer.

## **DIVISION 12. SITE IMPROVEMENTS, UTILITIES, AND LIMITATIONS**

### **Sec. 29.90.275. Minimum requirements.**

All proposed development in flood hazard areas shall be reviewed to determine that:

- (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding.
- (2) Where the proposed development has more than 50 lots or is larger than 5 acres and base flood elevations are not included on the FIRM, the base flood elevations determined in accordance with Section 29.90.155(1) of this Ordinance.
- (3) All public utilities and facilities, such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage.
- (4) Adequate drainage is provided to reduce exposure to flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide floodwater around and away from proposed structures.

### **Sec. 29.90.280. Sanitary sewer facilities.**

All new and replaced sanitary sewer facilities, private sewage treatment plants (including all pumping stations and collector systems), and on-site waste disposal systems shall be designed in accordance with Chapter 7, ASCE 24, to minimize or eliminate infiltration of floodwaters into the facilities and discharge from the facilities into flood waters, and impairment of the facilities and systems.

### **Sec. 29.90.285. Water supply facilities.**

All new and replaced water supply facilities shall be designed in accordance with the provisions of Chapter 7, ASCE 24, to minimize or eliminate infiltration of floodwaters into the systems.

### **Sec. 29.90.290. Development in floodways.**

Development, site improvements, and land disturbing activity involving fill or regrading

shall not be authorized in the floodway unless the floodway encroachment analysis required in Section 29.90.160(1) of this Ordinance demonstrates the proposed work will not result in any increase in the base flood level during occurrence of the base flood discharge.

**Sec. 29.90.295. Limitations on placement of fill.**

Subject to the limitations of this Ordinance, fill shall be designed to be stable under conditions of flooding including rapid rise and rapid drawdown of floodwaters, prolonged inundation, and protection against flood-related erosion and scour. In addition to this Ordinance, when intended to support buildings and structures, fill shall comply with the requirements of the Building Code. The placement of fill intended to change base flood elevations, change floodway boundaries, or change boundaries of flood hazard areas shown on FIRMs shall be subject to the requirements of Section 29.90.165 of this Ordinance.

**DIVISION 13. INSTALLATION OF MANUFACTURED HOMES**

**Sec. 29.90.300. Installation.**

All manufactured homes installed in flood hazard areas shall be installed by an installer that is licensed pursuant to the Business and Professions Code and shall comply with the requirements of the Department of Housing and Community Development (HCD) and the requirements of this Ordinance. In addition to permits pursuant to this Ordinance, permits from the HCD are required where the HCD is the enforcement agency for installation of manufactured homes. Upon completion of installation and prior to the final inspection by the Floodplain Administrator, the installer shall submit certification of the elevation of the manufactured home, prepared by a CA Licensed Land Surveyor or Registered Civil Engineer, to the Floodplain Administrator.

**Sec. 29.90.305. Foundations.**

All new and replacement manufactured homes, including substantial improvement of manufactured homes installed in flood hazard areas shall be installed on permanent, reinforced foundations that are designed in accordance with the foundation requirements of Section R322.2 of the Residential Code (CCR Title 24 Part 2.5) and this Ordinance. Foundations for manufactured homes subject to Section 29.90.320 of this Ordinance are permitted to be reinforced piers or other foundation elements of at least equivalent strength.

**Sec. 29.90.310. Anchoring.**

All new and replacement manufactured homes to be placed or substantially improved in a flood hazard area shall be installed using methods and practices which minimize flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse, and lateral movement. Methods of anchoring are authorized to include, but are not limited to, use of over-the-top or frame ties to ground anchors. This requirement is in



addition to applicable State and local anchoring requirements for resisting wind loads and seismic loads.

**Sec. 29.90.315. General elevation requirement.**

Unless subject to the requirements of Section 29.90.320 of this Ordinance, all manufactured homes that are placed, replaced, or substantially improved on sites located: (a) outside of a manufactured home park or subdivision; (b) in a new manufactured home park or subdivision; (c) in an expansion to an existing manufactured home park or subdivision; or (d) in an existing manufactured home park or subdivision upon which a manufactured home has incurred "substantial damage" as the result of a flood, shall be elevated such that the lowest floor, or bottom of the lowest horizontal member of the lowest floor, as applicable to the flood hazard area, is at or above the base flood elevation.

**Sec. 29.90.320. Elevation requirement for certain existing manufactured home parks and subdivisions.**

Manufactured homes that are not subject to Section 29.90.315 of this Ordinance, including manufactured homes that are placed, replaced, or substantially improved on sites located in an existing manufactured home park or subdivision, unless on a site where substantial damage as a result of flooding has occurred, shall be elevated such that either the:

- (1) Lowest floor, or bottom of the lowest horizontal structural member, as applicable to the flood hazard area, is at or above the base flood elevation.
- (2) Bottom of the frame is supported by reinforced piers or other foundation elements of at least equivalent strength that are not less than 36 inches in height above grade.

**Sec. 29.90.325. Flood damage-resistant materials.**

Materials below elevated manufactured homes shall comply with the flood-damage resistant materials requirements of Section R322 of the Residential Code (CCR Title 24 Part 2.5).

**Sec. 29.90.330. Enclosures.**

Fully enclosed areas below elevated manufactured homes shall comply with the enclosed area requirements of Section R322 of the residential code (CCR Title 24 Part 2.5).

**Sec. 29.90.335. Protection of mechanical equipment and outside appliances.**

Mechanical equipment and outside appliances shall be elevated to or above the lowest floor or bottom of the lowest horizontal structural member of the manufactured home, as applicable to the flood hazard area.

**Exception.** Where such equipment and appliances are designed and installed to prevent water from entering or accumulating within their components and the systems are constructed to resist hydrostatic and hydrodynamic loads and stresses, including the effects of buoyancy, during the occurrence of flooding up to the elevation required by Section 29.90.315 or Section 29.90.320 of this Ordinance, as applicable, the systems and equipment shall be permitted to be located below that elevation. Electrical wiring systems shall be permitted below the design flood elevation provided they conform to the provisions of NFPA 70 (National Electric Code).

#### **DIVISION 14. RECREATIONAL VEHICLES**

##### **Sec. 29.90.340. Temporary placement.**

Recreational vehicles in flood hazard areas, shall be placed on a site for less than 180 consecutive days or shall be fully licensed and ready for highway use. Ready for highway use means the recreational vehicle is on wheels or jacking system, is attached to the site only by quick disconnect type utilities and security devices, and has no permanently attached additions, such as rooms, stairs, decks, and porches.

##### **Sec. 29.90.345. Permanent placement.**

Recreational vehicles that do not meet the limitations in Section 29.90.340 for temporary placement shall meet the requirements of Division 13 for manufactured homes.

#### **DIVISION 15. OTHER DEVELOPMENT**

##### **Sec. 29.90.350. General requirements for other development.**

All development, including man-made changes to improved or unimproved real estate for which specific provisions are not specified in this Ordinance or the Building Code, shall:

- (1) Be located and constructed to minimize flood damage.
- (2) Meet the limitations of Section 29.90.290 of this Ordinance when located in a regulated floodway.
- (3) Be anchored to prevent flotation, collapse, or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the design flood.
- (4) Be constructed of flood damage-resistant materials.
- (5) Have mechanical, plumbing, and electrical systems above the design flood elevation or meet the requirements of ASCE 24, except that minimum electric service required to address life safety and electric code requirements is permitted below the design flood elevation provided it conforms to the provisions of the electrical part of the Building Code for wet locations.

#### **Sec. 29.90.355. Tanks.**

Tanks that serve buildings shall comply with the requirements of the Building Code. Underground and above-ground tanks that serve other purposes shall be designed, constructed, installed, and anchored in accordance with ASCE 24.

#### **Sec. 29.90.360. - Requirements for temporary structures and temporary storage in flood hazard areas.**

Temporary structures shall be erected for a period of less than 180 days and temporary storage of goods and materials shall be permitted for a period of less than 180 days. Extensions may be granted in accordance with Section 29.90.135 of this Ordinance. In addition, the following apply:

- (1) Temporary structures shall be anchored to prevent flotation, collapse, or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the design flood. Fully enclosed temporary structures shall have flood openings that are in accordance with ASCE 24 to allow for the automatic entry and exit of flood waters.
- (2) Temporary stored materials shall not include hazardous materials.
- (3) The requirements of Section 29.90.290 of this Ordinance, when located in floodways.

#### **Sec. 29.90.365. Fences in floodways.**

Fences in floodways that have the potential to block the passage of floodwaters, such as stockade fences and wire mesh fences, shall meet the limitations of Section 29.90.290 of this Ordinance.

#### **Sec. 29.90.370. Oil derricks.**

Oil derricks located in flood hazard areas shall be designed in conformance with flood loads required by the Building Code.

#### **Sec. 29.90.375. Retaining walls, sidewalks and driveways in floodways.**

Retaining walls and sidewalks and driveways that involve placement of fill in floodways shall meet the limitations of Section 29.90.290 of this Ordinance and the requirements for site grading in Chapter 18 of the Building Code.

#### **Sec. 29.90.380. Roads and watercourse crossings in floodways.**

Roads and watercourse crossings that encroach into floodways or riverine waterways with base flood elevations where floodways have not been designated, including roads, bridges,

culverts, low-water crossings, and similar means for vehicles or pedestrians to travel from one side of a watercourse to the other side shall meet the limitations of Section 29.90.290 of this Ordinance. Alteration of a watercourse that is part of work proposed for a road or watercourse crossing shall meet the requirements of Section 29.90.160(3) of this Ordinance.

**Sec. 29.90.385. Swimming pools.**

Above-ground swimming pools, on-ground swimming pools, and in-ground swimming pools that involve placement of fill in floodways shall meet the requirement of Section 29.90.290 of this Ordinance.

**DIVISION 16. FLOOD CONTROL PROJECTS**

**Sec. 29.90.390. Flood control projects; general.**

In addition to applicable federal, state, and other local permits, a permit for floodplain development is required for construction of flood control projects. The purpose for the permit is to examine the impact on flood hazard areas, floodways, and base flood elevations shown on the FIRM. Unless otherwise authorized by separate regulations, issuance of this permit does not address the sufficiency of the structural elements of the proposed flood control project. Permits for floodplain development and building permits in areas affected by proposed flood control projects shall not be issued based on CLOMR issued by FEMA.

**Sec. 29.90.395. Flood control projects; applications.**

Applications for permits for flood control projects shall include documentation including, but not limited to:

- (1) Site plan or document showing the existing topography and the boundaries of the flood hazard areas, floodway boundaries, and base flood elevations shown on the FIRM.
- (2) Site plan or document showing the proposed topography and the proposed changes to the boundaries of the flood hazard areas, floodway boundaries, and base flood elevations.
- (3) The documentation submitted to FEMA for a CLOMR and, if issued, the Conditional Letter of Map Revision. Submittal requirements and processing fees shall be the responsibility of the applicant. A CLOMR is required when a proposed flood control project alters a floodway and increases base flood elevations more than greater than 0.00 feet, or alters a watercourse a riverine flood hazard area for which base flood elevations are included in the Flood Insurance Study or on the FIRM and floodways have not been designated and increases base flood elevations more than 1.0 foot.

### **SECTION III. Warning.**

The degree of flood protection required by this Ordinance and the Building Codes is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur. Flood heights may be increased by man-made or natural causes. Enforcement of this Ordinance and the Building Codes does not imply that land outside the special flood hazard areas, or that uses permitted within such flood hazard areas, will be free from flooding or flood damage. The flood hazard areas and base flood elevations contained in the FIS and shown on FIRMs and the requirements of Title 44 Code of Federal Regulations, Sections 59 and 60 may be revised by the FEMA, requiring the Town to revise this Ordinance to remain eligible for participation in the NFIP. No guaranty of vested use, existing use, or future use is implied or expressed by compliance with this Ordinance.

### **SECTION IV. Severability.**

In the event that a court of competent jurisdiction holds any Section, subsection, paragraph, sentence, clause, or phrase in this Ordinance unconstitutional, preempted, or otherwise invalid, the invalid portion shall be severed from this Section and shall not affect the validity of the remaining portions of this Section. The Town hereby declares that it would have adopted each Section, subsection, paragraph, sentence, clause, or phrase in this Section irrespective of the fact that any one or more Sections, subsections, paragraphs, sentences, clauses, or phrases in this Section might be declared unconstitutional, preempted, or otherwise invalid.

### **SECTION V. CEQA.**

Adopting this Ordinance is exempt pursuant to CEQA, Section 15061(b)(3), because it can be seen with certainty that this Ordinance will not significantly affect the physical environment in that this Ordinance makes changes to floodplain management land use regulations involving no physical activities at this time. Future projects would be subject to CEQA.

**SECTION VI. Publication.**

In accordance with Section 36937 of the Government Code of the State of California, this Ordinance takes effect 30 days from the date of its passage. The Town Council hereby directs the Town Clerk to cause this Ordinance or a summary thereof to be published or posted in accordance with Section 36933 of the Government Code of the State of California.

**SECTION VII. Effective Date.**

This Ordinance was introduced at a regular meeting of the Town Council of the Town of Los Gatos on the \_\_\_\_ day of \_\_\_\_\_ 2025, and adopted by the Town Council of the Town of Los Gatos at its regular meeting on the \_\_\_\_ day of \_\_\_\_\_ 2025, by the following vote:

COUNCIL MEMBERS:

AYES:

NAYS:

ABSENT:

ABSTAIN:

SIGNED:

\_\_\_\_\_  
MAYOR OF THE TOWN OF LOS GATOS  
LOS GATOS, CALIFORNIA

ATTEST:

\_\_\_\_\_  
TOWN CLERK OF THE TOWN OF LOS GATOS  
LOS GATOS, CALIFORNIA