(ACT) ACTION NEEDED (INF) INFORMATION ONLY (DIS) DISCRETIONARY



AGENDA

REGULAR MEETING OF THE CITY COUNCIL NEEDLES PUBLIC UTILITY AUTHORITY HOUSING AUTHORITY CITY OF NEEDLES CITY OF NEEDLES, CALIFORNIA EL GARCES – 950 FRONT STREET, NEEDLES

TUESDAY, MARCH 11, 2025 COUNCIL EXECUTIVE SESSION – 5:15 PM CITY COUNCIL MEETING – 6:00 PM THE PUBLIC MAY ATTEND VIA <u>TEAMS</u> AND MAY SUBMIT ANY COMMENTS IN WRITING PRIOR TO NOON ON THE DAY OF THE MEETING BY EMAILING <u>cclark@cityofneedles.com</u>

<u>TO JOIN THE LIVE TEAMS MEETING:</u> log into the City of Needles website at www.cityofneedles.com to access the agenda and <u>Click here to join the meeting</u>

If asked, enter the following: Meeting ID: 666 358 77# OR listen in and participate by calling Teams: 1-323-488-2227 - Meeting ID: 666 358 77# The meetings are being recorded.

Vice Mayor Campbell will be participating via Teams from Hyatt House, 2200 Trojan Way, Los Angeles, CA 90033

CALL TO ORDER ROLL CALL

PUBLIC COMMENTS PERTAINING TO THE EXECUTIVE SESSION ITEMS A three-minute time limit per person has been established.

RECESS TO EXECUTIVE SESSION

EXECUTIVE SESSION

- Conference with Legal Counsel Regarding Existing Litigation Pursuant to Government Code section 54956.9(d)(1)) - Brian Brown v. City of Needles, Bernard Hatz, II, U.S. District Court for the Central District of California, Case No. 5:23-01118-MWC (SSC)
- b. Conference with Legal Counsel Regarding Potential Initiation of Litigation Pursuant to Government Code Section 54956.9(d)(4). One potential Case.

CALL TO ORDER

EXECUTIVE SESSION REPORT - by City Attorney

ROLL CALL PLEDGE OF ALLEGIANCE INVOCATION APPROVAL OF AGENDA CONFLICT OF INTEREST CORRESPONDENCE INTRODUCTIONS CITY ATTORNEY – Parliamentary Procedures

As a courtesy to those in attendance, we would ask that cell phones be turned off or set in their silent mode. Thank you

PUBLIC APPEARANCE - Persons wishing to address the City Council on subjects other than those scheduled are requested to do so at this time. When called by the Mayor, please announce your name and address for the record. In order to conduct a timely meeting, a three-minute time limit per person has been established by Municipal Code Section 2-18. Amendments to the California Government Code Section 54950 prohibits the City Council from taking action on a specific item until it appears on the agenda.

OATH OF OFFICE

Interim City Clerk Candace Clark will administer the Oath of Office to Ray Bernasconi Code Enforcement Officer

PUBLIC COMMENTS PERTAINING TO THE COUNCIL ITEMS

A three-minute time limit per person has been established.

COUNCIL CONSENT CALENDAR All matters listed on the Consent Calendar are considered to be routine and will be enacted by one motion in the form listed. The Mayor or any member of the City Council may pull an item from the Consent Calendar for discussion. Prior to Council action, a member of the public may address the City Council on matters scheduled on the Consent Calendar. A three-minute time limit per person applies. **RECOMMENDED ACTION:** Approve Items 1 through 3 on the Consent Calendar by affirmative roll call vote. (**ACT**)

- 1. Approve the Warrants Register through March 11, 2025
- 2. Approve the Minutes of February 25, 2025
- 3. Approve the Needles Rodeo Association Daily License Application for the Department of Alcoholic Beverage Control for their Needles Rodeo Association Rodeo, April 4 - 5, 2025. at the Needles Rodeo Grounds

END OF COUNCIL CONSENT CALENDAR

REGULAR COUNCIL ITEMS

- 4.Authorize the purchase of a Crafco Inc. EZ 1500 Crack Seal Trailer and an Empire Cat Sullair
375 Compressor, with a total cost not to exceed \$184,972.(ACT)
- 5. Authorize an additional \$9,500 to the FY 25 budget for the demolition of the building at 100 G Street, utilizing general fund reserves for a total project cost not to exceed \$19,500. (ACT)
- 6. Authorize the City Manager to proceed with GPS Trackit for Fleet Management Services at an annual cost of \$9,600 under a three-year contract. (ACT)
- 7. Adopt Resolution No. 2025-14 of the City Council of the City of Needles, Approving the City of Needles Naloxone Policy and Procedures and authorize staff to proceed with implementation of the policy and procedures. (ACT)
- 8. Authorize those interested to attend the League of California Cities (LCC) City Leaders Summit in Sacramento April 23-25, 2025. (ACT)
- 9. Authorize those interested to attend the ICSC Event at the Las Vegas Convention Center on May 18-20, 2025 (ACT)
- 10. Authorize the City Clerk's Department to publish a notice of vacancy on the Board of Public Utilities due to the retirement of Mike Schneider (ACT)

CITY ATTORNEY REPORT CITY CLERK REPORT CITY MANAGER REPORT

MANAGERS REPORTS for the weeks of February 21, and 28, 2025

COUNCIL REQUESTS

Council Member Longacre Council Member McCorkle Vice Mayor Campbell Council Member Pogue Council Member Belt Council Member Longbrake Mayor Jernigan

ADJOURNMENT

INTERNET ACCESS TO CITY COUNCIL AGENDAS AND STAFF REPORT MATERIAL IS AVAILABLE PRIOR TO CITY COUNCIL MEETINGS AT: http://www.cityofneedles.com

Posted: March 7, 2025

SB 343-DOCUMENTS RELATED TO OPEN SESSION AGENDAS -- Any public record, relating to an open session agenda item, that is distributed within 72 hours prior to the meeting is available for public inspection at the City Clerk's Office, 817 Third Street, Needles, CA 92363.

In compliance with the American with Disabilities Act, if you need special assistance to participate in this meeting, please contact the City Clerk's Office at (760) 326-2113 ext 133. Notification 48 hours prior to the meeting will enable the City to make reasonable arrangements to ensure accessibility to this meeting (28 CFR 35.102-104 ADA Title II).

I hereby certify, under penalty of perjury under the laws of the State of California that the foregoing Agenda was posted at the front entrance of City Hall not less than 72 hours prior to the meeting.

Dated this 7th day of March 2025

/s/ Candace Clark, CPMC, CMC Interim City Clerk

| CUTY OF | City of Needles, Ca Request for City Cou | |
|----------------------------|---|---------------------|
| | | 🛛 Regular 🗌 Special |
| | | |
| Meeting Date: | MARCH 11, 2025 | |
| Title: | Warrants | |
| Background: | n/a | |
| Fiscal Impact: | See attached Warrant Registers | |
| Environmental Impact: | n/a | |
| Recommended Action: | Approve the Warrant Registers through | MARCH 07, 2025. |
| Submitted By: | Barbara Dileo, Interim Director of Financ | ce |
| City Manager Approval: | lat frog | Date: <u>3-7-25</u> |
| Other Department Approv | al (when required): | Date: |
| | | |

| Approved: | Not Approved: | Tabled: | Other: |
|-----------|---------------|---------|--------|
|-----------|---------------|---------|--------|

CITY OF NEEDLES CITY COUNCIL WARRANT SUMMARY TOTALS FOR FEBRUARY 21, 2025

| | WARRANT SUMMARY TO | | | | | | 21-Feb | | 24-25 |
|----------------------------------|--|----------------|---|-----------|-------------------|----------------|-----------------------|--------------------|---|
| | | | 5,858.90 | F | UND AMT. | 74.55 | 21-Feb | 5.5 | 24-23 |
| FUND 101 | GENERAL FUND | \$ | 5,656.90 | THE S | - 1 a Sie 1019 Si | \$ | 40,929.03 | \$ | 90,000.00 |
| 101.1015.412 | CITY ATTORNEY | \$ | | 12.1 | | | 131,279.33 | | 230,155.00 |
| 101.1020.413 | CITY MANAGER | \$ | 20.00 | | * 10. 10 di W. | \$ | | | 2,215,772.00 |
| 101.1025.415 | FINANCE DEPT. | \$ | | | | \$ | 167,032.91 | \$ | 357,148.00 |
| 101.1030.414 | CITY CLERK/COUNCIL/MAYOR | \$ | (1,350.34) | 1.1 1 | CV Line Margari | \$ | | \$ \$ | 326,356.00 |
| 101.1035.416 | PLANNING /ZONING | \$ | (381.20) | Pres y | | \$ | 92,738.66 | | |
| 101.1040.417 | ENGINEERING | \$ | 50.00 | 1.1 | | \$ | 191,138.69 | \$ | 412,663.00 |
| 101.1060.410 | COMMUNITY PROMOTIONS | \$ | - | 1.19 | | \$ | 34,048.19 | \$ | 103,690.00 |
| 101.1070.410 | SENIOR CENTER | \$ | - | | 같은 그는 비원을 하여 있다. | \$ | 55,960.69 | \$ | 180,551.00 |
| 101.2010.421 | SHERIFF | \$ | - | 12185 | | \$ | 2,281,424.98 | | 3,862,539.00 |
| 101.2020.423 | ANIMAL SHELTER/CONTROL | \$ | 50.00 | | | \$ | 184,227.03 | \$ | 283,098.00 |
| 101.2025.424 | BULDING & SAFETY | \$ | 50.00 | 8 | | \$ | 170,040.22 | \$ | 407,500.00 |
| 101.2030.423 | CODE ENFORCEMENT | \$ | 50.00 | 10.6 | | \$ | 387,481.84 | \$ | 806,258.00 |
| 101.3010.431 | PUBLIC WORKS | \$ | 50.00 | \$ L. | | \$ | 385,267.17 | \$ | 744,745.00 |
| 101.4730.472 | SANITATION | \$ | - | | | \$ | 77,561.16 | \$ | 143,822.00 |
| 101.5770.452. | AQUATICS | \$ | - | | | \$ | 143,154.29 | \$ | 249,282.00 |
| 101.5772.452 | PARKS | \$ | (142.93) | | | \$ | 464,051.38 | \$ | 819,419.00 |
| 101.5773.452 | JACK SMITH PARK MARINA | \$ | 520.87 | | | \$ | 52,675.56 | \$ | 115,992.00 |
| 101.5774.452 | RECREATION | \$ | | A Got | 2011년 2017년 | \$ | 235,021.73 | \$ | 422,094.00 |
| GENERAL FUND | | T | A | \$ | 4,775.30 | 31 | and the second of | \$ 2 | 21,771,084.00 |
| FUND 102 | GEN. FUND CAPITAL PROJECT | 100 | | \$ | 17,000.00 | \$ | 1,486,056.40 | \$ | 3,611,336.00 |
| FUND 205 | CDBG | (Telly) | | \$ | | \$ | 24,231.10 | \$ | 107,900.00 |
| FUND 206 | CEMETERY | 8 B. | | \$ | | \$ | 156,167.60 | | 235,866.00 |
| | CALTRANS GRANTS | 1. T | | \$ | - | \$ | 945,771.68 | | 1,020,588.00 |
| FUND 208 FUND 210 | SPECIAL GAS TAX | 2-10 percent | | \$ | | \$ | 80,710.00 | | 256,392.00 |
| | DEPT OF HOUSE. & COMM DEVL | 1 - | | \$ | - | \$ | 12,410.00 | | 19,500.00 |
| FUND 213 | | - ¹ | | \$ | - | \$ | 12,110100 | \$ | 650,000.00 |
| FUND 214 | SANBAG NEW LOCAL MEAS I | | | \$ | - | \$ | 133,329.09 | - | 299,354.00 |
| FUND 225 | COPS-AB 3229 SUPPLEMENTAL | | | \$ | | \$ | 36,225.00 | \$ | 100,000.00 |
| FUND 227 | HAZARD MITIGATION | 1. 1. | | | - | \$ | 30,223.00 | \$ | 100,000.00 |
| FUND 233 | JACK SMITH PARK MARINA | | | \$ | | | 899,391.76 | | 1,285,000.00 |
| FUND 238 | STATE RECREATION GRANTS | . 2 | | \$ | - | \$ | | | 25,436.00 |
| FUND 239 | CA.CONSERV RECYLING GRANT | a 3 v | | \$ | - | \$ | 894.22 | | 20,000.00 |
| FUND 270 | REDEVELOPMENT AGENCY | | | \$ | - | \$ | 370.00 | _ | and the second se |
| FUND 470 | RDA CAP PROJ.LOW & MOD. | 81.0 | | \$ | - | \$ | 56,284.00 | | 56,285.00 |
| FUND 501 | NPUA | 1.1 | 날랐?? 한 것 | \$ | | \$ | 2,168,320.97 | | 2,668,939.00 |
| FUND 502 | WATER DEPARTMENT | 1.1 | | \$ | 1,087.49 | \$ | 1,019,777.30 | | 2,222,678.00 |
| FUND 503 | WASTEWATER DEPARTMENT | | | \$ | 691.93 | \$ | | | 1,329,341.00 |
| FUND 505 | SANITATION | 2.1.18 | e de la della de la della d | \$ | - | \$ | 916,872.82 | | 1,563,015.00 |
| FUND 506 | ALL AMERICAN CANAL PROJ. | रीका जे | | \$ | - | \$ | 1,056,489.48 | \$ | 1,041,800.00 |
| FUND 507 | GOLF FUND | \$ | - | alte e | | \$ | - | 1.5 | |
| FUND 507-5761-453 | GOLF MAINTENANCE DEPARTMENT | \$ | - | | | \$ | 841,561.10 | | 1,376,182.00 |
| FUND 507-5762-454 | GOLF PRO SHOP DEPARTMENT | \$ | - | - de gree | | \$ | 233,658.25 | \$ | 426,928.00 |
| FUND 507 | GOLF FUND TOTAL | 1.35 | - 사망 위험 이상 | \$ | - | | | $ \mathbf{e} _2 =$ | a the state |
| FUND 508 | CUST.SVC/UT BUSINESS OFFICE | Que 16 | 이 말하는 것 같은 것 | \$ | 101.41 | \$ | 253,285.08 | \$ | 477,260.00 |
| FUND 509 | MIS | 2010 | | \$ | - | \$ | 125,086.61 | \$ | 273,100.00 |
| FUND 510 | ADMIN, FACILITY | 1. 👘 | | \$ | 3,006.25 | \$ | 111,701.30 | \$ | 254,550.00 |
| FUND 511 | FLEET MANAGEMENT | | | \$ | 39.33 | \$ | 157,011.37 | \$ | 291,071.00 |
| FUND 512 | VEHICLE REPLACEMENT | 19.37 | | \$ | - | \$ | 126,198.32 | \$ | 287,320.05 |
| FUND 520 | SR DIAL A RIDE | 100 | | \$ | - | \$ | 52,863.27 | \$ | 450,779.00 |
| FUND 521 | DIAL-A-RIDE MEDICAL TRANS. | 1 92 O | | \$ | | \$ | 14,156.17 | | 50,948.00 |
| | NEEDLES AREA TRANSIT (NAT) | 100 | | \$ | | \$ | 281,520.39 | | 477,395.00 |
| FUND 525 | | 1.00 | | \$ | 276.79 | | 581,792.24 | | 1,311,630.00 |
| FUND 575 | HOUSING | 1 | | \$ | 3,321.36 | | 7,932,774.64 | | 12,502,385.00 |
| FUND 580 | | 1 | | \$ | 3,321.30 | \$ | - | \$ | 46,073.00 |
| m1 11 11 MA 40 1 | | 1.2 | 2 10 10 10 10 | Ψ | | - | | | |
| FUND 581 | | | | C | | 2 | 1 221 713 /0 | \$ | 8 084 535 00 |
| FUND 582 | NPUA CAPITAL WATER | - | | \$ | | \$ | 1,221,713.40 | | |
| FUND 582 FUND 583 | NPUA CAPITAL WATER NPUA CAPITAL WASTEWATER | | | \$ | - | \$ | 32,112.29 | \$ | 69,532.00 |
| FUND 582 FUND 583 FUND 650 | NPUA CAPITAL WATER NPUA CAPITAL WASTEWATER IMPACT FEES NORTH NEEDLES | | | \$ \$ | | \$ \$ | 32,112.29 9,021.65 | \$ \$ | 69,532.00 33,708.00 |
| FUND 582 FUND 583 | NPUA CAPITAL WATER NPUA CAPITAL WASTEWATER | | | \$ | - | \$ \$ \$ | 32,112.29 | \$ \$ | 8,084,536.00 69,532.00 33,708.00 45,912.00 64,594,671.05 |

I certify that the expenditures/purchases to be paid by the warrants on this list have complied with the provisions of the City Code Chapter 8, Article II, Purchasing; and further, the funds to cover these purchases/expenditures, as City Audited, are included

Date

Date

7-2025

Finance Department

Virginia Tasker, City Treasurer

Patrick Martinez, City Manager

9

Date

| PAGE 1 OD 08/2025 | | |
|---|---|---|
| PA(DISBURSEMENT PERIOD | TS/R TAKE | <u></u> |
| REGISTER | CHECK AMOUNT | 17, 000 50,00 |
| PRELIMINARY CHECK | CHEC | 02/21/2025 002/21/2025 000/21/2025 000/21/2025 000/21/2025 000/21/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/2025 000/20 |
| :26 ACCOUNTS PAYABLE K - CITY GENERAL CHECKING | 1 4 4 4 4 4 5 5 6 6 4 5 7 5 6 8 4 5 9 4 6 8 4 6 | ALBERT PONCE ANTHONY GIERSCH BENBEBLOC, LLC HATZ, BERNARD BNSF RAILROD COMPANY BRYAN HICKSTEIN ENSF RAILROD COMPANY BRYAN HICKSTEIN CALIFORNIA STATE DISB.UNIT CALIFORNIA STATE DISB.UNIT CALLFORNIA STATE DISB.UNIT CALLEARINGHOUSE, AZCARES #005004341000 COLLIN TSOSIE CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFEL CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET CASE BRUFFET COLLIN TSOSIE CS AMSCO DYLAN HETRICK ELLEN CAMPBELL FRANCHISE TAX BOARD COLLIN TSOSIE CS AMSCO DYLAN HETRICK ELLEN CAMPBELL FRANCHISE TAX BOARD GREAT-WEST LIFE & ANNUITY CASE BRUFFET COLLIN TSOSIE CS AMSCO DYLAN HETRICK ELLEN CAMPBELL FRANCHISE TAX BOARD GREAT-WEST LIFE & ANNUITY CASE BRUFFET COMPOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COLLIN TSOSIE COMPUSE SURFATINE COMAN SOMMERS SBPEA TEAMSTERS LOCAL 1932 SBPEA TEAMSTERS LOCAL 1932 SBP |
| Ŏ | | |
| 19/20 348U DLES ELLS | VENDOR NUMBER | 84684984444446 18 888 84884898 84684884444444 8088388718809889 888988881888488 884788907578887341899988900978448948484848484848494844988 847890784788873419999880000978444894484787 |
| N 04 04 N N N | CHECK | |

NUMBER OF CHECKS

49,795.26

GRAND TOTAL

40

| 0.0. WILLING MILLING C. MILLING | REPAREDO ROGRAM: | 2/19/2 GM346L | 025, 14:19:03 | ACCOUNTS | PAYABLE | E CHECK REGISTER | SR BY BANK NUMBER | ACCOUNTING PE | PAGE 1 NG PERIOD 2025/08 |
|--|------------------------|------------------|--|----------------------------|----------------|--------------------------|--|-------------------------------------|-----------------------------|
| TUDOR VERNE VOICTIM VO | CLTY OF N BANK 04 1 | EEDLES | BANK - CITY GENERAL | CHECKING | | | | | ω |
| 1 JACK RELTTEN 005907 02/14/2025 102-9010-411.70-06 7,500.000-100-1 1 3943 ELLEN CAMPEELL 005795 02/07/2025 101-1030-414.55-00 990.177- 8 1 4070 KATTEN 005795 02/07/2025 101-1035-416.55-00 990.177- 8 1 644 RUD EQUTENEN 005797 02/07/2025 101-1035-416.55-00 423.201- 1 644 RUD EQUTENEN 005797 02/07/2025 101-1035-416.55-00 423.201- 1 644 RUD EQUTENEN 005897 02/07/2025 502-4710-471-52-10 500.00 1 644 RUD EQUTENEN 005897 02/07/2025 502-4710-471-52-10 500.00 1 4064 ANTHONY EXTRACT 0036411 02/07/2025 502-4710-471-52-10 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 500.00 | | ENDOR NO | 1 1 1 1 1 1 1 1 1 1 1 1 | VOUCHER | : <u>• 8</u> ; | | ACCOUNT | | · ĂĒ · |
| * 344 RLIERT CARPERL 005795 02/07/2025 101-1030-414.55-00 990.177 * VOID * 3949 JARET JERRICAAN 005795 02/07/2025 101-1035-415.55-00 990.177 * VOID * 4070 KATHY PAASCH 005797 02/07/2025 101-1035-415.55-00 990.177 * VOID * 4070 KATHY PAASCH 005797 02/07/2025 101-1035-415.55-00 429.200 * VOID * 644 RJD EQUITMERNT CONPANY 005797 02/07/2025 501-471-471.52-10 429.200 * VOID 568 ALBERT PONCE 0033512 02/21/2025 502-4710-471.52-10 502.00 * 225.00 * * 226.00 * 266 * 226.00 * 226.00 * 226.00 * 226.00 * 266 226.00 226.00 226.00 226.00 226.00 226.00 226.00 226.00 226.00 266.00 266.00 266.00 | CI CI | ← 1 | | 005906 005907 | | 2/18/202 2/14/202 | 02-3010-431.70-0 02-3010-431.70-0 | 7,500.00- 9,500.00- 7,000.00- | 7,000. |
| 349 JANET JENNICAM 065796 02/07/2025 101-1030-416.55-00 890.177 * VOID 4070 KAUHY RAAGCH 005797 02/07/2025 101-1035-416.55-00 423.201 * VOID 644 PLO BOUTPWENY CONFRAY 644 RDO BOUTPWENY CONFRAY 005696 02/07/2025 511-1020 423.611-14 142.931 * VOID 568 ALBERT POWCE 003593 02/07/2025 511-1020 411.52-10 50.00 * 50.00 508 ALBERT POWCE 003593 02/21/2025 500-4716-471.52-10 50.00 * 50.00 508 BANBELCC LAC 509 BANBELCC LAC 509 JAN 508 BANBELCC LAC 509 JAN 508 BANBELC LAC 509 JAN 508 BANBELCC LAC 500 JAN 508 JAN 508 AND AND AND AND AND AND AND AND AND AND | 23297* | 3943 | ELLEN | đ | | 2/07/202 | 01-1030-414.55-0 | 0.17- | VOIDED |
| 4070 KATHY RAASCH 05797 02/07/2025 101-1035-416.55-00 423.261-4 FOR KATHY RAASCH 05566 02/07/2025 511-3005-432.61-4 FOR EQUIPMENT CONTANY 05566 02/07/2025 511-3005-432.61-4 FOR EQUIPMENT CONTANY 05566 02/07/2025 511-3020-432.61-4 FOR ALJEERT PONCE 003533 02/21/2025 510-471.52-10 55.00 ANTHONY GETRSCH 003541 02/21/2025 510-471.52-10 25.00 ANTHONY GETRSCH 003541 02/21/2025 510-471.52-10 25.00 BENUAED J. HAINZ BENUAED CONTANY BENUAED J. HAINZ BENUAED J. HAINZ BENUAED J. HAINZ BENUAED J. HAINZ BENUAED CONTANA BENUAED J. HAINZ BENUAED CONTANA BENUAED CONTANA<td>\sim</td><td>3949</td><td>JANET</td><td>005796</td><td></td><td></td><td>01-1030-414.55-0</td><td>0.17-0.17-</td><td>VOIDED</td> | \sim | 3949 | JANET | 005796 | | | 01-1030-414.55-0 | 0.17-0.17- | VOIDED |
| 644 RD SQUTENENT CONFAMT 00566 02/07/2025 511-3020-432.61.14 142.93- 02572-452.43-04 155.263- 560 SQUTENENT CONFAMT 005999 02/07/2025 502-4716-471.52-10 50.00 + 50 4084 ALTERT PONCS 003931 02/21/2025 590-4715.52-10 55.00 + 50 4084 ANTHONY GETRSCH 003611 02/21/2025 590-4715.52-10 25.00 + 50 4084 ANTHONY GETRSCH 003612 02/21/2025 502-4710-471.52-10 25.00 + 50 3897 BENUBLOC LLC 005939 02/21/2025 101-0000-209.03-01 213.78 3808 BENUARD J. HATZ 003613 02/21/2025 101-0000-209.03-01 213.78 3808 BENUARD J. HATZ 003613 02/21/2025 101-0000-209.03-01 213.78 3808 BENUARD J. HATZ 003613 02/21/2025 101-3010-411.70-06 7/.500.00 + 7/000000 - 200.00 | 23316* | 4070 | КАТНҮ | 005797 | | 02/07/2025 | 01-1035-416.55-0 | 9.20- 9.20- | VOIDED |
| 3688 ALBERT PONCE 003533 02/21/2025 502-4710-471.52-10 50.00 * 50 5 | 3335 | 644 | RDO EQUIPMENT | 005686 005787 | | 02/07/2025 02/07/2025 | 11-3020-432.61-1 01-5772-452.43-0 | | VOIDED |
| 4084 AWTHONY GELRSCH 003611 02/21/2025 580-4750-471.52-10 25.00 50 < | 6 | 3688 | ALBERT | 003593 | | 2/21/202 | 02-4710-471.52-1 | 00.00 | 0 |
| 3897 BENEBLOC LLC 005938 005940 02/21/2025 02/21/2025 101-0000-209.03-01 50.00 213.78 38.80 214.00 266 260 266 260 266 260 266 260 27,60 | 9 | 4084 | ANTHONY | 003611 003612 | | 2/21/202 2/21/202 | 80-4750-473.52-1 02-4710-471.52-1 | 000 | 50.00 |
| D 3608 BERNARD J. HATZ 003613 02/21/2025 101-2030-423.52-10 50.00 \$ 50 | 23369 | 3897 | BENEBLOC | 005938 005939 005940 | | ก่กก | 01-0000-209.03 02-0000-209.03 80-0000-209.03 | 13.78 38.80 14.00 66.58 | 66 |
| 1 4222 BNSF RAILROAD COMPANY 005908 02/21/2025 102-3010-431.70-06 9,500.00 * 17,000 * 50 50 * 50 50 * 50 50 * 50 50 * 57 50 * 57 50 50 50 50 50 50 50 50 50 | 337 | 3808 | BERNARD J. | 003613 | | /21/202 | 01-2030-423.52-1 | 00. | 0 |
| 2 3870 BRYAN HICKSTEIN 003590 02/21/2025 502-4710-471.52-10 50.00 \$ 50.00 \$ 50 \$ 50 \$ 50 \$ 50 \$ \$ 50 \$ \$ 50 \$ <t< td=""><td>0</td><td>4222</td><td>BNSF RAILROAD</td><td>005908 005909</td><td></td><td>2/21/ 2/21/</td><td>02-3010-431.70-0 02-3010-431.70-0</td><td>00.000 00.000</td><td>17,000.00</td></t<> | 0 | 4222 | BNSF RAILROAD | 005908 005909 | | 2/21/ 2/21/ | 02-3010- 4 31.70-0 02-3010-431.70-0 | 00.000 00.000 | 17,000.00 |
| 3 3275 CALIFORNIA STATE DISB.UNI 005936 02/21/2025 575-0000-209.03-01 57.69 * 57 4 4126 CASE BRUFFETT 003594 02/21/2025 575-555-485.52-10 50.00 * 50 5 4234 CLEARINGHOUSE, AZCARES 005937 02/21/2025 101-0000-209.03-01 462.05 * 462 462 * 462 * 462 * 462 * * 462 * * 462 * * 462 * * 462 * * 462 * * 462 * < | 23372 | 3870 | | 003590 | | 2/21/202 | 02-4710-471.52-1 | 0.00 | |
| 4 4126 CASE BRUFFETT 003594 02/21/2025 575-555-485.52-10 50.00 50.00 50 50 5 4234 CLEARINGHOUSE, AZCARES 005937 02/21/2025 101-0000-209.03-01 462.05 462 462 462 50 462 462 462 50 462 462 50 462 <td< td=""><td>23373</td><td>3275</td><td>CALIFORNIA STATE</td><td></td><td>_</td><td>21/202</td><td>75-0000-209.03-0</td><td>7.69 7.69</td><td>57.69</td></td<> | 23373 | 3275 | CALIFORNIA STATE | | _ | 21/202 | 75-0000-209.03-0 | 7.69 7.69 | 57.69 |
| 5 4234 CLEARINGHOUSE, AZCARES 005937 02/21/2025 101-0000-209.03-01 462.05 * 462 6 4217 COLIN TSOSIE 004356 02/21/2025 502-4710-471.52-10 50.00 * 50.00 | 23374 | 4126 | CASE | | | 02/21/2025 | 75-555-485.52-1 | 0.00 | 50.00 |
| 4217 COLIN TSOSIE 004356 02/21/2025 502-4710-471.52-10 50.00 50.00 50 | 23375 | 4234 | | 005937 | | | 01-0000-209.03-0 | 62.05 62.05 | 462.05 |
| | 23376 | 4217 | | 004356 | | 02/21/2025 | -4710-471.52 | 0.00 | 50.00 |

| EPARE OGRAM TY OF | D02/19/2 : GM346L NEEDLES | 5, 14:19:03 | TS | PAYABLE CHECK REGISTER | ER BY BANK NUMBER | ACCOUNTING FERIOD REPORT NU | PAGE 2 NG PERIOD 2025/08 REPORT NUMBER 80 . |
|----------------------------|---------------------------------|---|--|--|--|---|---|
| BANK 04 CHECK NO | WELLS VENDOR NO | RGO BANK - CITY GENERAL VENDOR NAME | CHECKING VOUCHER P.0 NO NO NO | . DATE | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | CHECK TOTAL |
| 23377 | 4236 | CS AMSCO | 005923 | 02/21/2025 02/21/2025 | 503-4720-475.43-02 503-4720-475.43-02 | 32.07 552.87 584.94 * | 584.94 |
| 23378 | 4088 | DYLAN HETRICK | 003614 | 02/21/2025 | 580-4750-473.52-10 | 50.00 * 50.00 * | 50.00 |
| 23379 | 3943 | ELLEN CAMPBELL | 005795 | 02/21/2025 | 101-1030-414.55-00 | 215.00 * 215.00 * | 215.00 |
| 23380 | 227 | FRANCHISE TAX BOARD | 005935 | 02/21/2025 | 575-0000-209.03-01 | 25.00 * 25.00 * | 25.00 |
| 23381 | 1305 | GREAT WEST LIFE & ANNUITY | r 005931 005932 005933 | 02/21/2025 02/21/2025 02/21/2025 | 101-0000-209.03-01 502-0000-209.03-01 580-0000-209.03-01 | 3,652.00 435.00 2,249.00 6,336.00 * | 6,336.00 |
| 23382 | 3634 | GREAT-WEST LIFE & ANNUITY | 7 0055941 00559442 00559442 00559445 00559445 00559445 00559445 0055945 0055945 0055945 0055945 0055945 00550 | 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 02/21/2025 | 101-0000-209.03-01 101-0000-209.03-01 101-0000-209.03-01 101-0000-209.03-01 101-0000-209.03-01 502-0000-209.03-01 580-0000-209.03-01 580-0000-209.03-01 580-0000-209.03-01 580-0000-209.03-01 580-0000-209.03-01 | 161.88 25.72 213.04 161.01 15.27 15.27 15.27 179.89 174.39 60.36 60.36 1,255.70 * | 1,255.70 |
| 23383 | | JACK BRITTEN | 004273 004272 | 02/21/2025 02/21/2025 | 102-3010-431.70-06 102-3010-431.70-06 | 7,500.00 9,500.00 17,000.00 | 17,000.00 |
| 23384 | 3949 | JANET JERNIGAN | 005796 | 02/21/2025 | 101-1030-414.55-00 | 215.00 215.00 * | 215.00 |
| 23385 | 2879 | JENNIFER VALENZUELA | 003595 | 02/21/2025 | 101-5774-452.52-10 | 50.00 50.00 * | 50.00 |
| 23386 | 2879 | JENNIFER VALENZUELA | 005920 005921 | 02/21/2025 02/21/2025 | 101-5774-452.49-01 101-5774-452.65-10 | 420.00 50.87 470.87 * | 470.87 |
| 23387 | 638 | JESSE FRAGOSO | 003588 | 02/21/2025 | 101-3010-431.52-10 | 50.00 50.00 | 50.00 |
| 23388 | 325 | SIJIM MIC | 003598 | 02/21/2025 | 580-4750-473.52-10 | 50.00 50.00 * | 50.00 |
| | | | | | | | |

| A 2 | PREPARED02/19/2025, 14:19:03 PROGRAM: GM346L CITY OF NEEDLES BANK 04 WELLS FARGO BANK - CITY GENERAL CHECKING | ACCOUNTS CHECKING | | LE CHECK REGIST | PAYABLE CHECK REGISTER BY BANK NUMBER | PAGE 4 ACCOUNTING PERIOD 2025/08 REPORT NUMBER 80 | PAGE 4 IOD 2025/08 NUMBER 80. |
|------|--|----------------------|------------|-----------------|---------------------------------------|---|-------------------------------------|
| 1 + | VENDOR NAME | VOUCHER | ь. О.О. | DATE | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | CHECK TOTAL |
| | SY FOLEY | 003587 | | 02/21/2025 | 503-4720-475.52-10 | 50.00 50.00 | 50.00 |
| 3622 | TAYLOR MILLER | 003591 | | 02/21/2025 | 502-4710-471.52-10 | 50.00 50.00 * | 50.00 |
| 2744 | THOMAS DELEON | 003586 | | 02/21/2025 | 580-4750-473.52-10 | 50.00 50.00 * | 50.00 |
| | TONY RUBALCABA | 003600 | | 02/21/2025 | 101-2020-423.52-10 | 50.00 50.00 * | 50.00 |
| | VINCE GARZA | 003589 | | 02/21/2025 | 580-4750-473.52-10 | 50.00 50.00 * | 50.00 |
| | WILLIAM GUZMAN JR. | 007760 | | 02/21/2025 | 101-2025-424.52-10 | 50.00 * | 50.00 |
| | | | | д | BANK/CHECK TOTAL | 30,299.86 | 32,795.26 |
| | | | | ALL BAN | ALL BANKS/CHECKS TOTAL | 30,299.86 | 32,795.26 |

CITY OF NEEDLES CITY COUNCIL WARRANT SUMMARY TOTALS FOR FEBRUARY 27, 2025

| | | 3/ | 11/2025 | FL | IND AMT. | | 11-Mar | | 24-25 |
|-------------------|---|-------------|----------------------|-----------|----------------|----|---|-----|-------------------------|
| FUND 101 | GENERAL FUND | \$ | 18,000.00 | 1152 | 12 12 12 22 11 | | | | S. S. Directory |
| 101.1015.412 | CITY ATTORNEY | \$ | - | 100 | | \$ | 40,929.03 | \$ | 90,000.00 |
| 101.1020.413 | CITY MANAGER | \$ | - | | | \$ | 131,448.12 | \$ | 230,155.00 |
| 101.1025.415 | FINANCE DEPT. | \$ | - | | | \$ | | | 12,215,772.00 |
| 101.1030.414 | CITY CLERK/COUNCIL/MAYOR | \$ | . | | | \$ | 174,600.97 | | 357,148.00 |
| 101.1035.416 | PLANNING /ZONING | \$ | - · · · | 220 | | \$ | 90,571.70 | | 326,356.00 |
| 101.1040.417 | ENGINEERING | \$ | - | | | \$ | 191,138.69 | | 412,663.00 |
| 101.1060.410 | COMMUNITY PROMOTIONS | \$ | - | | | \$ | 34,048.19 | | 103,690.00 |
| 101.1070.410 | SENIOR CENTER | \$ | - | | | \$ | 55,960.69 | | 180,551.00 |
| 101.2010.421 | SHERIFF | \$ | - | 15 31 1 | | \$ | 2,582,127.29 | _ | 3,862,539.00 |
| 101.2020.423 | ANIMAL SHELTER/CONTROL | \$ | - | | | \$ | 184,566.60 | _ | 283,098.00 |
| 101.2025.424 | BULDING & SAFETY | \$ | - | 0.150 | | \$ | 174,116.20 | | 407,500.00 |
| 101.2030.423 | CODE ENFORCEMENT | \$ | - | | | \$ | 415,317.46 | | 806,258.00 |
| 101.3010.431 | PUBLIC WORKS | \$ | - | | | \$ | 390,021.21 | | 744,745.00 |
| 101.4730.472 | SANITATION | \$ | - | | | \$ | 77,859.86 | | 143,822.00 |
| 101.5770.452. | AQUATICS | \$ | - | - Antonio | | \$ | 143,298.88 | | 249,282.00 |
| 101.5772.452 | PARKS | \$ | - | · | | \$ | 471,184.37 | | 819,419.00 |
| 101.5773.452 | JACK SMITH PARK MARINA | \$ | - | 1. 1. | | \$ | 52,675.56 | | 115,992.00 |
| 101.5774.452 | RECREATION | \$ | - | 200 | | \$ | 245,514.35 | | 422,094.00 |
| GENERAL FUND | | Ψ | A STATE OF THE OWNER | \$ | 18,000.00 | Ψ | 240,014.00 | | 21,771.084.00 |
| FUND 102 | GEN. FUND CAPITAL PROJECT | | | \$ | - | \$ | 1,579,419.35 | | 3,611,336.00 |
| FUND 205 | CDBG | Naron | | \$ | - | \$ | 179,591.00 | | 107,900.00 |
| FUND 206 | CEMETERY | 1.22 | | \$ | | \$ | 158,721.43 | | 235,866.00 |
| FUND 208 | CALTRANS GRANTS | | | \$ | - | \$ | 965,531.68 | | 1,020,588.00 |
| FUND 210 | SPECIAL GAS TAX | | | \$ | - | \$ | 80,710.00 | | 256,392.00 |
| FUND 213 | DEPT OF HOUSE. & COMM DEVL | | | ф \$ | | \$ | 12,410.00 | | |
| FUND 214 | SANBAG NEW LOCAL MEAS I | 12.13 | | \$ | | \$ | 12,410.00 | | 19,500.00 650,000.00 |
| FUND 225 | COPS-AB 3229 SUPPLEMENTAL | | | | • | | 140 001 04 | \$ | |
| FUND 227 | | 10.25 | Sector Sector | \$ | - | \$ | 142,281.84 | \$ | 299,354.00 |
| FUND 233 | HAZARD MITIGATION | | 3352 | \$ | - | \$ | 36,225.00 | \$ | 100,000.00 |
| | JACK SMITH PARK MARINA STATE RECREATION GRANTS | 1.16 | | \$ | - | \$ | - | \$ | - |
| FUND 238 | | 10125-6 | | \$ | - | \$ | and the second se | _ | 1,285,000.00 |
| FUND 239 | CA.CONSERV RECYLING GRANT | | | \$ | - | \$ | 894.22 | \$ | 25,436.00 |
| FUND 243 | ACTIVE TRANSPORT PROGRAM | | | \$ | - | \$ | 89.74 | _ | 719,640.26 |
| FUND 270 | REDEVELOPMENT AGENCY | Statistics. | State Street | \$ | - | \$ | 370.00 | | 20,000.00 |
| FUND 470 | RDA CAP PROJ.LOW & MOD. | | | \$ | - | \$ | 56,284.00 | | 56,285.00 |
| FUND 501 | NPUA | 57.5 | | \$ | - | \$ | 12,528,631.65 | _ | 2,668,939.00 |
| FUND 502 | WATER DEPARTMENT | 139.8 | | \$ | - | \$ | 1,028,861.78 | | 2,222,678.00 |
| FUND 503 | WASTEWATER DEPARTMENT | 1.0.0 | 1.1.1.1.1.1.1.1 | \$ | - | \$ | | | 1,329,341.00 |
| FUND 505 | SANITATION | Bernt | | \$ | - | \$ | 916,829.94 | | 1,563,015.00 |
| FUND 506 | ALL AMERICAN CANAL PROJ. | 1000 | Cold States States | \$ | - | \$ | 1,056,489.48 | \$ | 1,041,800.00 |
| FUND 507 | GOLF FUND | \$ | - | | | \$ | | | |
| FUND 507-5761-453 | GOLF MAINTENANCE DEPARTMENT | \$ | | | | \$ | | | 1,376,182.00 |
| FUND 507-5762-454 | GOLF PRO SHOP DEPARTMENT | \$ | - | 10000 | | \$ | 1,114,276.65 | \$ | 426,928.00 |
| FUND 507 | GOLF FUND TOTAL | ALC: N | | \$ | | 10 | o sa sere character | | |
| FUND 508 | CUST.SVC/UT BUSINESS OFFICE | 1 | | \$ | - | \$ | 253,570.28 | \$ | 477,260.00 |
| FUND 509 | MIS | 1231.8 | | \$ | - | \$ | 185,568.68 | | 273,100.00 |
| FUND 510 | ADMIN. FACILITY | | | \$ | - | \$ | 114,969.05 | \$ | 254,550.00 |
| FUND 511 | FLEET MANAGEMENT | Sel. Th | and the lease | \$ | - | \$ | 157,206.41 | \$ | 291,071.00 |
| FUND 512 | VEHICLE REPLACEMENT | 1000 | | \$ | - | \$ | 126,198.32 | \$ | 287,320.05 |
| FUND 520 | SR DIAL A RIDE | 100 | Alles and | \$ | - | \$ | 52,863.27 | \$ | 450,779.00 |
| FUND 521 | DIAL-A-RIDE MEDICAL TRANS. | A. S. A. L. | 5 1 1 1 1 | \$ | - | \$ | 14,156.17 | \$ | 50,948.00 |
| FUND 525 | NEEDLES AREA TRANSIT (NAT) | 1000 | Charles I and | \$ | - | \$ | 281,520.39 | \$ | 477,395.00 |
| FUND 575 | HOUSING | 200 | | \$ | - | \$ | 608,690.25 | \$ | 1,311,630.00 |
| FUND 580 | ELECTRIC | S. Start | | \$ | - | \$ | 7,957,606.59 | _ | 12,502,385.00 |
| FUND 581 | NPUA CAPITAL ELECTRIC | 11/22/25 | 1997 12 Card | \$ | - | \$ | - | \$ | 46,073.00 |
| FUND 582 | NPUA CAPITAL WATER | 245186 | - The second | \$ | - | \$ | | | 8,084,536.00 |
| UND 583 | NPUA CAPITAL WASTEWATER | 1154-800kg | and the state | \$ | - | \$ | | \$ | 69,532.00 |
| UND 650 | IMPACT FEES NORTH NEEDLES | 1 Section | Section Section | \$ | - | \$ | 9,021.65 | | 33,708.00 |
| FUND 651 | IMPACT FEES SOUTH AREAS | - Stall | | \$ | - | \$ | | \$ | 45,912.00 |
| TOTAL | ALL FUNDS & DEPARTMENTS | 2,242 | | \$ | 18,000.00 | \$ | 39,283,722.94 | | 65,314,311.31 |
| ronke | | -enginesi | A STATE | <u>*</u> | | | 00,200,722.04 | * ' | |

I certify that the expenditures/purchases to be paid by the warrants on this list have complied with the provisions of the City Code Chapter 8, Article II, Purchasing; and further, the funds to cover these purchases/expenditures, as City Audited, are included

 $\frac{3-4-25}{\text{Date}}$ 9 Patrick Martinez, City Manager Virginia Tasker, City Treasurer

Finance Department

Date

| PAGE 1 DISBURSEMENT PERIOD 08/2025 | DISCOUNTS/RETAINAGE TAKEN | 00 - | | · |
|--|------------------------------|-------------------------------|---|----------------|
| | ECK | 18,0 18,0 | · | |
| PAYABLE PRELIMINARY CHECK REGISTER | CHECK DATE | 02/27/2025 | | |
| ACCOUNTS CHECKING | | GRAND TOTA | | |
| 14 - CITY GENER | VENDOR | CITY OF NEEDLES | | |
| 2/27/2025, GM348U EEDLES WELLS FARG | VENDOR NUMBER SEQ# | 1499 3136 00 NUMBER OF CHECKS | | |
| FREPARED FROGRAM: CITY OF D BANK 04 | MM | 23499 23499 NUMBB | | Agenda Item 1. |

| FAGE 1 NG PERIOD 2025/08 REPORT NUMBER 83 | CHECK TOTAL | 18,000.00 | 18,000.00 | 18,000.00 |
|--|---|--------------------------|------------------|------------------------|
| PAGE 1 ACCOUNTING PERIOD 2025/08 REPORT NUMBER 83 | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | 18,000.00 18,000.00 * | 18,000.00 | 18,000.00 |
| TER BY BANK NUMBER | ACCOUNT | 101-0000-108.04-00 | BANK/CHECK TOTAL | ALL BANKS/CHECKS TOTAL |
| PAYABLE CHECK REGISTER BY BANK NUMBER | P.O. DATE NO | 02/27/2025 | | ALL BA |
| ACCOUNTS CHECKING | VOUCHER | 006262 | | |
| 25, 1 ARGO | VENDOR NAME | 3136 CITY OF NEEDLES | | |
| PREPARED02/27/20: PROGRAM: GM346L CITY OF NEEDLES BANK 04 WELLS F | VENDOR | | | |
| PREPARE PROGRAM CITY OF BANK 04 | CHECK VENDOR NO NO | 23499 | | |

CITY OF NEEDLES CITY COUNCIL WARRANT SUMMARY TOTALS FOR FEBRUARY 25, 2025

| | WARRANT SUMMARY TO | | 25/2025 | | UND AMT. | | 25-Feb | | 24-25 |
|-------------------|--|-------------------|---------------------------|-------|-----------------------|-----|---------------|----------|--------------------------------|
| | | \$ | 235.79 | F | UND AMT. | 100 | 25-1 60 | 23 | 24-20 |
| FUND 101 | GENERAL FUND | | 235.19 | | anti-anti-anti-anti- | \$ | 40.929.03 | \$ | 90,000.00 |
| 101.1015.412 | CITY ATTORNEY | \$ \$ | 168.79 | | - | \$ | | \$ | 230,155.00 |
| 101.1020.413 | CITY MANAGER | \$ \$ | - 100.79 | | a de la sere | \$ | | | 12,215,772.00 |
| 101.1025.415 | | \$ | 2,283.08 | | | \$ | 174,600.97 | | 357,148.00 |
| 101.1030.414 | CITY CLERK/COUNCIL/MAYOR | \$ | (330.96) | | | \$ | | \$ | 326,356.00 |
| 101.1035.416 | PLANNING /ZONING | \$ | (330.90) | | 12、21、21、21、 | \$ | 191,138.69 | | 412,663.00 |
| 101.1040.417 | ENGINEERING | \$ | - | | in and standed | \$ | 34,048.19 | | 103,690.00 |
| 101.1060.410 | COMMUNITY PROMOTIONS | \$ | - | | Sample Links | \$ | 55,960.69 | \$ | 180,551.00 |
| 101.1070.410 | SENIOR CENTER | | - | | | ¢ | 2,582,127.29 | \$ | 3,862,539.00 |
| 101.2010.421 | SHERIFF | \$ | - 281.80 | | | \$ | 184,566.60 | | 283,098.00 |
| 101.2020.423 | ANIMAL SHELTER/CONTROL | \$ | | | | \$ | 174,116.20 | | 407,500.00 |
| 101.2025.424 | BULDING & SAFETY | \$ | 4,078.98 | | | | 415,317.46 | | 806,258.00 |
| 101.2030.423 | CODE ENFORCEMENT | \$ | 1,597.85 | | | \$ | 390,021.21 | | 744,745.00 |
| 101.3010.431 | PUBLIC WORKS | \$ | 3,430.69 | | A State of the second | \$ | | | |
| 101.4730.472 | SANITATION | \$ | 298.70 | | Section 121 | \$ | 77,859.86 | | 143,822.00 |
| 101.5770.452. | AQUATICS | \$ | - | | | \$ | 143,298.88 | | 249,282.00 |
| 101.5772.452 | PARKS | \$ | 1,030.79 | | | \$ | 471,184.37 | | 819,419.00 |
| 101.5773.452 | JACK SMITH PARK MARINA | \$ | - | | | \$ | 52,675.56 | | 115,992.00 |
| 101.5774.452 | RECREATION | \$ | 9,927.87 | | | \$ | 245,514.35 | | 422,094.00 |
| GENERAL FUND | | | 100 100 | \$ | 23,003.38 | | | _ | 21,771,084.00 |
| FUND 102 | GEN. FUND CAPITAL PROJECT | 1.201 | and the second | \$ | 93,267.93 | \$ | 1,579,419.35 | \$ | 3,611,336.00 |
| FUND 205 | CDBG | 1.7 | | \$ | 155,359.90 | \$ | 179,591.00 | | 107,900.00 |
| FUND 206 | CEMETERY | | Sec. 1 | \$ | 37.06 | \$ | 158,721.43 | \$ | 235,866.00 |
| FUND 208 | CALTRANS GRANTS | 12.00 | St. Aster | \$ | 19,760.00 | \$ | 965,531.68 | \$ | 1,020,588.00 |
| FUND 200 | SPECIAL GAS TAX | in the particular | | \$ | | \$ | 80,710.00 | \$ | 256,392.00 |
| FUND 213 | DEPT OF HOUSE. & COMM DEVL | 1.11.11 | | \$ | 31 - 1 | \$ | 12,410.00 | \$ | 19,500.00 |
| | SANBAG NEW LOCAL MEAS I | 1 L. | - <u>16</u> - <u>18</u> - | \$ | - | \$ | 2 | \$ | 650,000.00 |
| FUND 214 | COPS-AB 3229 SUPPLEMENTAL | 1.61 | | \$ | - | \$ | 142,281.84 | \$ | 299,354.00 |
| FUND 225 | HAZARD MITIGATION | a shall | | \$ | - | \$ | 36,225.00 | | 100,000.00 |
| FUND 227 | | 115-15 | | \$ | - | \$ | - | \$ | - |
| FUND 233 | JACK SMITH PARK MARINA | 1.44 | | \$ | | \$ | 899,391.76 | <u> </u> | 1,285,000.00 |
| FUND 238 | STATE RECREATION GRANTS | | | \$ | - | \$ | 894.22 | | 25,436.00 |
| FUND 239 | CA.CONSERV RECYLING GRANT | | | \$ | - | \$ | 89.74 | - | |
| FUND 243 | ACTIVE TRANSPORT PROGRAM | SE ST | | \$ | | \$ | 370.00 | | 20,000.00 |
| FUND 270 | REDEVELOPMENT AGENCY | 12.45 | | \$ | - | \$ | 56,284.00 | _ | 56,285.00 |
| FUND 470 | RDA CAP PROJ.LOW & MOD. | | | | | \$ | 12,528,631.65 | _ | 2,668,939.00 |
| FUND 501 | NPUA | 1. | | \$ | | · · | 1,028,861.78 | | 2,222,678.00 |
| FUND 502 | WATER DEPARTMENT | 10.5 | | \$ | 3,472.96 | \$ | | | 1,329,341.00 |
| FUND 503 | WASTEWATER DEPARTMENT | | | \$ | 1,676.59 | \$ | 744,084.60 | | 1,563,015.00 |
| FUND 505 | SANITATION | 11425 | | \$ | | \$ | 916,829.94 | - | |
| FUND 506 | ALL AMERICAN CANAL PROJ. | 1967 | | \$ | - | \$ | 1,056,489.48 | \$ | 1,041,800.00 |
| FUND 507 | GOLF FUND | \$ | 21,359.18 | 1.5.6 | | \$ | - | | 1 070 100 00 |
| FUND 507-5761-453 | GOLF MAINTENANCE DEPARTMENT | \$ | - | | | \$ | 860,897.36 | _ | 1,376,182.00 |
| FUND 507-5762-454 | GOLF PRO SHOP DEPARTMENT | \$ | - | 1.11 | 的特别。但是我们的任何 | \$ | 1,114,276.65 | \$ | 426,928.00 |
| FUND 507 | GOLF FUND TOTAL | 1000 | | \$ | 21,359.18 | | | - | |
| FUND 508 | CUST.SVC/UT BUSINESS OFFICE | Service. | | \$ | 274.36 | | 253,570.28 | \$ | |
| FUND 509 | MIS | Topic of | | \$ | | \$ | 185,568.68 | _ | |
| FUND 510 | ADMIN, FACILITY | 242 | | \$ | 1,507.86 | \$ | 114,969.05 | | a second and second and second |
| FUND 511 | FLEET MANAGEMENT | - 66 | | \$ | - | \$ | 157,206.41 | | |
| FUND 512 | VEHICLE REPLACEMENT | | | \$ | - | \$ | 126,198.32 | | |
| FUND 520 | SR DIAL A RIDE | 12.31 | | \$ | | \$ | 52,863.27 | \$ | 450,779.00 |
| FUND 520 | DIAL-A-RIDE MEDICAL TRANS. | - Contraction | | \$ | - | \$ | 14,156.17 | \$ | |
| FUND 525 | NEEDLES AREA TRANSIT (NAT) | | | \$ | ÷ | \$ | 281,520.39 | | 477,395.00 |
| | HOUSING | | | \$ | 1,990.86 | | 608,690.25 | | 1,311,630.00 |
| FUND 575 | | 12.0 | | \$ | 9,812.93 | | 7,957,606.59 | _ | 12,502,385.00 |
| FUND 580 | | NE AGE | | \$ | | \$ | - | \$ | |
| FUND 581 | | | | \$ | - | \$ | 1,221,713.40 | | |
| FUND 582 | NPUA CAPITAL WATER | Danka B | | \$ | | \$ | 32,112.29 | | |
| FUND 583 | NPUA CAPITAL WASTEWATER | 1023 | | \$ | | \$ | 9,021.65 | _ | |
| FUND 650 | IMPACT FEES NORTH NEEDLES | | | \$ | | \$ | 9,015.20 | | |
| FUND 651 TOTAL | IMPACT FEES SOUTH AREAS ALL FUNDS & DEPARTMENTS | Cole. | | \$ | 331,523.01 | - | 39,283,722.94 | | 65,314,311.31 |
| | | 1 | | 1 30 | 001,020.01 | Ψ | 00,200,122.04 | IΨ | |

I certify that the expenditures/purchases to be paid by the warrants on this list have complied with the provisions of the City Code Chapter 8, Article #Purchasing; and further, the funds to cover these purchases/expenditures, as City Audited, are included

Date Date Date Patrick Martinez, City Manager Virginia Tasker, City Treasurer

Finance Department

Date

| NUMBE | 22222222222222222222222222222222222222 | CHECK | PREPARED PROGRAM: CITY OF N BANK 04 |
|------------------|--|------------------------------|---|
| NUMBER OF CHECKS | 4444444444444 22244444444444 22244444444 | VENDOR | 2/25/2025, 1. GM348U NEEDLES WELLS FARGO |
| ία. | 000000000000000000000000000000000000000 | SEQ# | 14:13:09 GO BANK - |
| 1 | FRONTIER JARROD DELEON JENNIFER VALENZUELA MAIN STREET COLLECTORS SAN BERNARDINO COUNTY TOUCHSTONE GOLF LLC UNITED PAVING CO WELLS FARGO (ACCT # 10 WELLS FARGO (ACCT # 11 WELLS FARGO (ACCT # 51 WELLS FARGO (ACCT # 51 WELLS FARGO (ACCT # 55 WELLS FARGO (ACCT # 60 WELLS FARGO (ACCT # 515 WELLS FARGO (ACCT # 515 | VENDOR NAME | 3:09 NK - CITY GENERAL |
| 19 | A CCTT # #### ACCTT # ####### ACCTT # ################################ | 1 | 유 |
| GRAND TOTAL | TTY TABLE INCORP. 1013) 1203) | | ACCOUNTS PAYABLE I CHECKING |
| | 00000000000000000000000000000000000000 | дQ | PRELIM |
| | 225/2025 225/20225 225/20225 225/20225 225/20225 225/20225 225/20225 225/20225 225/20225 20255 20225 20255 2 | CHECK DATE | PRELIMINARY CHECK REGISTER |
| 348,523.01 | 3,425.47 6,522.50 9,764.69 9,764.69 3,492.58 3,492.58 3,492.58 3,492.58 3,492.58 3,492.58 3,492.58 3,492.58 3,565.18 1,071.29 1,071.29 1,281.15 2,81.15 2,81.15 2,81.35 3,359.27 | CHECK AMOUNT | REGISTER |
| | | DISCOUNTS/RETAINAGE TAKEN | PAGE DISBURSEMENT PERIOD 08/202 |
| | | Agei | nda Item 1. |

| 23412 | 23411 | 23410 | 23409 | 23408 | 23407 | 23383* | CK | PREPARED02/25/2025 PROGRAM: GM346L CITY OF NEEDLES BANK 04 WELLS FAR |
|--|--|--------------------------|---------------------|--|--|--|-------------------------|---|
| 3917 | 25 89 | 2271 | 2879 | 4000 | 1296 | щ | NO | 02/25/20 GM346L NEEDLES WELLS 1 |
| TOUCHSTONE GOLF LLC | SAN BERNARDINO COUNTY | MAIN STREET COLLECTORS : | JENNIFER VALENZUELA | JARROD DELEON | FRONTIER | JACK BRITTEN | VENDOR NAME | 025, 14:35:34 FARGO BANK - CITY GENERAL |
| 006158 006159 006160 006161 006162 | 50000000000000000000000000000000000000 | IN 006157 | 006191 | 006183 006184 006185 006186 006188 006188 006188 006188 | 00060000000000000000000000000000000000 | 004273 004272 | | ACCOUNTS |
| 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | $\begin{array}{c} 02\\ 02\\ 02\\ 02\\ 02\\ 02\\ 02\\ 02\\ 02\\ 02\\$ | 02/25/2025 | 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 2025 | 02/21/2025 02/21/2025 | P.O. DATE NO | PAYABLE CHECK REGISTER |
| 507-5761-453.31-90 507-5762-454.31-90 507-5762-454.31-89 507-5762-454.31-89 507-5762-454.31-89 507-5762-454.31-89 | 101 - 2025 - 424.62 - 00 101 - 2030 - 423.62 - 00 101 - 3010 - 431.62 - 00 101 - 4730 - 472.62 - 00 101 - 5773 - 452.62 - 00 575 - 5555 - 485.62 - 00 503 - 4710 - 471.62 - 00 503 - 4720 - 475.62 - 00 508 - 4750 - 473.62 - 00 580 - 4750 - 473.62 - 00 | 580-4750-473.60-55 | 101-5774-452.49-01 | 507-5762-454.61-01 507-5761-453.61-12 507-5762-454.61-06 507-5762-454.61-09 507-5762-454.61-09 507-5761-453.43-04 507-5762-454.49-13 507-5762-454.49-13 | $502 \cdot 4710 \cdot 471.52 \cdot 10$ $503 \cdot 4720 \cdot 475.52 \cdot 10$ $503 \cdot 4720 \cdot 475.52 \cdot 10$ $507 \cdot 5761 \cdot 453.52 \cdot 10$ $510 \cdot 4410 \cdot 405.52 \cdot 10$ $580 \cdot 4750 \cdot 473.52 \cdot 10$ $580 \cdot 4750 \cdot 473.52 \cdot 10$ | 10-4 10-4 | ACCOUNT | TER BY BANK NUMBER |
| 808-98 435-60 2,000.00 5,000.00 | 1,858.44 2,735.45 2,735.45 2,735.45 1,894.70 1199.57 270.51 477.72 477.72 477.72 477.72 477.72 477.72 477.72 | 4,310.69 4,310.69 * | 6,000.00 * | 933-61 12-15 78-52 78-52 522-50 * | 347.07 480.15 1280.03 127.37 263.62 324.36 324.36 401.62 401.62 * | 7,500.00- 9,500.00- 17,000.00- * | TANCE AMOU DISC/RETA | ACCOUNTING PER |
| | 9,764.91 | 4,310.69 | 6,000.00 | 522.50 | 3,425.47 | VOIDED | | 025 |
| | | | | | | | Ag | enda Item 1. |

| 23419 | 23418 | 23417 | 23416 | 23415 | 23414 | 23413 | 23 | | PREPAREDO PROGRAM: CITY OF N BANK 04 |
|--|--|--|--|--|--|--|--|---|---|
| 4132 | 4128 | 4134 4 | 4149 | 4130 | 4133 | 4200 | 3917 | NO OUN | 2/25/2 GM346L BEDLES WELLS |
| WELLS FARGO (ACCT | WELLS FARGO (ACCT | WELLS FARGO (ACCT | WELLS FARGO (ACCT | WELLS FARGO (ACCT | WELLS FARGO (ACCT | UNITED PAVING CO. | TOUCHSTONE GOLF LLC | VENDO NAME | 5, 14:35:34 XGO BANK - CITY |
| # 5775) | # 5585) | # 5148) | # 3439) | # 1203) | # 1013) | | Ċ. | , , , , , , , | GENERAL C |
| 006102 006103 | 006141 006142 006143 006143 006144 0061445 | 006114 006115 006117 006117 006118 006118 | 006120 006121 006122 006122 006123 006124 | 006151 006152 006153 006153 006155 006155 006155 | 006125 006127 006127 006128 006129 006130 | PI0182 PI0183 PI0184 | 006163 006164 | VOUCHER NO | ACCOUNTS |
| | | | | | | 025030 025059 025059 | | P.O. | S PAYABLE |
| 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 | DATE | JE CHECK REGISTER |
| 502-4710-471.31-90 503-4720-475.57~00 | 580-4750-473.60-28 580-4750-473.43-13 580-4750-473.60-28 580-4750-473.60-55 580-4750-473.60-55 502-4710-471.43-60 | 101-1020-413.55-00 502-4710-471.55-00 503-4720-475.55-00 580-4750-473.55-00 101-1030-414.56-01 101-1030-414.61-31 | 575-5555-485.61-09 575-5555-485.72-17 575-5555-485.43-02 575-5555-485.52-20 575-5555-485.61-29 | 101-5774-452.65-10 101-5774-452.61-06 101-5774-452.60-24 101-5774-452.62-00 101-0000-204.10-00 101-5774-452.60-31 101-5774-452.60-23 | 580-4750-473.43-04 101-5774-452.60-24 101-3010-431.55-00 101-5774-452.43-18 101-3010-431.31-40 101-5772-452.43-18 | 208-3010-431.71-22 102-3010-431.71-22 205-6511-494.71-22 | 507-5761-453.31-90 507-5762-454.31-90 | ACCOUNT | ER BY BANK NUMBER |
| 19.99 231.19 | 237.00 187.55 193.94 183.07 269.73 1,071.29 * | 168.79 168.79 168.80 168.79 54.79 54.72 154.89 * | 19.99 836.95 8.64 20.00 * | 530.11 85.08 370.40 29.50 1,414.30 3,665.18 * | 1,830.68 209.09 20.24 289.39 675.00 468.18 3,492.58 * | 19,760.00 110,267.93 155,359.90 285,387.83 * | 4,071.27 2,914.49 20,230.34 * | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | ACCOUNTING |
| | 1,071.29 | 154.89 | 895.63 | 3,665.18 | 3,492.58 | 285,387.83 | 20,230.34 | CHECK | PAGE IOD 2025 NUMBER |
| | | | | | | | | Age | nda Item 1. |

| | | 234 | 23 4 | 2342 | 23422 | 23421 | 23 4 | 234 | CHECK | PREPA PROGR CITY BANK |
|--------------------|------------------|--|--|--|--|--|--|-------------------|---|--|
| | | ້ນ ຫ | 24 42 | ω. | | | 2 0 # | 19 4 | ' NU | PREPARED02/25/2025, PROGRAM: GM346L CITY OF NEEDLES BANK 04 WELLS FARGC |
| | | 226 | 225 | 4115 | 4116 | 4131 | 4127 | 4132 | OR | 5/202 46L LES LS FA |
| | | WELLS FARGO | WELLS FARGO | WELLS FARGO | WELLS FARGO | WELLS FARGO | WELLS FARGO | WELLS FARGO | ٠EŎ | 14:35:34 BANK - |
| | | (ACCT# 5741) | (ACCT# 5154) | (ACCT# 3866) | (ACCT# 0806) | (ACCT # 6047) | (ACCT # 6046) | (ACCT # 5775) | 1 1 1 1 1 1 1 1 1 1 1 1 1 | CITY GENERAL (|
| | | 006105 006106 006107 006108 006108 | 006096 006097 006098 006100 006100 | 006146 006147 006148 006148 006149 006190 | 006111 006112 006113 |) 006093 006094 5 |) 006088 006099 006091 006091 |) 006104 | VOUCHER NO | ACCOUNTS |
| | | | | | | | | | P.O. NO | PAYABLE |
| ALL BA | | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 | 02/25/2025 | | BLE CHECK REGISTER |
| BANKS/CHECKS TOTAL | BANK/CHECK TOTAL | 101-2025-424.31-40 101-2025-424.56-00 101-2025-424.64-00 101-1035-416.55-00 101-2030-423.61-02 | 101-1030-414.61-01 101-1030-414.55-00 101-1030-414.61-04 101-1030-414.31-40 101-1030-414.61-31 101-1030-414.56-00 | 575-5555-485.56-00 575-5555-485.43-02 575-5555-485.61-09 575-5555-485.61-29 575-5555-485.61-29 | 575-5555-485.43-02 575-5555-485.72-17 575-5555-485.62-00 | 101-2020-423.43-29 101-2020-423.43-42 101-2020-423.60-75 | 580-4750-473.31-90 502-4710-471.31-40 101-5772-452.31-90 503-4720-475.52-20 503-4720-475.31-40 | -4 | ACCOUNT | YTER BY BANK NUMBER |
| 331,523.01 | 331,523.01 | 1,247.39 70.00 903.15 330.96- 1,469.69 3,359.27 * | 284.53 1,350.34 633.31 50.00 115.18 370.00 2,803.36 * | 236.05 278.93 51.59 11.04 50.22 * | 338.59 181.81 27.48 547.88 * | 53.88 113.13 114.79 281.80 * | 239.65 1,163.48 381.34 15.51 81.17 1,881.15 * | 49.23 300.41 * | TANCE AMOU DISC/RETA | PAGE ACCOUNTING PERIOD 2 REPORT NUMBER |
| 348,523.01 | 348,523.01 | 3,359.27 | 2,803.36 | 427.83 | 547.88 | 281.80 | 1,881.15 | | | PAGE DD 2025/0 IUMBER 8 |
| | | | | | | | | | Age | enda Item 1. |

| FUND 575-0000- 575-0000- | OFFSETS | PREPARED PREPARED CLTTX PCOCRAM S775 S755 S755555 S555555 S55555 S55555 S55555 S55555 S55555 |
|--------------------------------------|---|--|
| 575 108.04-00 201.00-00 | ACCOUNT | GM345U NEEDLES |
| HOUSING EQUITY AND LIABILITIES | DESCRI | 14:35:34 HOUSING PROJECT I |
| POOLED / ACCC | Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч Ч | CHECK/PAYMENT NUMBER 23422 23416 23416 23423 23416 23423 23423 23423 23423 23423 23423 2232 223423 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223423 2222 223422 223423 2222 223423 2222 223423 2222 223423 2222 223422 2222 223422 2222 223422 2222 223422 2222 223422 2222 223422 2222 223422 2222 223422 2222 223422 2222 2222 223422 2222 223422 2222 2222 223422 2222 223422 2222 2222 2222 22222 2222 2222 2222 2222 |
| / WELLS PAYABLE | М | VRENT 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 02/25/2025 |
| FARGO BK-CITY GEN'L | | A/P DISBURS OFFSET GROUP VENDOR V NUMBER 4116 4115 4115 4115 4115 4115 4115 4115 |
| GEN'L | | EMENT NUMBE NUMBE NUCHER NUMBE |
| | | JOURNAL ER: 1207 CODE 04 04 04 04 04 04 04 04 04 04 04 04 04 |
| 1,990.86 | DEBIT | TRANSACTION DATE 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 02/07/2025 |
| | | PURCHASE ORDER |
| 1,990.86 .00 | CREDIT | ACCOUNTING PERIOD 08/202 DISBURSEMENT AMOUNT 338.59 378.93 8.64 36.05 19.99 20.00- 11.04 51.59 21.04 51.29 21.04 11.04 51.22 119.52 21.04 51.23 8.64 3.6.05 21.59 21.04 11.04 51.25 21.04 51.25 21.04 51.25 21.04 51.25 21.04 51.25 21.04 51.25 21.04 21.04 21.05 21.59 21.05 21.59 21.05 21.05 21.05 21.59 21.05 21.59 21.05 21.59 21.05 21.05 21.05 21.59 21.05 21.59 21.05 21.05 21.05 21.59 21.05 21.59 21.05 21.59 21.05 |
| | 1 7 | Agenda Item 1. |

Å

CITY OF NEEDLES CITY COUNCIL WARRANT SUMMARY TOTALS FOR MARCH 11, 2025

| | WARRANT SUMMARY T | | | | | | | _ | |
|----------------------|-----------------------------|-----------|---|-------|---|------|-----------------|-------|----------------|
| | | | /11/2025 | F | UND AMT. | | 11-Mar | | 24-25 |
| FUND 101 | GENERAL FUND | \$ | 14,562.31 | | 24 July 1 202 | | | | |
| 101.1015.412 | CITY ATTORNEY | \$ | - | | | \$ | 40,929.03 | | 90,000.00 |
| 101.1020.413 | CITY MANAGER | \$ | 189.00 | | and the second | \$ | 131,448.12 | | 230,155.00 |
| 101.1025.415 | FINANCE DEPT. | \$ | 944.34 | | | \$ | | | 12,215,772.00 |
| 101.1030.414 | CITY CLERK/COUNCIL/MAYOR | \$ | 5,684.98 | | | \$ | 174,600.97 | | 357,148.00 |
| 101.1035.416 | PLANNING /ZONING | \$ | 108.22 | | | \$ | 90,571.70 | | 326,356.00 |
| 101.1040.417 | ENGINEERING | \$ | - | | | \$ | 191,138.69 | | 412,663.00 |
| 101.1060.410 | COMMUNITY PROMOTIONS | \$ | 2,000.00 | | MALE STREET | \$ | 34,048.19 | | 103,690.00 |
| 101.1070.410 | SENIOR CENTER | \$ | | | 2.1 | \$ | 55,960.69 | _ | 180,551.00 |
| 101.2010.421 | SHERIFF | \$ | 300,702.31 | | 1 C C C C C C C C C C C C C C C C C C C | \$ | 2,582,127.29 | | 3,862,539.00 |
| 101.2020.423 | ANIMAL SHELTER/CONTROL | \$ | 629.22 | | | \$ | 184,566.60 | | 283,098.00 |
| 101.2025.424 | BULDING & SAFETY | \$ | - | | the second | \$ | 174,116.20 | | 407,500.00 |
| 101.2030.423 | CODE ENFORCEMENT | \$ | 26,249.02 | | and the second | \$ | 415,317.46 | | 806,258.00 |
| 101.3010.431 | PUBLIC WORKS | \$ | 1,323.35 | | | \$ | 390,021.21 | | 744,745.00 |
| 101.4730.472 | SANITATION | \$ | 4,039.00 | | | \$ | 77,859.86 | | 143,822.00 |
| 101.5770.452. | AQUATICS | \$ | 276.59 | | The second second second | \$ | 143,298.88 | | 249,282.00 |
| 101.5772.452 | PARKS | \$ | 11,138.81 | | | \$ | 471,184.37 | | 819,419.00 |
| 101.5773.452 | JACK SMITH PARK MARINA | \$ | 198.13 | | | \$ | 52,675.56 | | 115,992.00 |
| 101.5774.452 | RECREATION | \$ | 880.40 | 1.1 | | \$ | 245,514.35 | | 422,094.00 |
| GENERAL FUND | | 1 | That or dage | \$ | 368,925.68 | | | | 21,771,084.00 |
| FUND 102 | GEN. FUND CAPITAL PROJECT | | | \$ | 95.02 | \$ | 1,579,419.35 | \$ | 3,611,336.00 |
| FUND 205 | CDBG | | | \$ | - | \$ | 179,591.00 | _ | 107,900.00 |
| FUND 206 | CEMETERY | - 90 | A CONTRACTOR OF | \$ | 2,516.77 | \$ | 158,721.43 | | 235,866.00 |
| FUND 208 | CALTRANS GRANTS | 11- 15- | and the state | \$ | - | \$ | 965,531.68 | \$ | 1,020,588.00 |
| FUND 210 | SPECIAL GAS TAX | | 1 | \$ | - | \$ | 80,710.00 | \$ | 256,392.00 |
| FUND 213 | DEPT OF HOUSE. & COMM DEVL | 1,24% | | \$ | 1 22 | \$ | 12,410.00 | \$ | 19,500.00 |
| FUND 214 | SANBAG NEW LOCAL MEAS I | Trues. | AND A PARTY | \$ | - | \$ | 4 | \$ | 650,000.00 |
| FUND 225 | COPS-AB 3229 SUPPLEMENTAL | 1900 | A Constant | \$ | 8,952.75 | \$ | 142,281.84 | \$ | 299,354.00 |
| FUND 227 | HAZARD MITIGATION | | 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | \$ | | \$ | 36,225.00 | \$ | 100,000.00 |
| FUND 233 | JACK SMITH PARK MARINA | 1 | | \$ | - | \$ | | \$ | |
| FUND 238 | STATE RECREATION GRANTS | | | \$ | - | \$ | 899,391.76 | \$ | 1,285,000.00 |
| FUND 239 | CA.CONSERV RECYLING GRANT | | | \$ | - | \$ | 894.22 | | 25,436.00 |
| FUND 243 | ACTIVE TRANSPORT PROGRAM | | | \$ | - | \$ | 89.74 | \$ | 719,640.26 |
| FUND 243 | REDEVELOPMENT AGENCY | 16.15 | | \$ | - | \$ | 370.00 | \$ | 20,000.00 |
| FUND 470 | RDA CAP PROJ.LOW & MOD. | | | \$ | - | \$ | 56,284.00 | \$ | 56,285.00 |
| FUND 501 | NPUA | 1 | | \$ | 1,444.40 | \$ | 12,528,631.65 | | 2,668,939.00 |
| FUND 502 | WATER DEPARTMENT | | | \$ | 20,138.61 | \$ | 1,028,861.78 | | 2,222,678.00 |
| FUND 502 | WATER DEPARTMENT | | | \$ | 15,981.18 | | 744,084.60 | _ | 1,329,341.00 |
| FUND 505 | SANITATION | 1. A. | | \$ | 3.775.09 | | 916,829.94 | - | 1,563,015.00 |
| FUND 506 | ALL AMERICAN CANAL PROJ. | 1 N 2 | | \$ | - | \$ | 1,056,489.48 | | 1,041,800.00 |
| FUND 507 | GOLF FUND | \$ | 19,161.19 | + | A WARD REPORT | \$ | - | (Cal | 10 10 10 10 20 |
| FUND 507-5761-453 | GOLF MAINTENANCE DEPARTMENT | \$ | | - 10 | | \$ | 860,897.36 | \$ | 1,376,182.00 |
| FUND 507-5762-454 | GOLF PRO SHOP DEPARTMENT | \$ | - | 100 | | \$ | 1,114,276.65 | | |
| | GOLF FUND TOTAL | | and the state of the state | \$ | 19,161.19 | | | 17/19 | |
| FUND 507 FUND 508 | CUST.SVC/UT BUSINESS OFFICE | | | \$ | 21.68 | | 253,570.28 | \$ | 477,260.00 |
| | MIS | is in the | | \$ | 64,077.07 | _ | 185,568.68 | - | |
| FUND 509 | ADMIN, FACILITY | 1000 | | \$ | 3,028.21 | | 114,969.05 | | |
| FUND 510 | | 1 | | \$ | 195.04 | | 157,206.41 | | |
| FUND 511 | | 1000 | | \$ | - | \$ | 126,198.32 | | |
| FUND 512 | | - | | \$ | _ | \$ | 52,863.27 | | |
| FUND 520 | SR DIAL A RIDE | 100 | | \$ | | \$ | 14,156.17 | | |
| FUND 521 | DIAL-A-RIDE MEDICAL TRANS. | 16,700 | | \$ | | \$ | 281,520.39 | | |
| FUND 525 | NEEDLES AREA TRANSIT (NAT) | 198 | | \$ | 25,502.73 | | 608,690.25 | | |
| FUND 575 | HOUSING | | | \$ | 91,684.22 | \$ | 7,957,606.59 | _ | 12,502,385.00 |
| FUND 580 | | 100 | | \$ | 91,004.22 | \$ | 7,937,000.39 | \$ | |
| FUND 581 | | 160 | | \$ | | \$ | 1,221,713.40 | | |
| FUND 582 | | | | \$ | - | \$ | 32,112.29 | _ | |
| FUND 583 | | 2.0 | | \$ | - | \$ | 9,021.65 | | |
| FUND 650 | IMPACT FEES NORTH NEEDLES | - Para | | | | \$ | 9,015.20 | | |
| FUND 651 | IMPACT FEES SOUTH AREAS | | | \$ | 625,499.64 | | 39,283,722.94 | | 65,314,311.31 |
| TOTAL | ALL FUNDS & DEPARTMENTS | 2 | | \$ | | - °- | | 10 | 00,011,011,01 |
| | | | | 244 B | 22 23 | | City Cada Chant | | |

I certify that the expenditures/purchases to be paid by the warrants on this list have complied with the provisions of the City Code Chapter 8, Article Uppurchasing; and further, the funds to cover these purchases/expenditures, as City Audited, are included

 $\frac{3 - 4 - 35}{\text{Date}}$ a Patrick Martinez, City Manager Virginia Tasker, City Treasurer

Finance Department

Date

| PAGE PERIOD 09/2025 | | |
|--|------------------|--|
| DISBURSEMENT P | S/RE AKEN | |
| CK REGISTER | CHECK | 174.25 937.00 937.00 937.00 937.00 937.00 937.00 14,536.82 137.00 3,777.185.49 3,777.00 4,600.00 3,775.49 4,600.00 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,775.09 3,75.09 3,84.14 4,65.16 849.53 3,75.30 3,75.30 3,75.30 3,75.30 10,970.00 2,731.06 2,731.06 3,75.30 3,75.30 3,75.30 3,75.30 3,75.30 1,702.75 3,75.30 1,702.75 |
| PRELIMINARY CHECK | CHECK DATE | 03/111/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/10255 03/1 |
| 05 ACCOUNTS PAYABLE - CITY GENERAL CHECKING | NDOR ME | A-B COMMUNICATIONS AHA MACAV POWER SERVICES AMAZON CAPITAL SERVICES AMAZON CAPITAL SERVICES BUG CONSULTING LLC BROCKS CONSULTING LLC BROCKS CONSULTING LLC CALLAMAT CITY OF MEDDLES CITY OF MEDLES CITY OF MEDLES CITY OF MEDLES CITY OF MEDLES CITY OF MEDLES CITY OF MEDLES COUNTY OF SAM BERNARDINO D & J INTERRITIONAL, INC. DANIELL'S SEPTIC DANIELL'S SEPTIC DECO FOODSERVICE INCORP. DECO FOODSERVICE INCORP. DECONTROL SUPPLIES HARDWARE EXPRESS HARDWARE EXPR |
| G0 11 | | 00000000000000000000000000000000000000 |
| RED 2/27/2025, AM: GM348U OF NEEDLES 04 WELLS FAR | VENDOR NUMBER | 0140 NG M440800 48 18 M600 081 118 0 48084 80071 0871018088409 98 84080 0801107787 0 680 07080 80071 0871018088409 98 84080 0801107787 0 680 07080 40077 090870800408 01 070611 780918864 81709 40868 84708770870980980180040148141005197848808001908811100718 |
| FREPARED PROGRAM: CITY OF N BANK 04 | CHECK NUMBER | |

PAGE

| PAGE PERIOD 09/2025 | | | |
|--|------------------------------|--|--------------|
| DISBURSEMENT | DISCOUNTS/RETAINAGE TAKEN | | |
| K REGISTER | CHECK AMOUNT | 0494050040040040040004000 0448004800480084800 0440008048008048400 04400080404008048000000 0400000000 | 0.20,499.04 |
| PAYABLE PRELIMINARY CHECK REGISTER | CHECK DATE | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/20255 03/11/202555 03/11/2025555 03/11/20255555 03/11/202555555 03/11/202555555555555555555555555555555555 | |
| 05 ACCOUNTS - CITY GENERAL CHECKING | VENDOR NAME | C HORTICULT EORP. EMPEY LLP SOLUTIONS SOLUTIONS STLC & SECURIT & SECURIT REPAIR OF ENERG ATION ULTANTS L ULTANTS L HUMANE S MENTAL TE NEEDLES GRILL | 13 CLARNER C |
| | SEQ# | 000000000000000000000000000000000000000 | 2 Y |
| 0 1 | VENDOR NUMBER | | SK UF CAECKS |
| PREPARED 2/27/2 PROGRAM: GM348/ CITY OF NEEDLES BANK 04 WELLS | CHECK NUMBER | <i>2222222222222222222222222222222222222</i> | NUMBER |

| PREPARED PROGRAM: CITY OF BANK 04 | 02/27/2 GM346L NEEDLES WELLS | 5, 11:07:35 RGO BANK - CITY GENERAL | ACCOUNTS CHECKING | ABLE CHECK I | FER BY BANK NUMBER | ACCOUNTI | PAGE 1 NG PERIOD 2025/09 REPORT NUMBER 82 |
|--|---------------------------------------|--|--|--|--|--|---|
| | VENDOR | VENDOR NAME | VOUCHER NO | P.O. DATE NO | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | AL CK |
| 23426 | 2345 | A-B COMMUNICATIONS | 006165 | 03/11/2025 | 510-4410-405.30-25 | 174.25 174.25 * | 174.25 |
| 23427 | 1924 | AHA MACAV POWER SERVICE | 005953 | 03/11/2025 | 580-4750-473.61-21 | 980.00 980.00 | 980.00 |
| 23428 | 4227 | AMAZON CAPITAL SERVICES | 005952 | 03/11/2025 | 101-2030-423.61-01 | 37.70 37.70 * | 37.70 |
| 23429 | 3750 | AUTO ZONE | 006032 006033 006034 006229 006229 | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 511-3021-432.43-23 511-3021-432.43-23 101-2010-421.43-03 503-4720-475.43-14 503-4720-475.43-14 | 47.40 29.08 474.06 10.65 10.65 571.84 * | 571.84 |
| 23430 | 178 | BIG O TIRES & NAPA AUTO P | 005911 005954 006035 | 03/11/2025 03/11/2025 03/11/2025 | 507-5761-453.43-17 511-3021-432.43-26 511-3021-432.43-38 | 145.71 32.18 14.88 192.77 * | 192.77 |
| 23431 | L | BORDER STATES INDUSTRIES, | 006198 | 03/11/2025 | 580-4750-473.61-21 | 536.82 536.82 * | 536.82 |
| 23432 | 3922 | BROOKS CONSULTING LLC | 006199 | 03/11/2025 | 101-0000-204.03-01 | 14,562.31 14,562.31 * | 14,562.31 |
| 23433 | 3392 | BUG EMERGENCY INC. | 006001 006166 | 03/11/2025 03/11/2025 | 503-4720-475.43-02 575-5555-485.31-90 | 52.00 85.00 137.00 * | 137.00 |
| 23434 | 709 | CALILAWAY | 005955 | 03/11/2025 | 507-5762-454.44-10 | 161.10 161.10 * | 161.10 |
| 23435 | 3136 | CITY OF NEEDLES | 006135 006136 006137 | 03/11/2025 03/11/2025 03/11/2025 | 580-4750-473.80-43 502-4710-471.80-43 503-4720-475.80-43 | 56,055.83 13,335.91 8,393.75 77,785.49 * | 77,785.49 |
| 23436 | 4079 | CIVICPLUS LLC | 005956 | 03/11/2025 | 101-1030-414.61-09 | 4,600.00 4,600.00 * | 4,600.00 |
| 23437 | 4138 | CLUB CADDIE | 005912 | 03/11/2025 | 507-5762-454.61-09 | 449.00 * 449.00 | 449.00 |
| 23438 | 2320 | COUNTY OF SAN BERNARDINO | 006134 | 03/11/2025 | 505-4730-472.74-40 | 3,775.09 3,775.09 * | 3,775.09 |
| 53439 <i>Ag</i> | 3931 | D & J INTERNATIONAL, INC. | 006037 | 03/11/2025 | 101-3010-431.60-11 | 614.09 614.09 * | 614.09 |

.

| 0 | н с г . н | 385.00 | 350.00 | 136.75 | | 1,037.80 | 30.00 | 1,032.46 | 7.48 | 50.00 | 16.42 | 448.93 |
|---|---|--------------------|--------------------|--|---|------------------|--|---------------------------|--------------------|----------------------|--------------------|--|
| ACCOUNTI | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | 385.00 385.00 * | 350.00 350.00 * | 65.30 71.45 136.75 * | н н н н н н н н н н н н н н | r∞ 1 | 24.00 6.00 30.00 * | 1,032.46 1,032.46 * | 7.48 7.48 * | 50.00 50.00 * | 16.42 16.42 * | 132.07 155.77 161.09 448.93 * |
| BY BANK NUM | ACCOUNT | 101-1030-414.54-01 | 101-2030-423.31-10 | 507-5762-454.61-06 507-5762-454.61-06 | 444447000 44444700070000 444447000000 444440000000 477170000000000 | 03-4720-475.62-0 | 510-4410-405.61-01 503-4720-475.61-21 | 501-0000-211.00-00 | 511-3021-432.43-26 | 502-4710-471.31-90 | 501-0000-211.00-00 | 507-5761-453.61-04 507-5762-454.61-04 580-4750-473.60-55 |
| PAYABLE CHECK REGISTER | P.O. DATE NO | 03/11/2025 | 03/11/2025 | 03/11/2025 03/11/2025 | 03/11/2025 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 03/1000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 00000 00000 00000 00000 00000 00000 000000 000000 0000000 0000000000 | 3/11/202 | 03/11/2025 03/11/2025 | 03/11/2025 | 03/11/2025 | 03/11/2025 | 03/11/2025 | 03/11/2025 03/11/2025 03/11/2025 |
| UNTS | VOUCHER | 006036 | 005965 | 005966 006231 | 0000599881 000599660 000599688 000599660 000599660 000611668 000611668 000611668 000611668 000611668 000611668 000611668 000611668 000611688 00065958 00059588 00059588 00055958 000550000000000 | 006233 | 005964 006002 | E UT | 006038 | 006003 | UT | 005971 005972 006172 |
| 11:07:35 O BANK - CITY GENERAL | VENDOR NAME | DANIBLL'S SEPTIC | DATA TICKET INC. | DECO FOODSERVICE INCORP. | DESERT SUN OIL CORP. | | DIAMOND PURE WATER | ECOLOGY CONTROL INDUSTRIE | ENDURA STEEL | EXPRESSIONS IN GLASS | GORMAN, TINA | GRAINGER |
| 02/27/2 GM3461 NEEDLES WELLS | | 2875 | 3809 | 440 | 4054 | | 3580 | 4 | 1904 | 3813 | , 1 | 324 |
| PREPARED(PROGRAM: CITY OF I BANK 04 | CHECK | 23440 | 23441 | 23442 | 23443 | | 23444 | 23445 | 23446 | 23447 | 23448 | 23449 |

| PREPAREI PROGRAM: CITY OF BANK 04 | 002/27/2 : GM3461 NEEDLES WELLS | , 11:07:35 GO BANK - CITY GENERAL | ACCOUNTS CHECKING | PAYABLE CHECK R | REGISTER BY BANK NUMBER | ACCOUNTING PER REPORT | PAGE 3 PERIOD 2025/09 ORT NUMBER 82 |
|--|--|--------------------------------------|---|--|--|--|---|
| CHECK | VENDOR NO | VENDOR NAME | VOUCHER | P.O. DATE NO | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | CHECK TOTAL |
| 3450 | 3451 | GREENS ELECTRIC, LLC | 005967 005968 006173 006174 | 03/11/202 03/11/202 03/11/202 03/11/202 | 5 503-4720-475.43-02 5 503-4720-475.43-02 5 580-4750-473.41-11 5 580-4750-473.60-55 | 840.45 323.25 2,370.50 4,315.39 7,849.59 * | 7,849.59 |
| 3451 | 3966 | GT GOLF SUPPLIES | 005969 005970 | 03/11/202 03/11/202 | 5 507-5762-454.44-10 507-5762-454.60-50 | 343.93 70.85 414.78 * | 414.78 |
| 3 4 5 4 5 2 | 2612 | HARDWARE EXPRESS | 00000000000000000000000000000000000000 | 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 | <pre>5 507 - 5761 - 453 - 43 - 08 5 580 - 4750 - 473 - 60 - 55 511 - 3021 - 432 - 08 5 101 - 5772 - 452 - 43 - 18 101 - 5772 - 452 - 43 - 18 101 - 5772 - 452 - 43 - 18 5 111 - 3021 - 431 - 61 - 33 5 511 - 3021 - 431 - 61 - 33 5 511 - 3021 - 432 - 43 - 13 5 503 - 4720 - 473 - 60 - 55 5 503 - 4750 - 475 - 43 - 14 5 503 - 4750 - 475 - 43 - 14 5 503 - 4750 - 475 - 43 - 14</pre> | 23.69 20.23 20.23 20.23 20.39 20.39 20.39 20.39 20.39 20.25 20.55 20.55 20.55 20.55 20.55 20.39 20.55 20.39 20.320 | 498.22 |
| 23 <u>4</u> 53 | 2612 | HARDWARE EXPRESS | 006039 006039 006041 006041 006043 006045 006045 045 006045 | 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 03/11/202 | 575 - 5555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 575 - 55555 - 485 - 43 - 02 | 40.94 360.94 360.94 300.16 300.16 300.16 300.16 465.17 465.16 | 465.16 |
| 23454 | Ц | JUAREZ, SABRINA | ΩŢ | 03/11/202 | :5 501-0000-211.00-00 | 84.14 84.14 * | 84.14 |
| 3455 | τ | JUAREZ, SELSA | ΤIJ | 03/11/202 | 501-000-211.00-00 | 33.08 33.08 * | 33.08 |
| 23456 | 2271 | MAIN STREET COLLECTORS I | IN PI0192 | 025084 03/11/202 | 580-4750-473.43-13 | 6,611.16 6,611.16 * | 6,611.16 |
| 23457 | 3337 | MOJAVE DESERT & MOUNTAIN | 1 006201 | 03/11/202 | :5 101-4730-472.56-02 | 4,039.00 | |
| | | | | | | | |

| PAGE 4 0 2025/09 MBER 82 | CHECK TOTAL | , 039.00 | ,204.17 | ,000.00 | 285.06 | VOIDED |
|--|-------------------|--------------------------|--|---------------------------|--|--|
| PERIOD PORT NU | AMOUNT RETAIN) | Ť * | ب * | * | * | |
| | REMITTANCE AMO | 4,039.00 | 432.72 432.72 432.72 3,906.01 5,204.17 | 2,000.00 2,000.00 | 81.82 95.02 108.22 285.06 | 1, 150.24 1, 150.24 1, 250.68 1, 250.68 1, 250.22 1, 250.22 2, 411.57 2, 41. |
| R BY BANK NUMBER | ACCOUNT | | 502-4710-471.69-03 502-4710-471.69-03 502-4710-471.69-03 503-4720-475.69-03 | 101-1060-410.54-06 | 580-4750-473.53-00 102-3010-431.71-22 101-1035-416.59-10 | <pre>502 - 4710 - 471.41 - 10 502 - 4710 - 471.41 - 10 502 - 4710 - 471.41 - 10 502 - 4750 - 4751.41 - 10 580 - 4750 - 473.41 - 11 580 - 4750 - 473.41 - 20 580 - 4750 - 475.41 - 20 580 - 4750 - 475.41 - 10 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 410 - 20 580 - 4750 - 410 - 20 580 - 410 - 20 580 - 4750 - 4750 - 410 - 20 580 - 4750 - 410 - 20 580 - 4750 - 410 - 20 580 - 410 - 5772 - 4552 - 410 - 10 50 - 5772 - 4552 - 410 - 10 50</pre> |
| YABLE CH | P.O. DATE NO | | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 03/11/2025 | 03/11/2025 03/11/2025 03/11/2025 | 03/11/2025 03/100000000000000000000000000000000000 |
| ACCOUNTS CHECKING | VOUCHER NO | | 005980 005981 005981 005982 006005 | R 006138 | 006051 006052 006176 | 00000000000000000000000000000000000000 |
| 11:07:35 O BANK - CITY GENERAL | VENDOR NAME | MOJAVE DESERT & MOUNTAIN | MOJAVE DESERT AQMD | NEEDLES CHAMBER OF COMMER | NEWS WEST PUBLISHING CO. | NPUA |
| 02/27/2 GM346L NEEDLES WELLS | VENDOR NO | 3337 | 1.258 | 194 | 218 | 1728 1728 1728 |
| PREPARED PROGRAM: CITY OF BANK 04 | CHECK NO | 23457 | 23458 | 23459 | 23460 | 23461 23462 23462 <i>Var</i> |

| PREPARED PROGRAM: CITY OF 1 BANK 04 | 02/27/2 GM3461 NEEDLES WELLS | 5, 11:07:35 RGO BANK - CITY GENERAL | ACCOUNTS CHECKING | HECK R. | BY BAN | ACCOUNTI | AGE 202! IBER |
|--|---------------------------------------|--|--|--|--|---|---------------------|
| CHECK | VENDOR NO | VENDOR | VOUCHER NO | P.O. DATE NO | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | CHECK TOTAL |
| 23462 | 1786 | NPUA | 006061 006063 0060663 0060664 0060664 0060664 1322 006066 | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | $101 - 5772 - 452 \cdot 41 - 10$ $101 - 5772 - 452 \cdot 41 - 10$ $101 - 5772 - 452 \cdot 41 - 20$ $101 - 5772 - 452 \cdot 41 - 20$ | 324.49 324.49 242.61 242.61 228.52 40.26 5510.47 568.34 25 344.48 * | 25,344.48 |
| 23463 | 3863 | OMEGA INDUSTRIAL SUPPLY, | 006010 | 03/11/2025 | 503-4720-475.60-55 | 300.92 300.92 * | 300.92 |
| 23464 | 1 740 | OUR TOWN MAGAZINE | 006177 | 03/11/2025 | 507-5762-454.53-00 | 372.30 372.30 * | 372.30 |
| 23465 | 1 | PARKER, GARRET | UΤ | 03/11/2025 | 501-0000-211.00-00 | 29.24 29.24 | 29.24 |
| 23466 | 5 239 | PHILLIPS EXCAVATING INC. | 006000 | 03/11/2025 | 101-5772-452.43-18 | 500.00 500.00 * | 500.00 |
| 23467 | 7 15 | סמודר ווכ | 006011 006012 006178 006178 | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 510-4410-405.61-01 101-2030-423.61-01 510-4410-405.61-31 510-4410-405.61-06 | 33.14 21.11 170.97 68.46 293.68 * | 293.68 |
| 23468 | 653 | RAFTELIS FINANCIAL CONSUL | PI0185 PI0186 PI0187 PI0188 | 025066 03/11/2025 025066 03/11/2025 025066 03/11/2025 025066 03/11/2025 | 580-4750-473.31-90 502-4710-471.31-90 503-4720-475.31-90 580-4750-473.31-90 | 647.50 450.00 165.00 9,707.50 10,970.00 * | 10,970.00 |
| 23469 | 9 2861 | REINKE A/C CORP. | 006015 006180 | 03/11/2025 03/11/2025 | 575-5555-485.43-02 575-5555-485.43-02 | 135.50 127.50 263.00 * | 263.00 |
| 23470 | 261 | ROBINSON ELECTRIC CO. INC | C 006069 | 03/11/2025 | 580-4750-473.60-55 | 2,737.66 * 2,737.66 * | 2,737.66 |
| 23471 | Ч | RODRIGUEZ, KACI | UT | 03/11/2025 | 501-0000-211.00-00 | 90.27 90.27 * | 90.27 |
| 23472 | 2 4049 | ROGER MILLER | 005983 | 03/11/2025 | 507-5761-453.31-40 | 175.00 175.00 * | 175.00 |
| € 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | 3 3796 | ROUTE 66 BROADBAND LLC | 006181 006182 | 03/11/2025 03/11/2025 | 575-5555-485.52-10 101-2020-423.52-10 | 316.26 160.00 | |

Agenda Item 1.

| PREFARED PROGRAM: CITY OF BANK 04 | 02/27/2 GM346L NEEDLES WELLS | 5, 11:07:35 RGO BANK - CITY GENERAL | OUNTS | PAYAI | CHECK REGIS' | BANK NUMBI | ACCOUNTI | PERIOD PORT NU | ы С К С К С К |
|--|---------------------------------------|--|--|--------|--|--|--|--------------------|---------------------------------|
| CHECK | VENDOR | VENDOR | VOUCHER | P.O. | DATE | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | JNT JNT AIN) | CHECK TOTAL |
| 23473 | 3796 | ROUTE 66 BROADBAND LLC | 006203 006203 006203 0062209 0062311 00662311 00662331 0062333 0062333 0062333 0062333 0062333 0062333 0062333 006233 006233 006233 006233 006233 006233 006203 0062203 0062233 00062233 0066233 0006623 0006650 0006650 0006650 0006650 0006650 0006650 0006650 0006650 0006650 0006650 0006650 00000000 | | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 503-4720-475.52-10 580-4750-473.52-10 101-5774-452.52-10 101-5774-452.52-10 101-5773-452.52-10 101-5773-479.52-10 509-4910-479.52-12 507-5762-454.52-10 507-5762-454.52-10 | 85.00 85.00 152.00 155.00 155.00 180.00 180.00 180.00 180.00 | * | 1,893.26 |
| 23474 | 2687 | S.B. COUNTY FIRE PROTECTI | : 006205 006206 | | 03/11/2025 03/11/2025 | 502-4710-471.69-03 502-4710-471.69-03 | 465.00 465.00 930.00 | * | 930.00 |
| 23475 | 3361 | S.B.COUNTY SHERIFF'S DEPA | 005899 005900 | | 03/11/2025 03/11/2025 | 101-2010-421.31-80 225-2010-421.31-80 | 300,228.25 8,952.75 309,181.00 | 30 | 9,181.00 |
| 23476 | 4058 | S-NET COMMUNICATIONS INC. | 006070 | | 03/11/2025 | 510-4410-405.52-10 | 1,702.75 1,702.75 | * | 1,702.75 |
| 23477 | 752 | SILLY CACTUS INC | 006204 | | 03/11/2025 | 101-1030-414.61-04 | 400.00 400.00 | * | 400.00 |
| 23478 | 4001 | SIMPLOT TURF & HORTICULTU | J 006013 | | 03/11/2025 | 507-5761-453.61-08 | 694.99 694.99 | * | 694.99 |
| 23479 | 1826 | SIMPSON NORTON CORP. | 005913 | | 03/11/2025 | 101-5770-452.43-02 | 144.59 144.59 | * | 144.59 |
| 23480 | 3344 | SLOVAK BARON EMPEY MURPHY | r 005901 | | 03/11/2025 | 101-2030-423.31-50 | 25,828.96 25,828.96 | ~ | 5,828.96 |
| 23481 | 4121 | SMART DOCUMENT SOLUTION | 006071 006133 | | 03/11/2025 03/11/2025 | 575-5555-485.61-02 101-5774-452.74-20 | 162.12 128.57 290.69 | * | 290.69 |
| 23482 | 4156 | SMITH MARION & CO., PC | PI0189 | 025072 | 03/11/2025 | 575-5555-485.31-49 | 6,484.00 6,484.00 | * | 6,484.00 |
| 23483 | 481 | STAPLES | 006222 0065233 0065224 0062255 0062255 0062255 0062255 | | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 101 - 1025 - 415.61 - 02 510 - 4410 - 405.61 - 01 510 - 4410 - 405.61 - 01 101 - 1025 - 415.61 - 02 510 - 4410 - 405.61 - 01 510 - 4410 - 405.61 - 01 | 24.13 76.90 44.37 44.37 501.88 501.88 231.49 1,298.98 | * | 1,298.98 |
| 23484 Age | 3705 | SUPERION, LLC | PI0190 | 025083 | 03/11/2025 | 509-4910-479.43-05 | 56,642.18 56,642.18 | * | 6,642.18 |

| PREPARED02/27/202 PROGRAM: GM346L CITY OF NEEDLES BANK 04 WELLS FA | 5, RGO | 07:35 NK - CITY GENERAL | UTS D | PAYABLE | ECK R | NUMBI | ACCOUNTING | PAGE 7 PERIOD 2025/09 ORT NUMBER 82 |
|---|-----------|----------------------------|--|--|--|--|---|---|
| :22: | | AME | VOUCHER | P.O. B.O. | DATE | ACCOUNT | REMITTANCE AMOUNT (NET OF DISC/RETAIN) | CHECK TOTAL |
| 4008 | 08 THE | PRINTER GUYS LLC | 06: | 03/ | | 1-1020-41 | 00.6 | 189.00 |
| 301 | 014 TRI | STATE FIRE & SECURITY | 006014 PI0191 | 03/ 025076 03/ | 11/2025 11/2025 | 101-5774-452.60-55 101-5772-452.43-18 | 564.75 5,036.61 5,601.36 * | 5,601.36 |
| 326 | 66 TRI | STATE TOOL REPAIR | 006072 | 03/ | /11/2025 | 101-3010-431.43-57 | 162.46 162.46 * | 162.46 |
| 279 | 98 U.S. | . DEPARTMENT OF ENERGY | 006216 | 03/ | /11/2025 | 580-4750-473.63-10 | 6,031.87 6,031.87 * | 6,031.87 |
| m œ m | 30 UNIFIR | FIRST CORPORATION | 005903 005914 006018 006018 006023 006023 006074 0060754 0060754 0060754 0060753 0060753 0060753 0060753 0060753 0060753 0060213 0060753 006023 0060753 00000023 00000023 00000072 00000070 00000070 00000070 00000070 000000 | 00000000000000000000000000000000000000 | 111/200255 111/200255 111/200255 111/200255 111/2002555 111/2002555 111/200255 111/200555 11/200555 111/200555 100000000000000000000000000000000 | 575-5555-485.61-04 575-5555-485.61-04 575-5555-485.61-04 503-4720-475.61-04 503-4720-475.61-04 580-4750-473.61-04 580-4750-473.61-04 580-4750-473.61-04 101-5772-452.61-04 101-5772-452.61-04 101-5772-452.61-04 101-5774+452.61-04 101-5774+452.61-04 101-5774+452.61-04 101-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 507-5774+452.61-04 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1,224.94 |
| 4237 | SD | HOUSING CONSULTANTS LL | , 006192 006193 006194 006195 006195 006196 | 03// 03// 03// 03// | 11/2025 11/2025 11/2025 11/2025 11/2025 11/2025 | 575 - 5555 - 485.72 - 17 575 - 5555 - 485.72 - 17 | 2,850.00 1,100.00 2,067.59 1,250.00 4,592.20 5,817.60 17,677.39 * | 17,677.39 |
| | 1 VERS | VERSACE, KAREN | UT | 03/ | /11/2025 | 501-0000-211.00-00 | 158.79 158.79 * | 158.79 |
| 1917 | | VIRGINIA TASKER | 006139 | 03/ | 03/11/2025 | 101-1025-415.31-90 | 500.00 * | 500.00 |
| | | | | | | | | |

| PAGE 8 D 2025/09 UMBER 82 | CHECK TOTAL | 355.00 | 2,716.44 | 300.00 | 132.91 | 810.00 | 7,514.87 | 625,499.64 | 625,499.64 |
|--|-----------------------------|--------------------------|--|------------------------|--------------------|-----------------------|--|------------------|--------------------|
| PAGE ACCOUNTING PERIOD 202 REPORT NUMBER | ANCE AMOUNT DISC/RETAIN) | 355.00 355.00 * | 1,029.60 160.00 630.00 185.00 188.06 188.06 335.72 2,716.44 * | 300.00 300.00 | 132.91 132.91 * | 810.00 810.00 * | 299.98 525.00 3,314.89 2,800.00 475.00 7,514.87 * | 625,499.64 | 625,499.64 |
| ΒY | , Ŭ, | 101-2020-423.31-91 | 503-4720-475.59-75 502-4710-471.59-75 502-4710-471.59-75 502-4710-471.59-75 502-4710-471.59-75 502-4710-471.59-75 503-4720-475.59-75 | 507-5762-454.31-90 | 502-4710-471.31-90 | 507-5762-454.31-90 | 101-1030-414.61-02 509-4910-479.31-53 509-4910-479.31-90 509-4910-479.31-90 509-4910-479.31-90 580-4750-473.31-90 | BANK/CHECK TOTAL | BANKS/CHECKS TOTAL |
| PAYABLE CHECK REGISTER | P.O. DATE NO | 03/11/2025 | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | 03/11/2025 | 03/11/2025 | 03/11/2025 | 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 03/11/2025 | | ALL BA |
| ACCOUNTS CHECKING | VOUCHER | SO 006243 | S 006027 006027 006028 006029 006039 006033 006031 006031 | 006025 | 005905 | 006077 | 005902 006016 006017 006207 006208 006208 006208 | | |
| 025, 11:07:35 ACCOUN FARGO BANK - CITY GENERAL CHECKING | VENDOR NAME | WESTERN ARIZONA HUMANE S | WESTERN ENVIRONMENTAL TES | WOMENS CLUB OF NEEDLES | XIO, INC. | 19TH HOLE BAR & GRILL | 3D-NETWORKS LLC | | |
| 02/27/2 GM346I NEEDLES WELLS | VENDOR | 4193 | 3528 | 4061 | 3842 | 3990 | 3828 | | |
| PREPARED PROGRAM: CITY OF 1 BANK 04 | CHECK | 23493 | 23494 | 23495 | 23496 | 23497 | 23498 | | |



REGULAR MEETING OF THE CITY COUNCIL NEEDLES PUBLIC UTILITY AUTHORITY HOUSING AUTHORITY CITY OF NEEDLES **CITY OF NEEDLES, CALIFORNIA** EL GARCES – 950 FRONT STREET, NEEDLES

TUESDAY, FEBRUARY 25, 2025 - COUNCIL EXECUTIVE SESSION - 5:30 PM - CITY COUNCIL MEETING - 6:00 PM

MINUTES

CALL TO ORDER - Mayor Jernigan called the meeting to order at 5:30 pm **ROLL CALL**

PRESENT

Council Member Jamie McCorkle Vice Mayor Ellen Campbell Mayor Janet Jernigan Council Member Tona Belt Council Member Henry Longbrake

ABSENT

Council Member JoAnne Pogue Council Member Zachery Longacre

RECESSED THE CITY COUNCIL MEETING AND CONVENED A JOINT COUNCIL MEETING PUBLIC COMMENTS PERTAINING TO THE EXECUTIVE SESSION - None

Council Member Longacre recused himself due to a conflict of interest, because he works in the cannabis industry. Vice Mayor Campbell, and Council Member Pogue recused themselves due to conflicts of interest because they both have close family members who work in the cannabis industry.

RECESSED TO EXECUTIVE SESSION - 5:32 PM **EXECUTIVE SESSION**

a. Conference with Legal Counsel Regarding Potential Initiation of Litigation Pursuant to Government Code Section 54956.9(d)(4). One potential Case.

No reportable action

CALL TO ORDER - Mayor Jernigan called the meeting to order at 6:11 pm

EXECUTIVE SESSION REPORT – Deputy City Attorney Wade gave report as noted above.

ROLL CALL PRESENT

Council Member Zachery Longacre Council Member Jamie McCorkle Vice Mayor Ellen Campbell Mayor Janet Jernigan Council Member JoAnne Pogue Council Member Tona Belt Council Member Henry Longbrake

PLEDGE OF ALLEGIANCE - led by Mayor Jernigan **INVOCATION -** led by Vice Mayor Campbell **APPROVAL OF AGENDA**

Vice Mayor Campbell made a motion, second by Council Member McCorkle to approve the agenda. Motion carried by the following roll call vote:

- Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake
- Noes: None

Absent: None Abstain: None

CONFLICT OF INTEREST - None **CORRESPONDENCE -** None **INTRODUCTIONS -** Mayor Jernigan acknowledged former Council Member Tim Terral in attendance

Mayor Jernigan presented Mike Schneider with a plaque in recognition of his service on the Board of Public Utilities.

CITY ATTORNEY - Parliamentary Procedures Deputy City Attorney Wade will give at the next meeting.

PUBLIC APPEARANCE

Tim Terral asked staff to look into adding bus services to Bob Belt Beach Parks and Jack Smith Park

Wayne Colburn reported the River Community Coalition is hosting a Chili Cook off on April 19 at Santa Fe Park and requested donations of time and services.

Palo Verde College representatives Jon McNeil and Jaclyn Randall reported on the upcoming 5k Color Run & Walk on Saturday April 12, 2025.

Jared Johnson commended City staff on the Cemetery clean up; reported that 3 Petes Ballfield needs an extension of the net / fence to prevent baseballs/softballs from going into the road.

PRESENTATION

1. Pastor James Jones gave a presentation - end of year report for Isabel's Pantry Food Bank

INTERVIEWS

2. Interview/Appoint Patrick McCaffrey to the Housing Commission, Tenant over 62 position, with a term to expire 12/31/2028

City Manager Martinez gave staff report. Mr. McCaffrey addressed Council. Minimal discussion ensued.

Council Member McCorkle made a motion, second by Council Member Longbrake, to appoint Patrick McCaffrey to the Housing Commission, Tenant over 62 position, with a term to expire 12/31/2028. Motion carried by the following roll call vote:

- Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake
- Noes: None

Absent: None

Abstain: None

PUBLIC HEARING

3. Approval of Resolution 2025-13 recommending approval of a Conditional Use Permit, for the conversion of an existing motel to a multi-family residential complex comprised of 29 micro-apartments and 1 manager's office unit at 1707 Needles Hwy, (APN 0185-048-09-0000) in the General Commercial (C-2) land use zoning designation.

City Planner Romero and City Manager Martinez gave staff report.

Council asked questions of staff and discussion ensued.

Mayor Jernigan opened the public hearing at 6:50 pm.

Applicant Armen Ghadimian spoke about the project and answered Council questions.

Tim Terral spoke in favor of the project, complimenting the applicant on transforming the property. Mayor Jernigan spoke in favor of the project.

Mayor Jernigan closed the public hearing at 6:54 pm

Vice Mayor Campbell made a motion, second by Council Member McCorkle to adopt Resolution 2025-13 approving a Conditional Use Permit, for the conversion of an existing motel to a multi-family residential complex comprised of 29 micro-apartments and 1 manager's office unit at 1707 Needles Hwy, (APN 0185-048-09-0000) in the General Commercial (C-2) land use zoning designation.

Motion carried by the following roll call vote:

Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake

PUBLIC COMMENTS PERTAINING TO THE NPUA/COUNCIL ITEMS - None

REGULAR NPUA / COUNCIL ITEMS

4. Approve City Council Resolution No. 2025-12 and NPUA Resolution No. 02- 25-2025-NPUA Amending Resolution No.'s 2024-27 and 06-11-2024- NPUA. Adopt the Proposed Revised Budgets for FY 2024-25 Mid-year Budget Revisions-City of Needles and NPUA.

City Manager Martinez gave staff report.

Vice Mayor Campbell made a motion, second by Council Member LongAcre to approve City Council Resolution No. 2025-12 and NPUA Resolution No. 02- 25-2025-NPUA Amending Resolution No.'s 2024-27 and 06-11-2024- NPUA. Adopt the Proposed Revised Budgets for FY 2024-25 Mid-year Budget Revisions-City of Needles and NPUA.

Motion carried by the following roll call vote:

Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake

Noes: None

Absent: None

Abstain: None

ADJOURNED THE JOINT NPUA/COUNCIL MEETING AND RECONVENED THE COUNCIL MEETING at 7:01 pm

PUBLIC COMMENTS PERTAINING TO THE COUNCIL ITEMS - None

COUNCIL CONSENT CALENDAR

Vice Mayor Campbell made a motion, second by Council Member McCorkle to approve consent calendar items 5 through 7. Motion carried by the following roll call vote:

Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake

Noes: None

Absent: None

Abstain: None

- 5. Approved the Warrants Register through February 25, 2025
- 6. Approved the Minutes of February 11, 2025
- 7. Authorized the Mayor to execute contract number 20-212 A-1 with San Bernardino County Public Works for Emergency Response Mutual Aid

END OF COUNCIL CONSENT CALENDAR

REGULAR COUNCIL ITEMS

8. Staff seeks direction from the City Council on proceeding with the structural assessment, design, and bid process for the awning replacement.

Mayor Jernigan and City Manager Martinez gave staff report. Council discussion ensued.

Vice Mayor Campbell made a motion, second by Council Member Pogue to proceed with the structural assessment, design, and bid process for the awning replacement.

Motion carried by the following roll call vote:

Ayes: Council Member Longacre, McCorkle, Vice Mayor Campbell, Council Members Pogue, Belt, Longbrake

Noes: None

Absent: None

Abstain: None

CITY ATTORNEY REPORT - given by Deputy City Attorney Wade

CITY CLERK REPORT - given by Interim City Clerk Clark

CITY MANAGER REPORT – for the weeks of February 7 and 14, 2025 - Given by City Manager Martinez

COUNCIL REQUESTS

Council Member Longacre – Thanked Cal Trans for clean up efforts; requested illegal parking enforcement on Ice Plant road; asked for an update on splash pad; reported that overgrown palm trees in the spillway at the top of J Street need to be trimmed.

Council Member McCorkle – Asked about lighting along River Road – change lights to all white lights; requested staff look into repairing River Road prior to next year's busy season; attended NHS Student Advisory Panel, requested students be informed about the NAT bus and promote Golf Course to students to get more involvement.

Vice Mayor Campbell – complimented cemetery improvements; thanked all who supported Women's Club Golf Tournament; Expressed concern over the California Bear sign on Highway 40 – dangerous and illegal to pull over and get pictures – requested staff to look into a solution.

Council Member Pogue - thanked Public Works for clean up efforts around town.

Council Member Belt – reported on kids riding motorized bikes on the streets and expressed concern over safety; asked staff to look into getting pickleball courts and a walking path by new pump track.

Council Member Longbrake – Agreed with Council Member Belt on getting pickleball courts; asked staff to fix water fountainat Jack Smith Park; concerned about increasing cannabis odors in town; reported Santa Fe trash cans are still overloaded; reported a new Crispy Crunchy Chicken at Chevron is scheduled to open within a couple weeks.

Mayor Jernigan – attended Laughlin Economic Dinner with City Manager Martinez; coffee with a cop was nice but attendance was low, encouraged community to participate; attended Chamber breakfast; reported Resource Fair is finalized – this is the third year; attended Teamsters BBQ; attending SBCTA next week and after the meeting she will participate in a podcast hosted by Mark Orr of the Teamsters; encouraged everyone to support the sports tournaments happening in Needles this week; thanked Public Works for their efforts cleaning up around town

ADJOURNMENT - Mayor Jernigan adjourned the meeting at 7:38 pm

Mayor Janet Jernigan

Interim City Clerk Candace Clark



| | NPUA |
|--|------|
|--|------|

🛛 Regular 🗌 Special

Meeting Date: March 11, 2025

Title: Alcohol Beverage Control Permit for Needles Rodeo Association

Background: Ordinance No. 514-AC was adopted in January 2010 and amended Section "15A-6 Possession and use of alcoholic beverages in city parks and/or city recreational facilities" which reads as follows: "No person shall possess or use any alcoholic beverages on the premises of any recreational area without the express written approval of the city council." Prior to Ordinance 514-AC the city code included "or city manager."

The Needles Rodeo Association has provided city staff with the required documents including their ABC Permit.

Fiscal Impact: Not Applicable

Recommended Action: Approve the Needles Rodeo Association Daily License Application for the Department of Alcoholic Beverage Control for their Needles Rodeo Association Rodeo, April 4 - 5, 2025. at the Needles Rodeo Grounds.

Submitted By: Jennifer Valenzuela, Recreation Services Manager

| City Manager Approval: | Patrick Q Martinez | Date: 3/5/2025 |
|------------------------|----------------------|----------------|
| Other Department Appro | val (when required): | Date: |
| | | |

| Approved: | Not Approved: | Tabled: | Other: |
|-----------|---------------|---------|--------|
| | | | |



CITY COUNCIL 🗌 NPUA

Regular D Special

Meeting Date: March 11, 2025

Title: Authorize the purchase of a Crafco Inc. EZ 1500 Crack Seal Trailer and an Empire Cat Sullair 375 Compressor not to exceed \$184,972

Background: City Council included in the 2025 mid-year budget \$200,000 for the purchase of a new crack seal trailer. Staff utilized the City Government procurement contract Sourcewell to obtain the following quotes for approval.

Crafco Inc. provided a quote for a new EZ 1500 double pumper with an autoloader function, squeegees, and three pallets of tar blocks for \$154,583, including tax and shipping. Upon delivery of the unit, Crafco Inc. will provide a full day of training for operations, including maintenance of the unit, at no additional cost.

It was determined through the procurement process that City staff must clean all cracks of debris and foreign material before applying tar to the pavement. Crafco Inc. identified Empire Cat as the supplier for a new Sullair 375 air compressor, quoted at \$30,389, including tax and shipping. This equipment is necessary to ensure the roadway is properly prepared before applying material. Empire Cat will provide training upon delivery for staff.

| Fiscal Impact: | The total project cost of \$184,972 is within the existing budget appropriation for FY 2025-2026. |
|-----------------------|---|
| Environmental Impact: | The new units are CARB compliant |
| Recommended Action: | Authorize the purchase of a Crafco Inc. EZ 1500 Crack Seal Trailer and an Empire Cat Sullair 375 Compressor, with a total cost not to exceed \$184,972. |
| Submitted By: | Rainie Torrance, Utility Manager |

| City Manager Ap | proval: <u>Patrick</u> J | Martinez | Date: <u>3/5/2024</u> | |
|-----------------|---------------------------|-----------|-----------------------|--|
| Other Departmen | t Approval (when required |): | Date: | |
| | | | | |
| Approved: | Not Approved: | Tabled: 🗌 | Other: | |



(602) 276-0406 (800) 528-8242

FAX: (480) 940-0313

QUOTE #

BBBQ71385

Date Quoted 2/28/2025 EXPIRATION DATE 5/30/2025

Due to extreme market volatility of raw materials, quotes are reviewed and revised after 30 days. Products ordered for shipment after the expiration date on this quote will be adjusted to the price in the quote valid at the time of the shipment.

| Quote To: | Account Code: | 918272 | | Ship To: | Account Coo | le: 918272 | |
|--|--------------------|----------------|---------|-------------------------------|--------------|----------------------|------|
| CITY OF NEE | DLES CA | | | CITY OF N | IEEDLES CA | | |
| 817 THIRD STRI NEEDLES, CA 92 US | | | | 817 THIRD NEEDLES, (US | | | |
| Mobile: | | | | ж. ₁ . к | | | |
| Phone: | | | | | | | |
| Fax: | | | | | | | |
| Email: | | 21 | | | | | |
| Project Title: | City of Need | lles- EZ 1500 |) Quote | | | | |
| Bid Date: | | | | | Terms: | NET 30 | |
| Bid Number: | City of Needles- E | Z 1500 Quote | | | F.O.B.: | PPD- ADD FREIGHT | |
| Project Start D | ate: | | | | Ship Via: | Truck/Common Carrier | |
| Ship Before: 5 | /30/2025 | | | | Sales Group: | | 34 |
| Quote Effective | | 25 TO 5/3 | 0/2025 | | Quoted By: | Jonathan Hungerford | |
| | | | | | | WR4- Jonathan Hunger | ford |
| Cohine a tool Time | to Chin After De | asint of Orden | | | | | |

Estimated Time to Ship After Receipt of Order:

Customer:CITY OF NEEDLES CAQuote NumberBBBQ71385Project Title:City of Needles- EZ 1500 QuoteDate02-28-25SALES TAX EXEMPT CERTIFICATE MUST BE PROVIDED AT THE TIME OF ORDER OR SALES TAX WILL BE

ADDED TO YOUR ORDER

| Part # | Description | Unit | Qty. | Quote Price | Ext. Price |
|-------------------|--|--------|------------|----------------|---------------------------------------|
| 46500EB-SRC | EZ SERIES II, 1500 ELECTRIC DOUBLE PUMPER | EA | 1 | \$116,955.0000 | \$116,955.0000 |
| 20014-SRC | 3" PINTLE HITCH | EA | 1 | \$126.4000 | \$126.4000 |
| 24183-SRC | SEVEN PIN ROUND CONNECTION | EA | 1 | \$64.0000 | \$64.0000 |
| 20120-SRC | 18" HITCH EXTENSION | EA · | 1 | \$524.0000 | \$524.0000 |
| 24516DPS-SRC | WORKLIGHTS, ARROWBAR, STROBE, CLASS 1 | EA | 1 | \$3,516.0000 | \$3,516.0000 |
| 24190K-SRC | OVERNIGHT HEATER 110V W/ US PLUG | EA | 2 | \$352.0000 | \$704.0000 |
| 26058-SRC | 10# FIRE EXTINGUISHER (MUST ORDER 26059 TO MOUNT) | EA | 1 | \$236.0000 | \$236.0000 |
| 26059-SRC | FIRE EXTINGUISHER BRACKET | EA | 1 | \$84.0000 | \$84.0000 |
| 26119-SRC | 3/8" SAFETY HOOK W/ LATCH (2 REQUIRED) | EA | 2 | \$58.0000 | \$116.0000 |
| 41259K-SRC | 100# PROPANE TANK (USE 26098 TOOL BOX IF BOTH | EA | 1 | \$415.0600 | \$415.0600 |
| | REQUIRED) | | | | · · · · · · · · · · · · · · · · · · · |
| 41629-SRC | HAND WAND | EA | 1 | \$92.0000 | \$92.0000 |
| 41930-SRC | | | <u>•</u> 1 | \$520.0000 | \$520.0000 |
| 03/04/25 13:00:46 | M/o voluo v | our bu | ainaaa | | |

We value your business.

| Customer: | CITY OF NEEDLES CA | Quote Number | BBBQ71385 |
|-----------------------|--------------------------------|--------------|-----------|
| Project Title: | City of Needles- EZ 1500 Quote | Date | 02-28-25 |

SALES TAX EXEMPT CERTIFICATE MUST BE PROVIDED AT THE TIME OF ORDER OR SALES TAX WILL BE ADDED TO YOUR ORDER

| Part # | Description | Unit | Qty. | Quote Price | Ext. Price |
|---------------|--|------|-------|--------------|--------------|
| | GRAVITY FEED KIT | EA | | | |
| 42743-SRC | SPARE TIRE KIT | EA | 1 | \$612.0000 | \$612.0000 |
| 48120S-SRC | ENGINE COVER ASSY YANMAR INSULATED | EA | 1 | \$2,800.0000 | \$2,800.0000 |
| 45660-SRC | HEAT LANCE, HIGH VELOCITY | EA | 1 | \$2,764.0000 | \$2,764.0000 |
| | W/ 60' HOSE | | | | |
| 51399-SRC | AUTOLOADER (MUST ORDER A HITCH EXT) | EA | 1 | \$8,316.0000 | \$8,316.0000 |
| 27199-CA04 | SQUEEGEE ASSEMBLY REV.C | EA | 2 | \$113.1500 | \$226.3000 |
| 27245-CA04 | COMPACT SQUEEGEE ASSEMBLY REV.A | EA | 2 | \$92.5000 | \$185.0000 |
| 34526-PM-CA04 | POLYFLEX TYPE 4 MELTABLE PACKAGING | LB | 6,300 | \$0.6500 | \$4,095.0000 |

| Sales Tax | \$11,032.18 |
|------------------|----------------|
| Sub Total | \$142,350.7600 |
| Shipping Charges | \$1,200.00 |
| | Sub Total |

Total \$154,582.9400

Due to extreme market volatility, all prices and availability are subject to change without notice, all quotes to be confirmed at time of order and subject to inventory status.

COMMENTS:

FOB Chandler, AZ

2 year warranty Full training upon delivery of machine

For questions contact Jonathan Hungerford at (909)320-1531 or jonathan.hungerford@crafco.com

03/04/25

13:09:46

NOTE:

PAYMENT POLICY:

A deposit of 50% of the purchase price is required on all equipment orders.

Payment of cash, wire transfer or cashier's check for equipment is required at the time of delivery. Personal or Company checks must be deposited and the equipment will not be released until the funds clear. (7-10 days is typical)

WARNING:

Products on this quote may be labeled in accordance with California Proposition 65.

For Terms and Conditions of purchases go to: https://crafco.com/Terms-of-Sale.pdf https://crafco.com/Terms.pdf

Quantities may be limited at Crafco's discretion.

Pricing and availability are subject to change without notice.

Pricing does not include applicable taxes. Tax exemption forms must be on file prior to invoicing. Unpaid sales tax will be reported to State and Local tax authorities. Extension is net after terms.

FOB DEFINITIONS:

PPA- Delivered; freight included.

PPD- Delivered; freight separate.

Pavement Preservation Products Restocking Policy

RETURN POLICY

Crafco will only accept the return of products that have been authorized in writing in advance, and proof of purchase is required. Not all purchases are returnable. This is a Return Policy for non-warranty claims. Refer to the product data sheet for information about warranty and claims for warranty reimbursement.

All returns are subject to restocking fees.

All products returned must be in the original packaging and be in good and salable condition. Crafco reserves the right to charge repackaging fees in addition to restocking fees. The customer is responsible for all shipping costs of returned products. Request information on the acceptability for returns for any specific product when ordering.

Non-Returnable Products

Not all products are returnable. Products that have a shelf life or are considered made to order, or special order may not be returned. No used parts may be returned and any part or product that is non-standard or obsolete is not returnable.

Product

Return Status

Athletic Surfacing Products, Non-Returnable Cure & Commercial Liquids, Equipment, Geocomposites, Paint, Sealcoat, and Silicone

Restocking Fees

All returnable products have a restocking fee if returned.

Product

Restocking Fee

Parts

15% of part purchase price

All Other Products

How to Return an Item

1. To obtain authorization contact your customer service representative.

2. A written authorization will be faxed or emailed to you.

3. A copy of the Return Authorization must accompany the material being returned.

25% of product purchase price

EZ Series II Melter/Applicator

2000



The Most Productive Melter on the Market

When you have miles of road to crack seal, you need a melter that won't slow you down. Crafco's EZ Series II crack sealing melters combine safety, productivity, efficiency and reliability to supercharge your crew. Available in two sizes with eight different configurations and a host of productivity-boosting options, the EZ Series II is your solution to conquer even the biggest jobs.

BENEFITS

High-production

Rugged durability

High-efficiency heating tower for fast melting



sales@crafco.com

crafco.com

A BUERS OM MACHINE A BEETS OM MACHINE A BEETS OM MACHINE A BUERS OM MACHINE A BUER

Agenda Item 4.



Features Safety

Your crew's safety is Crafco's first priority. That's why Crafco engineered the EZ Series II melters with safety features designed for convenience: a low-profile trailer and angled loading doors to reduce strain, curbside controls that minimize exposure to traffic, automatic agitator shutoff switches on the loading doors to prevent hot sealant splashes, an ergonomic hose and wand to reduce fatigue, and more. Choose from a variety of optional safety lights, and add the optional Work Area Camera to give your driver better rear visibility.

Productivity

The EZ Series II offers the largest capacity and material heat/recovery rate of any melter in its class, with an innovative heat tower in the center of the tank to improve melt rate. EZ Series II melters feature large 2" pumps capable of delivering 20 gallons per minute, with true on-demand pumping. The overhead sliding hose boom eliminates hurdles by maximizing your working radius, protecting hoses from damage, and reducing operator fatigue. A heat chamber on the back of the melter warms hoses and plumbing for a faster start to your day, while also enabling you to keep working when the temperature drops. EZ Series II melters are available with electric heated hoses, and our larger 1500-liter melter can be ordered as a double pumper, giving you an independent second hose for twice the output and an increased work area of 760 sq. ft.

Efficiency

EZ Series II melters are engineered to make the most of your time and resources. Powerful Tier 4 diesel engines conserve fuel to run all day while keeping emissions under control. A heat transfer tower in the center of the oil-jacketed double boiler tank increases the heating surface area for 95% heat efficiency to significantly speed up material melting and recovery. Powerful bi-directional agitation paddles ensure even heat and mixing. And the true on-demand pumping system saves fuel while also reducing wasted sealant. On our double pumper units, the two pumps run independently, with adjustable flow rates for different operators.

Reliability

A tool is only useful when it works, so Crafco makes no compromises on reliability – starting with quality materials. Our heavy-duty trailers are constructed from open steel channel to minimize the risk of rust. Crafco builds all sealant hoses in-house to ensure quality and repairability. The on-demand pumping system cuts wear-and-tear to reduce maintenance downtime. Our automatic interlocking controls ensure all functions engage properly to protect your melter from damage, while the accessible control panel offers easy monitoring of machine functions. And Crafco never stops testing and refining our designs in response to real-world challenges. Every Crafco machine is backed by our dedicated customer service and industry-leading two-year warranty, so you can have confidence long after your purchase.

Streamlined Safety Solutions

Choose from several options to boost production, extend working time and increase the safety of your crew.

A wide range of equipment lights are available to direct traffic, help crew stand out and extend working hours. The Work Area Camera provides the driver with a clear view behind the melter, helping prevent accidents and improving crew efficiency.

Additional options


- Autoloader
- Overnight Heaters
- Hitch Extension
- Engine Cover
- Spare Tire & Mount
- Tool Box
- Locking Battery Box
- Fire Extinguisher
- · And More



The Integrated Operator Control System manages the entire unit, housing gauges, switches, and engine controls within the control box while the digital engine controller regulates all functions of the machine: automatic engine safety shutdowns, lock out to prevent unsafe or improper operation of agitation, pumps, hose and wand, and the burner.



The Autoloader, designed for easy installation and efficient sealant block conveyance from a tow vehicle to the melter, keeps the operator safely away from hot sealant. Featuring weather-proof switches, a splash-resistant loading tower, and waterproof electrical enclosures, it ensures safety and reliability while enhancing operational efficiency without equipment modifications.



The Driver Alert System enables seamless communication between crew members and the melter operator. Its high-pitched horn, activated with a push of a button, signals instructions to move forward, stop, or adjust speed. Key features include adaptive sound output, wireless operation, waterproof design, adjustable transmitter location and easy installation.



The Heated Hose features rapid material heating and extensive maneuverability. With a 360° swivel, protective sleeve, and the only field-repairable components in the market, it ensures uninterrupted performance and ease of maintenance, making it a reliable choice for any operation.

*Standard on Electric Base Models



Illuminate your work site and boost safety with Class I or II Equipment Lights. Designed for maximum visibility, these lights enhance night work, warn drivers, and direct traffic. With durable construction and easy installation, they prioritize crew safety, ensuring peace of mind during operations



The Work Area Camera System enhances safety and efficiency by providing real-time visibility to the driver towing the melter. With a 5" LED monitor, waterproof backup camera with telescoping mast, and instant wireless pairing, it ensures a clear view of the work area without leaving the cab.

Configurations

To start designing the machine that meets your unique needs, choose your capacity (1000 or 1500 liters) and hose type (standard or electric heated). The EZ Series II 1000 is also available with an onboard 100cfm compressor, while the EZ Series II 1500 can be ordered as a double pumper with two independent hoses.

EZ Series II 1000

(1000 liters / 265 gallons capacity)

The EZ Series II 1000 is available with a standard (non-heated) or electric heated hose, as well as an onboard 100cfm compressor.

Standard Base (non-electric hose)

Standard Base with Compressor (non-electric hose)

Electric Base (electric hose)

Electric Base with Compressor (electric hose)

HOT

Shown with optional hitch extension..

hitch extension.

Shown with optional engine cover and

EZ Series II 1500

(1500 liters / 396 gallons capacity)

The EZ Series II 1500 can be ordered with a single hose, or as a double pumper with two independent hoses. Both options are available with standard (non-heated) hoses or

electric heated hoses.

Standard Base (non-electric hose)

Electric Base (electric hose)

Double Pumper Standard Base with Dual independent Pumps and Controls (non-electric hoses)

Double Pumper Electric Base with Dual independent Pumps and Controls (electric hoses)



Use this QR code for a full side-by-side comparison of the EZ Series II specifications.



Engineered Tools Sealing Tips & Material Handling Tools



Swivel Applicator Use with EZ Series Melter with or without Drip Stopper. 3" Swivel Applicator - #27120 4" Swivel Applicator - #27130



Duckbill - #50270 Use with EZ Series Melter wands to prevent dripping of material.




Applicator Disk Used for overbanding, great labor saver. 3" Disk Assembly - #27162 4" Disk Assembly - #27163 6" Disk Assembly - #27164



Use with EZ Series sealing tip. Stops sealant drip once wand trigger is released.

Drip Stopper

Tip Adapter - **#27114** Duckbill Valve - **#50270** Shroud - Tip Adapter - **#27115**





Sealing Foot/Flush Used for random asphalt and concrete cracks. Sealing tip/ft assembly 1/4" flush - #27154 Sealing tip/ft assembly 3/8" flush - #27155



Sealing Foot/Protruded Used for straight asphalt and concrete joints. Sealing tip/ft assembly 1/4" protruding - #27159 Sealing tip/ft assembly 3/8" protruding - #27160



Joint Sealing Tip Use for straight asphalt and concrete joints. Sealing tip assembly 1/4" - #27146 Sealing tip assembly 3/8" - #27147



Pour Pot with Wheels - #40200 Use to apply a uniform band of sealant to a crack or joint. Wheeled for ease of use. Gravity feed with shut off lever.



Hand Held Pour Pot - #40201 For application of thin crack sealant to a joint or crack. Gravity feed with shut off lever.



Heavy Duty Squeegee w/Aluminum Handle - #27199 Use for leveling crack sealant and where a sealant over band is recommended.

Replacement Blade - #27195 4" x 18" x 3/8"



Heavy Duty Compact Squeegee w/ Aluminum Handle - #27245 w/ Wooden Handle - #27245W Use for leveling crack sealant and where a sealant over band is recommended.

Replacement Blade - #27241 2-1/2" x 17" x 3/8"



Detack

An economical, biodegradable liquid from Crafco that eliminates sealant tack when sprayed onto freshly applied hot pour sealant.

©April 2024 Crafco, Inc.

Sourcewell 🚬


Awarded Contract

602-276-0406

sales@crafco.com

crafco.com

com



Crack Sealants



Save Your Pavement

Independent studies have shown for decades that crack sealing is the most cost-effective method of pavement preservation, prolonging service life well beyond that of untreated pavement. Crafco helped pioneer the pavement preservation industry nearly 50 years ago, and we've never stopped developing and refining our sealants to provide the best quality and performance. With an extensive line of specialized sealants and legendary service, Crafco is the most trusted name in crack sealing.

BENEFITS

Prevent potholes

Stop alligator cracking

Prevent moisture from entering the subase

Prolong pavement life



sales@crafco.com

crafco.com



Why Crack Seal?

Cracks are inevitable, even for the highest-quality pavements. Left untreated, about 75 percent of asphalt cracks become potholes within three years. Crack sealing prevents infiltration of moisture and incompressible debris that lead to further deterioration. In certain conditions like a harsh winter, this damage can happen in a matter of months.

On roads, cracks degrade ride quality and lead to potholes. In pedestrian areas, cracks can present a tripping hazard. And in high-performance environments like airport runways, deterioration can endanger lives. Crack sealing stops those problems before they start, preventing the need for more costly and time-consuming repairs. Studies have shown that for every \$1.00 spent on crack sealing, \$4.00 or more is saved in rehabilitation cost. Crack sealing also boosts the effectiveness of other surface treatments such as sealcoating.

Sealant Selection

The right sealant makes all the difference. Choosing a sealant matched to your specific climate, pavement condition and intended use extends the service life of sealant to around 5-7 years in most cases. Crafco helped develop many of the industry standards for crack sealing, and our sealants meet the relevant specifications set by ASTM and other organizations.

Your Crafco representative can help you choose the right sealant for your application, but here are the basics:

Climate

Sealants must stretch and rebound as the road moves from thermal expansion and contraction. Your sealant should stay pliant in the winter without cracking but shouldn't become too soft in the summer heat. Selecting the right sealant for your climate is crucial.

Pavement Condition

Pavements with a high-volume of fatigue cracking can further ravel if repaired with a highly elastic crack sealant, compromising the waterproof seal. Crafco manufactures performance crack fillers designed to accommodate pavements in fair to poor condition.

Intended Use

Parking lots and pedestrian areas present a special challenge for crack sealant due to low-speed vehicle traffic and foot traffic. Sealants used in these areas must resist tearing under twisting tires and must not stick to tires or shoes.

There may be other factors to consider, such as pavement slope, so consult your Crafco representative for expert help choosing the right sealant for your application.

Why Crafco?

Dedicated to Quality, Innovation and Service

We know that "good enough" is never good enough, so we never rest on our laurels. Every batch of Crafco sealant gets tested twice for quality and adherence to ASTM specifications. Our team of sealant engineers continually develops and tests new formulations to maximize performance. And our engineering team continually refines our equipment to maximize productivity, ease of use and safety. Our goal is to provide the highest quality and performance on the market, so you can have total confidence in your materials and equipment. With Crafco, you get more than a supplier; you get a partner dedicated to your success. Whether you're a state DOT or a small municipality, a multi-state contractor or just one person in a pickup truck, Crafco knows your time is valuable and your job is hard even when things go right. That's why we're committed to outstanding customer service – to providing useful solutions and building a strong relationship that works for you. Our experienced sales, customer support and Supply Center staff will go the extra mile to make sure your next job is a success, from start to finish and beyond.

Meltable Packaging

Crafco's PLEXI-melt and NoBox meltable packaging saves you time, labor, and logistical headaches – which ultimately saves you money. Say goodbye to opening boxes, taking the time to break them down, and then finding a place to recycle them. Available for Crafco sealants and mastics, our meltable packaging goes right into your Crafco melter, dissolving completely without affecting sealant performance.

Benefits

- · Avoids cumbersome cardboard waste
- Eliminates labor of opening and breaking down boxes
- · Takes up less space; more convenient to transport and store
- · Melts quickly and completely, with no effect on performance
- · Avoids potential clogging issues of foam-based meltable packaging







View the chart below to see the wide variety of sealants available for every need. Your Crafco representative will help you determine the optimal sealant to ensure success on your next project.

Sealant Selection Guide

| | | | | HEA TYP | T | | AS | STM | | | | - | AAS | нто | | | Fed | | AA | | | CIALTY |
|------------------------------------|----|----------|-----------|------------|------------|----------|---------------|----------|-----------|------------|-----------------|--------------|----------------------|-----------------|----------------|-----------|------|----------|------------|---------------|-----------|-----------------------------------|
| PART NUMBER | 00 | OII FIG. | Del Marte | 0690 1760 | 130600 | 0690 770 | 11 3 0600 Ell | 113 8COC | 1432 Jogs | Mass Trof. | M3- 7705 11 173 | M32 770E 307 | MOC 175 " 11/10 773. | 55.0 FED A. 173 | 58.0 T64 45HTO | P 602 01C | 240. | REC. VOL | FIBERCLEDE | MATTED TUBBED | 4DHI PROC | Citres Spece |
| 34200 - Parking Lot Sealant | | • | | | | | ñ. | 1 | | | | | T | | | | • | - 4 | | | | |
| 34201 - RoadSaver 201 | | • | • | • | | | | | • | • | | | | • | | | | • | | | | |
| 34202 - Parking Lot Sealant Type 1 | | • | 1 | | 14.5 | | 1 | | 22 | | | | | | | | • | | | | | |
| 34211 - Roadsaver 211 | | • | • | | 17 | | | | • | | | - | | • | | | | | | | | |
| 34221 - RoadSaver 221 | 1 | | • | • | | | | | • | • | | | | • | 120 | | | | | | | |
| 34222 - RoadSaver 222 | 1 | • | • | | • | | | | • | • | • | | | • | • | • | | | | | | |
| 34231 - RoadSaver 231 | | • | | | | • | | • | | | | | 1 | | | | | | | | | LOW MODULUS |
| 34232 - Asphalt Rubber Type 2 | | • | | йц. - | | | • | | | | | | | | | | | • | | 1 | | A |
| 34234 - Asphalt Rubber Type 4 | | • | | | | | | | | | | | | | | | | • | | | 1 | |
| 34241 - Asphalt Rubber Plus | | • | • | | | | | | • | - | | | | • | | | | • | | | | 0 |
| 34244 - Asphalt Rubber Plus Type 2 | | • | • | | | 100 | | | • | | | | • | • | | | | • | | | | |
| 34250 - PolyFiber Type 3 | 1 | ۰ | | | | 1 | | | | | | | | | | | | | • | | | CRAFCO SPECIFICATION |
| 34251 - PolyFiber Type 4 | | • | | | | | | | | JA | Internet | | 1 | | | | 20 | 19 | • | 1, L. | | CRAFCO SPECIFICATION |
| 34515 - RoadSaver 515 | | • | • | | | | 6 | | • | | | | • | | | | | | | | | |
| 34516 - PolyFlex Type 1 | | • | | | | | | | 04 | | | | | | | | | • | - | | | CRAFCO SPECIFICATION |
| 34517 - Crafco DF | • | • | | | | 1 | | | | | 1 | | | | | | | | | | | CRAFCO SPECIFICATION |
| 34518 - PolyFlex Type 2 | | • | | | The second | | | | | | her. | | | | | | | • | | | | CRAFCO SPECIFICATION |
| 34519 - Fiber Asphalt | | • | | 1 | | | | | | | | | | | | | | | • | | | CRAFCO SPECIFICATION |
| 34521 - PolyFlex Type 3 | | • | | | | 22 | | | | | | | | | | | | • | 100 | | | CRAFCO SPECIFICATION |
| 34522 - RoadSaver 522 | | • | | | | | | | | | ie. | | | | | | | | | | | LOW MODULUS, CRAFCO SPECIFICATION |
| 34524 - Pavement Joint Adhesive | | • | | | 1 | | | - | 1 | | | | 1 | | | | | | | • | | CRAFCO SPECIFICATION |
| 34526 - PloyFlex Type 4 | | • | | | | | | | | | | | | | | | | • | | | | CRAFCO SPECIFICATION |
| 34532 - SuperFlex | • | • | | | | | | | 20 | | | | | | | | | | | | | CRAFCO SPECIFICATION |
| 34533 - SuperFlex HT | • | • | | | | | | | | | | | | | | | | | | | | CRAFCO SPECIFICATION |
| 34534 - RoadSaver 534 | | • | • | • | | | 1 | | • | • | | | | • | | • | | | | | | LOW TACK |
| 34535 - Roadsaver 515 MN | | ۰ | • | | | | | | | | | | | • | | | | | | | 1 | MNDOT 3723-2 |
| 34543 - RoadSaver Low Tack | | • | | | | | | | | | | | | | | | • | | | | 13 | CRAFCO SPECIFICATION |
| 34546 - RoadSaver Low Tack Type 2 | | • | 10 | | | | | | | | | | | | | | • | | | | | CRAFCO SPECIFICATION |

All Crafco products meet or exceed the specifications listed.

Sourcewell

cl #080521-CEC

602-276-0406

sales@crafco.com

crafco.com

Agenda Item 4.

©April 2024 Crafco, Inc.

PRESERVAT



Current Date: 3/4/25 **Quotation Expires:** subject to inventory at time of order

Sullair 375 CFM Compressor

In accordance with your request, we are pleased to submit the following proposal for the abovementioned project. Empire Power Systems proposes to furnish this equipment at the below quoted price.

| Year Built | Current Hours | Purchase Price | Empire ID |
|------------|----------------------|----------------|-----------|
| 2025 | *6 | \$27,110 | TBD |

Price: \$27,110.00 Delivery to Needles: \$950.00 Total: \$28,060.00 Tax: \$2,328.98 Grand Total: \$30,388.98

*Hours for startup/testing

FOB Empire Phx shop or Fisher yard, excludes taxes

Thank you for the opportunity to provide this proposal, we look forward to serving you.

Sincerely yours,

Brett Tolman Account Manager Empire Power Systems Mobile: 602-622-5608 Email: brett.tolman@empire-cat.com



This Quote Specifically Excludes:

- Any applicable Taxes, Permits, Fees
- Installation
- Diesel Fuel
- Crane or Rigging at Job Site

Customer Delay

To the extent that the construction schedule is significantly delayed by customer for any reason, Empire reserves the right to remedy. This remedy could be in various forms, including invoice and payment prior to shipment, progress payments, and/or the accrual of interest charges on undelivered and unpaid goods. Additionally, Empire will also pass along costs of storage and other fees that may result due to the delay. Current tariffs on steel only allow for a 30 day hold on quotes.

Quote is subject to the attached terms and conditions.

The undersigned acknowledge that the preceding proposal has been read in its entirety, is understood and is hereby accepted:

Company: Empire Power Systems **Printed Name:** Brett Tolman **Signature: Date:**

Company: Printed Name: Signature: Date: Purchase Order No:



TERMS & CONDITIONS

A) Customer is responsible for any and all installation of the equipment supplied by **Empire Power Systems**, unless otherwise specified in this quote. All equipment needed to perform any loading or unloading of the equipment supplied by **Empire Power Systems** is the responsibility of the buyer.

B) Empire Power Systems limits the scope of supply for this quotation to the equipment and services listed in our bill of material. Unless specifically listed in our bill of material, equipment not indicated is assumed to be supplied by others. We have detailed the equipment proposed in the bill of material. Please check it to be certain that it meets your requirements.

C) Empire Power Systems reserves the right to correct any errors or omissions. Standard warranty of the manufacturer applies. Copies are available upon request.

D) Contracts which include penalty or liquidated damage clauses, waivers of subrogation, or naming a third party additionally insured are not acceptable or binding on **Empire Power Systems**, unless accepted and confirmed in writing by an officer of **Empire Power Systems** at its Phoenix division office.

E) Unless agreed to in writing, Empire Power Systems will not accept purchase orders which:

- Require Empire Power Systems to pay any and all legal expenses for the purchaser in the event of a dispute
- Require that Empire Power Systems be responsible for design work and/or guarantee that a performance standard for a system be met
- Require completion and acceptance of the project by the owner before payment

F) There will be a **25%** of order cancellation fee for any orders cancelled, once placed and accepted by **Empire Power Systems**.

G) Empire Power Systems' standard and extended terms and conditions are included in the quotation and hereby become part of this quotation. These same terms need to be noted on any purchase order received by Empire Power Systems in order to process your order.

H) **Empire Power Systems** will not be responsible for any labor or material charges by others associated with the start-up and installation of this equipment unless previously agreed upon, in writing by **Empire Power Systems**.

I) Empire Power Systems is a supplier of materials and related services and not a contractor. Retention is not acceptable.

PO Box 2985 Phoenix, AZ 85062-2985 www.empire-cat.com



J) Credit is subject to **Empire Power Systems**, approval at its sole discretion. This quote in no way constitutes approval of credit.

K) Empire Southwest LLC has entered a like-kind exchange (LKE) program. If the equipment described herein qualifies and is purchased, notice is hereby given that **Empire Southwest LLC** will assign its rights under the sales contract to **Empire Exchange LLC** including, if applicable, the right to purchase any trade-in property. If this contract is assigned to **Empire Exchange LLC** sales proceeds must be remitted according to the invoice rendered.

L) Sales payments are due 100% prior to release of equipment. Unless otherwise agreed in writing by a corporate officer of Empire Southwest, LLC ("Empire"), the purchase of goods (including, but not limited to, new and used equipment, attachments, parts and technology) or services from Empire will be governed solely by Empire's Terms and Conditions of Sales and Service (the "Terms"), which are available at <u>www.empire-cat.com/termsandconditions</u>or such other successor website at which Empire posts its Terms from time to time. A hard copy of the Terms is available upon written request to <u>terms.conditions@empire-cat.com</u>. Empire's Terms are hereby incorporated by reference into this document and all other documents related to your purchase of goods or services from Empire. By purchasing goods or services from Empire, you agree to be bound by Empire's Terms.

Terms and conditions of this quotation govern over any conflict between this document and customer's purchase order or other document.



| 🛛 CITY COUNCIL | . 🗌 NPUA |
|----------------|----------|
|----------------|----------|

🛛 Regular 🗌 Special

Meeting Date: March 11, 2025

Title: Additional Funding Authorization for 100 G Street Demolition & Asbestos Removal

Background: The City Council allocated \$10,000 in the FY 25 mid-year budget for the demolition of the old Chamber of Commerce building located at 100 G Street. The contract for the building's demolition, required permits, and asbestos/lead survey was awarded to Phillips Construction. Phillips Construction subcontracted PSR Environmental Consulting to conduct the asbestos and lead survey. The summary report provided by PSR Environmental Consulting determined that the building's roof mastic, penetration mastic, drywall, and floor under carpet all contain asbestos.

Phillips Construction obtained a quote from Najera Environmental Inc. for the proper and safe removal of all asbestos-containing materials identified by PSR Environmental Consulting. The additional cost for this work is \$9,500. All asbestos-containing materials must be removed by an abatement contractor before the building can be demolished. This additional cost was not included in the mid-year budget.

Fiscal Impact: The total project cost is \$19,500. Of this amount, \$10,000 is allocated within the existing budget appropriation for FY 2025-2026, and the additional \$9,500 will be funded through general fund reserves.

Environmental Impact: Current applicable Federal, State, and local statutes specify work practice requirements for demolition and/or renovation activities involving asbestos-containing materials. Proper notification, removal techniques, cleanup procedures, and waste storage/disposal are mandated for any renovation or demolition involving asbestos-containing materials.

Recommended Action: Authorize an additional \$9,500 to the FY 25 budget for the demolition of the building at 100 G Street, utilizing general fund reserves for a total project cost not to exceed \$19,500.

| Submitted By: | Rainie Torrance, Utility Manager | |
|--------------------------|----------------------------------|-----------------------|
| City Manager Approval: _ | Patrick & Martinez | Date: <u>3/5/2025</u> |
| Other Department Appro | val (when required): | Date: |
| | | |

Approved: Not Approved: Tabled: Other:



PSR Environmental Consulting 290 Mt. Vernon Way Corona, CA 92881

CONFIDENTIAL AND PRIVILEGED ASBESTOS & LEAD SURVEYS SUMMARY

For the property located at:

100 G Street Needles, CA 92363

Prepared by:

PSR Environmental Consulting Services 290 Mt. Vernon Way Corona, California 92881 562-822-3655 February 28, 2025

Paul Legerski

Paul Legerski CAC #17-6025 expires 10-18-21 CDPH Lead Inspector/Assessor No. 20

Agenda Item 5.

1.0 EXECUTIVE SUMMARY

PSR's Paul Legerski (CAC #17-6025) conducted a comprehensive Asbestos & Lead Survey for the above-referenced property on February 28, 2025.

The purpose of the Asbestos Survey was to locate and identify suspect Asbestos-containing materials that may be impacted by a planned demolition project. Once a visual inspection was performed, representative asbestos bulk samples were obtained. The sample location, material type, friability, condition of material, and quantity were also documented.

Asbestos bulk sampling was obtained in accordance with the USEPA established guidelines document, "Guidance for Controlling Asbestos-Containing Materials in Buildings" (USEPA 560/5-85-024, 1985) and USEPA 40 CFR Part 763 "Asbestos-Containing Materials in Schools, Final Rule" (AHERA). Each bulk sample was analyzed for Asbestos content by Polarized Light Microscopy (PLM). ATEL Lab is the accredited laboratory that performed the analysis for Asbestos. A total of 28 asbestos bulk samples were obtained during the survey.

Asbestos-containing building materials not identified in this report may be present within hidden and/or concealed areas of the property.

Locations, amounts, and conditions of each building material assessed and sampled can be found in the inventory (Tables).

2.0 SURVEY PROCEDURES

Asbestos-containing building materials not identified in this report may be present within hidden or concealed areas of the property.

Asbestos-containing material identification was performed by entering each room. The physical conditions, friability, accessibility, activity and damage of suspect ACBM was also assessed and documented.

The following procedures were performed:

A visual assessment to identify the location, type and quantity of friable and non-friable Asbestos building materials.

- 1. Obtain representative bulk samples from the suspect Asbestos-containing materials.
- 2. Asbestos samples were analyzed by an independent accredited laboratory for the presence of Asbestos by PLM.
- 3. Present all survey results in a written report including locations, quantities, and laboratory results.

All findings and analytical data presented in this report are based on the information (assessment and sampling data) obtained by the inspector during the survey.

3.0 BULK SAMPLING PROCEDURES FOR ASBESTOS

Each suspect ACBM identified was sampled in accordance with sampling guidelines established by the USEPA. The following summarizes the sampling procedures utilized:

- 1. Building materials were categorized into homogeneous materials. A homogeneous material is defined as being uniform in texture, color, and date of application.
- 2. A sampling scheme was developed based upon the location and quantities of the various homogeneous materials.
- 3. Bulk samples were collected by extracting a representative section of the selected material, placing it in a sampling container and assigning a unique sample number. The samples were placed into a sealed shipping container for delivery to an accredited laboratory for analysis by PLM.

The personnel performed proper decontamination procedures to prevent the spread of secondary contamination.

Each bulk sample was recorded on a bulk sample log and possession of the samples was tracked by a chain of custody record.

The reported laboratory results in this report are a visual estimate by area of Asbestos concentration. Results for heterogeneous samples examined by component are reported as a composite. The lower limit of reliable detection for this method is 1%. Samples which contain Asbestos in a concentration lower than the limit of reliable detection (<1%) are considered "Trace."

All bulk samples were analyzed by PLM in accordance with the "Interim Method for the Determination of Asbestos in Bulk Insulation Samples EPA – 600/M4-82-020" dated December 1982 and adopted by the National Voluntary Laboratory Accreditation Program (NVLAP) Title 15, part 7 of the Code of Federal Register as affiliated with the National Institute for Standards and Testing (NIST).

28 bulk samples were obtained at the property and analyzed for Asbestos content by ATEL Lab in California. ATEL Lab is accredited by the American Industrial Hygiene Association (AIHA), National Voluntary Laboratory Accreditation Program (NVLAP), National Institute of Standards and Testing (NIST), and is a successful participant in the Proficiency Analytical Testing Program (PAT).

| Material | Sample Number | Asbestos Content | Location of Material | Friable | Damage |
|--------------------|------------------|---------------------|--------------------------|---------|--------|
| Roof Mastic | 4b - 6b | 2% Chrysotile | Roof - 200 SF | No | No |
| Penetration Mastic | 7 - 9 | 2% Chrysotile | Roof - 20 SF | No | No |
| Flooring | 10c -12c | 3% Chrysotile | Under carpet – 200 SF | No | No |
| Joint Compound | 13b - 15b | 2% Chrysotile | Walls/Ceilings | No | No |

4.0 POSITIVE ASBESTOS SAMPLE RESULTS AND LOCATIONS

5.0 NEGATIVE ASBESTOS SAMPLES

| Material | Sample Number |
|--------------------|---------------|
| Stucco | 1-3 |
| Roof | 4 - 6 |
| Carpet Glue | 10 - 12 |
| Mastic under Floor | 10b – 12b |
| 12" Ceiling Tile | 16 - 18 |

6.0 HAZARD ASSESSMENTS OF (ACM) MATERIALS

| Material | Sample Number | Asbestos Content | Location of Material | Friable | Hazard Assessment |
|--------------------|------------------|---------------------|--------------------------|---------|----------------------|
| Roof Mastic | 4b - 6b | 2% Chrysotile | Roof - 200 SF | No | Good |
| Penetration Mastic | 7 - 9 | 2% Chrysotile | Roof – 20 SF | No | Good |
| Flooring | 10c -12c | 3% Chrysotile | Under carpet – 200 SF | No | Good |
| Joint Compound | 13b - 15b | 2% Chrysotile | Walls/Ceilings | No | Good |

Good - Material shows little or no damage and requires no remedial action. Moderate - Material is somewhat damaged and is in need of minor repairs. Significantly Damaged - Material is in need of immediate remedial action.

7.0 RECOMMENDATIONS

Asbestos Materials

It is PSR's professional opinion that the asbestos-containing material(s) must be removed by an abatement contractor if it will be impacted by the planned demolition project.

Construction personnel should be made aware of the presence of ACBM and instructed not to disturb or damage the ACBM. Current federal and state regulations require that any demolition of asbestos containing building materials be conducted only by workers and contractors who have been properly trained in the correct handling of asbestos.

Current applicable Federal, State, and local statutes specify work practice requirements for demolition and/or renovation activities, and the associated disturbance of ACMs/ACCMs, as well as the storage and disposal of asbestos-containing waste material. Proper notification, removal techniques, clean-up procedures, and waste storage and disposal requirements are mandated in connection with renovation or demolition activities. A mandatory 10 day (for non-emergency asbestos removal) notification is required by the US EPA and most local air quality pollution districts prior to the planned removal of 100 square feet or more ACM (greater than 1% asbestos).

Current Federal Occupational Safety and Health Administration (OSHA), State (DOSH or Cal/OSHA), and additional local regulatory agencies mandate that ACM/ACCM (manufactured material containing greater than 1/10 of 1% asbestos), regardless of quantity, shall be handled during removal, repair, etcetera by asbestos trained and qualified individuals or contractors. Identified ACMs/ACCMs must also be removed by State licensed Asbestos Abatement Contractors prior to any demolition or construction activities if more than 100 square feet of ACMs/ACCMs will be disturbed or impacted.

All asbestos work should proceed under the guidance or direction of an independent State Certified Asbestos Consultant with oversight performed by a State Certified Site Surveillance Technician.

At the end of the abatement, PSR highly recommends an air clearance inspection be conducted to show that air levels are safe for reentry.

8.0 LIMITATIONS

PSR warrants that our services are performed within the limits prescribed by our client with the usual thoroughness and competence of the environmental profession.

Any recommendations in this report are professional opinions solely based on visual observations and analytical analyses, as described in this report.

Opinions and recommendations presented herein apply to site conditions existing at the time of our investigation and those reasonably foreseeable, cannot necessarily apply to site changes of which this office is not aware and has not had the opportunity to evaluate.

APPENDIX A

ASBESTOS CHAIN OF CUSTODY AND BULK SAMPLE LOG

| ATEL, LLC, 5817 Pine A | ve. Suite B-2, Cl | nino Hillis, CA 917 | 09, 909.393.3330 |) | | | ſ | | L |
|---|-------------------------|---|-----------------------------|----------|--------------------------|---|-------------------|-----------------------|------------------------------------|
| Analytical Repo | rt | | | | | | | | |
| Asbestos Identifica | | Materials | | | | | | | |
| Client Name: Client Address: | | ernon Way | nsulting Servic | ces | | Report Number Samples Submit Sample Collectio | tted: on Date: | 15394 28 2/28/2 | 2025 |
| Project ID: Project Name: | | | | | | Laboratory Rece Analysis Metho | | | 025 00/R-93/116 00/M4-82-020 |
| Project Location: | 100 G St. Needles, G | CA | | | | Page: | | 1 of 6 | JUJ WH-52-020 |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406- | 001 | Client Sar | nple #: | 1 | | | | |
| Sample Material a | nd Location: | Stucco Ext. | Walls | | | | | | |
| Sample Characteristics Misc. Components Obs Asbestos Observed (%) Analyst: Charlotte Ob | erved: | | n-Fibrous Homo | | Non-Fibro rature °C: | | Total Asbest | :os (%): | None Detected |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | 002 | Client San | nple #: | 2 | | | | |
| Sample Material a | nd Location: | Stucco Ext. | | | | | | | |
| Sample Characteristics Misc. Components Obs Asbestos Observed (%) Analyst: Charlotte Ob | erved: | Off-White No | n-Fibrous Homo; 3/1/2025 | | Non-Fibre rature *C: | | Total Asbest | :os (%): | None Detected |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406- | 003 | Client San | nple #: | 3 | | | | |
| Sample Material a | nd Location: | Stucco Ext. | Walls | | | | | | |
| Sample Characteristics: Misc. Components Obs Asbestos Observed (%) Analyst: Charlotte Ob | erved: | | n-Fibrous Homo; | | Non-Fibre rature ºC: | | Total Asbest | :os (%): | None Detected |
| | | | 54 24 25 25 | - Chiper | | 2.50 | | | |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | | Client San | nple #: | 4 | | | | |
| Sample Material a | nd Location: | Black Roof | ing Roof | | | | | | |
| Sample Characteristics: Misc. Components Obs Asbestos Observed (%) Analyst: Charlotte Ob | erved: | Black Fibrous 10% Fibrous (ate Analyzed: | | | us Materia rature ºC: | | Total Asbest | :os (%): | None Detected |
| | | ale rinerneti | 39 24 EVE2 | rempe | ature 20: | 236 | | , , | |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | | Client San | - | 4 | | | | |
| Sample Material a | | - | | | | | | | |
| Sample Characteristics: Misc. Components Obs Asbestos Observed (%) Analyst: Charlotte Ob | erved: | Chrysotile | 2% | | | on-Fibrous Material | Total Asbest | :os (%): | 2% |
| chanotte Ob | CUZCIISKI D | ate Analyzed: | 31 41 4043 | rempe | rature ºC: | 23L | | - (, | |

| Analytical Report Asbestos Identificati | | orials | | | | | T | C L |
|--|--------------------------|---|------------------|-------------------------------------|----------------------------|---------------|-----------|---------------|
| Client Name: | | | | | | | | |
| | 290 Mt. Verne | ental Consultir | ig services | | Report Number: | | 1539406 |) |
| Client Address: | Corona, CA 92 | ' | | | Samples Submit | | 28 | |
| | corona, cr 52 | LOOL | | | Sample Collectio | n Date: | 2/28/20 | 25 |
| | | | | | Laboratory Rece | ipt Date: | 3/1/202 | 5 |
| Project ID: | | | | | Analysis Method | : | EPA 600, | /R-93/116 |
| Project Name: | | | | | | | EPA 600, | /M4-82-020 |
| Project Location: | 100 G St. Needles, CA | | | | Page: | | 2 of 6 | |
| TEST DATA | , | | | | | | | |
| Laboratory ID#: | 1539406-005 | ci | ient Sample | #: 5 | | | | |
| Sample Material and | d Location: B | lack Roofing Ro | oof | | | | | |
| Sample Characteristics: Misc. Components Obser Asbestos Observed (%): Analyst: Charlotte Obie | ved: 10 | lack Fibrous Homo 0% Fibrous Glass Analyzed: 3/1/20 | | -Fibrous Materia Temperature ºC: | | Total Asbesto | os (%): N | lone Detected |
| Analysia charlotte oble | uzenski Date | Analyzeu: 3/1/20 | 25 | remperature ±C: | 230 | | | |
| TEST DATA | | | | | | | | |
| Laboratory ID#: | 1539406-005 | L1 d | ient Sample | #: 5 | | | | |
| Sample Material and | Location: B | eige Black Mas | tic Roof | | | | | |
| Sample Characteristics: Misc. Components Obser Asbestos Observed (%): Analyst: Charlotte Oble | ved: C | lack Silver Beige No hrysotile Analyzed: 3/1/20 | 2% | nogenous 98% N femperature ºC: | on-Fibrous Material 23C | Total Asbesto | os (%): | 2% |
| TEST DATA | | | | | | | | |
| Laboratory ID#: | 1539406-006 | a | ient Sample | #: 6 | | | | |
| Sample Material and | d Location: B | lack Roofing Ro | oof | | | | | |
| Sample Characteristics: Misc. Components Obser Asbestos Observed (%): | | lack Fibrous Homo 0% Fibrous Glass | genous 90% Non | -Fibrous Materia | ol - | | | |
| Analyst: Charlotte Obie | dzenski Date / | Analyzed: 3/1/20 | 125 T | femperature ºC: | 23C | Total Asbesto | os (%): N | ione Detected |
| TEST DATA | | | | | | | | |
| Laboratory ID#: | 1539406-006 | L1 C | ient Sample | #: 6 | | | | |
| Sample Material and | Location: B | eige Black Mas | tic Roof | | | | | |
| Sample Characteristics: Misc. Components Obser | | lack Silver Beige No | on-Fibrous Inhon | nogenous 98% N | on-Fibrous Material | | | |
| Asbestos Observed (%): Analyst: Charlotte Obie | | hrysotile Analyzed: 3/1/20 | 2% 25 1 | emperature °C: | 23C | Total Asbesto | os (%): | 2% |
| TEST DATA | | | | | | | | |
| Laboratory ID#: | 1539406-007 | c | ient Sample | #: 7 | | | | |
| Sample Material and | Location: P | enetration Mas | stic Roof | | | | | |
| Sample Characteristics: Misc. Components Obser | | lack Silver White N 5% Cellulose | on-Fibrous Inhor | mogenous 83% N | ion-Fibrous Material | | | |
| Asbestos Observed (%): | | 5% Cellulose hrysotile | 2% | | | | | |
| Analyst: Charlotte Obie | | Analyzed: 3/1/20 | | femperature ^o C: | 23C | Total Asbesto | os (%): | 2% |

.

| Analytical Repo | rt | V | |
|--|---|--------------------------|------------------------|
| | ion in Bulk Materials | | |
| Client Name: | PSR Environmental Consulting Services | Report Number: | 1539406 |
| Client Address: | 290 Mt. Vernon Way | Samples Submitted: | 28 |
| | Corona, CA 92881 | Sample Collection Date: | 2/28/2025 |
| | | Laboratory Receipt Date: | 3/1/2025 |
| Project ID: | | Analysis Method: | EPA 600/R-93/116 |
| Project Name: | | | EPA 600/M4-82-020 |
| Project Location: | 100 G St. | Page: | 3 of 6 |
| | Needles, CA | - | |
| TEST DATA | | | |
| Laboratory ID#: | 1539406-008 Client Sample #: 8 | | |
| Sample Material an | d Location: Penetration Mastic Roof | | |
| Sample Characteristics: Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | Chrysotile 2% | Total Achor | tos (%): 2% |
| TEST DATA | | | |
| Laboratory ID#: | 1539406-009 Client Sample #: 9 | | |
| Sample Material an | d Location: Penetration Mastic Roof | | |
| Sample Characteristics: Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | | Total Ashar | tos (%): None Detected |
| TEST DATA | | | |
| Laboratory ID#: | 1539406-010 Client Sample #: 10 | | |
| Sample Material an | d Location: Glue Under Carpet Interior | | |
| Sample Characteristics: Misc. Components Obse | Yellow Non-Fibrous Homogenous 100% Non-Fibro rved: | us Material | |
| Asbestos Observed (%): Analyst: Charlotte Obi | edzenski Date Analyzed: 3/1/2025 Temperature | C: 23C Total Asbes | tos (%): None Detected |
| TEST DATA | | | |
| Laboratory ID#: | 1539406-010L1 Client Sample #: 10 | | |
| Sample Material an | d Location: Floor Under Carpet Interior | | |
| Sample Characteristics: | Off-White Non-Fibrous Homogenous 97% Non-Fib | rous Material | |
| Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | Chrysotile 3% | C: 23C Total Asbes | tos (%): 3% |
| TEST DATA | | | |
| Laboratory ID#: | 1539406-010L2 Client Sample #: 10 | | |
| Sample Material an | d Location: Mastic Under Carpet Interior | | |
| Sample Characteristics: Misc. Components Obse | Yellow Non-Fibrous Homogenous 100% Non-Fibro rved: | us Material | |
| Asbestos Observed (%): Analyst: Charlotte Obi | edzenski Date Analyzed: 3/1/2025 Temperature | C: 23C Total Asbes | tos (%): None Detected |

| ATEL, LLC, 5817 Pine Av | e. Suite B-2, Chir | no Hills, CA 917 | 709, 909.393.3330 | | | | | | |
|--|---|--|-----------------------------|--------------|-------------------------|--|---------------------|---------------------------------|-----------------------------|
| | | | | | | | | | |
| Analytical Repo | rt | | | | | | - Y | | |
| Asbestos Identificat | ion in Bulk M | aterials | | | | | | | |
| Client Name: Client Address: | PSR Enviror 290 Mt. Ve Corona, CA | rnon Way | nsulting Servic | xes | | Report Numbe Samples Subm Sample Collect Laboratory Rec | itted: ion Date: | 15394 28 2/28/2 3/1/20 | 2025 |
| Project ID: Project Name: | | | | | | Analysis Metho | | EPA 60 | 00/R-93/116 00/M4-82-020 |
| Project Location: | 100 G St. Needles, C/ | A | | | | Page: | | 4 of 6 | |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | 11 | Client Sar | nple #: | 11 | | | | |
| Sample Material an | d Location: | Glue Unde | r Carpet Inter | ior | | | | | |
| Sample Characteristics: Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | | Yellow Non-F te Analyzed: | Fibrous Homogen 3/1/2025 | | n-Fibrous rature ºC: | | Total Asbes | stos (%): | None Detected |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-03 | 1111 | Client Sar | nple #: | 11 | | | | |
| Sample Material an | d Location: | Floor Unde | er Carpet Inte | rior | | | | | |
| Sample Characteristics: Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | | Off-White No Chrysotile te Analyzed: | 3/1/2025 | | lon-Fibro rature ºC: | | Total Asbes | stos (%): | 3% |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | 11L2 | Client Sar | nple #: | 11 | | | | |
| Sample Material an | d Location: | Mastic Un | der Carpet Int | erior | | | | | |
| Sample Characteristics: Misc. Components Obse Asbestos Observed (%): Analyst: Charlotte Obi | | Yellow Non-F | Fibrous Homogen 3/1/2025 | | n-Fibrous | | Total Asbes | stos (%): | None Detected |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | 12 | Client Sar | npie #: | 12 | | | | |
| Sample Material an | d Location: | Glue Unde | er Carpet Inter | ior | | | | | |
| Sample Characteristics: Misc. Components Obse | | | Fibrous Homogen | | n-Fibrous | Material | | | - |
| Asbestos Observed (%): Analyst: Charlotte Obi | edzenski Da | te Analyzed: | 3/1/2025 | Tempe | rature ºC: | 23C | Total Asbe | stos (%): | None Detected |
| TEST DATA | | | | | | | | | |
| Laboratory ID#: | 1539406-0 | 12L1 | Client Sar | nple#: | 12 | | | | |
| Sample Material an | d Location: | Floor Unde | er Carpet Inte | rior | | | | | |
| Sample Characteristics: Misc. Components Obse | rved: | Off-White No | on-Fibrous Homo | genous 97% f | lon-Fibro | us Material | | | |
| Asbestos Observed (%): Analyst: Charlotte Obi | | Chrysotile te Analyzed: | 3% 3/1/2025 | Tempe | rature °C | 23C | Total Asbe | stos (%): | 3% |

| Project Name: EPA 600/M4-82-020 Project Location: 100 G St. Needles, CA EST DATA Laboratory IDH: 1539406-012L2 Client Sample #: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Characteristic: Yellow Non-Fibrous Homogenous 300% Non-Fibrous Material Mac. Components Observed: Absenso Observed: Sample Characteristic: White Non-Fibrous Hemogenous 100% Non-Fibrous Material Mac. Components Observed: Mac. Components O | | | (| | |
|---|--|---|--------------------|---------------------------|--|
| Asbestos (dentification in Bulk Materials PSE Environmental Consulting Services Client Address PSE Environmental Consulting Services PSE Environmental Consulting Services PSE Project ID: 200 ML veron Way Corona, CA 92881 Project ID: 200 ML veron Way Corona, CA 92881 Project ID: 200 ML veron Way PSE Project ID: 100 G St. Needles, CA Project Location: 100 G St. Needles, CA Project Location: 100 G St. Needles, CA PSE Project ID: 100 G St. Needles, CA Project Location: 100 G St. Needles, CA Project Location: 100 G St. Needles, CA Page: 5 of 6 Project Location: 100 G St. Needles, CA Page: 5 of 6 Project Location: 100 G St. Needles, CA Page: 5 of 6 Project Location: 100 G St. Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, CA Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 of 6 Project Location: 100 KB Needles, 200 Page: 5 Project Location: 100 Page: 5 Pr | Analytical Repor | t | | | |
| Client Address: 290 Mt. Verson Way Corona, CA 92881 Sample Collection Date: 2/28/2025 Jaboratory Receipt Date: 2/28/2025 Analysis Method: EPA 600/M4-82-020 Project Lozino: 100 G St. Page: 5 of 6 TEST DATA Laboratory IDM: 1539406-012L2 Client Sample #: 12 Sample Characteristic: Yelkow Non-Fibrous Homogenous 100% Non-Fibrous Material Advestor Observed: Mile Laboratory IDM: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Material and Location: Dr | | - | | | |
| Client Address: 290 Mt; Vernon Way Corona, CA 92881 Sample Submitted: 28 Sample Submitted: 28 | Client Name: | PSR Environmental Consulting Services | Report Number: | 1539406 | |
| Corona, CA 92881 Sample Collection Date: 2/28/2025 Laboratory Receipt Date: 3/1/2025 Project ID: Project ID: Project ID: ID: Project ID: ID: Project ID: Project ID: Project ID: | Client Address: | _ | | | |
| Project ID: Project Name: 3/1/2025 Analysis Method: EPA 600/N-93/116 Project Location: 100 G St. Needles, CA Page: 5 of 6 TEST DATA 12 Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Web/Nor-Fibrous Managenous 100% Non-Fibrous Material Master Carponents Observed: Analysis Method: 12,9406-01212 Client Sample fit: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Vellow Non-Fibrous Managenous 100% Non-Fibrous Material Maic Components Observed: Marker Charlotte Obiedenski Date Analyzed: 3/1/2025 Temperature %C 23C Total Asbestos (%): None Detected TEST DATA Laboratory IDF: 1539406-013 Client Sample fit: 13 Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material Asbestos (%): None Detected TEST DATA Laboratory IDF: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Material Material Material Maine: | | Corona, CA 92881 | • | 2/28/2025 | |
| Project ID: Analysis Method: EPA 600/R-93/116 Project Location: 100 G St. Page: 5 of 6 Project Location: 100 G St. Needles, CA Page: 5 of 6 TEST DATA Laboratory IDF: 1539406-012L2 Client Sample #: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Drywall Interior <td c<="" td=""><td></td><td></td><td></td><td></td></td> | <td></td> <td></td> <td></td> <td></td> | | | | |
| Project Name: EPA 600/M4-82-020 Project Location: Needles, CA Project Location: Needles, CA Sample Characteristic: Needles, CA Sample Material and Location: Mastic Under Carpet Interior Sample Characteristic: Yellow Non-Fibrous Memogenous 100% Non-Fibrous Material Mice Components Observed: None Fibrous Memogenous 100% Non-Fibrous Material Mice Components Observed: Yellow Non-Fibrous Memogenous 100% Non-Fibrous Material Mice Components Observed: Yellow Non-Fibrous Memogenous 100% Non-Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non Fibrous Material Mice Components Observed: White Non-Fibrous Homogenous 100% Non Fibrous Material Mice Components Observed: <td>Project ID:</td> <td></td> <td></td> <td></td> | Project ID: | | | | |
| Needles, CA TEST DATA Laboratory IDI: 1539406-0121.2 Client Sample #: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Yellow Non-Fibrous Homogenous 100% Non-Fibrous Material Mice, Components Observed: Adabets observed (%): Analyst: Charlotte Oblidenski Date Analyzed: 3/1/2025 TEST DATA Image: Components Observed: Laboratory IDI: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior | Project Name: | | | | |
| TEST DATA Laboratory ID#: 1539406-012L2 Client Sample #: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Mastic Under Carpet Interior Sample Material and Location: Vellow Non-Fibrous Homogenous 100% Non-Fibrous Material Mice. Components Observed: Analyste: Charlotte Obiodsenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Mat | Project Location: | 100 G St. | Page: | 5 of 6 | |
| Laboratory IDI: 1539406-012L2 Client Sample #: 12 Sample Material and Location: Mastic Under Carpet Interior Sample Characteristic: Vellow Non-Fibrous Homogenous 100% Non-Fibrous Material Mac. Components Observed: Abberts Observed: Sample Material and Location: Drywall Interior Sample Characteristic: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mac. Components Observed: Masters Observed: Sample Material and Location: Drywall Interior Sample Characteristic: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mac. Components Observed: Material and Location: Drywall Interior Sample Material and Location: Loint Compount | | Needles, CA | - | | |
| Sample Material and Location: Mastic Under Carpet Interior Sample Characteristic: Yellow Non-Fibrous Homogenous 100% Non-Fibrous Material Mas. Components Observed: Abbesto Observed: Abbesto Observed: Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mis. Components Observed: Abbesto Observed: Abbesto Observed: Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mis. Components Observed: Abbesto Observed: Abbesto Observed: Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Mis. Components Observed: Abbesto Observed: Abbesto Observed: Abbesto Observed: Mis. Components Observed: Misc. Components Observed: Misc. Components Observed: Abbesto Obs | TEST DATA | | | | |
| Sample Characteristics: Yellow Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analysed: 3/1/2025 Temperature %C 23C Total Asbestos (%): None Detected TEST DATA | Laboratory ID#: | 1539406-012L2 Client Sample #: 12 | | | |
| Min: Components Observed: Absters Observed: (%): None Detected TEST DATA Laboratory ID#: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Maisetor Observed: (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Maisetor Observed: (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Obaracteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Maiset: Obaracteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Material and Location: Drywall Interior Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Misc. Misc. Components Observed: M | Sample Material an | d Location: Mastic Under Carpet Interior | | | |
| Abbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Malesto: Observed: Mile Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Malesto: Observed: Mile Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Compone | Sample Characteristics: Misc. Components Obse | | us Material | | |
| TEST DATA Laboratory ID#: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Advertal and Location: Drywall Interior Analyst: Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Advertal and Location: Drywall Interior Sample Material and Location: Drywall Interior Total Asbestos (%): None Detected Misc. Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Malvat: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Total Asbestos (%): None Detected TEST DATA Eaboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Moberved: Misc. Components Observed: Malvat: Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material | Asbestos Observed (%): | | W-4-14 | (W) No. 5 | |
| Laboratory ID#: 1539406-013 Client Sample #: 13 Sample Material and Location: Drywall Interior Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Advestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Advestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Misc. Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. | Analyst: Charlotte Obi | dzenski Date Analyzed: 3/1/2025 Temperature 9 | C: 23C Total Asbes | os (%): None Detected | |
| Sample Material and Location: Drywall Interior Sample Characteristis: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature ºC: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): Analyst: Charlotte Obiodzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Jony Homogenous 100% Non-Fibrous Material Misc. Components Observed Misc. Componen | TEST DATA | | | | |
| Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Characteristics: Date Analyzed: 3/1/2025 TEST DATA Client Sample #: Laboratory ID#: 1539406-014 Client Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Babe Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Elaboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: None Detected Analyst: Characteristics: | Laboratory ID#: | 1539406-013 Client Sample #: 13 | | | |
| Misc. Components Observed: Asbestso Observed (%): Analyst: Charlotte Obliedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestso Observed (%): Analyst: Charlotte Obliedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestso Observed (%): Analyst: Charlotte Obliedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obliedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Analyst: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Misc. Componen | Sample Material an | d Location: Drywall Interior | | | |
| Misc. Components Observed: Asbestso Observed (%): Maniyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestso Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Misc. Components Observed: Misc. Components Observed: Misc. Components Observed: Misc. Components Observed: Misc. Components Observed (%): Chrysotile 2% Total Asbestos (%): Total Asbestos (%): 20(| Sample Characteristics: | White Non-Fibrous Homogenous 100% Non-Fibrou | s Material | | |
| Analysi: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature *C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): Date Analyzed: 3/1/2025 Temperature *C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Abbestos Observed (%): Origotile 2% | | | | | |
| TEST DATA Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obliedzenski Date Analyzed: 3/1/2025 Temperature #C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Material Asbestos (%): None Detected Misc. Components Observed: Material and Location: Jorywall Interior Sample Characteristic: Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Material Misc. Components Observed: Misc. Compone | | dzenski Date Analyzed: 3/1/2025 Temperature 9 | C: 23C Total Asbes | tos (%): None Detected | |
| Laboratory ID#: 1539406-014 Client Sample #: 14 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obledzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obledzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed (%): Analyst: Charlotte Obledzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): Date Analyzed (%): Private (| | | | | |
| Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Eaboratory ID#: 1539406-015 Client Sample #: 15 Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Observed (%): Chrysotile 2% | | | | | |
| Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | Laboratory ID#: | 1539406-014 Client Sample #: 14 | | | |
| Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | Sample Material an | d Location: Drywall Interior | | | |
| Asbestos Observed (%): Analyst: Charlotte Obiedzenski Bate Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Bate Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | Sample Characteristics: | | s Material | | |
| Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature *C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed: Asbestos Observed: 3/1/2025 Temperature *C: 23C Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature *C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Misc. Components Observed: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Observed (%): Chrysotile 2% Total Asbestos (%): Date | | rved: | | | |
| Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | | dzenski Date Analyzed: 3/1/2025 Temperature * | C: 23C Total Asbes | tos (%): None Detected | |
| Laboratory ID#: 1539406-015 Client Sample #: 15 Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | TEST DATA | | | | |
| Sample Material and Location: Drywall Interior Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Absestos Observed (%): Date Analyzed: Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed (%): Chrysotile 2% | | 1520405-015 | | | |
| Sample Characteristics: White Non-Fibrous Homogenous 100% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature 9C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): 200 | | | | | |
| Misc. Components Observed: Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature *C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): 200 | | | | | |
| Asbestos Observed (%): Analyst: Charlotte Obiedzenski Date Analyzed: 3/1/2025 Temperature %C: 23C Total Asbestos (%): None Detected TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): 200 | | | s Material | | |
| TEST DATA Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): 2% | Asbestos Observed (%): | | Total School | Ine (9/) Name Description | |
| Laboratory ID#: 1539406-015L1 Client Sample #: 15 Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Chrysotile 2% | Analyst: Charlotte Obie | dzenski Date Analyzed: 3/1/2025 Temperature * | C: 23C Total Asbes | tos (%): None Detected | |
| Sample Material and Location: Joint Compound Interior Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Asbestos (%): 2% | TEST DATA | | | | |
| Sample Characteristics: Off-White Non-Fibrous Homogenous 98% Non-Fibrous Material Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% | Laboratory ID#: | 1539406-015L1 Client Sample #: 15 | | | |
| Misc. Components Observed: Asbestos Observed (%): Chrysotile 2% Total Askartas (%): 2% | Sample Material an | d Location: Joint Compound Interior | | | |
| Asbestos Observed (%): Chrysotile 2% Total Askastas (%): 2% | Sample Characteristics: | | ous Material | | |
| Total Achastas (9/) | Misc. Components Obse Asbestos Observed (%): | | | 1411 | |
| | Analyst: Charlotte Obie | | C: 23C Total Asbes | tos (%): 2% | |

| Analytical Report Asbestos Identificatio Client Name: Client Address: Project ID: Project Name: Project Location: | on in Bulk Ma | mental Con mon Way 92881 | sulting Services | | Sam Sam Labo | Port Number: nples Submitted: nple Collection Date: oratory Receipt Date: alysis Method: e: | 1539406 28 2/28/2025 3/1/2025 EPA 600/R-93/116 EPA 600/M4-82-020 6 of 6 |
|--|---------------------|--------------------------------|-----------------------------------|------------------------------|--------------------|--|---|
| TEST DATA | | | | | | | |
| Laboratory ID#: | 1539406-01 | 16 | Client Sampl | e#: 16 | | | |
| Sample Material and Sample Characteristics: Misc. Components Obser Asbestos Observed (%): Analyst: Charlotte Oble TEST DATA | ved: | | s Homogenous 30% | Non-Fibrous M Temperature | | C Total Asbes | itos (%): None Detected |
| Laboratory ID#: | 1539406-01 | 17 | Client Sampl | e#: 17 | | | |
| Sample Material and Sample Characteristics: Misc. Components Obser Asbestos Observed (%): Analyst: Charlotte Obie TEST DATA | ved: | | s Homogenous 30% | Non-Fibrous M Temperature | | ic Total Asbes | stos (%): None Detected |
| Laboratory ID#: | 1539406-01 | 18 | Client Sampl | le#: 18 | | | |
| Sample Material and Sample Characteristics: Misc. Components Obser Asbestos Observed (%): Analyst: Charlotte Obie | d Location: ved: | 12 " Ceiling | Tile Interior s Homogenous 30% | | | ac Total Asbes | stos (%): None Detected |

Samples were analyzed by Calibrated Visual Estimation (CVE). Analyses by CVE have a detection limit of 1% asbestos by relative area and may not be consistently reliable below this limit or for asbestos with fiber diameter thinner than the resolving capacity of PLM without further analysis by another independent method. A test result of less than (<) 1% by CVE means asbestos was observed in the sample but is visually estimated to be below the reportable limit of 1%. The laboratory references EPA-- 40CFR Appendix E to Subpart E of Part 763. Interim Method of the Determination of Asbestos in Bulk insulation Samples for fiber identification, 400 point counts, and composite reporting. EPA method 600/R-93/116 is referenced for analysis of non-insulation materials, sub-layers, expanded and modified point counts, CVE and subsequent data reporting. Samples containing distinct layers that can be reliably separated are analyzed and reported as separate unless requested in writing. The test data presented apply only to the items submitted. Count for samples submitted is indicative of total layers observed and may vary from actual analysis for positive stop requests. ATEL, LLC is a NIST-NVLAP and CA-ELAP Accredited laboratory (ID# 201073-0 and #2971, respectively). This report must not be reproduced, unless in its entirety, without the written consent of ATEL, LLC. Per NIST-NVLAP 150 Annex A: This report shall not be used to claim product certification, approval or endorsement by NVLAP, NIST, or any agency of the federal government. Unless indicated, samples were received in acceptable condition. Sample retention time is 30 days from issuing this report unless requested otherwise.

Analyst Signature:

Charlotte E Wisherski - Charlotte Obledzenski Chicher

Approved Signatory:

-Chris Turton

Reported On: 3/3/2025

| Analytical S | | quest v.061724 | | no Hills, CA 91709, F | | | | | Pg1_ | _of |
|---|--|---|---------------------------|--|-------------|--------------------------------|---|-----------------|-----------------|------------|
| Asbestos La | boratory | - | | | | | | | | |
| | | | _ | Your Cont | act Inforn | nation | | | | |
| Company N Personal/Co | | | -6 | ~ | - | | | | | - |
| Contact Per | | iui 629- | ¥Κ | K | t-7 | ₩₩ | · | | ***** | - |
| Contact info | | Main: | | | Ē | -Mail; | | | | - |
| | | Mobile: | | | F | ax: | | | | - |
| | | our results? | | Verbal | | mail | | Fax | | |
| | *If verbai re | sults are reque | sted, you n | nust also select | a second fo | rm of deli | very. | | | |
| | | 1 | - | Project | t Informat | ion | | | | |
| Project Nan Project Nan | pe: | -1-0-6 | -C | - 51 | P | | | | | - |
| Project #: Project Loci | ation | | N | ero Te | 5 | | | | | - |
| PO#: | | | | | aim# | | | | | - |
| Date Sampl | led: | 2-28 | -25 | π | me Sampl | ed: 9 | AM | | | |
| | Ana | slytical Type(| s) Reques | ted | 1 | | Tur | naround Ti | me* | |
| Asbestos in | | | | 600/M4-82-02 | 10 | | | Hrs: 0800-1700 | | |
| | | alibrated Visu | | tion 🔣 | 8 | | Rush | 3 Business | | |
| | Point Coun | | 00pts | | | | | 8 Business | Hrs* | |
| | Gravimetri | 1 c Reduction (| 000pts 72br Mini | առայ [| | | Expedited | 24 Busines | e Hre | 24 |
| | Gravaneur | c neadcoon (| 7.411 Millio | | | | Lapedice | 24 0000000 | | φ a |
| | | | | | | | Routine | 48 Busines | s Hrs | 0 |
| | | ng Cartridge | | | | | | 72 Busines | a Hrs | |
| | Asbestos-I | ke, NIOSH 74 | 00 A Rule | s [] | | | Chandrad | E Business | Dave | |
| | | | | | 1 | | | 5 Business | | |
| | | | | | | A | | | or same day res | iona. |
| Rotometer | Calibration | n (Low and Hig | h Flow Rot | ometers) | | 'Shr TAT: San 'Shr TAT: San | | | or same day rea | elite . |
| Rotometer Special Inst | | n (Low and Hig | h Flow Rot | ometers) | | | npies must be sub ripies must be sub | | or same day rea | alta |
| | | n (Low and Hig | h Flow Rot | | | '8hr TAT: Son | | | or same day rea | alia |
| Special Inst | tructions: | | | | e Informa | '8hr TAT: Son | pies must be sub | milted by Sam 6 | | |
| | tructions: | ription/Material T | | Sampl | | Bhr TAT: See | | | Stop Time | |
| Special Inst | tructions: | ription/Material T JCCC of Tro | уре | Sampl | e Informa | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Desc Desc | ription/Manerial T JCCG of Too Tradient M | vp≈ \astil | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst Sample 12 # 1-3 4-6 7-9 1016 | Dex St Conce Floor | ription/Material T JCCA et To Trata M | YPR Vastre Carpet | Sample | e Informa | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | vp≈ \astil | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst Sample 12 # 1-3 4-6 7-9 1016 | Dex St Pere Floor Later | ription/Material T JCCA et To Trata M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst | Dex St Pere Floor Later | ription/Material T JCCA of Try Mittan M - UNEC OLVIAL M | YPR Vastre Carpet | Sample | | Bhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst Semple 10 # 1-3 -4-6 -7-9 10-16 15-15 16-19 For more sample | Desc St PCA Floor Intern IZ" Co | riptory/Material JCCA eff. To Trotow M UNEC (OUVIALL M Wing Ti | non Carpet Saltrial | Sample | | föhr TAT: See | pies must be sub | milted by Sam 6 | | |
| Special Inst Sample 10 s 1-3 -4-6 -7-9 10-16 15-15 16-19 For more sample Chain of C | Desc St CCA Flor Tate 12" Co | riptory/Material JCCA eff. To Trotow M UNEC (OUVIALL M Wing Ti | non Carpet Saltrial | Sample Ext 1 1 1 1 1 1 1 1 1 1 1 1 1 | | föhr TAT: See | pies must be sub | Start Time | Stop Time | |
| Special Inst Sample 12 # 1-3 -4-6 -7-9 10-16 13-15 16-19 | | riptory/Material JCCA eff. To Trotow M UNEC (OUVIALL M Wing Ti | non Carpet Saltrial | Sample Ext 1 1 1 1 1 1 1 1 1 1 1 1 1 | | föhr TAT: See | Flow Rate | Skart Time | | |
| Special Inst Sample 12 # 1-3 -4-6 -7-9 10-16 15-15 16-19 For more sample Chain of C Sampled By Relinguishe | | riptory/Material JCCA eff. To Trotow M UNEC (OUVIALL M Wing Ti | non Carpet Saltrial | Sample Ext 1 1 1 1 1 1 1 1 1 1 1 1 1 | | föhr TAT: See | Flow Rate | Start Time | Stop Time | |
| Special Inst Sample 12 # 1-3 -4-6 -7-9 10-16 13-15 16-19 | Percentions: | riptory/Material JCCA eff. To Trotow M UNEC (OUVIALL M Wing Ti | non Carpet Saltrial | Sample Ext 1 1 1 1 1 1 1 1 1 1 1 1 1 | | föhr TAT: See | Flow Rate | Fime: | Stop Time | Vol |

Agenda Item 5.

State of California Division of Occupational Safety and Health Certified Asbestos Consultant

Paul J Legerski



Certification No. _____17-6025

Expires On <u>10/18/25</u> This certification was issued by the Division of Occupational Safety and Health as authorized by Sections 7180 et seq. of the Business and Professions Code. PSR Environmental Consulting Services (PSR) conducted a lead survey at the above referenced facility. PSR's representative Mr. Paul Legerski, who is a California Certified Department of Public Health (DPH) Lead Inspector/Assessor No. 20, conducted the survey. The purpose of the sampling was to determine the lead content of suspect materials that may be impacted by a planned remodeling project.

Lead Sampling and Analytical Methodology

PSR has utilized the testing and sampling procedures identified in the EPA/HUD funded Methodology for XRF Performance Characteristic Sheets, Document EPA 747-R-95-008, September 1997, which shows 0.0%* (in standard mode) Inconclusive Rate for the Niton XL Spectrum Analyzer, K-shell Spectrum analyzer as the representative testing methodology. As part of this testing procedure, X-Ray Fluorescence (XRF) testing instruments must be utilized according to the procedures of the manufacturer-specific *Performance Characteristic Sheet* (PCS). This document, included as an attachment, and identifies the proper use of the XRF instrument, calibration procedures using the NIST Lead Paint Film standards, and the classifications of "positive", "inconclusive", and "negative" XRF readings.

The Niton, Model XLp 300A, XRF Analyzer

The Niton XL Lead Paint Analyzer is a complete lead paint analysis system which quickly, accurately, and non-destructively measures the concentration of Lead-Based Paint (LBP) on surfaces. The Niton XL relies on the measurement of the K-shell X-rays to determine the amount of lead present in the painted surface. K-shell X-rays can penetrate many layers of paint and allow a good measurement of the lead content of paint to be made without being significantly affected by the thickness or number of layers of paint on the surface of the sample. The Niton XL has the ability to analyze and compute corrections for the differences in the energy spectrums relating to different substrates. This analysis of the energy spectrum means that the lead paint reading displayed on the instrument already accounts for any substrate effects and no correction is required by the operator. The Niton XL's field of view is limited to a depth of 3/8", deep enough to handle virtually all painted surfaces, but not prone to detect lead objects located behind the surface.

Lead Testing Results

In the EPA/HUD and State of California Regulations, painted materials containing equal or greater than 1.0 milligrams per cubic centimeter (> 1.0 mg/cm3) of lead content (as determined by XRF Analysis) are regulated and considered a lead based paint containing material in this report. The State of California, Department of Public Health (DPH) considers

materials containing equal or greater than 600 parts per million (ppm) lead containing materials.

Therefore, Federal and State regulatory agencies consider these components tested NOT to be lead-based paint containing

LIMITATIONS

Although reasonable effort is made by PSR personnel to locate and sample suspect materials. For any facility the existence of unique or concealed lead-containing materials and lead-based paint is a possibility. In addition, sampling constraints could typically hinder the investigation. PSR does not warrant, guarantee or profess to have the ability to locate or identify all lead-containing materials and lead-based paint in a facility. This report is intended to be used in planning for renovation or demolition. This report is not intended to be a construction document.

If you have any questions regarding this report or require further clarification, please do not hesitate to contact me at (562) 822-3655.



Asbestos Abatement Proposal Date: 3/5/2024

| Proposal Submitted to | Bill To: |
|--|--|
| Melody Phillips | Melody Phillips |
| Phillips Excavating, Inc. | Phillips Excavating, Inc. |
| 805 E. Broadway | 805 E. Broadway |
| Needles, CA 92363 | Needles, CA 92363 |
| 760-326-2527 Melody 760-221-7015 Wade 760-221-8683 | 760-326-2527 Melody 760-221-7015 Wade 760-221-8683 |

Job Site Address: 100 G Street Needles, CA 92363

Najera Environmental, Inc dba 1 Stop Restoration is pleased to provide the following proposal to furnish all supervision, labor, and materials to safely remove and dispose of ACM from the above referenced project, in accordance with all OSHA and EPA regulations.

SCOPE OF WORK:

- Removal and disposal of roof mastic on roof approx 200 Sqft
- Removal and disposal of penetration mastic on roof approx 20 Sqft
- Removal and disposal of flooring under carpet approx 200 Sqft
- Removal and disposal of drywall
- Includes notification from Mojave Air District
- Includes OSHA notification
- Includes Proper waste disposal with Haz manifest
- Includes proper PPE
- Includes proper containment under negative air pressure

Total price for all work in total listed above: \$9,500.00

Exclusions & Conditions:

Water and power supplied by others. Removal of any other hazardous materials not listed in scope of work. Security, Fencing, Bonding, Utility safe off Sanitary facilities and wash stations supplied by others., Union labor, City Permits, Scaffolding, third party air monitoring, Lead Related Work,or any other hazardous material &Shoring. The State Board of Equalization will assess a fee for each generator that produces five tons or more of hazardous waste. This ASSESSED FEE IS NOT INCLUDED IN THIS CONTRACT. Please be aware that if you generate more than five tons of hazardous waste, the BOE will bill you the required fee.

The new generation and handling fee became effective January 1, 2022 due to <u>Senate Bill 158</u>. This new fee replaces the generator fee that was repealed.

Current fees are as follows:

| Generator Size: | Fees: |
|-----------------------|-----------------|
| Less than 5 tons/year | \$0.00 |
| 5 tons or more | \$49.25 per ton |

Contact your Najera Environmental, Inc. representative to help assist you in approximating your Generator Fee.

Recent lead laws require that any pre 1978 structure where lead paint will be disturbed must have the paint tested or presume that it is positive. Najera Environmental, Inc. strongly recommends that these painted surfaces be tested for lead content prior to performing work. If Najera Environmental, Inc. has not been provided with lead testing results, we will assume all painted surfaces to be lead containing. Najera Environmental, Inc will profile and characterize these materials for the proper handling and disposal.

Pending the results of the lead profile and characterization, additional disposal costs may be charged at a price to be determined.

General Items

- 1. Due to pre-existing conditions in home Najera Environmental, Inc., is not responsible for contamination of dwelling or contents in surrounding areas of home.
- 2. Removal of inaccessible asbestos, mold or lead containing materials is not covered in estimate. Additional charges will apply if materials have to be removed to uncover asbestos, mold or lead containing products.
- 3. Plumbing supply lines may be faulty and may need to be replaced. This cost is not covered in the removal estimate.
- 4. Doors, lights, ceiling fans, curtains and other items may need to be removed by Najera Environmental, Inc. to perform abatement work. Najera Environmental, Inc. will not re-install these items.
- 5. Contents and appliances need to be removed from work area prior to abatement. Additional costs will be applied if contents need to be removed unless otherwise stated in the Scope of Work in this contract.
- 6. Najera Environmental, Inc. is not responsible for damages of contents or personal items left in work area and or moved out of work area by Najera Environmental, Inc. employees, unless the moving of these items is included in the Scope of Work of this contract.
- 7. Due to odors caused by chemicals for mastic removal, the areas will be razor scraped to remove majority of mastic, but residual mastic will be left after scraping and will be sealed with an E.P.A. approved encapsulant.
- 8. Electrical wiring, telephone wiring, security wires and plumbing inside wall cavities may be damaged as a result of remediation activities. Repairs to these items are not the responsibility of Najera Environmental, Inc. and should be thoroughly checked by a licensed contractor before drywall is reinstalled.
- 9. Clearance testing in not included unless otherwise stated in the Scope of Work of this contract. Testing should be performed by an Independent Laboratory hired directly by the owner of the property or the owner's representative.
- 10. Doors, door casings, windows, windowsills, baseboards, cabinets, walls, wallpaper and paneling may be damaged as a result of containment installation. These surfaces may or may not contain lead-based paint. Please make arrangements with the contractor for additional cost of repairs. This cost is not covered by Najera Environmental, Inc.

Personal Property and Content Waiver

- 11. Any and all contents and/or personal property left within the work area at the time Najera Environmental, Inc. begins its work will be considered abandoned by its owner. Najera Environmental, Inc., may conclude that these items are abandoned and are authorized to dispose of these items in a manner it deems advisable. By signing this document, the undersigned agrees to waive any and all claims against Najera Environmental, Inc. pertaining to the disposal of said property.
- 12. I may elect to keep selected contents from my home/unit. Najera Environmental, Inc. has advised me that these items should be disposed of as hazardous containing waste. I choose to keep them at my sole discretion. I understand Najera Environmental, Inc. will clean the contents using state of the art methodology (i.e. wet wiping and hepa vacuuming). I agree to indemnify and hold harmless Najera Environmental, Inc. their agents, employees, administrators, officers, directors, attorneys, insurers, and assignees, from any future claims or disputes for which I have executed this contract.

By initialing here, I acknowledge that I have read and agree to the terms listed in items 11-12 above.

Please Initial

Mold Remediation Specific Items

- 13. Unless the source of water intrusion is promptly and adequately repaired, mold growth is likely to reoccur. Najera Environmental, Inc. is not responsible for identifying and/or repairing the source of the water intrusion, unless specifically stated so in the scope of work.
- 14. Should additional mold reservoirs be discovered, Najera Environmental, Inc. will communicate this to Insurance Company and the homeowner. This may affect final cost.

By initialing here, I acknowledge that I have read and agree to the terms listed in items 13-14 above.

Please Initial

Conditions of the Proposal

- The project will be scheduled and worked on a straight time, normal working schedule of eight hours per day, Monday
 Friday, excluding holidays.
- This proposal is based on private wage rates.
- The customer will provide all necessary water and usable electrical power. The customer will provide toilet facilities.
- The customer is responsible for removing all movable objects and furniture from the abatement area. Heating, ventilation, and air-conditioning equipment supplying the work area must be shut off.
- Parking spaces for one (1) vehicle must be provided near the work area.
- Najera Environmental, Inc. will supply project records, including air monitoring, employee training, medical certifications and waste disposal records upon request.
- This proposal includes all specified and reported asbestos, mold and lead containing materials identified in the scope of work. It does not include any materials that are not subject to view and inspection.
- All work to be performed by trained and accredited personnel.
- Minor damage to walls, wallpaper, ceilings and floors, wood and all painted surfaces may occur as a result of containment installation. This is necessary to ensure the integrity of the containment. These surfaces may or may not contain lead-based paint. Every attempt will be made to keep such an occurrence to a minimum. This proposal does not include the cost of any repair which may be required as a result of our containment installation.
- Access to the area inside containment will be limited to Najera Environmental, Inc.'s employees
- Photo Documentation: Najera Environmental, Inc. routinely takes photos of our work site projects before, during and at the
 completion of our work. The photo documentation is done to assure that our crews are performing work in compliance with
 industry guidelines. These photos are saved for job performance documentation. Customer agrees to the release of photos, if

requested by their insurance company or authorized agent.

• All asbestos removal will be in accordance with federal, state and local regulations including 40 CFR, Part 61; 29 CFR,

Part 1926.58; CCR Title 8, Section 1529; and local AQMD / APCD guidelines.

- Lead abatement will be in accordance with federal, state and local regulations, including 40 CFR Part 745, Title 17, CCR, Division 1 Chapter 8, Title 8 Section 1532 and Federal OSHA 29 CFR 1926.62.
- This proposal is based upon our terms and conditions as outlined in this proposal.
- This proposal is subject to change and may be withdrawn if not accepted within sixty (60) days of this date.
- The client is responsible for providing water and power. If water and power is not provided by the client, Najera Environmental, Inc dba 1 Stop Restoration will provide power for an additional cost of \$125.00/day and water for an additional cost of \$100.00/day.
- Unless stated otherwise, any insulation behind the walls and ceiling demoed or being worked on will also be removed in the process.
- Najera Environmental, Inc dba 1 Stop Restoration cannot be held responsible for any "L" stop leakage when removing
 anything that has a water connection. These "L" stops have been in the on position for years and may have mineral build up
 which it makes it impossible to shut the "L "stop valve completely off. If this is the case a bucket will be placed under the "L"
 stop to catch any dripping that may occur and the owner as well as the applicable contractor will be notified.
- During ceiling removals/scrapings, a radiant heat coils may get damaged. Najera Environmental, Inc dba 1 Stop Restoration
 will put in the greatest efforts not to damage any of the radiant heat coils that may be present in the ceiling. However, by this
 contract Najera Environmental, Inc dba 1 Stop Restoration is released from all liability and will not be held responsible for any
 damages that may or may not occur.
- Determining flooring removal and finish is dependent on the subfloor in which it sits on. Flooring on a concrete subfloor can be
 either chemically removed or razor scraped and encapsulated. Flooring on wood subfloor can only be encapsulated. Upon
 arrival, if subfloor is found to be different than expected and other method is needed or chose by the owner, additional fees
 may apply.
- Najera Environmental Inc. dba 1 Stop Restoration will not charge for cancellation fee if work is cancelled before or during site visit to any removal or preparation. However, if project required notifications and pre-paid fees already submitted, customer understands that they will be responsible for reimbursing Najera Environmental Inc. dba 1 Stop Restoration in full for the notification fee(s) paid upfront and administration fee(s). Fee(s) is due upon cancellation.

Legal Terms and Conditions

The Work: Najera Environmental, Inc. will supply all work as described in the proposal, in accordance with the time schedule, if applicable.

Schedule Change: Where a schedule is applicable, NAJERA ENVIRONMENTAL, INC..'S obligation whereunder is based upon the Schedule, both as to duration and sequence. In the event of any significant change in Schedule, the bid price and Schedule shall be equitably adjusted. NAJERA ENVIRONMENTAL, INC.. shall also receive an equitable adjustment of the bid price if this contract is terminated otherwise than for NAJERA ENVIRONMENTAL, INC..'S material breach.

Work Week: Unless otherwise stated, NAJERA ENVIRONMENTAL, INC.. will supply labor for the Work on a regular 40-hour week without overtime. If the Customer requires overtime in excess of that which has been included in the proposal, NAJERA ENVIRONMENTAL, INC.. will be reimbursed for the premium portion of wages paid (including payroll taxes and insurance) plus a reasonable allowance for loss of productivity caused by the overtime.

Guarantee: NAJERA ENVIRONMENTAL, INC.. warrants and guarantees that for a period of one year from date of completion of the Work, it will repair or replace any Work which is defective in materials or workmanship, or which does not conform to the specifications set forth in the Bid Documents. NAJERA ENVIRONMENTAL, INC..'S liability is limited to the foregoing, and it shall not in any case be liable for indirect, incidental or consequential damages of any kind. Additionally, NAJERA ENVIRONMENTAL, INC.. does not guarantee the performance of any material for other than those used for which the material is intended. In no case shall NAJERA ENVIRONMENTAL, INC..'S liability exceed that of the product manufacturer's guarantee.

Insurance: NAJERA ENVIRONMENTAL, INC.. will supply worker's compensation insurance for its employees in the forms and amounts required by law. In addition, NAJERA ENVIRONMENTAL, INC.. will supply general liability and auto insurance described in a certificate of insurance (supplied to the customer on request) with a combined single limit of \$1,000,000 per occurrence (or higher if stated in the proposal) written on an occurrence form.

Site Access: Customer agrees to insure that prior to any abatement operations, the control area and/or storage area shall be vacated and shall remain closed to all persons (other than NAJERA ENVIRONMENTAL, INC.. employees) for the duration of the project. In the event that any individual other

than NAJERA ENVIRONMENTAL, INC.. employees enter the control area, Customer agrees to indemnify, defend and hold NAJERA ENVIRONMENTAL, INC.. harmless, including its officers, directors, employees, agents and related affiliated entities, from and against any and all claims, demands losses, liabilities, costs, expenses (including reasonable attorneys 'fees), fees, actions, suits, proceedings and judgments arising from or relative to asbestos, mold or lead exposure arising there from. If unauthorized visitors cannot be controlled by Customer, NAJERA ENVIRONMENTAL, INC..., in its sole discretion, may terminate this contract and vacate the jobsite immediately. Customer shall be liable for the work performed by NAJERA ENVIRONMENTAL, INC... up to the date of termination, plus any losses incurred by NAJERA ENVIRONMENTAL, INC... as a result of said termination. Customer agrees to ensure that all authorized visitors shall read and sign NAJERA ENVIRONMENTAL, INC...'S visitor policy, lf an authorized visitor fails to read and sign NAJERA ENVIRONMENTAL, INC...'S visitor policy, customer agrees to indemnify, defend and hold NAJERA ENVIRONMENTAL, INC... harmless, including its officers, directors, employees, agents and relating affiliated entities, from and against any and all claims, demands, losses, liabilities, costs, expenses (including reasonable attorneys 'fees), fees, actions, suits, proceedings and judgments arising from or relative to asbestos exposure arising there from.

Bonds: Upon request and at the expense of Customer, NAJERA ENVIRONMENTAL, INC.. will furnish performance and payment bonds written by a corporate surety. The cost of any such bond is not included in the bid price unless specifically stated otherwise.

Cancellations: The owner may cancel this contract at any time prior to midnight of the third (3rd) day after signing this contract. Schedule changes must be made no later than 24 hours in advance. In the event our abatement crew shows up at the job site as scheduled, and are not able to start work, you agree to pay \$125.00 for 2 hours show up time, per workman.

Changes and Extras: Customer may change the Work at any time and from time to time, including changes in scope, methods, scheduling or performance requirement, in which case the contract price and completion date will be equitably adjusted. All change orders must be acknowledged inwriting.

Supplied Property: Whenever the Customer, its employees, contractors (other than NAJERA ENVIRONMENTAL, INC..), use ladders, scaffolding, tools, vehicles, equipment or property of any kind either owned or rented by NAJERA ENVIRONMENTAL, INC.., Customer shall indemnify and hold NAJERA ENVIRONMENTAL, INC.. harmless from any and all claims, demands, damages, causes of action and suits of whatsoever nature and kind, arising out of or connected with the use of such ladders, scaffolding, tools, vehicles, equipment or property, except when caused by the sole active negligence of NAJERA ENVIRONMENTAL, INC...

Differing Site Conditions: If NAJERA ENVIRONMENTAL, INC.. encounters subsurface or latent physical conditions at the site, differing materially from those indicated in the bid documents, or unknown physical conditions at the site, of any unusual nature, NAJERA ENVIRONMENTAL, INC.. will promptly notify the Customer. If such conditions cause an increase or decrease in the cost of, or the time required for, performance of any part of the Work an equitable adjustment in price shall be made and the contract time modified accordingly.

Force Majeure: NAJERA ENVIRONMENTAL, INC.. shall not be deemed in default nor be liable for damages for any failure or delay in performance of its Work which arise out of caused beyond its reasonable control. Such caused may include, without limitation, acts of God or the public enemy, acts of the government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, material shortages, or unusually severe weather. In the event the Work is delayed by such causes, the time for performance will be extended accordingly.

Insurance Payment: Customer further agrees that upon receipt of any insurance check and/or draft for that portion of the work performed by NAJERA ENVIRONMENTAL, INC.. for which the insurance Company is to pay or has paid under any insurance policy, that Customer will endorse and deliver said check/draft to NAJERA ENVIRONMENTAL, INC.. within seven (7) days of receipt. Customer hereby assigns said insurance payment to NAJERA ENVIRONMENTAL, INC.. By signing below, Customer further grants to NAJERA ENVIRONMENTAL, INC.. a special irrevocable Power of Attorney giving NAJERA ENVIRONMENTAL, INC.. the power and authority to endorse in the place and stead of Customer any check or draft from any such insurance company that is in payment or reimbursement for such work performed by NAJERA ENVIRONMENTAL, INC..

Litigation: In the event of any dispute based upon, arising out of, or related to the breach, enforcement or interpretation of any of the provisions of this Agreement and/or if any of the parties hereto fails to perform any of their obligations under this Agreement, then the prevailing party, as the case may be, shall be entitled to recover payment from the non-prevailing or defaulting party, of all of its actual costs and expenses reasonably incurred on account of such dispute or default, and/or enforcing its rights under this Agreement, including, but not limited to, attorneys' fees, costs and expenses.

Legal Effect: This proposal offers to the Customer the terms and conditions upon which NAJERA ENVIRONMENTAL, INC.. will perform the work described herein and is made without regard to any of the provisions in the Bid Documents not expressly incorporated herein by reference or otherwise agreed to in writing signed by NAJERA ENVIRONMENTAL, INC.. Upon acceptance, the proposal will represent the entire agreement of the parties with regard to performance of and payment for the Work and supersedes any and all previous understandings, representations and agreements between the parties hereto, whether written or oral.

Governing Law, Venue and Jurisdiction: This agreement shall be construed, interpreted and enforce according to the laws of the State of California. The parties agree that any and all disputes under this Agreement shall be brought in the state courts and/or the Federal courts located in the County in which the Customer signed this Agreement, or the County in which the Customer resides at the time a lawsuit is filed.

Severability: If any provision of this Agreement is deemed to be void and unenforceable, that provision shall be omitted only to the extent necessary to make this Agreement valid and enforceable, and the remainder shall remain in full force and effect.

No Implied Waiver: The failure to either party at any time to require performance by the other party of any provision hereof or to otherwise enforce any provisions hereof shall not affect in any way such party's right to require such performance or to enforce such provisions at any later time, nor shall a party's waiver of a breach by the other party of any provisions hereof be taken or held to be a waiver of such provision.

Additional Terms and Conditions Specific to Mold Remediation

Protocol and/or Clearance Testing: If protocol and/or clearance testing is not included in the Scope of Work, Customer by and through his/her

independent industrial hygienists and/or environmental consultants, represents that he/she has performed or will perform a thorough environmental investigation (including post-remediation/ clearance sampling) and will specify the methods and extent of remediation. Customer hereby releases NAJERA ENVIRONMENTAL, INC.. and its employee, officers and successors from any liability for error or omission made in the preparation of the protocol and the remediation methods by the independent industrial hygienists and/or environmental consultants, Furthermore, should Customer elect not to hire independent industrial hygienists and/or environmental consultants to perform a thorough environmental investigation (including post-remediation clearance sampling), Customer agrees to indemnify, defend and hold NAJERA ENVIRONMENTAL, INC.. harmless, including its officers, directors, employees, agents and related affiliated entities, from and against any and all claims, demands, losses, liabilities, costs, expenses (including reasonable attorneys' fees), fees, actions, suits proceedings, and judgments arising from or relative to mold exposure arising from the Affected Areas and/or any mold regrowth in and around the Affected Areas including but not limited to: Toxic, allergic, infectious and/or inflammatory illnesses and structural damage including warp, decay and dry rot.

Disclaimer: If not promptly and properly addressed, the Property may become biologically contaminated causing substantial additional damage that may present health hazards. If the customers' independent industrial hygienist's and/or environmental consultant's recommendations are refused, mold, fungi and/or bacteria could grow in or around carpet, padding, walls, cabinets and elsewhere within the structure, causing further property damage and/or resulting in a "sick" building– which may be a health hazard. Owner understands that problems may result including but not limited to: Toxic, allergic, infectious and/or inflammatory illnesses and structural damage including warp, decay, and dry rot.

Historical Properties

Disclaimer: I have researched and attest this property, site, structure, building, object is not deemed a historical site and is not listed on a city, county, unincorporated, state, federal or tribal district, preservation, or historic registry. If discovered to be historic at any time, I agree to hold Najera Environmental Inc harmless and accept full responsibility for all associated fees, including but not limited to, legal fees, repair costs, replacement costs, permits, fees and fines.

Standard Billing and Payment Terms

Billing: Final Payment is Due in Full Upon Completion of Work.

Interest at the rate of. 4% per month will be charged on all past due accounts. In the event of failure to pay any of the amount due on this contract, all collection cost and/or attorney fees in the collection of any such amount will be paid by the customer

These Billing and Payment Terms are a standard policy and cannot be changed without written agreement approved and signed by the Company's President.

All Terms and Conditions are considered incorporated into any Purchase Order or Contract that is issued or signed by a Najera Environmental, Inc. authorized employee.

Insurance Authorization to Release Funds

Customer agrees to authorize payment for services rendered to be paid Directly to Najera Environmental, Inc. from my Insurance Company or Authorized Agent.

Name

Phone Number

Claim Number

Address

City/State/Zip

Date:

Notice to Owner

Under California Mechanics Lien Law, any contractor, subcontractor, laborer, supplier or other person who helps improve your property, but is not paid for his/her work or supplies, has a right to enforce his/her claim against your property. This means that after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This could happen even if you have paid your contractor in full if the subcontractor, laborers or suppliers remain unpaid.

NAJERA ENVIRONMENTAL, INC. is authorized and requested to sign the Hazardous Waste Manifest on my behalf.

Please initial

Exhibit "B"

Contract Price: \$

Schedule of Payments:

| Goal | Percentage (%) | <u>Amount (\$)</u> |
|---------------------------|----------------|--------------------|
| | % | <u>\$</u> |
| | % | <u>\$</u> |
| | % | <u>\$</u> |
| Certificate of Completion | <u>%</u> | <u>\$</u> |

Sincerely, Christopher Najera <mark>President</mark> <mark>951-502-6155</mark>

ACCEPTANCE OF PROPOSAL: The price, specifications, and conditions are satisfactory and are hereby accepted. You are authorized to perform the work as specified.

AUTHORIZED SIGNATURE:

| NAME: | |
|---------|--|
| DATE: _ | |
| TITLE: | |

UPON SIGNING AND RETURN OF THIS PROPOSAL WE WILL MAKE THE NECESSARY GOVERNMENT NOTIFICATIONS TO BEGIN WORK. THIS PROPOSAL AND ALL OF ITS QUALIFICATIONS SHALL BE INCLUDED IN THEIR ENTIRETY AS PART OF ANY MUTUALLY ACCEPTABLE CONTRACT DOCUMENT AND SHALL SUPERCEDE ALL OTHER DOCUMENTS

| Owner Information: | Building Information: | |
|---|-----------------------|-------|
| Name:, | Size: | sq ft |
| Address: | Age: | years |
| Phone: | # of floors: | |
| Contact: | Bldg Use (type): | |
| If Business Owned Federal Tax ID #: | | |
| Billing Info: | | |
| Name: | Contact: | |
| Address: | Phone: | |
| | | |
| Email: | PO#: | |
| *** FINAL AIR CLEARANCE *** Is Final Air Clearance being done? Yes or No If Yes please provide Name of Consultant | | |

Agenda Item 5.



\square CITY COUNCIL \square NPUA

Regular Special

Meeting Date: March 11, 2025

Title: Authorize the City Manager to proceed with GPS Trackit for Fleet Management Services at an annual cost of \$9,600 under a three-year contract.

Background: The City of Needles/NPUA owns and operates a fleet of 34 vehicles. Currently, the city does not have a fleet management tracking system in place. The absence of a tracking system limits the city's ability to monitor vehicle usage, enhance driver safety, optimize fleet operations, and reduce costs.

Implementing GPS Trackit will provide a comprehensive GPS-enabled vehicle tracking system that allows real-time fleet monitoring, improves driver accountability, enhances safety, and increases operational efficiency. The system offers:

- Real-time tracking of vehicle location, speed, and route history.
- Driver behavior reports, including speeding, hard braking, rapid acceleration, and idling alerts.
- Geofencing alerts to notify management when vehicles enter or leave designated areas.
- Mileage tracking and fuel efficiency monitoring to reduce operational costs.
- Security and loss prevention features, including stolen vehicle tracking and unauthorized use notifications.
- Vehicle diagnostic monitoring, which helps detect engine issues early to improve maintenance scheduling.

The plug-and-play vehicle tracking equipment is provided by GPS Trackit and will be installed by the Fleet Department. The proposed contract includes a three-year discounted rate for the service.

Fiscal Impact: The monthly cost for 34 fleet units is \$800 plus tax, totaling an annual cost of \$9,600. These costs will be divided among departments and funded through the adopted fiscal year budget.

Environmental Impact: N/A

Recommended Action: Authorize the City Manager to proceed with GPS Trackit for Fleet Management Services at an annual cost of \$9,600 under a three-year contract.

| Submitted By: | Rainie Torra | ance, Utility Manager |
|---------------|--------------|-----------------------|
|---------------|--------------|-----------------------|

| City Manager Approval: | Patrick Martinez | Date: <u>3/5/2025</u> |
|-------------------------|------------------|-----------------------|
| Other Department Approv | | Date: |

| | Approved: | Not Approved: | Tabled: | Other: | |
|--|-----------|---------------|---------|--------|--|
|--|-----------|---------------|---------|--------|--|



Real Data, Real Decisions

GPS-Enabled Vehicle and Driver Behavior Reports






"I highly recommend GPS Trackit. Your fleet management life will be simplified and the data you can gather will help you make informed decisions with predictable

P&CG reviews GPS Trackit

Used daily for 2+ years

GPS Fleet Management Reporting



Our reporting tools have been built to meet the day-to-day intelligence needs of fleet-owning businesses. You can schedule reports to deploy automatically, making it easier than ever to get the reports you need precisely when you need them.

- ✓ Monitor Fleet Activity
- ✓ Get Actionable Data
- ✓ View and Compare Trips
- Mileage Summaries



Idling reportedly costs long-haul truck fleets nearly \$8,050 a year per truck. **GPS Trackit customers have been able to save an average of** Northside Plumbing was able to save \$600 in the first month of using GPS Trackit when they saw that employees were leaving the job site early on a daily basis.

Detailed Vehicle Reports

| | | | | http://fm.gpstrackit.net/ | | C | | | | ů ć |
|--|-----------|--------------------------|-------------|--|-------|-----------------|---------------|-------------|--------|----------|
| | GPS | Trackit - Cloud Platform | | 1 Contraction of the second se | c | IPS Trackit - C | loud Platform | | | |
| = | | | | | | | | | | |
| Reports Create, Schedule, and Expor | rt Report | | | | | | | | | |
| Report Setup | | Advanced Summary 001 🛞 | Speed (| 004 31 Detailed 006 😸 | | | | | | |
| Units/Groups | | Export - | | | | | | | | c |
| Single Units | 14 | | | | | | | | | |
| Single Units: | | Detailed Rep | ort for: | Delivery Vehicle 1 | | | | | | |
| Delivery Vehicle 1 | 140 | Date Range: 07/25/201 | 17 12:00 AM | 1 - 07/27/2017 12:13 PM | | | | | | |
| | | Time & Date | Driver | Address | Speed | Posted Speed | Direction | Event | Signal | Odometer |
| Report Type | | | | M (D House 2) 721 Buena Tierra Way, Ocean- | opena | | | Igni- | | |
| Detailed | . * | 05:52 AM 07/25/2017 | | side, CA, 92057, US | 0 mph | | SW | tion On | ••000 | 0.00 |
| · · · · · | | | | Time: 1 Minute, 13 Seconds 0.11 Mile | 5 | | | | | |
| Date/Time | | | | 📁 (D House 2) 721 Buena Tierra Way, Ocean- | 26 | 25 | | Trav- | 0.47 | |
| Custom | · * | 05:53 AM 07/25/2017 | | side, CA, 92057, US | mah | mph | N | el Start | •=000 | 0.00 |
| Start Date: | | | | Time: 46 Seconds 0.34 Mile | 5 | | | | | |
| 07/25/2017 | | | | 4289-4335 Mission Ave, Oceanside, California, | 41 | | | | | |
| Start Time: | | 05:54 AM 07/25/2017 | | 92057 | mah | 45 mph | E | Drive | | 0.00 |
| 00:00 AM | 1 | | | Time: 2 Minutes 1.36 Mile | | | | | | |
| End Date: | | | | 4795-4855 Frazee Rd. Oceanside, California, 9205 | | 35 | | | | |
| 07/28/2017 | | 05:56 AM 07/25/2017 | | W755-4655 Hazee Ko, Oceanside, Cantonia, 2005 | | mph | E | Drive | | 0.00 |
| End Time: | | | | Time: 7 Seconds 0.04 Mile | s | | | | | |
| 00:00 AM | | 05:56 AM 07/25/2017 | | 866-998 College Blvd, Oceanside, California, 9205 | 7 34 | 45 | N | Hard | | 0.00 |

The Detailed Report provides information about events, date and time, the location, vehicle speed, posted speed limit (if available), and direction of travel associated with specified vehicles. The Detailed Report displays an entry for each of the following events:

- ✓ Ignition On, Ignition Off
- ✓ Travel Start/Stop
- ✓ Drive, Idle

✓ Geofence In/Out

 \checkmark

 \checkmark

Rapid Acceleration

Hard Brake, Hard Turn

- ✓ No GPS
- ✓ Driver Login/Logout
- ✓ Sudden Stop

PROPERTY MAINTENANCE, LLC

"The best thing about GPS Trackit's system is the peace of mind the management has by knowing exactly where all of our assets are at all times. And GPS Trackit provides clear and easy to use maps and reports to accomplish that."

Driver Safety Reports

| | <) III | | | | http://fm.gpstrackit.net/ | | Ċ. | | | 0 0 |
|-----|--|--------|--------------------------|-------------|---|-----------|--------------------|-----------|-----------------------|---------|
| | | GPS | Trackit - Gloud Platform | | | a | PS Trackit - Gloud | Platform | | |
| ≡ | | | | | | | | | | |
| | Reports reate, Schedule, and Export | Report | 0 | | | | | | | |
| | eport Setup | | Detailed 006 🗼 🕴 | Mileage 007 | © Driver Safety 011 × | | | | | |
| • U | nits/Groups | | Export • | | | | | Jump To | Unit: Delivery Vehi | cle 1 ¢ |
| • | Groups | * | | | | | | | | |
| G | roups: | | Driver Safe | ety Rep | ort for: Delivery Vehicle 1 | | | | | |
| . L | Adam Group | * | | | AM - 09/20/2017 12:15 PM | | | | | |
| R | eport Type | | Time & Date | Driver | Address | Speed | Posted Speed | Direction | Event | Signa |
| | Driver Safety | ٠ | 06:06 AM 09/20/2017 | | CA-76, Oceanside, California, 92058 😕 🤅 | 40 mph | 55 mph | w | Rapid Acceleration | att |
| | Report only available for 2000V devices | | | | Time: 1 Minute, 41 Seconds 1.03 Mil | 25 | | | | |
| | ANNO E MERINACI. | | 06:08 AM 09/20/2017 | | 2262-2556 Mission Ave, Oceanside, California, 92058 | 52 mph | 45 mph | w | Hard Turn | all |
| D | ate/Time | | | | Time: 19 Minutes, 2 Seconds 0.00 Mil | ts . | | | | |
| Ŀ | Custom | * | 06:27 AM | | 15100 Vandegrift Blvd, Oceanside, California, 92058 | 37 | 35 mph | NW | Rapid | |
| 51 | art Date: | | 09/20/2017 | | | | 33 mpri | | Acceleration | ••••• |
| | 09/20/2017 | | | | Time: 53 Minutes, 47 Seconds 0.00 Mil | 15 | | | | |
| SI | art Time: | | 07:20 AM 09/20/2017 | | Wire Mountain Rd, Oceanside, California, 92058 | 37 mph | 25 mph | SE | Hard Turn | aut |
| 1 | MA 00:00 | - | | | Time: 28 Seconds 0.27 Mil | 25 | | | | |
| Er | nd Date: | | 07:21 AM 09/20/2017 | | I-5, Oceanside, California, 92058 📁 | 32 mph | 35 mph | w | Hard Turn | |


This report compiles and displays driving behaviors that may indicate aggressive, distracted, or otherwise unsafe driving. Driver Safety entries are triggered upon the occurrence of rapid acceleration, hard turning, hard braking, and sudden stops.

- ✓ Rapid Acceleration
- ✓ Exceeding Posted Speed
- ✓ Hard Braking
- ✓ Extended Idling Time
- ✓ Hard Turning



Capterra ***** USERS LOVE US APPROVED * * * * * Commercial vehicle crashes cost the economy **87 billion** USD every year. The average cost per claim of a commercial liability is around \$10,000. GPS Trackit helps companies stay safe by minimizing the risk of acc

On-Demand Temperature Reports





With GPS Trackit Temperature Monitoring, you can generate detailed temperature reports for up to three separate trailer zones. Track trailer temperature fluctuations and verify compliance with FDA safety regulations with regular updates, GPS time stamps, demand reports and location data.

- ✓ Monitor Up to 3 Temperature Zones
- ✓ Keep Practices Safe and Compliant
- ✓ On-Demand Temperature Reports
- ✓ Eliminate Loss of Perishable Goods

Landmark Reports

| | < D 🔟 | | | http://fm.gpstrackit.net/ | Ċ | Lakewoodo oJamestown |
|--------|---|------------------------------|-------------------------|---------------------------|---|--|
| | 1 | GPS Trackit - Cloud Platform | | | GPS Track | t+ Cloud |
| = | | | | | | (15) |
| | Reports Greate, Schedule, and Export Rep | ports | | | | (11) Warren (279) (6 |
| • | Report Setup | Driver Safety 007 | Landmark 008 😒 | Landmark 009 🙁 | | Allegheny National Forest |
| • | Units/Groups | Export • | | | | St Mai |
| 4- | Single Units • | | | | | |
| • | Single Units: | Landmar | k Report for: Tr | ruck 1 | | Real Providence |
| ς | Truck 1 * | | 25/2017 12:00 AM - 07/2 | 7/2017 12:25 PM | | Clarion Brookville |
| | | Landmark | Enter Landmark | Leave Landmark | Distance in Landmark | Time in Landmark |
| ± 9 | Report Type | | | | Distance Between Landmarks : 0.00 Miles | Time Between Landmarks : 7 Hours, 14 Minutes, 4 Seconds |
| | Landmark * | Chris Corona? | 07:14 AM 07/25/2017 | 07:18 AM 07/25/2017 | 1.20 Miles | 4 Minutes, 2 Seconds |
| • | Date/Time | | | | Distance Between Landmarks : 34.00 Miles | Time Between Landmarks : 35 Minutes, 37 Seconds |
| Ø | Custom * | FSM GTC | 07:53 AM | 04:47 PM | 0.60 Miles | 8 Hours, 53 Minutes, 19 Seconds |
| | Start Date: | | 07/25/2017 | 07/25/2017 | | |
| | 07/25/2017 | | | | Distance Between Landmarks : 34.20 Miles | Time Between Landmarks : 46 Minutes, 7 Seconds |
| | Start Time: | and an and a second | 05:33 PM | 06:45 AM | 1.001010 | |
| | 00:00 AM | Chris Corona? | 07/25/2017 | 07/26/2017 | 1.20 Miles | 13 Hours, 12 Minutes, 21 Seconds |
| | End Date: | | | | Distance Between Landmarks : 32.90 Miles | Time Between Landmarks : 30 Minutes, 57 Seconds |
| | 07/28/2017 | | 07:16 AM | 07:17 AM | | |
| | End Time: | FSM GTC | 07/26/2017 | 07/26/2017 | 0.00 Miles | 41 Seconds |
| | 00:00 AM * | | | | Distance Between Landmarks : 0.00 | Time Between Landmarks : 9 Hours, 1 Minute, 22 |

Landmarks are used to define strategic locations on routes. These may be company facilities, filling stations and supply depots, customer locations or any combination thereof. It displays the landmark, the time and date entered, time and date left, the distance travelled in proximity to the landmark and the time spent there.

- ✓ Unlimited Landmarks
- ✓ Landmark Entered/Exited Alerts
- ✓ View Time Spent in Landmarks
- ✓ Track Driver Events with Landmarks

North American **REFRIGERATION** OI South Florida, Inc. "Faster response time for customers by checking to see closest technician and sending that one. Following up on customer service by seeing where the technicians are. Overall a great investment!"

- North American Refrigeration of So

Speed Reports + Driver Scorecard

| • | | | | http://fm.gpstr | ackit.net/ | 0 / | | | 4 5 |
|---|--|-----------------------------|-----------------|-------------------------|---|-------------|-----------|---------|---------|
| | G | PS Trackit - Gloud Platform | ņ. | | p | IPS Trackil | SCORES | | |
| = | | | | | | | | | |
| | Reports Create, Schedule, and Export Repo | ets | | | | 1 | Point Gra | ades 🕜 | (80-89) |
| | Report Setup | Detailed 006 🙁 | Speed 014 × | | | - | 0 | 0 | • |
| | Units/Groups | Export - | | | | | | | |
| | Groups | | | | | | SCORECAR | | |
| | Groups: | Speed R | eport for: | Delivery Vehicl | e 1 | | SCORECAR | U . | |
| | Adam Group * | Date Range: 0 | 9/20/2017 12:00 | AM - 09/20/2017 12:22 | PM | | | | / |
| | Report Type | Time & Date | | Address | | | Driver | Acceler | Signal |
| | Speed * | 06:00 AM 09/2 | 0/2017 | 🟓 (D House 2) 721 B | uena Tierra Way, Oceanside, CA, 92057, US | | 0 mph | | att |
| | Speed Filter: | 06:01 AM 09/2 | 0/2017 | P (D House 2) 721 B | uena Tierra Way, Oceanside, CA, 92057, US | | 20 mph | 25 mph | |
| | 0 | 06:02 AM 09/2 | 0/2017 | 4173-4187 Mission Ave, | , Oceanside, California, 92057 | - | 43 mph | 45 mph | utl |
| | Over Posted Speed Filter: | 06:04 AM 09/2 | 0/2017 | CA-76, Oceanside, Calif | omia, 92057 | 1 | 52 mph | 55 mph | |
| | 0 | 06:06 AM 09/2 | 0/2017 | CA-76, Oceanside, Calif | ornia, 92058 | - | 25 mph | 55 mph | |
| | | 06:06 AM 09/2 | 0/2017 | CA-76, Oceanside, Calif | ornia, 92058 | 100 | 40 mph | 55 mph | anti |
| | Date/Time | 06:08 AM 09/2 | 0/2017 | 2262-2556 Mission Ave | , Oceanside, California, 92058 | 944 - | 52 mph | 45 mph | att |
| | Custom | 06:08 AM 09/2 | 0/2017 | 2262-2556 Mission Ave | , Oceanside, California, 92058 | - | 52 mph | 45 mph | |
| | Start Date: | 06:10 AM 09/2 | 0/2017 | 1920 Mission Ave, Ocea | anside, California, 92058 | - | 10 mph | 45 mph | att |
| | 09/20/2017 | 06:18 AM 09/2 | 0/2017 | 1812-1900 Mission Ave | , Oceanside, California, 92058 | - | 21 mph | 45 mph | att |
| | Start Time: | 06:19 AM 09/2 | 0/2017 | 1502-1510 Mission Ave | , Oceanside, California, 92058 | - | 0 mph | 30 mph | all |
| | store range. | | | | Oceanside, California, 92054 | | | 25 mph | |

Our speed report displays how fast the vehicle was going, over the posted speed if available, and where the speeding incident occurred. This data can be used to rank your drivers in the top or bottom of their class. See the grades of your drivers and compare performance to accurately identify training opportunities.


- ✓ View Posted Speed Limits
- ✓ Set up Speed Alerts
- Identify Speeding Patterns and Risks
- $\checkmark \quad {\sf Rate \ Performance \ Based \ on \ Events}$
- ✓ Graded Driver Scorecard



Speeding Creates Up to 28% Decrease in Vehicle Fuel Efficiency

Statistically, for each 5 mph over 60 mph that is driven, vehicle fuel efficiency is reduced by at least 5% and as much as 33%. Improve dispatching and routing with speeding alerts and reports designed to reduce instances of speeding and excessive fuel usage.

State Miles Reports



For fleets that do business in multiple states, keeping track of fuel taxes can be an overwhelming bookkeeping challenge. Our State Miles Report shows the distance travelled for a given vehicle broken down by state, address, time and date, driver and distance.

- ✓ Miles Driven by State
- ✓ Easily Calculate State Miles
- ✓ Simple Reporting
- ✓ Integrated Views



"We replaced the paper/email mileage reimbursement system with a digital system, which freed up significant time for field personnel."

Vehicle Diagnostic Indicators Reports

| | | | | | | http://fm.gp | strackit.net/ | 1 | | Ċ | | | | 0 0 |
|--------|--|----------------------------|---------------------|----------------|--------------|---------------|---------------|--------------------|------------------|-------------|------------------|--------------------|------------------|--|
| | GP | S Trackit - Cloud | Platform | | | | 1 | | | GPS Trackit | · Cloud Platform | n | | - |
| = | i. | | | | | | | | | | | | | |
| 8 | Reports Create, Schedule, and Export Report | ta | | | | | | | | | | | | |
| 8 | Report Setup | Diagnostic | Paramete | rs 016 × | Diagnostic I | Parameters | 017 × | | | | | | | |
| • | Units/Groups | Export • | | | | | | | | | | | | |
| • | Single Units 🔹 👻 | | | | | | | | | | | | | |
| • | Single Units: | Diag | gnosti | c Paran | neter Re | eport f | or: Tru | uck 1 | | | | | | |
| | Truck 1 * | Date R | ange: 07/3 | 5/2017 12:0 | 0 AM - 07/2 | 7/2017 12:3 | 7 PM | | | | | | | |
| | | Tuesda | y, July 25t | h, 2017 | | | | | | | | | | |
| - 0 | Report Type | Time | | Battery | Coolant | | Fuel | Fuel Level | Fuel | | Throttle | Calculated Fuel | | |
| | Diagnostic Parameters * | & Date | Event | Voltage (V) | Temp (F) | Engine RPM | Level (%) | Remaining (gal) | Rate (gal/hr) | Odometer | Position (%) | Usage (gal) | Trip Odometer | |
| | * Diagnostic Troubleshooting Codes can be general in nature | 07:1 | | 1.17 | 01 | | (14) | (201) | (gunni) | | (14) | 18 | · · · · · · | - Pecu |
| L D | or specific to a vehicle make/model. Not all diagnostic codes or data can be detected by these devices. Double dash | 4 AM 07/2 5/20 17 | Igni- tion On | 14.08 | 80.6 | 1553 | 23 | | ÷ | 170,429.00 | 19 | * | ч. | Speed 0 mph |
| | () means specific data is unavailable. | 07:1 6 AM 07/2 | Up- date | 14.23 | 150.8 | 2207 | 19 | | - | 170,429.00 | 24 | | 44) | 1. |
| | Date/Time | 5/20 17 | | | | | | | | | | | | |
| | Custom + | 07:1 | | | | | | | | | | | | |
| | Start Date: | 8 AM 07/2 | Up- | 13.88 | 185 | 632 | 25 | | | 170,430.00 | 14 | | | 0 mph |
| | 07/25/2017 | 5/20 17 | date | | | | | | | | | | | 10.000 |
| | Start Time: | 07-2 | | | | | | | | | | | | |

This reports displays engine diagnostic data, including OBD-II Diagnostic Trouble Codes (DTC) and indicators like ABS, Airbags, brakes, coolant, cruise control, ignition, oil pressure and the events. The nature of the indicators displayed varies across vehicle manufacturers, models and model years.

- ✓ Troubleshoot Engine Issues
- ✓ Detect Potential Hazards
- ✓ Optimize Fleet Health
- ✓ Schedule Reminders



GPS Trackit clients tend to see a 34% improvement in timely fleet maintenance and average vehicle lifespan. Ardent Construction Inc., a construction company with a fleet of three vehicles, was able to save \$1,500 a year per vehicle by monitoring simple maintenance items.

Vehicle Status

| - 22 | | GPS Tra | ickit - Gloud Platform | | GPS Tr | ackit - Cloud Platfor 12 Days Ago) | Update |
|------|-------------------------|---------------|------------------------|--------|---|---|--------------|
| | Reports | | | | | (50 Days Ago) | Ping |
| | Create, Schedule, and I | sport Reports | | | | PM (90 Days Ago) | Sudden Stop |
| | Vehicle Sta | itus | | | | | |
| | Vehicle Group | s: (m) | Show 25 \$ e | ntries | | 35 AM (124 Days Ago) | Ignition Off |
| | Search Vehicle Gr | oups Clear | | | | 1 (5 Days Ago) | Tow (73 °F) |
| | □ Selec | t All | Vehicle | Groups | Address | Date and | Includes Of |
| | Active | | Brian Peterson 0 | | 1739 Bel Air St. Corona, California, 92881 Mew Landmark | (92 Days Ago) Aug 04, 2017 1:21 (47 Days room | Ignition Or |
| | Adam Group | | Delivery Vehicle 1 | | A St, Camp Pendleton North, California, 92055 M New Landmark | Sep 20, 2017 12:05 PM (4 Minutes Ago) | Ignition Off |
| | Christina | | Delivery Vehicle 2 | •••• | 23790-23794 Via Olivia, Murrieta, California, 92562 Mew Landmark | Sep 20, 2017 12:10 PM (Seconds Ago) | Drive |
| | Custome | | Sales Vehicle 1 0 | | (Petville Pet Hotel) 1049 East Mission Road, San Marcos, CA, United States | Sep 20, 2017 12:01 PM (8 Minutes Ago) | Ignition Off |
| | Testing | | Sales Vehicle 2 0 | | 5245 W 102nd St, Los Angeles, California, 90045 Mew Landmark | Sep 20, 2017 10:59 AM (1 Hour Ago) | Ignition Off |
| | Group | | Showing 1 to 5 of 5 er | ntries | | 144 14 | 1 н эн |
| | | | | | | | |
| | | | | | | | |


This chart shows all the vehicles in your fleet, divided into the groups you've configured. It shows their current location, the driver, and displays the most recent event. It also provides the ability to create a new landmark at that vehicle's present location.



"Better and safer communication with our drivers, that is key. There is no measurable cost savings to safety. The slightest incident is too much."

- Graftech, Ma

Fleet Management Simplified



- ✓ Robust Fleet Management
- ✓ ELD Compliance
- ✓ Multi Camera Video Telematics
- ✓ Asset and Temperature Monitoring

- ✓ Dedicated Support, Free Live Training
- ✓ Month-to-Month Service, No Contracts
- ✓ Unlimited Users, Open API
- ✓ 30-Day Money Back Guarantee

GPST0320

Are You Ready to Go Further with GPS Trackit?

Call 866.320.5810 Today!

Copyright ©2020 GPS Trackit and/or its affiliates

GPS Trackit 1080 Holcomb Bridge Road Building 200 Roswell,Georgia 30076 866-320-5810

GPS Trackit Miles Ahead

| Order Number: | 0000206282 |
|-----------------------|------------------------------------|
| Prepared By: | Matt Santos |
| Prepared For: | Rainie Torrance at City Of Needles |
| Agreement Term: | 36 Months |
| Agreement Start Date: | Signing Date |
| Order Date: | 03-04-2025 |
| | |

| Recurring Charges | Description | Qty | Unit Price | Total Price |
|---|-------------|-----|------------|-------------|
| Fleet Manager Bundle - 3 Yr Contract | | 34 | \$19.49 | \$662.66 |
| Surcharge | | 1 | \$10.99 | \$10.99 |

| One-Time Charges | Description | Qty | Unit Price | Total Price |
|---------------------------------------|-------------|-----|------------|-------------|
| 88-A LTE Telematics Device Bundled | | 34 | \$0.00 | \$0.00 |
| Shipping - 2 day - 21- 40 devices | | 1 | \$60.00 | \$60.00 |
| Device Setup Service (Telematics) | | 34 | \$0.00 | \$0.00 |

| Order To | al |
|----------|----|
| \$733.65 | |

Terms and Conditions:

The subtotal reflected on this agreement does not reflect the exact invoice amount. Taxes and surcharges are not included. Sales tax will be applied in accordance with state guidelines. Surcharges may be added or adjusted. Pro-rated charges may apply.

Any products purchased under our Included Device Program (IDP) are owned by GPS Trackit. The customer is responsible for all loss and damage to the products. If any devices are deactivated during or after the end of the term, they <u>must be returned to GPS Trackit within 45 days of deactivation</u> along with complete payment for remainder of term. If devices are not returned, a charge equal to the current catalog price for the devices will be invoiced to the customer. Detailed terms and conditions are provided in the link below.

This sale, and the use of the Products and Services, is subject in all respects to Global Tracking Communications, LLC's Terms and Conditions (the "T&Cs") effective on the date that Customer signs this Order Form. By signing this Order Form, the Customer agrees to be bound by the T&Cs. The T&C's are available at https://gpstrackit.com/terms-and-conditions (Link). This Order Form, together with the T&Cs, constitutes the sole and entire agreement of the parties and supersedes all prior or contemporaneous understandings, agreements, negotiations, representations and warranties, and communications, both written and oral, with respect to the subject matter of this Order Form. The T&C's take precedence of any signed agreement.

Customer Name Rainie Torrance Title Asst. City Manager Signature

Timestamp



| \boxtimes CITY COUNCIL | 🗌 NPUA |
|--------------------------|--------|
|--------------------------|--------|

Regular Special

Meeting Date: March 11, 2025

Title: Resolution No. 2025-14 A Resolution of the City Council of the City of Needles, Adopting Naloxone Policy and Procedures for the City of Needles

Background: The City of Needles prioritizes the safety and well-being of its employees and community members. With the rise of opioid-related emergencies, it is essential to equip City personnel with the necessary tools and training to respond effectively. Naloxone, an opioid antagonist, has been proven to reverse the effects of opioid overdoses and can be lifesaving when administered promptly.

The proposed policy establishes clear procedures for City employees to safely administer Naloxone while ensuring their protection. Training will be provided to authorized personnel to recognize the signs of an overdose, safely administer Naloxone, and follow necessary post-administration protocols. The policy aligns with California Department of Public Health regulations and California Civil Code section 1714.22, which provides liability protection for individuals administering Naloxone in good faith. Additionally, secure storage and tracking of Naloxone kits will be implemented to ensure accessibility and accountability.

The City of Needles worked closely with the City Attorney and the California Joint Powers Insurance Authority (CJPIA) to develop this comprehensive policy. Their guidance helped ensure that the policy includes best practices for risk mitigation, employee safety, and legal compliance, providing a sustainable framework for addressing opioid-related emergencies within the City.

| Fiscal Impact: | Minimal costs associated with the procurement of Naloxone kits and | | |
|----------------|---|--|--|
| | training for authorized personnel. The City may seek funding or grants to offset costs. | | |

Environmental Impact: None

Recommended Action: Adopt Resolution No. 2025-14 of the City Council of the City of Needles, Approving the City of Needles Naloxone Policy and Procedures and authorize staff to proceed with implementation of the policy and procedures.

Submitted By: Patrick Martinez, City Manager

| City Manager Approval: <u>Pataick Martinez</u> | Date: <u>3/5/2025</u> |
|--|-----------------------|
| Other Department Approval (when required): | Date: |
| | |

| Approved: Not Approved: | Tabled: | Other: 🗌 |
|-------------------------|---------|----------|
|-------------------------|---------|----------|

RESOLUTION NO. 2025-14

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF NEEDLES ADOPTING THE CITY OF NEEDLES NALOXONE POLICY AND PROCEDURES

WHEREAS, in 2017, in an effort to reduce morbidity and mortality associated with opioid overdose, the California Department of Public Health ("CDPH") issued a statewide standing order permitting, through an application process, community organizations and other entities that are not currently working with a physician to obtain and distribute Naloxone to a person at risk of an opioid-related overdose; and

WHEREAS, Naloxone is a medication that can reverse the effects of a fentanyl overdose if administered. Naloxone is an opioid antagonist that works almost immediately to reverse an opiate overdose, including heroin, fentanyl, and prescription opioid medications that can be administered through a nasal spray; and

WHEREAS, the City of Needles ("City"), may an application to CDPH for a standing order which would authorize designated Needles who have completed an opioid overdose prevention and treatment training program to assist a person experiencing or reasonably suspected of experiencing an opioid overdose; and

WHEREAS, pursuant to California Civil Code section 1714.22(f), a person who possesses or distributes an opioid antagonist pursuant to a prescription or standing order shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this possession or distribution. Notwithstanding any other law, a person not otherwise licensed to administer an opioid antagonist, but trained as required under paragraph (1) of subdivision (d), who acts with reasonable care in administering an opioid antagonist, in good faith and not for compensation, to a person who is experiencing or is suspected of experiencing an overdose shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this administration; and

WHEREAS, Health and Safety Code section 1799.113 provides qualified immunity to a person who, in good faith and not for compensation, renders emergency treatment at the scene of an opioid overdose or suspected opioid overdose by administering an opioid antagonist shall not be liable for civil damages resulting from an act or omission related to the rendering of the emergency treatment; and

WHEREAS, the City now desires to adopt and approve the attached City of Needles Naloxone Policy and Procedures attached hereto as Exhibit "A."

THE CITY COUNCIL OF THE CITY OF NEEDLES CALIFORNIA DOES HEREBY RESOLVE AS FOLLOWS:

<u>Section 1</u>. <u>Recitals</u>. The Recitals set forth above are true and correct and incorporated herein by reference.

<u>Section 2.</u> <u>Adoption of the City of Needles Naloxone Policy and</u> <u>Procedures</u>. The City Council of the City of Needles hereby adopts the City of Needles Naloxone Policy and Procedures attached hereto as Exhibit "A" and incorporated herein by this reference.

Section 3. Delegation of Authority. The City Manager is hereby delegated all authority necessary to implement the City of Needles Naloxone Policy and Procedures.

Section 4. Effective Date of Resolution. This resolution shall become effective on its adoption.

<u>Section 5.</u> <u>Severability</u>. All portions of this resolution are severable. Should any individual provision or portion of a provision of this resolution be adjudged to be invalid and unenforceable, the remaining provisions and portions of provisions shall be and continue to be fully effective, except as to the provision(s) and/or portion(s) of provisions that have been judged to be invalid.

PASSED AND ADOPTED at a regular meeting of the City Council on the 11th day of March 2025, by the following vote:

AYES: NAYS: ABSENT: ABSTAIN:

Janet Jernigan, Mayor

ATTEST:

Candace Clark, Interim City Clerk

APPROVED AS TO FORM:

John O. Pinkney City Attorney

EXHIBIT "A"

то

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF NEEDLES APPROVING THE CITY OF NEEDLES NALOXONE POLICY AND PROCEDURES

Agenda Item 7.

CITY OF NEEDLES NALOXONE POLICY AND PROCEDURES

I. POLICY

According to the Centers for Disease Control and Prevention (CDC), "The United States is experiencing an epidemic of drug overdose (poisoning) deaths. Since 2000, the rate of deaths from drug overdoses has increased 137 percent, including a 200 percent increase in the rate of overdose deaths involving opioids." Naloxone hydrochloride ("Naloxone") is an opioid antagonist designed to reverse the respiratory depression caused by an overdose of opioids.

In 2017, in an effort to reduce morbidity and mortality associated with opioid overdose, the California Department of Public Health (CDPH) issued a statewide standing order permitting, through an application process, community organizations and other entities that are not currently working with a physician to obtain and distribute Naloxone to a person at risk of an opioid-related overdose. According to the CDPH standing order, "Naloxone has very few negative effects, no effect if opioids are not in a person's system, and no potential for abuse. Naloxone requires a prescription but is not a controlled substance."

California Civil Code 1714.22 (f) states:

Notwithstanding any other law, a person who possesses or distributes an opioid antagonist pursuant to a prescription or standing order shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this possession or distribution. Notwithstanding any other law, a person not otherwise licensed to administer an opioid antagonist, but trained as required under paragraph (1) of subdivision (d), who acts with reasonable care in administering an opioid antagonist, in good faith and not for compensation, to a person who is experiencing or is suspected of experiencing an overdose shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this administration.

Health and Safety Code 1799.113 provides qualified immunity and states:

(a) (1) A person who, in good faith and not for compensation, renders emergency treatment at the scene of an opioid overdose or suspected opioid overdose by administering an opioid antagonist shall not be liable for civil damages resulting from an act or omission related to the rendering of the emergency treatment. (2) A person who, in good faith and not for compensation, furnishes an opioid antagonist to a person for use at the scene of an opioid overdose or suspected opioid overdose shall not be liable for civil damages resulting from an act or omission related to the scene of an opioid overdose or suspected opioid overdose shall not be liable for civil damages resulting from an act or omission related to the furnishing of the opioid antagonist.

(b) This section does not apply to an act or omission related to the rendering of emergency treatment at the scene of an opioid overdose or suspected opioid overdose by means of an opioid antagonist that constitutes gross negligence or willful or wanton misconduct.

The City of Needles ("City") prioritizes the safety and welfare of our community and personnel.

The City will designate a coordinator responsible for administering established procedures to support this policy and will provide supplies and training on the administration and use of Naloxone.

The City supports the overall objective to reduce the number of fatal opioid overdoses in the community and increase employee safety.

II. DEFINITIONS

- A. <u>Opioid Overdose</u>. An Opioid Overdose is an acute, life-threatening medical condition caused by the excessive intake of opioids (e.g., heroin, morphine, fentanyl, tramadol, oxycodone). This serious medical condition causes the victim to suffer from symptoms including but not necessarily limited to an altered level of consciousness, pinpoint pupils, respiratory arrest, unresponsiveness to stimuli, shallow or stopped breathing, blue or gray skin color around lips and fingernails, and can lead to death.
- B. <u>Naloxone Hydrochloride</u>. A medication used for the treatment of a known or suspected Opioid Overdose; a narcotic antagonist which works by affecting opiate receptor sites within the brain. Naloxone is commonly referred to by the brand name Narcan.
- C. <u>Authorized Employee</u>. An individual employed by the City who has received training on Opioid Overdose prevention and the proper use and administration of Naloxone. Authorized Employees are permitted to administer Naloxone without additional approval in cases where an Opioid Overdose is suspected.
- D. <u>Intranasal</u>. Administered through the nose. The nasal cavity is covered by a thin mucosa, which is extremely vascular and provides a direct route into the bloodstream of the victim. Therefore, when Naloxone is administered via spray into the victim's nose, it can be quickly effective.
- E. <u>Secure Storage Area</u>. A climate-controlled location where access to Naloxone is restricted and controlled.
- F. <u>Naloxone Kit</u>. A Naloxone Kit includes two nasal spray doses of Naloxone and may also include a zipper plastic bag, face mask, mouth shield/breathing mask, and medical-grade latex gloves.
- G. <u>Opioid Antagonist</u>. Naloxone hydrochloride or any other opioid antagonist that is approved by the United States Food and Drug Administration for the treatment of an opioid overdose.

III. PROCEDURES

A. <u>Coordinator</u>.

The City Manager or his designee will act as the City's coordinator with the following responsibilities:

- 1. Completing training in Opioid Overdose prevention and the use and administration of Naloxone as approved by CDPH and in satisfaction of the prerequisite for submission of the Naloxone Standing Order Application required by CDPH.
- 2. Completing and submitting the Naloxone Standing Order Application as required by CDPH on behalf of the City.
- 3. Ensuring that the Standing Order issued to the City if current as the Standing Order automatically expires every two (2) from the date it is signed.
- 4. Identifying employees permitted to carry and administer Naloxone.
- 2. Maintaining a roster of employees trained in Opioid Overdose prevention and Naloxone administration. Training shall include techniques for recognizing symptoms of an opioid overdose, standards and procedures for the storage, restocking and emergency use of Naloxone, basic emergency follow-up procedures, and recommendations on the necessity of instruction and certification in cardiopulmonary resuscitation.

- 3. Maintaining records of Naloxone issuance and administration.
- 4. Establishing a Secure Storage Area and restricting and controlling access.
- 5. Maintaining Naloxone Kits and obtaining new kits prior to their expiration.
- 6. Coordinating new and continued training for Authorized Employees.
- 7. Retaining completed reports on Naloxone use.

B. Administration.

- 1. Only employees who have completed training in Opioid Overdose prevention and the use and administration of Naloxone are permitted to carry and administer it.
- 2. Authorized Employees should obtain Naloxone from the Secure Storage Area. Upon collection and return, each employee should complete an inventory log (Appendix A), which includes the kit number, date, and time the medication is logged out and returned.
- 3. Upon receipt of a kit, Authorized Employees should conduct an inspection to confirm it is in good condition and unexpired. This should include an inspection of the kit's exterior to ensure it is clean and undamaged. Expired or damaged kits should be immediately returned to the coordinator.
- 4. Authorized Employees should keep kits in a location easily accessible for use when needed, but out of direct sunlight. Lost kits must be reported immediately to the coordinator.
- 5. Naloxone should only be administered to adults and children older than one year. The dose is the same for both adults and children. Naloxone should not be administered to infants under one year of age.
- 6. At least two unexpired doses of Naloxone hydrochloride or another FDA-approved opioid antagonist should be maintained on the premises at all times. There should always be at least one staff member present who knows the specific location of the Naloxone and has been trained in its administration. Proof of this training must be documented in the staff member's personnel file.

C. Training.

Before being permitted to carry and administer Naloxone, Authorized Employees are required to complete Opioid Overdose prevention training.

Training should include the following:

- 1. How to prevent an overdose.
- 2. How to recognize an opioid overdose, including how to check responsiveness.
- 3. How to store Naloxone, including standards and procedures for restocking Naloxone.
- 4. How to administer Naloxone.
- 5. How to alert emergency medical services.
- 6. How to administer rescue breathing and the necessity of instruction and certification on cardiopulmonary resuscitation.
- 7. How to place the subject in the recovery position.
- 8. How to provide post-overdose care and basic emergency follow-up procedures.

This training may be completed virtually or in person.

For Authorized Employees who may be out in the field (e.g., code enforcement or animal control officers), a reminder about verifying scene safety is appropriate. This

includes reviewing the surrounding area to confirm the scene is safe to prevent the employee from becoming a victim themselves. This step aligns with the American Heart Association's basic life support training. Local law enforcement is recommended as a source to discuss verifying scene safety.

<u>Training shall include training videos or programs approved by the City that trains</u> <u>Authorized Employees on bloodborne pathogens and CPR/First-Aid training.</u>

Authorized Employees shall undergo continued education at least once every two years.

CDPH Administering Naloxone Training Video (You Tube)

- D. Steps.
 - 1. Assess the victim for lack of breathing, pulse, and unresponsiveness prior to administering Naloxone. If unresponsive, check the victim's airway to ensure it is unobstructed. Ask bystanders if it is known if the victim is an opioid user. Conduct a brief visual survey of the victim and the immediate vicinity for any obvious evidence of drug use or exposure.

Characteristics that may indicate an Opioid Overdose include, but are not limited to:

- Falling asleep or loss of consciousness
- Constricted (pinpoint) pupils
- Unresponsive to verbal or physical stimulus
- Awake, but unable to speak
- Pulse (heartbeat) is slow, irregular, or not present
- Breathing is very slow and shallow, irregular, or has stopped
- Choking sounds, or a snore-like gurgling noise
- Vomiting
- Body is very limp
- Face is very pale or clammy
- Fingernails and lips turn blue or purplish black
- 2. If another person is available, direct that person to call 911
- 3. Administer Naloxone intranasally in accordance with the mandatory training provided:
 - a. Gently tilt the victim's head back and ensure the nasal cavity is clear
 - b. Hold the nasal spray by placing your thumb on the bottom of the plunger and your first and middle fingers on either side of the nozzle
 - c. Insert the nasal spray nozzle into one (1) nostril until your fingers, on either side of the nozzle, are against the bottom of the victim's nose
 - d. Press the plunger firmly to administer the full dose into the nostril
 - e. Remove the nasal spray from the victim's nostril after administering the dose
- 4. If 911 has not been called, call 911 and notify emergency medical services (EMS)/first responders
- 5. While waiting for EMS, initiate rescue breathing as needed until the victim can adequately breathe on their own. If the Authorized Employee is trained in CPR, this technique can also be used.

- 6. Once the victim is breathing on their own, place them on their side in the recovery position to avoid aspiration.
- 7. Continue constant observation until first responders arrive

Administration may result in immediate withdrawal symptoms in victims who are opioid dependent. Symptoms of withdrawal may include but are not limited to nausea/vomiting, cardiac arrest, nosebleeds, or in rare cases, aggressive behavior.

8. If the victim does not respond after 2 minutes, a second dose may be required. A second dose may also be required if the lifesaving effects wear off before EMS/first responders arrive and should be administered in the alternate nostril. Do not attempt to reuse the nasal spray. Each nasal spray contains a single dose and cannot be reused.

If the victim is unresponsive, do not try to shock them awake by exposing them to extreme temperatures (such as an ice bath). The bodies of individuals experiencing an Opioid Overdose are more susceptible to conditions such as hypothermia as their bodies are much weaker than normal.

- 9. Prior to administering a second dose, using a new nasal spray, confirm that first responders are en route to the location.
- 10. Defer to the authority of first responders once they arrive on the scene.
- E. <u>Disposal</u>.

Ensure the used nasal spray device(s) is/are properly disposed of by surrendering it/them to on-scene first responders or by placing it/them into a hazardous materials disposal container. Hazardous materials shall be maintained in a manner to restrict access by unauthorized personnel. Any suspected or confirmed tampering of, unauthorized access to, or loss of this waste shall be reported to the appropriate authority.

F. Documentation and Reporting.

- 1. Verbally advise first responders of the approximate time Naloxone was administered and any change in the victim's condition.
- 2. Complete a Naloxone Use Report (Appendix B), which should include all pertinent information related to the administration of Naloxone, including the location of the incident.
- 3. Complete additional reports that may be required, such as an City's internal incident report, detailing all pertinent information, including observations and actions at the scene.
- 4. Upon completion, immediately submit all reports to the coordinator. All documentation should be securely filed and retained indefinitely

Appendix A

Naloxone Inventory Log

| Date | Employee Name | Kit # | Expiration Date | Log In/Out | Signature |
|------|---------------|-------|--------------------|------------|-----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Appendix B

Naloxone Use Report

| Rep | orting Employee: | | |
|-------|---|--|--|
| Emp | loyee's Supervisor: | | |
| Incic | lent Location (address, if known): | | |
| Date | e: Time: | | |
| 1. | How many overdose victims were treated? \Box 1 \Box 2 | | |
| 2. | Were any children 12 years old or younger, who were associated with the overdose victim, present at the scene of the overdose? | | |
| | \Box none \Box 1 \Box 2 \Box 3 or more | | |
| 3. | Where did the drug overdose occur? □ Residence □ Business □ Office □ Street □ Parking Lot □ Open Space □ Other: | | |
| 4. | Perceived gender of the overdose victim: \Box Male \Box Female \Box Unknown | | |
| 5. | Perceived age range of the overdose victim: | | |
| | \Box 17 or less \Box 18-29 \Box 30-40 \Box 41-60 \Box 61 and over \Box Unknown | | |
| 6. | Perceived race-ancestry of the overdose victim: □ Caucasian/White □ Hispanic/Latino □ African American/Black □ Asian/Pacific Islander □ Native American □ Unknown | | |
| 7. | Overdose symptoms (check all that apply): Awake, but unable to speak Breathing slow, shallow, irregular, stopped Unresponsive to stimuli Falling asleep or loss of consciousness Choking or gurgling sounds Fingernails and lips blue or purplish black Constricted (pinpoint) pupils Limp body Face pale or clammy Other: | | |
| 8. | What drugs were associated with the overdose? Heroin Morphine Fentanyl Oxycodone Codeine Methadone Cocaine/Crack Meth Alcohol Unknown Other: | | |
| 9. | How many doses of naloxone were administered to the victim? \Box 1 \Box 2 | | |
| 10. | What was the overdose victim's response to the naloxone treatment? | | |
| 11. | Did you experience any problems using the naloxone kit? \Box No \Box Yes If yes, please describe: | | |



| | ICIL 🗌 NPUA | | 🛛 Regular 🗌 Special |
|--|---|----------------------|---|
| Meeting Date: | March 11, 2025 | | |
| Title: | League of California C | ties (LCC) City Lead | lers Summit |
| Background: | The League of California Cities (LCC) City Leaders Summit is in Sacramento April 23-25, 2025. Councilmembers Campbell, McCorkle and Pogue, and Mayor Jernigan have previously attended. | | |
| Critical Timeline: | Registration Deadline is April 16, 2025. Discounted hotel rate cut-off is April 1, however, rooms at this rate are limited and book up very quickly. | | |
| Fiscal Impact: | Registration cost for the full conference is \$650 Hotel accommodation is approximately \$1000 for three nights plus travel expenses (flight, per diem, mileage - \$650). Estimated cost per councilmember is approximately \$2,400. General Fund travel per diem account 2024-2025 budget. | | |
| Recommendation: | Authorize those interes (LCC) City Leaders Su | | ague of California Cities April 23-25, 2025. |
| Submitted By: | Candace Clark, Interim | City Clerk | |
| City Manager Approval: Patrick Marting Date: 3/5/2025 Other Department Approval (when required): Date: | | | |
| Approved: No | ot Approved: | Tabled: | Other: |



| | ICIL 🗌 NPUA | 🛛 Regular 🗌 Special |
|--|--|---------------------|
| Meeting Date: | March 11, 2025 | |
| Title: | Innovating Commerce Serving Communit | ies (ICSC) |
| Background: | The ICSC Event is at the Las Vegas Convention Center May 18-20, 2025. We will have a booth to display information about our city and to meet with potential businesses interested in what our city has to offer. Council Members Campbell, McCorkle, Pogue, Longbrake, and Mayor Jernigan previously attended. | |
| Fiscal Impact: | Cost for the full conference is \$1050 per councilmember. Hotel accommodation approximately \$600 for two nights plus travel expenses. Estimated cost per councilmember is approximately \$1900. General Fund travel per diem account 2025-2026 budget. | |
| Recommendation: | Authorize those interested to attend the ICSC Event at the Las Vegas Convention Center on May 18-20, 2025 | |
| Submitted By: | Candace Clark, Interim City Clerk | |
| City Manager Approval: <u>Patrick Martinez</u> Date: <u>3/5/2025</u> | | |
| Other Department Approval (when required): Date: | | |

| | Approved: | Not Approved: | Tabled: 🗌 | Other: | |
|--|-----------|---------------|-----------|--------|--|
|--|-----------|---------------|-----------|--------|--|



| | | 🔀 Regular 🔲 Special | |
|--|---|-----------------------|--|
| Meeting Date: | March 11, 2025 | | |
| Title: | Advertise to fill the vacancy on the Board of Public Utilities due to the retirement of Mike Schneider. | | |
| Background: | Past practice has been to advertise to fill the vacancies and then interview at a council meeting to appoint. | | |
| Fiscal Impact: | Cost of Publication | | |
| Recommended Action: | Authorize the City Clerk's Department to publish a notice of vacancy on the Board of Public Utilities | | |
| Submitted By: | Candace Clark, Interim City Clerk | | |
| City Manager Approval: | Patrick Wartinsz | Date: <u>3/5/2025</u> | |
| Other Department Approval (when required): | | Date: | |
| | | | |

| Approved: | Not Approved: | Tabled: | Other: |
|-----------|---------------|---------|--------|
|-----------|---------------|---------|--------|



817 Third Street, Needles, California 92363 (760) 326-2113 • FAX (760) 326-6765 www.cityofneedles.com Mayor, Janet Jernigan Vice Mayor Ellen Campbell Councilmember Tona Belt Councilmember Jamie McCorkle Councilmember JoAnne Pogue Councilmember Henry Longbrake Councilmember Zachery Longacre

City Manager Patrick J. Martinez

MEMORANDUM

- TO: HONORABLE MAYOR AND MEMBERS OF THE CITY COUNCIL
- FROM: PATRICK J. MARTINEZ, CITY MANAGER
- SUBJECT: WEEKLY MEMORANDUM
- DATE: February 21, 2025
 - Today, City staff met with the District Director and Deputy District Director Design for Caltrans District 8 to discuss infrastructure projects, grant funding, and strategic partnerships. The meeting focused on Caltrans' ongoing investments in Needles, which include:
 - **\$5 million+** for **off-ramp improvements** (California Sign Project)
 - \$2.17 million from the Clean California Grant Program (APWA Award)
 - \$245,000 from the Sustainable Communities Planning Grant
 - \$758,000 in federal funding for the Olbernolte Street Project
 - \$2 million+ for the Active Transportation Plan

Discussions covered the City's Off-Highway Motor Vehicle (OHMV) Pilot Program and its implementation. Additionally, the City highlighted Needles' role as a BNSF railway hub and explored the potential for developing a vehicle charging hub to advance renewable energy and electric vehicle (EV) infrastructure. Safety and traffic flow improvements were key topics, particularly enhancements to Highway 95 and the need for improved lighting on the D Street Bridge. The meeting strengthened collaboration between the City and Caltrans, reinforcing the importance of state and federal investments in transportation infrastructure to support economic growth, mobility, and community development in Needles.

2. The Needles Pride Program is thriving, inspiring residents to take an active role in improving their neighborhoods, fostering community pride, maintaining properties, and ensuring compliance with city codes. One of the program's greatest successes has been its ongoing community clean-up efforts, and the next event is set for tomorrow, February 22, 2025, at 9 AM. Councilmember Zachery Longacre will lead the charge to clean up J Street Hill, and all community members are invited to join. Volunteers should meet near Dollar General (Corner of J Street and Hospitality), where bags, gloves, and pickers will be provided—bring your enthusiasm and dedication to keeping Needles beautiful! At the same time, fire prevention remains a top priority for the city. Many property owners have already stepped up to clear and maintain their lots,

and our **Public Works crew is actively trimming trees throughout the city this week** to enhance safety and aesthetics. As we gear up for the season, take a sneak peek at the attached photo of our team hard at work at **Jack Smith Park**. Additionally, the swim area at Jack Smith park is now ready for the summer season. This work is being performed annually to ensure a better experience for everyone at our beaches. Let's keep the momentum going and continue positively impacting our community! **Refer to the attached flyer for more information**.

- 3. The **City of Needles** is taking another significant step in improving essential infrastructure with the upcoming Water Service Lateral Replacement Project. Phillips Excavating will begin work next week, launching a \$500,000 **investment** to upgrade water service laterals across several key neighborhoods. The project will start on **El Monte Street** and extend to **Carty** Way, Carty Circle, Carty Place, Desoto Street, I Street, H Street, G Street, and Crestview Drive. Now entering the second half of its fourth year, the City has committed **\$3.6 million this fiscal year** toward comprehensive waterline and street upgrades, ensuring residents receive reliable, modernized infrastructure. In addition, the city is preparing to go out to bid for the paving portion of the project, ensuring that once underground improvements are complete, the affected streets will be repayed for enhanced durability and safety. This initiative aligns with the City Council's goal to enhance infrastructure and public spaces, reinforcing Needles' dedication to creating a sustainable, functional, and attractive environment for residents and visitors. Investments like these improve essential services, increase long-term sustainability, and support economic growth by making Needles a more resilient and connected community. Refer to the attached exhibit for additional details on the Phase 4B project plan. We appreciate the community's patience and support as we continue making Needles an even better place to live, work, and visit!
- 4. The Billet Health team comprises of professionals specializing in mobile physicians, remote patient monitoring, home health, hospice, and primary care. The City of Needles collaborates with Billet Health to support our Veterans Housing Program, ensuring that local veterans receive the necessary care and resources. Today, Billet Health launched its "Donuts and Coffee for Veterans" initiative to honor and thank our veterans for their service. This event will now be held monthly at the Sage Motel (1624 W Broadway Street, Needles, CA 92363), providing a welcoming space for veterans to connect and receive support. The next "Donuts and Coffee for Veterans" event will occur on March 21, 2025, at 9:00 AM. Please see the attached flyer for the full schedule and refer to the attached images for highlights from today's event. This initiative strengthens our ongoing commitment to supporting veterans in our community, and we appreciate Billet Health's dedication to this effort.
- 5. City officials, business owners, community members, and the **San Bernardino County Sheriff's Department - Colorado River Station** came together on

Tuesday for the **Coffee with a Cop** event. This initiative provided a valuable opportunity for residents to engage in open conversations with local law enforcement, fostering stronger relationships and reinforcing our shared commitment to public safety. As part of our ongoing efforts to protect the community, the City of Needles recently formed a multi-agency task force in partnership with SBCSD, Caltrans, and the Needles Unified School District to combat vandalism and graffiti. These acts will not be tolerated, and I want to personally commend **SBCSD** for their dedication to keeping our city safe. On Monday, February 17, 2025, at 6:44 p.m., Needles deputies responded to a report of a juvenile brandishing a firearm near Flip Mendez Parkway. When approached, two juveniles fled on foot but were quickly detained after a pursuit. Deputies recovered a semi-automatic handgun in the area. A 16-year-old on probation was arrested and remains in custody without bail, while the second juvenile was released to a guardian, with a report submitted to the **Juvenile District Attorney** for review. Our **commitment to public safety** remains unwavering. Through continued collaboration with law enforcement, local agencies, and engaged community members, we will ensure that Needles remains a safe and welcoming place for all. For more details, please see the attached press release.

- 6. This week, City officials attended Pacific Clinics' SPIKES Clubhouse Member Appreciation Day, recognizing the vital services the center provides to the community. Since opening in November 2024, Pacific Clinics has served residents 18 and older, focusing on behavioral health recovery, peer support, and essential resources. Beyond mental health services, the center offers assistance for families, individuals affected by domestic violence, those facing food insecurity, and support for healthy living and community engagement. Pacific Clinics, a California non-profit public benefit corporation, operates under contract with the San Bernardino County Department of Behavioral Health to provide mental health services statewide. For a glimpse into the event, see the attached images, and for more information on available programs, refer to the attached flyer or contact Sonia Vicario at 626-753-8725 or sonia.vicario@pacificclinics.org.
- 7. The 47th Annual Colorado River Round-Up returns to Needles, California, on April 4-5, 2025, bringing a weekend full of rodeo action, live entertainment, and family-friendly activities. Hosted at the Needles Rodeo Grounds (1001 San Clemente Street), this Grand Canyon Professional Rodeo Association (GCPRA) sanctioned event highlights the tradition, skill, and excitement of rodeo competition. Attendees can enjoy rodeo performances, local vendors, a cornhole tournament, the Junior Barrel Race, Mutton Bustin', and live music, with a Rodeo Dance featuring "Littletown" each evening. Presale tickets are available March 31 April 3, 2025, at the Rodeo Store (920 W. Broadway) from 10:00 AM 4:00 PM. Prices are \$15 for a 2-day adult pass and \$5 for kids. Regular admission is \$10 for adults (18+), \$5 for youth (6-17), and free for children 5 and under. This premier rodeo event aligns with the City Council's goals to enhance community engagement, promote public celebrations, and support

tourism-driven economic growth. With a weekend full of rodeo action, live music, local vendors, and exciting competitions, this event is a must-see for residents and visitors alike. For more details, see the attached flyer, visit <u>www.needlesrodeo.com</u>, or contact Judy Thornton at 760-333-5255. Join us in celebrating the spirit of rodeo and community in Needles!

- 8. I am excited to announce that the Needles High School boys' and girls' basketball teams have won the 2025 Nevada Interscholastic Activities Association (NIAA) Class 2A Southern Regional Championship. Their outstanding performance has secured a place in the 2025 NIAA Class 2A State Basketball Championship semi-finals, which begin today, with the girls' team playing at 3:30 PM and the boys' team at 5:15 PM. The State Finals will take place tomorrow, Saturday, February 22, 2025, at Cox Pavilion (4505 S Maryland Pkwy #2022, Las Vegas, NV 89154), with the girls' championship game tipping off at 2:00 PM and the boys' game at 3:45 PM. This is a tremendous achievement for our student-athletes, and we encourage the community to rally behind them as they compete for the state title. Join us in celebrating their success and the spirit of sports in Needles! Refer to the attached brackets for additional tournament details.
- 9. The City continues working with the Bureau of Land Management (BLM) to develop a coordinated plan to relocate the four burros roaming Rivers Edge Golf Course safely. The Burro Extraction Team remains actively engaged, and a designated feeding area has been established— a critical first step in preparing a humane trapping method for relocation. BLM is still awaiting authorization from Washington, D.C., to proceed safely. This effort has been ongoing, and City staff continue to meet regularly with BLM to advance the process. With boating season approaching and the Jack Smith Boat Launch reopening for weekend use next month, public safety remains a top priority. The City will continue monitoring the situation to mitigate potential hazards for drivers and visitors. We appreciate BLM's collaboration and will provide updates as they become available.
- 10. Get ready for an action-packed week as Needles High School Spring sports kick off with two major tournaments, reinforcing the City's commitment to sports tourism and community engagement. The Needles High School Baseball and Softball Colorado River Invitational Tournament will run from February 27 through March 1, 2025, with games hosted at Needles High School Field and Nikki Bunch/Franz Flowers Ball Fields (refer to the attached brackets for more information). Donations for the snack shack are being accepted throughout the week, with baseball donations collected at the Eagles and softball donations collected at Nikki Bunch Ball Fields to support these events and our student-athletes. Rounding out the week, the 18th Annual Needles Spring Classic Basketball Tournament will occur on March 1-2, 2025, featuring 27 teams competing at the Needles Recreation Center. These tournaments align with the City Council's goals to enhance public spaces, foster economic growth, and position Needles as a premier sports tourism destination. By hosting regional sporting events, the City attracts

visitors, boosts local businesses, and strengthens community engagement, reinforcing Needles' identity as the Gateway to California on Route 66 and the Colorado River. We encourage residents and visitors to join us in celebrating the spirit of sports and supporting these exciting tournaments!

11. IMPORTANT UPCOMING DATES:

- March 1, 2025 Household Hazardous Waste Collection Event The event will take place at the Needles City Public Works Yard (112 Robuffa Street) from 7:00 a.m. to 11:00 a.m. Residents are encouraged to properly dispose of used motor oil, batteries, paint products, and household cleaners. For inquiries, contact the Household Hazardous Waste Program at 909-382-5401 or 1-800-OILY-CAT.
- March 11, 2025 Well No. 11 Treatment Plant Project Ribbon Cutting The event will take place adjacent to the Needles Golf Course Maintenance Yard at 10 AM. This **\$8.9 million project** is a major step in strengthening Needles' water infrastructure, ensuring a long-term, reliable supply of high-quality drinking water.
- March 15, 2025 Chamber Lucky Greens Tournament Registration is open for the tournament. Reserve your spot today! Contact the Chamber for sponsorship opportunities 760-326-2050 or click on this <u>link</u>.
- March 19, 2025 3rd Annual Job and Resource Fair
 Hosted by San Bernardino County Supervisor Dawn Rowe, this event
 at the El Garces Historic Train Depot (950 Front Street, Needles, CA)
 from 10:00 a.m. to 2:00 p.m. will provide networking opportunities for
 residents, city staff, and public officials to connect with agencies and
 organizations offering job placement and essential services.
- April 10-12, 2025 Art in the Park Save the date! The second annual Art in the Park will showcase art pieces from across the Tri-State region in partnership with the River Valley Artist Guild. This event celebrates local creativity and community engagement. More information to come.
- April 19, 2025 Needles' 1st Annual World-Famous Chili Cookoff Hosted by The River Community Coalition & Firehouse Ministries, this exciting new event will take place at 10:00 a.m. Santa Fe Park (950 Front Street). Attendees can expect delicious chili, friendly competition, and a celebration of community spirit.
- April 21-27, 2025 Route 66 Bike Week This weeklong event celebrates the historic Route 66 with a scenic ride from Needles to Seligman, highlighting the spirit of the open road and motorcycle culture.
- April 24, 2025 Needles Animal Shelter Spay/Neuter Clinic
 The Needles Animal Shelter will host a spay/neuter clinic to promote
 responsible pet ownership. Space is limited, and residents must RSVP
 by completing an application and providing proof of residency. A portion
 of the cost is subsidized to make the service more accessible. For more
 details or to schedule an appointment, call (760) 326-4952.

• May 14, 2025 – Run for the Wall (RFTW)

This annual tribute honoring Vietnam Veterans will welcome over 300 motorcyclists passing through Needles. The riders will arrive at the historic El Garces at noon, offering a meaningful opportunity to honor their service.

• Community Calendar


Local organizations are encouraged to coordinate with the City Clerk's Office to add or update events, keeping the calendar accurate and beneficial for the community. To submit an event or request changes, contact Candace Clark at **cclark@cityofneedles.com**.

1. CALTRANS SITE VISIT



2. COMMUNITY CLEAN-UP

COMMUNITY CLEAN-UP DAY! NEEDLES!! Let's Come Together & Help Clean Up J STREET!




Saturday, February 22, 2025 9:00 a.m. Near Dollar General J Street and Hospitality

SEE



2. COMMUNITY BEAUTIFICATION






I STREET (Third Street to Broadway Ave) H STREET (Third Street to Broadway Ave) G STREET (Third Street to Broadway Ave) CRESTVIEW (Third Street to End)



LEGEND

4. BILLET HEALTH DOUGHNUTS & COFFEE






5. COFFEE WITH A COP



Full Notification



San Bernardino County Sheriff-Coroner Department

6. PACIFIC CLINICS





47TH COLORADO RIVER ROUND UP APRIL 4 & 5, 2025 NEEDLES RODEO GROUNDS SCHEDULE OF EVENTS

FRIDAY, APRIL 4 4 PM: GATES AND VENDORS OPEN 6 PM: GCPRA RODEO PERFORMANCE 8 PM: RODEO DANCE FEATURING "LITTLETOWN" RODEO QUEENS SIGNING AUTOGRAPHS

SATURDAY, APRIL 5 9 AM: GATES OPEN RODEO SLACK CORNHOLE TOURNEY REGISTRATION 10 AM: CORNHOLE TOURNEY PRESENTED BY THE HUNTER FAMILY 1 PM: JUNIOR BARREL RACE PRESENTED BY CAMPBELL REDI-MIX 1-3 PM: MUTTON BUSTIN' REGISTRATION 3 PM: MUTTON BUSTIN' REGISTRATION 3 PM: MUTTON BUSTIN'' 6 PM: GCPRA RODEO PERFORMANCE 8 PM: RODEO DANCE FEATURING "LITTLETOWN'' RODEO QUEENS SIGNING AUTOGRAPHS Presented by Needles Rodeo Association (No outside alcohol permitted)

4



PRESENTS THE

47TH COLORADO RIVER ROUND UP APRIL 4 & 5, 2025

NEEDLES RODEO GROUNDS 1001 SAN CLEMENTE STREET

*RODEO DANCE *



"Littletown" Presented by the Fort Mojave Indian Tribe

SPECIAL EVENTS

Junior Barrel Race presented by Campbell Redi-Mix Call Mike Shott at 760-218-4891 to register.
8th Annual Cornhole Tourney Call Wade Evans at 760-220-1039
Local Contestants -



Call Mike Shott at 760-218-4891 from March 1-26 # Mutton Bustin' - call Judy Thornton at 760-333-5255

***THE RODEO STORE ***

March 31-April 3 920 W. Broadway in Needles 10am-4pm

* TICKETS *

Ages 5 and under - free Ages 6-17 - \$5 Ages 18 and over - \$10 PRESALE TICKETS

2-Day Adults - \$15 2-Day Kids - \$5 Rodeo Store only

Coordinated by Needles Rodeo Association Facebook at Needles Rodeo/CRRU <u>needlesrodeo@outlook.com</u> www.needlesrodeo.com For more info, call Judy Thornton @ 760-333-5255 (NO OUTSDE ALCOHOL PERMITTED)



8. STATE CHAMPIONSHIP

2025 NIAA Girls Basketball Playoffs

2025 2A State Girls Basketball

Location Las Vegas, NV

| Feb 21 SEMIFINALS | Feb 22 CHAMPIONSHIP |
|---|------------------------|
| G1 2/21 @ 3:30p | |
| 15 Needles 2N North Tahoe | |
| at Faith Lutheran | CHAMPIONSHIP |
| | G3 2/22 @ 2p |
| G2 2/21 @ 6:50p | Winner G1 Winner G2 |
| 1N Pershing County 2S Lincoln County | |
| Watch Live Stream | |

2025 NIAA Boys Basketball Playoffs

2025 2A State Boys Basketball

Location Various Cities, NV

| Feb 21 SEMIFINALS | Feb 22 CHAMPIONSHIP |
|---------------------------------|------------------------|
| G1 2/21 @ 5:10p | |
| 15 Needles 2N West Wendover | |
| Watch Live Stream | CHAMPIONSHIP |
| | G3 2/22 @ 3:45p |
| | Winner G1 |
| G2 2/21 @ 8:30p | Winner G2 |
| 1N Incline 25 Lincoln County | at Cox Pavilion |
| Watch Live Stream | |

2025 COLORADO RIVER BASEBALL INVITATIONAL

* All games are to be 7 innings or DROP DEAD at 2 hours. All teams assist with foul balls

*All game times are CA/NV time

Feb 27th -March 1

| | Field I-NEEDLES | | | Field 2-RVHS Va | rsity | | Field 3-RVHS | JV Field | | Field 4-MHS Va | rsity |
|-----------------|-----------------|------------|-------------------|-----------------|--------------|-------|--------------|--------------|---|------------------------|----------|
| <u>hursdav</u> | AWAY | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 8.00 | Fallon | Palo Verde | Section. | | | | | | | | |
| 10:30 | Central | LOWTY | 10:30 | Wendover | Spring Creek | 10:30 | Palo Verde | Fernley | 10:30 | Williams | Mohave |
| 1:00 | Central | Needles | 1:00 | Spring Creek | Southwest | 1:00 | Camp Verde | Pahrump | 1:00 | KAOL | Williams |
| 3:30 | Needles | Camp Verde | 3:30 | Lowry | RV | 3:30 | Fernley | l-loltville | 3:30 | Mohave | Wendover |
| | | | 6:00 | RV | Holtville | 6:00 | Pahrump | KAOL | 6:00 | Southwest | Fallon |
| | | | | | | | | | | | |
| | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | JV Field | | Field 4-MHS | |
| Friday | AWAY | HOME | he and the second | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 8:00 | Southwest | Lowry | | | | | | | | | |
| 10:30 | LOWTY | Palo Verde | 10:30 | KAOL | Wendover | 10:30 | | | 10:30 | Spring Creek | Holtvine |
| 1:00 | Fallon | Needles | 1:00 | Wendover | Southwest | 1:00 | Camp Verde | Williams | 1:00 | Pahrump | N.oha-e |
| 3:30 | Femley | Needles | 3:30 | Williams | RV | 3:30 | Palo Verde | Spring Creek | 3:30 | Mohave | KAOL |
| | | | 6:00 | RV | Pahrump | 6:15 | Fernley | Central | 6:00 | Holtville | Fallon |
| | | | | | | | | | | | |
| | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | | | Field 4-MHS | |
| <u>Saturday</u> | AWAY | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 0.00 | Holtville | Lowry | 8:00 | Southwest | Fernley | | Fallon | Central | | Camp Verde Williams | Mohave |
| 0.00 | | | | | | | Central | Spring Creek | the second se | | Pahrump |

| | Field I-NEEDLES | | | Field 2-RVHS Va | rsity | | Field 3-RVHS | JV Field | | Field 4-MHS Va | rsity |
|-----------------|-----------------|------------|-------------------|-----------------|--------------|-------|--------------|--------------|---|------------------------|----------|
| <u>hursdav</u> | AWAY | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 8.00 | Fallon | Palo Verde | Section. | | | | | | | | |
| 10:30 | Central | LOWTY | 10:30 | Wendover | Spring Creek | 10:30 | Palo Verde | Fernley | 10:30 | Williams | Mohave |
| 1:00 | Central | Needles | 1:00 | Spring Creek | Southwest | 1:00 | Camp Verde | Pahrump | 1:00 | KAOL | Williams |
| 3:30 | Needles | Camp Verde | 3:30 | Lowry | RV | 3:30 | Fernley | l-loltville | 3:30 | Mohave | Wendover |
| | | | 6:00 | RV | Holtville | 6:00 | Pahrump | KAOL | 6:00 | Southwest | Fallon |
| | | | | | | | | | | | |
| | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | JV Field | | Field 4-MHS | |
| Friday | AWAY | HOME | he and the second | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 8:00 | Southwest | Lowry | | | | | | | | | |
| 10:30 | LOWTY | Palo Verde | 10:30 | KAOL | Wendover | 10:30 | | | 10:30 | Spring Creek | Holtvine |
| 1:00 | Fallon | Needles | 1:00 | Wendover | Southwest | 1:00 | Camp Verde | Williams | 1:00 | Pahrump | N.oha-e |
| 3:30 | Femley | Needles | 3:30 | Williams | RV | 3:30 | Palo Verde | Spring Creek | 3:30 | Mohave | KAOL |
| | | | 6:00 | RV | Pahrump | 6:15 | Fernley | Central | 6:00 | Holtville | Fallon |
| | | | | | | | | | | | |
| | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | | | Field 4-MHS | |
| <u>Saturday</u> | AWAY | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 0.00 | Holtville | Lowry | 8:00 | Southwest | Fernley | | Fallon | Central | | Camp Verde Williams | Mohave |
| 0.00 | | | | | | | Central | Spring Creek | the second se | | Pahrump |

| | Field I-NEEDLES | | | Field 2-RVHS Va | rsity | | Field 3-RVHS | JV Field | | Field 4-MHS Va | sity |
|-----------|-----------------|------------|------------|-----------------|--------------|-------|--------------|--------------|----------|----------------|----------|
| Thursday. | AWAY | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| 8.00 | Fallon | Palo Verde | | | | | | | 11111 | | |
| 10:30 | Central | LOWTY | 10:30 | Wendover | Spring Creek | 10:30 | Palo Verde | Fernley | 10:30 | Williams | Mohave |
| 1:00 | Central | Needles | 1:00 | Spring Creek | Southwest | 1:00 | Camp Verde | Pahrump | 1:00 | KAOL | Williams |
| 3:30 | Needles | Camp Verde | 3:30 | Lowry | RV | 3:30 | Fernley | l·loltville | 3:30 | Mohave | Wendover |
| [| | | 6:00 | RV | Holtville | 6:00 | Pahrump | KAOL | 6:00 | Southwest | Fallon |
| | | | The Barry | | | | | | | | |
| 1 | | | | | | | | | | | 1 |
| 1 | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | JV Field | 2015 | Field 4-MHS | |
| Friday | AWAY | HOME | 1,40000 | AWAY | HOME | | AWAY | HOME | Marca B. | AWAY | HOME |
| 8:00 | Southwest | LOWTY | the states | | | | | | | | |
| 10:30 | LOWTY | Palo Verde | 10:30 | KAOL | Wendover | 10:30 | | | 10:30 | Spring Creek | Holtvine |
| 1:00 | Fallon | Needles | 1:00 | Wendover | Southwest | 1:00 | Camp Verde | Williams | 1:00 | Pahrump | Noha-e |
| 3:30 | Femley | Needles | 3:30 | Williams | RV | 3:30 | Palo Verde | Spring Creek | | Mohave | KAOL |
| | | | 6:00 | RV | Pahrump | 6:15 | Fernley | Central | 6:00 | Holtville | Fallon |
| | | | | | | | | | | | |
| | Field 1-NEEDLES | | | Field 2-RVHS | | | Field 3-RVHS | JV Field | | Field 4-MHS | |
| Saturday | | HOME | | AWAY | HOME | | AWAY | HOME | | AWAY | HOME |
| | Holtville | Lowry | 8:00 | Southwest | Fernley | | Fallon | Central | 8:00 | Camp Verde | Mohave |
| 10:45 | Southwest | Needles | | KAOL | RV | 10:30 | Central | Spring Creek | 10:30 | Williams | Pahrump |
| | | | | | | | | | | | |

Colorado River Invitational Softball Tournament 2025

| | POOL A Fernley Pahrump Palo Verde Blythe | POOL B Elko Doral Red Rock Needles | POOL C Boulder City Lowry SECTA | POOL D Camp Verde Faith Lutheran Legacy | |
|----------------|---|---|--|--|----------------|
| | Williams | Yuma Catholic | Tolleson | Spring Creek | |
| Pool Play | Thursday | Pool Play | Pool Play | Friday | 5 Innings |
| Nikki Bunch | Time | Franz Flower | Nikki Bunch | Time | Franz Flower |
| Fernley | 10:00 AM | Palo Verde Blythe | Palo Verde Blythe | 8:00 AM | Williams |
| Pahrump | | Williams | Fernley | | Pahrump |
| Needles | 11:20 AM | Elko | Needles | 9:20 AM | Yuma Catholic |
| Yuma Catholic | | Doral Red Rock | Elko | | Doral Red Rock |
| Williams | 12:40 PM | Pahrump | Lowry | 10:40 AM | Boulder City |
| Fernley | | Palo Verde Blythe | Tolleson | | SECTA |
| Doral Red Rock | 2:00 PM | Yuma Catholic | Legacy | 12:00 PM | Spring Creek |
| Needles | | Elko | Camp Verde | | Faith Lutheran |
| SECTA | 3:20 PM | Boulder City | Bracket Play | Friday | 6 Innings |
| Tolleson | | Lowry | Nikki Bunch | Time | Franz Flower |
| | | | B#1 | 1:30 PM | G#1 |
| Camp Verde | 4:40 PM | Legacy | G#4 | | B#4 |
| Faith Lutheran | | Spring Creek | | | |
| | | | B#2 | 3:00 PM | G#2 |
| Tolleson | 6:00 PM | Lowry | G#3 | | B#3 |
| Boulder City | | SECTA | | | |
| | | | R#1 | 4:30 PM | Y#1 |
| Spring Creek | 7:20 PM | Spring Creek | Y#4 | | R#4 |
| Camp Verde | | Faith Lutheran | | | |
| | | | R#2 | 6:00 PM | Y#2 |
| | | | | | |

| POOL A | | POOL B | | POOL C | | POOLO |
|--|-----------------------------|------------------------|---------------------------|--------------|--------------|----------------|
| Femley | | Ellus | | Bonider City | | Camp Verde |
| Pehrump | | Doral Red Rock | | Lowry | | Falth Lutheran |
| alo Verde Biythe | | Needles | | SECTA | | Logecy |
| Williams | | Yuma Caltholic | | Tolkison | | Spling Creek |
| | Friday 1st Round | | | | | |
| | B#1 | | | | | |
| | NB 1:30 PM G1 | | | | | |
| Sat | G#4 | Sat | | | | |
| ODAM NB G13 | | 9:30AM NB | | | | |
| a la construction de la construc | R#2 | Gaque 9 | | | | |
| | NB 6:00 PM G7 | | | | | |
| | Y#3 | | | | | |
| | | T ¹¹ | 2 OOPM NE | | | |
| | Y#2 | | Game 17 | | | |
| | FF 6:00 PM G8 | | | | | |
| Sat | R#3 | Şəl | | | | |
| DOAM FF Gts | | 9-30 AM FF | | | | |
| | GRI | Gaune 10 | | | | |
| | FF 1:30PM G2 | | | | | |
| | B#4 | | _ | | | |
| | | | | Sət | | |
| | R#1 | | | 4 COPM NE | | |
| | NB 4:30PM G5 | | | Game 19 | Championship | |
| Sat | Y#4 | Sat | | | | |
| 30PM NB G15 | | 8:00AM NB | | | | |
| | 8#2 | Game 11 | | | | |
| | NB 3:00PM G3 | | | | | |
| | G#1 | | | | | |
| | | | 2:00P M FF | | | |
| | 0/2 | | Gerna 18 | | | |
| | FF 3:00PM G4 | | | | | |
| Set | B#3 | \$a1 | | | | |
| JOPH FF 615 | | 8:00AM FF | | | | |
| | Y#1 | Game 12 | | | | |
| | FF 4:30PM G6 | | | | | |
| | R#4 | | | | | |
| Team Denotes Hor | a la Tealq - Hoi no Tealq - | a la 3d Base Dugout | | | | |
| TOMES Are Californ | nia Tune | Home Tagate we keep | official book. | | | |
| Rules & Tome will | be in affect for Pool Play | & Bracket Play. | | | | |
| cket Play Run Rule | - 10 aftel 4 - 5 a ter 5 | | Bracket Play time amit 80 | Min | | |
| en Seeds will für a c | ola ki delevirilme nome la | MAR. | | | | |
| mature Tie Break | es will be used for games | that end in a tie NO T | ES. | | | |
| | | | he outcome of the game | | | |



817 Third Street, Needles, California 92363 (760) 326-2113 • FAX (760) 326-6765 www.cityofneedles.com Mayor, Janet Jernigan Vice Mayor Ellen Campbell Councilmember Tona Belt Councilmember Jamie McCorkle Councilmember JoAnne Pogue Councilmember Henry Longbrake Councilmember Zachery Longacre

City Manager Patrick J. Martinez

MEMORANDUM

- TO: HONORABLE MAYOR AND MEMBERS OF THE CITY COUNCIL
- FROM: PATRICK J. MARTINEZ, CITY MANAGER
- SUBJECT: WEEKLY MEMORANDUM
- DATE: February 28, 2025
 - 1. The City of Needles continues to enhance its reputation as a premier destination for sports tourism by hosting multiple high-profile tournaments this week. These events align with the City Council's strategic goals to enhance public spaces, drive economic development, and solidify Needles as the **Gateway to California on Route 66 and the Colorado River.**
 - Colorado River Invitational Baseball & Softball Tournament
 - Dates: February 27 March 1, 2025
 - Venues: Needles High School Field & Nikki Bunch/Franz Flowers Ball Fields
 - **Details:** This tournament will welcome teams from across the region, bringing increased visitor activity and economic benefits to the community.
 - 18th Annual Needles Spring Classic Basketball Tournament
 - Dates: March 1 2, 2025
 - Venue: Needles Recreation Center
 - **Details:** Featuring 24 teams, this event provides a competitive platform for young athletes and increases visitor engagement within the city.

These tournaments are expected to generate significant tourism activity, support local businesses, and enhance community involvement, reinforcing Needles' commitment to sports and recreation. For complete tournament schedules, refer to the attached brackets.

2. Tomorrow, March 1, 2025, the City of Needles, in partnership with the San Bernardino County Board of Supervisors and the San Bernardino County Fire Protection District, will host a Household Hazardous Waste Collection Event from 7:00 AM to 11:00 AM at the Needles City Yard (112 Robuffa Street, Needles, CA 92363). This event provides residents with a safe and responsible way to dispose of household hazardous waste, including used motor oil, batteries, paint products, medications, and electronic waste. Proper disposal helps protect our community and environment from harmful contaminants. For

more details, contact the San Bernardino County Fire Protection District's Household Hazardous Waste Program at **909-382-5401** or **1-800-OILY-CAT (1-800-645-9228)** or visit <u>SBCfire.org/hhw</u>. Refer to the attached flyer for full details on accepted and prohibited items.

3. The Needles Pride Program continues to thrive, empowering residents to take an active role in maintaining their neighborhoods, fostering community pride, and ensuring compliance with city codes. As our residents contribute to these efforts, the City of Needles remains committed to investing in critical infrastructure improvements that enhance service reliability and improve the overall quality of life.

This past weekend, our community came together for another **neighborhood** cleanup event, with a dozen dedicated volunteers participating. Organized by Councilmember Zachery Longacre, the effort focused on J Street (around Duke Watkins Park) and the I-40 J Street On and Off Ramps in preparation for an upcoming sports tourism weekend at the Jo Jo Garcia Memorial Sports Complex and the Needles Recreation Center. Volunteers removed over 20 bags of trash, cleared overgrown bushes, and eliminated sidewalk debris. This collective effort is a testament to the power of community engagement and civic pride. See the attached image for a glimpse of the incredible work accomplished.

Meanwhile, the **City's Wastewater Department** began replacing two pumps at the **Bazoobuth Lift Station**, significantly improving system efficiency, extending its lifespan, and ensuring long-term reliability. **See the attached image** for a look at the new pumps. Additionally, the **Electric Department** assisted in unloading a new **chemical storage tank** that will be used at the **Duke Watkins Splash Pad**—the final component needed to complete the project and make the splash pad operational before it warms up. Our **Public Works crews** remained focused on roadway maintenance this week, making improvements along **Parkway, Balboa, Peru, and Verde Shores**, while also completing **road striping on River Road**. Their ongoing efforts are essential to ensuring our streets remain safe and functional, and we deeply appreciate their dedication to maintaining our city's infrastructure.

Recognizing the need for long-term solutions, the **City Council has allocated \$3.6 million for street improvements this fiscal year**. The second phase of these improvements began last week with the **Water Service Lateral Replacement Project**, which is currently underway on **El Monte Street**, **Carty Way, Carty Circle, Carty Place, Desoto Street, I Street, H Street, G Street, and Crestview Drive**. Now in the second half of its **fourth year**, the City's **comprehensive infrastructure investment initiative** continues, modernizing streets and waterlines to enhance reliability and safety. The City is also preparing to **bid on the paving portion of the project**—once underground improvements are complete, repaving will follow to improve durability and road conditions for all residents. We encourage the community to stay engaged and report any road issues by contacting the **City of Needles Billing Office at 760-326-2115 (press #9)** or by downloading the **Needles Connect app** from the <u>Google Play Store</u> for Android or the <u>Apple Store</u> (iOS). Your input helps us build a **stronger, safer, and more vibrant Needles—together.**

- 4. Assemblymember Jeff Gonzalez's Field Representatives will host a mobile office in Needles on Wednesday, March 19, 2025, from 10:00 AM to 5:30 PM at the Needles Tourism Office (920 W Broadway). Residents are encouraged to stop by and connect with the team, who will be available to assist with state programs, resources, and other state-related matters. This is a valuable opportunity for community members to voice concerns, seek guidance, and engage directly with their legislative representatives. For more details about the event, refer to the attached flyer and visit <u>Assemblymember Jeff</u> <u>Gonzalez's website</u> to learn more about the services provided. After meeting with Assemblymember Gonzalez's team, be sure to visit the 3rd Annual Job and Resource Fair hosted by San Bernardino County Supervisor Dawn Rowe at the EI Garces Historic Train Depot (950 Front Street, Needles, CA), from 10:00 AM to 2:00 PM.
- 5. Palo Verde College plays a vital role in the community, providing education, workforce training, and opportunities for residents to build successful careers. This past week, the college hosted a Metropolitan Water District Apprenticeship Workshop at the Needles Educational Center, where 30 attendees learned about hands-on training and career pathways in mechanical and electrical trades.

Upcoming events include the CTE Advisory Meeting on March 26, 2025, from 12:00 PM to 5:00 PM at Palo Verde College Theater in Blythe, CA. Local businesses are encouraged to participate and discuss workforce needs in fields like Automotive, Business, Construction, Nursing, and Welding, ensuring education aligns with regional job demands.

On April 12, 2025, the Palo Verde College Foundation 5K Color Run & Walk will occur at the Needles Center, starting at 9:00 AM (check-in at 7:30 AM). The \$25 entry fee includes a T-shirt and meal, with proceeds benefiting Needles Center students. Register as a runner, walker, or volunteer (free) by clicking here. As a cornerstone of local education and workforce development, Palo Verde College continues to provide essential programs that strengthen the community. For event details, contact Shivam Bhakta at shivam.bhakta@paloverde.edu or (760) 326-5056. Refer to the attached flyers for additional information.

6. The City of Needles sincerely thanks the Bureau of Land Management (BLM) Needles office for their dedication and coordination in successfully relocating the burros from Rivers Edge Golf Course. Following final approval from Washington, D.C., the burros have been safely relocated to Ridgecrest, California, where they will be available for adoption. We also want to acknowledge the efforts of our **City staff**, particularly **Animal Control** and the **staff at Rivers Edge Golf Course**, who assisted in ensuring the **safety** and **well-being** of the burros throughout the process. This **successful operation** highlights the **strong partnership** between the **City** and **BLM** in managing **local wildlife responsibly**.

- 7. The City of Needles is pleased to introduce Raymond Bernasconi as the newest Code Enforcement Officer within our Development Services Department. Mr. Bernasconi brings 36 years of law enforcement experience with the Los Angeles County Sheriff's Department, which will be invaluable in strengthening our Code Enforcement operations. His extensive background will ensure a smooth transition and enhance the department's ability to serve our community effectively. He will be sworn in at our next City Council meeting on March 11, 2025. Please join me in congratulating him on his new role.
- 8. The Rivers Edge Golf Course remains the top destination for tournaments and community golf events. The Harvest Bible Church Golf Tournament will kick off March 8, 2025, featuring a 3-person scramble with a \$75 per player / \$225 per team entry fee. All proceeds benefit Harvest Bible Church. To register, call JJ DeLeon at (760) 326-3931. The following weekend, the Lucky Greens Golf Tournament, hosted by the Needles Area Chamber of Commerce, occurs on March 15, 2025. This 3-person scramble includes fun contests like Closest to the Pin and Long Drive, with registration at 7:30 AM, a shotgun start at 8:30 AM, and awards at 2:00 PM. Sponsorships are available (Refer to attached flyer)—contact the Needles Chamber at (760) 326-2050 or click on this link. Looking ahead, the Twilight League begins on April 1, 2025, featuring 12 weeks of tournament play, and JJ's Golf Clinic is scheduled for March 22, 2025, at 10:00 AM (space is limited). For more details, to register, or to book a round, call JJ DeLeon at (760) 326-3931 or visit www.golfneedlesca.com.
- 9. On Monday, February 24, 2025, city staff attended the Rural Area Support **Collaborative (RASC) meeting** at the Hampton Inn, engaging with key stakeholders on health and wellness initiatives. Participants included Dan Gomez, VP of Provider Experience; Jannette Zito, Program Manager for Health Equity; representatives from the San Bernardino County Department of Public Health: Jaclyn Randall from Palo Verde College: and City Manager Patrick Martinez. Discussions focused on expanding provider networks, enhancing telehealth access, improving transportation solutions, and addressing social determinants of health. The latest Membership Profile Report shows **IEHP enrollment in Needles at 1,775 members**, reflecting steady healthcare coverage. IEHP remains a critical regional provider, offering essential services such as Medi-Cal enrollment assistance, primary and specialty care access, telehealth options, and transportation solutions to medical appointments. To maintain coverage, IEHP can help residents renew their Medi-Cal benefits, and they are encouraged to do so online, by mail, or in person. City staff continues to advocate for expanded healthcare resources to ensure Needles residents have access to necessary medical services.

IEHP's efforts to enhance provider availability and improve access to affordable healthcare are vital to the community's well-being. IEHP's Healthcare Scholarship Fund will cover tuition costs for Needles medical students pursuing careers as Primary Care Physicians (PCPs) and specialty physicians, further strengthening the region's healthcare workforce. <u>Click on this link</u> for more information about scholarships. Refer to the **attached information** for further details.

- 10. The City is thrilled to welcome Patrick McCaffery as the newest member of the Housing Commission. The commission oversees the Needles Housing Authority and ensures ongoing compliance with all state and federal laws, rules, and regulations. Additionally, it reviews and recommends new grant funding opportunities for housing programs and projects, advises the City Council on affordable housing issues, and serves as a forum for resolving tenant concerns at existing facilities. The commission meets on the fourth Wednesday of each month at 4 PM at El Garces. We are excited to have Patrick join the team and look forward to his contributions. Welcome aboard, Patrick!
- 11. On behalf of the City of Needles, I extend our heartfelt congratulations to the **Needles Lady Stangs**, the **2025 NIAA 2A State Champions**, for their remarkable achievement in defending their title. Their dedication, teamwork, and perseverance exemplify the highest standards of excellence in athletics. We commend the **Mustangs**, this year's state runner-up, for an outstanding season of hard-fought competition and commendable sportsmanship. Their commitment and resilience have brought great pride to our community. A victory parade welcomed both teams back home to celebrate their accomplishments, recognizing their hard work and dedication. Please refer to the attached photo for a glimpse of this special celebration honoring their achievements.
- 12. The City of Needles is committed to fostering a connected and engaged community through open communication and active public participation. To enhance citizen involvement, the City launched the "Needles Connect" mobile app, which now boasts over 500 users and continues to grow. Through Needles Connect, residents have direct access to real-time city news, events, and important updates—empowering residents to stay informed and engaged. The app also provides a convenient way to report issues such as streetlights, utility breaks, power outages, graffiti, potholes, and cannabis odors. We encourage all residents to download the Needles Connect app today on the Apple App or Google Play Store. Check out the attached flyer and scan the QR code to download or learn more!

13. IMPORTANT UPCOMING DATES:

- Date Postponed Well No. 11 Treatment Plant Project Ribbon Cutting City staff are working with the state agency to finalize a new date. We will keep the community informed as soon as a new date is scheduled.
- April 4-5, 2025 47th Annual Colorado River Round-Up

A full weekend of rodeo activities **Presale tickets** are available **March 31** - **April 3, 2025**, at the **Rodeo Store (920 W. Broadway).** For more details visit <u>www.needlesrodeo.com</u>, or contact **Judy Thornton at 760**-**333-5255**.

- April 10-12, 2025 Art in the Park Save the date! The second annual Art in the Park will showcase art pieces from across the Tri-State region in partnership with the River Valley Artist Guild. This event celebrates local creativity and community engagement. More information to come.
- April 19, 2025 Needles' 1st Annual World-Famous Chili Cookoff Join The River Community Coalition & Firehouse Ministries at 10:00 a.m. in Santa Fe Park (950 Front Street) for a day of delicious chili, friendly competition, and community spirit. Sponsorship, vendor, and participant opportunities are available: <u>Sponsor</u>, <u>Compete</u>, <u>Vendor</u> <u>Registration</u>.
- April 21-27, 2025 Route 66 Bike Week This weeklong event celebrates the historic Route 66 with a scenic ride from Needles to Seligman, highlighting the spirit of the open road and motorcycle culture.
- April 24, 2025 Needles Animal Shelter Spay/Neuter Clinic
 The Needles Animal Shelter will host a spay/neuter clinic to promote
 responsible pet ownership. Space is limited, and residents must RSVP
 by completing an application and providing proof of residency. A portion
 of the cost is subsidized to make the service more accessible. For more
 details or to schedule an appointment, call (760) 326-4952.
- May 14, 2025 Run for the Wall (RFTW) This annual tribute honoring Vietnam Veterans will welcome over 300 motorcyclists passing through Needles. The riders will arrive at the historic El Garces at noon, offering a meaningful opportunity to honor their service.
- Community Calendar

Local organizations are encouraged to coordinate with the City Clerk's Office to add or update events, keeping the calendar accurate and beneficial for the community. To submit an event or request changes, contact Candace Clark at **cclark@cityofneedles.com**.

2025 Spring Classic Tournament Gym Schedule

| SATURDAY | | | | | | | | | |
|----------|-------------------|----------|-------------------|----------|-----------------|--|--|--|--|
| Needles | Recreation Center | Ne | edles High School | V | Vellness Center | | | | |
| 8:00 AM | 3/4G #1 | 8:00 AM | 7/8 G #1 | 8:00 AM | 3/4 B #1 | | | | |
| 9:00 AM | 5/6 B #1 | 9:00 AM | 7/8 B #1 | 9:00 AM | 5/6 G #1 | | | | |
| 10:00 AM | 5/6 G #2 | 10:00 AM | 7/8 G #2 | 10:00 AM | 5/6 B #2 | | | | |
| 11:00 AM | 3/4 B #2 | 11:00 AM | 7/8 B #2 | 11:00 AM | 3/4G #2 | | | | |
| 12:00 PM | 5/6 B #3 | 12:00 PM | 7/8 B #3 | 12:00 PM | 5/6 B #4 | | | | |
| 1:00 PM | 3/4G #3 | 1:00 PM | 7/8 B #4 | 1:00 PM | 3/4 B #3 | | | | |
| 2:00 PM | 7/8 G #3 | 2:00 PM | 7/8 G #4 | 2:00 PM | 5/6 G #3 | | | | |
| 3:00 PM | 5/6 B #5 | 3:00 PM | 7/8 B #5 | 3:00 PM | 5/6 G #4 | | | | |
| 4:00 PM | 5/6 B #6 | 4:00 PM | 7/8 B #6 | 4:00 PM | 3/4 B #4 | | | | |
| 5:00 PM | 3/4 B #5 | 5:00 PM | 7/8 B #7 | 5:00 PM | 3/4G #4 | | | | |
| 6:00 PM | 5/6 B #7 | 6:00 PM | 7/8 G #5 | 6:00 PM | 5/6 G #5 | | | | |
| 7:00 PM | 3/4 B #6 | 7:00 PM | 7/8 B #8 | | | | | | |
| 8:00 PM | 5/6 B #8 | 8:00 PM | | | | | | | |
| | | | | | | | | | |


SUNDAY

| Need | les Recreation Center | Needles High School | | | | |
|----------|-----------------------|---------------------|----------------------|--|--|--|
| 7:30 AM | 3/4 B #7 | 7:30 AM | 7/8 G #6 | | | |
| 8:15 AM | 5/6 B #10 | 8:15 AM | 5/6 B #9 | | | |
| 9:00 AM | 5/6 G #6 | 9:15 AM | 7/8 B #9 | | | |
| 9:45 AM | 3/4 B #8 | 10:15 AM | 7/8 B #10 | | | |
| 10:45 AM | 3/4 G #5 | 11:15 AM | 5/6 G (Championship) | | | |
| 11:45 AM | 3/4 B (Championship) | 12:15 PM | 5/6 B (Championship) | | | |
| 12:45 PM | 3/4 G (Championship) | 1:15 PM | 7/8 G (Championship) | | | |
| | | 2:15 PM | 7/8 B (Championship) | | | |

NEEDLES SPRING CLASSIC YOUTH BASKETBALL TOURNAMENT MARCH 1 ~ 2, 2025

3rd ~ 4th GRADE BOYS

| Team #1 | CNLV |
|---------|-------------------|
| Team #2 | Bullhead Gorillas |
| Team #3 | Beaumont |
| Team #4 | Needles |
| Team #5 | 29 Palms |





NEEDLES SPRING CLASSIC YOUTH BASKETBALL TOURNAMENT MARCH 1 ~ 2, 2025

3rd ~ 4th GRADE GIRLS

| Team #1 | Needles |
|---------|----------|
| Team #2 | Beaumont |
| Team #3 | 29 Palms |


| Day & Time | Teams | Site |
|-----------------------|--------|------|
| Game #1 Sat. 8:00 AM | 1 VS 2 | NRC |
| Game #2 Sat. 11:00 AM | 2 VS 3 | wc |
| Game #3 Sat. 1:00 PM | 3 VS 1 | NRC |






NEEDLES SPRING CLASSIC YOUTH BASKETBALL TOURNAMENT

March 1 ~ 2, 2025




NEEDLES SPRING CLASSIC YOUTH BASKETBALL TOURNAMENT

March 1 ~ 2, 2025



NHS - Needles High School



Needles Residents: 2. HOUSEHOLD HAZARDOUS WASTE COLLECTION March 01, 2025 7a.m. to 11a.m.

Needles City Yard, 112 Robuffa Street, Needles, CA 92363





We Accept...

- Antifreeze
- Auto & Household Batteries
- Computer Monitors, TVs
- CPUs, Printers
- Fluorescent Tubes
- Home-Generated Sharps/Needles in approved container
- Household Cleaners
- Medications separate liquids from solids (excluding controlled substances)
- Microwave Ovens
- Motor Oil/Used Filters
- Musical Cards, Clothes Irons
- Paint Products
- Pesticides & Fertilizers
- Space Heaters, Stereos, Radios
- Telephones
- VCRs/DVD Players

We Do NOT Accept...

- Asbestos
- Business/Commercial Wastes
- Explosives
- Medical Wastes other than sharps
- Radioactive Wastes
- Reactives
- Tire, Appliances, Furniture, Air Conditioner, etc.
- Wastes from foreclosed properties
 & non-profit organizations



Take the last step! Recycle your USED MOTOR OIL and OIL FILTERS!

- Dumping used oil (or any chemical) is a crime legally and environmentally
- Dumped oil contaminates ground water our drinking water source
- Used oil is insoluble and can contain toxic chemicals
- Used oil kills plant and aquatic life
- One pint of used oil can create an acre-sized oil slick on surface waters

Remember when recycling oil to...

- Drain your oil from cars, trucks, motorcycles, boats, recreational vehicles, lawnmowers, etc., into a reusable, sealable container.
- Do not dump oil on the ground, in the gutter or storm drain, or throw in the trash
- Do not mix anything with the oil (water, paint, pesticides, diesel, antifreeze or gasoline)

Before transporting, be sure that...

- · Waste is properly labeled or in its original container
- The container is no larger than 5 gallons. Transport no more than 15 gallons or 125 lbs.
- Containers are sound and not leaking
- Sharps/needles must be in approved biohazard container. Sharps will not be accepted in plastic bags, coffee cans, milk jugs, or soda cans
- Waste is securely placed in the back of the vehicle for safe transport

The following guidelines apply:

- Household Hazardous Waste ONLY. No Business-Generated Waste Accepted
- San Bernardino County Residents ONLY. Identification will be required
- No Early Birds (waste brought before 7:00a.m. will not be accepted)
- Waste must be accepted by County Fire Protection District personnel.
- Remain in vehicle at all times

For questions or more information, contact:

San Bernardino County Fire Protection District, Household Hazardous Waste Program


909.382.5401 or

1.800.0ILY.CAT (1.800.645.9228)

Cosponsored by San Bernardino County Board of Supervisors, City of Needles, and San Bernardino County Fire Protection District

Visit Sbcfire.org/hhw

CITY DA PAINEOFILIER WARE DLESS



3. COMMUNITY CLEAN-UP




3. COMMUNITY BEAUTIFICATION




















10:00AM - 5:30PM NEEDLES TOURISM OFFICE | 920 W BROADWAY ST, NEEDLES, CA 92363

5. PALO VERDE COLLEGE PALO VERDE COLLEGE WHERE KNOWLEDGE TAKES ROOT AND OPPORTUNITY GROWS

Hosting The Metropolitan Water District

Come Learn About Their Apprenticeship Program

 DATE: MONDAY, FEBRUARY 24, 2025
 LOCATION: NEEDLES EDUCATIONAL CENTER 725 W. BROADWAY, NEEDLES, CA 92363
 COST: FREE

WORKSHOP TIME: • 1:00 PM - 3:00 PM

About the Program:

The Metropolitan Water District Apprenticeship Program offers hands-on training and structured coursework to develop journey-level skills for mechanical and electrical technicians. The program combines on-the-job experience, lectures, and labs to prepare apprentices for a successful career in the field.

FIDON'T MISS THIS OPPORTUNITY TO LEARN MORE AND KICKSTART YOUR CAREER!





CONTACT US 760-326-5044 jrandall@paloverde.edu JOIN THE CAREER & TECHNICAL EDUCATION TEAM AT THE CTE ADVISORY MEETING

CTE's advisory committee brings together industry leaders, educators, and local businesses to discuss curriculum and how to best prepare students for entry-level roles. We seek to understand how we can support our business partners by providing students with the skills they need.

PALO VERDE COLLEGE

WEDNESDAY, MARCH 26, 2025



12-5 P.M. PALO VERDE COLLEGE THEATER ONE COLLEGE DRIVE BLYTHE, CA 92225


With breakout sessions for:

Alcohol and Drug Studies, Automotive, Building Trades and Construction, Business, Child Development, Computer Information System, Criminal Justice, Nursing and Welding Lunch will be provided

REGISTER BY MONDAY, MARCH 17

"Free and Open to the Public" Job or Informational Booths Welcome





ANORN STRONG WORKFORCE

https://forms.office.com/r/e3drLE3qz0

Any question email: artemiza.lujano@paloverde.edu



NEEDLES CENTER

SCHOLARS

SATURDAY APRIL 12, 2025 Starts at palo verde college at 9AM; check-in at 7:30 AM

For more information call (760) 326-5033 or visit http://www.paloverde.edu/

725 W. Broadway, Needles, CA 92363

Categories: • 12 years & Under • 13 - 17 years • 18 years and up FEE: \$25 PER PERSON INCLUDES TSHIRT, MEAL REGISTRATION:



Must Register Before April 1

Age

https://forms.gle/3E53VXckUgDxQV6V6

6. BLM BURRO EXTRACTION



8. RIVERS EDGE GOLF COURSE



The Needles Area Chamber of Commerce AND Visitor's Center



Example 2025 Golf Tournament Saturday - March 15, 2025

One Player \$75.00 Per Team \$225 3-Person Scramble 50/50 Drawing, Raffle & Door Prizes Closest to Pin & Long Drive Registration 7:30 am Shotgun Start 8:30 am Awards 2:00 PM

> Rivers Edge Golf Course 144 Marina Drive, Needles, CA 92363

> For More Information Contact The Needles Chamber @ 760-326-2050

Lucky Greens

2025 Golf Tournament Sponsorship Program

As a valued member of our community, you understand the importance of a strong and wellsupported Chamber of Commerce in driving local business success, fostering economic growth, and enhancing community engagement.

We are reaching out to invite you to be a key partner in strengthening the infrastructure of our Chamber, ensuring we continue to provide essential resources, networking opportunities, and advocacy for local businesses.

By becoming a sponsor, you will not only demonstrate your commitment to our local economy but also gain valuable visibility and recognition among fellow businesses and community leaders. We offer various sponsorship levels with tailored benefits, and we would love the opportunity to discuss how we can align your support with your business goals.

Thank you for considering this partnership to strengthen our community's business foundation. We look forward to working together to make a lasting impact

Platinum (Only One) \$5000.00

- (3) Three Person Scramble
- (6) Tee Signs
- (1) Logo & Name on Main Banner (large)
- (1) Logo & Name on Main Poster/Flyer
- (1) Exhibitor Space on Golf Course
- (1) Social Media. Website & Marketing
- (1) Promo Items in Bag (100)
- (1) Exclusive Lunch Tournament Sponsor
- (1) Exclusive Hole in One Sponsor
- (1) Continental Breakfast Sponsor
- (1) Exclusive Longest Drive Sponsor

Gold (Only Four) \$2500.00

- (2) Three Person Scramble
- (4) Tee Signs
- (1) Logo & Name on Main Banner (Med)
- (1) Logo & Name on Main Poster/Flyer
- (1) Exhibitor Space on Golf Course
- (1) Social Media. Website & Marketing
- (1) Promo Items in Bag (100)
- (1) Continental Breakfast Sponsor

Silver (Unlimited) \$1000.00

- (1) Three Person Scramble
- (3) Tee Signs
- (1) Logo & Name on Main Banner (Small)
- (1) Logo & Name on Main Poster/Flyer
- (1) Social Media. Website & Marketing
- (1) Promo Items in Bag (100)
- (1) Exhibitor Space on Golf Course



Bronze (Unlimited) \$500.00

(1) Three Person Scramble

- (2) Tee Signs
- (1) Logo & Name on Main Banner (Small)
- (1) Logo & Name on Main Poster/Flyer
- (1) Social Media. Website & Marketing
- (1) Promo Items in Bag (100)

For More Information or Questions Please Contact The Needles Chamber of Commerce at 760-326-2050

9. RURAL AREA SUPPORT COLLABORATIVE



NEEDLES Rural Area Support Collaborative (RASC)

February 24, 2025

Membership Report – Mohave Valley Region Request from Grant

Membership Profile – January 2024 thru February 2025

| MCL Members | 2/11/2025 | 1/7/2025 | 10/1/2024 | 7/31/2024 | 7/1/2024 | 6/4/2024 | 4/29/2024 1/2/2024 | |
|---------------|-----------|----------|-----------|-----------|----------|----------|--------------------|------|
| Mohave Valley | | | | | | | | |
| Bullhead City | 0 | 0 | 1 | 2 | 2 | 0 | 0 | 0 |
| Big River | 236 | 232 | 225 | 227 | 229 | 239 | 244 | 254 |
| Parker Dam | 13 | 13 | 13 | 11 | 11 | 11 | 11 | 12 |
| Cima | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 |
| Essex | 7 | 8 | 14 | 15 | 15 | 15 | 19 | 19 |
| Needles | 1775 | 1756 | 1760 | 1746 | 1748 | 1761 | 1807 | 1916 |
| Nipton | 14 | 12 | 10 | 9 | 9 | 9 | 10 | 9 |
| Mountain Pass | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Total | 2048 | 2024 | 2025 | 2011 | 2014 | 2037 | 2093 | 2212 |
| Net Change | 24 | -1 | 14 | -3 | -23 | -56 | -119 | |



A health plan that fits used

Your budget. Your goals. Your family.

Find out if you qualify for \$0 or low-cost plans.










Covered California is a registered trademark of the State of California.



Don't lose your Medi-Cal benefits. This includes doctor visits, medicines, dental, vision, immunizations and more.

Pick one way to renew your Medi-Cal coverage:

- Online: Scan the QR code or visit BenefitsCal.com and click "Log In" or "Create an Account."
- **By Mail:** Send the completed packet back to your county.
- In Person: Visit your county Medi-Cal office.
- By Phone: Call your local Medi-Cal office:
 - Riverside County: 1-877-410-8827, Monday-Friday, 8am-5pm.
 - San Bernardino County: 1-877-410-8829, Monday-Friday, 7am-5pm.

Need help filling out the forms?


Call IEHP's Eligibility Team at **1-888-860-1296**, Monday-Friday, 8am-5pm or visit **BenefitsCal.com**.

Your county will mail you a letter telling you if your Medi-Cal was renewed already. If not, you'll need to complete the packet and return it right away to your county Medi-Cal office.





11. NIAA 2A STATE CHAMPS



12. NEEDLES CONNECT Download Needles Connect

- Access Information
- View latest Updates
- Receive Notifications
- And more...



