

Town of Paradise Planning Commission Meeting Agenda 6:00 PM – September 19, 2023

Town of Paradise Council Chamber - 5555 Skyway, Paradise, CA

Planning Commission Staff:

Susan Hartman, Community Development Director Melanie Elvis, Planning Commission Secretary

Planning Commission Members:

Lynn Costa, Chair Kim Morris, Vice Chair Carissa Garrard, Commissioner Charles Holman, Commissioner Zeb Reynolds, Commissioner

In accordance with the Americans with Disabilities Act, if you need a special accommodation to participate, please contact Community Development Director Hartman, at 872-6291 ext. 417 at least 48 hours in advance of the meeting. Hearing assistance devices for the hearing impaired are available from the Presiding Clerk. Members of the public may address the Planning Commission on any agenda item. If you wish to address the Planning Commission on any matter on the Agenda, it is requested that you complete a "Request to Address Council/Commission" card and give it to the Presiding Clerk prior to the beginning of the Meeting. All writingsor documents which are related to any item on an open session agenda and which are distributed to a majority of the Planning Commission within 72 hours of a Regular Meeting will be available for public inspection at the Town Hall in the Town Clerk or Community Development Services Department located at 5555 Skyway, at the time the subject writing or document is distributed to a majority of the subject body. Regular business hoursare Monday through Thursday from 8:00 a.m. to 5:00 p.m.

CALL TO ORDER

PLEDGE OF ALLEGIANCE TO THE FLAG OF THE UNITED STATES OF AMERICA ROLL CALL

1. APPROVAL OF MINUTES

<u>1a.</u> Approve Regular Meeting Minutes of the August 15, 2023 Planning Commission Meeting.

APPOINTMENT OF PLANNING COMMISSION CHAIR AND VICE CHAIR FOR THE 2023/24 FISCAL YEAR.

- 2a. Appointment of Chair (Secretary presiding)
- 2b. Appointment of Vice-Chair (Appointed Chair presiding)

3. COMMUNICATION

- 3a. Recent Council Actions
- Staff Comments

4. PUBLIC COMMUNICATION

Comments are limited to a maximum of five minutes duration. If more time is needed, please request staff to place the subject on an agenda for a future Commission meeting.

* * * PUBLIC HEARING PROCEDURE * * *

- A. Staff comments
- B. Open the hearing to the public
 - 1.Project applicant
 - 2. Parties for the project
 - 3. Parties against the project
 - 4.Rebuttals

- C. Close hearing to the public
- D. Commission discussion
- E. Motion
- F. Vote

NOTE: Pursuant to Planning Commission Resolution No. 96-001, any person may speak before the Commission regarding the matter under consideration for a maximum of five minutes unless granted additional time by the Chair. "In accordance with the Americans with Disabilities Act, if you need a special accommodation to participate, please contact the Community Development Dept., at 872-6291 at least 48 hours in advance of the meeting."

5. CONTINUED PUBLIC HEARING - None

6. PUBLIC HEARING

<u>6a.</u> <u>Item to be determined to be exempt from environmental review.</u>

Integrity Builders Conditional Use Permit Application (PL22-00095): Planning Commission consideration of a request for the reconstruction of a legal nonconforming single-family dwelling that was destroyed in the Camp Fire. The project site is a 1.04-acre property zoned Community Commercial (CC) and is located at 1440 Coldren Road, further identified with Assessor's Parcel No 050-060-060. (ROLL CALL VOTE)

7. OTHER BUSINESS

- 8. COMMITTEE ACTIVITIES
- 9. COMMISSION MEMBERS
 - 9a. Identification of future agenda items (All Commissioners/Staff)

10. ADJOURNMENT

STATE OF CALIFORNIA)	SS.
COUNTY OF BUTTE)	
I declare under penalty of perjury that I a	
the Town Clerk's Department and that I	
both inside and outside of Town Hall on	the following date:
TOWN/ASSISTANT TOWN CLERK SIG	NATURE



Town of Paradise Town Council Meeting Minutes 6:00 PM – August 15, 2023

Town of Paradise Council Chamber - 5555 Skyway, Paradise, CA

CALL TO ORDER by Chair Costa at 6:01 p.m. who led the pledge of Allegiance to the Flag of the United States of America.

PLANNING COMMISSIONERS PRESENT: Carissa Garrard, Charles Holman, Kim Morris and Lynn Costa, Chair

PLANNING COMMISSIONERS ABSENT: Zeb Reynolds

1. APPROVAL OF MINUTES

1a. MOTION by Morris, seconded by Holman, approved the regular meeting minutes of June 20, 2023. Roll call vote was unanimous with Reynolds absent and not voting.

2. COMMUNICATION

Community Development Director Susan Hartman provided an update on Town Council action and shared that Council conceptually approved plans to dedicate necessary Operations & Maintenance Financing Assistance (\$6,460,000) to ensure ongoing sustainability of the Paradise Sewer Project contingent upon securing full project capital funding; hired legal services specifically for support the sewer project; and approved two civil engineering firms to assist with the Town's Capital Improvement Projects.

- 3. PUBLIC COMMUNICATION None
- 4. CONTINUED PUBLIC HEARING None

5. PUBLIC HEARING

5a. Assistant Planner Anne Vierra presented the on the proposed site plan review permit application for a nonconforming rebuild of a home that was destroyed in the Camp Fire.

Chair Costa opened the public hearing at 6:07 p.m.

1. The project applicant shared that he intends to use the house as a rental for one of his employees to help keep an eye on the property.

Chair Costa closed the public hearing at 6:09 p.m.

MOTION by Morris, seconded by Holman, approved the Ely site plan review permit application proposing the rebuild of a single-family residence on a property zoned Neighborhood Commercial (NC). The project site is a

0.62-acre property located at 1694 Wagstaff Rd, Paradise and further identified as Assessor Parcel No. 050-180023 and was approved subject to the General Conditions outlined below. Roll call vote was unanimous with Commissioner Reynolds absent and not voting.

Commission and the applicant were reminded that the project is subject to a seven-day appeal period and that no permits would be issued before that time.

GENERAL CONDITIONS

- If any land use for which a use permit has been granted and issued is not established within three years of the use permit's effective date, the use permit may become subject to revocation by the Town of Paradise.
- 2. Pay any applicable development impact fees prior to issuance of building permits for project construction in accordance with Paradise Municipal Code requirements.
- 3. Development on the property shall comply with the site development regulations outlined in Paradise Municipal Code (PMC) Section 17.20.400.

CONDITIONS TO BE MET PRIOR TO ISSUANCE OF BUILDING PERMIT(S)

Construction codes

- 4. Complete the requirements of the Town Building Official & Fire Marshal regarding submittal of construction plans, building permit application, and all applicable town adopted construction code requirements.
- 5. Meet the requirements of PMC Section 8.58.060 including the use of noncombustible materials within 5 feet of the proposed structure.

Grading and Drainage

- 6. If disturbing more than 50 cubic yards of soil outside of the building footprint, secure a grading permit and meet the requirements of the Engineering Division.
- 7. Submit Erosion and Sediment control plan for review by the Engineering Division.

Site Development

8. Submit site plan to the Engineering Division for approval **prior to** building permit issuance (site plan must show all grading as required per Town Municipal Code Section 15.02.150.1 - Section J104.2, including, but not limited to: finished floor, finished grade, contours, slopes, limit of grading, cut/fill, grades, etc.). Show slopes and limits of grading near building (include flow direction arrows, slope percentage, what is existing, and delineate any cut/fill).

Sanitation

- Complete the requirements of the Town Onsite Sanitary Official concerning evaluation of the wastewater system. If deemed failed, secure permits for the repair or replacement of the system.
- 10. To comply with PMC Section 13.04.112 *Bedrooms*, the proposed manufactured home floor plan must be modified by removing the door to the hallway from the "den" and providing a 4' cased opening into the living room.

CONDITIONS TO BE MET PRIOR TO FINAL BUILDING INSPECTION AND CERTIFICATE OF OCCUPANCY

Utilities

- 11. Meet the requirements of the Paradise Irrigation District (PID) regarding any required water meter upgrade and backflow prevention assembly, in accordance with the written comments from PID staff dated July 13, 2023 and on file with the Town Development Services Department.
- 12. Provide evidence that the Paradise Irrigation District water advisory has been lifted for the property.

Site Development:

- 13. Any work associated with repairing or replacing the driveway encroachment requires the issuance of an encroachment permit from the Town Public Works Department.
- 14. Approved numbers or addresses shall be placed on the building above the doorway, or in such a position as to be visible from the street or road fronting the property.
 - Meet the requirements of the Town Onsite Sanitary Official with regards to any issued permits to repair or replace the septic, if any.
 - 5b. Associate Planner Nick Bateman presented the proposed site plan review permit application to rebuild a nonconforming home that was destroyed in the Camp Fire.

Chair Costa opened the public hearing at 6:13 p.m.

There were no public comments.

Chair Costa closed the public hearing at 6:13 p.m.

MOTION by Holman, seconded by Garrard, approved the Bartok site plan review permit application proposing the rebuild of a single-family residence on a property zoned Neighborhood Commercial (NC). The project site is a 0.32-acre property located at 1197 Arlene Way, Paradise and further identified as Assessor Parcel No. 051-132-115, and was approved subject

PLANNING COMMISSION MINUTES

Page 4

to the General Conditions outlined below. Roll call vote was unanimous with Commissioner Reynolds absent and not voting.

Commission and the applicants were reminded that the project is subject to a seven-day appeal period and that no permits would be issued before that time.

GENERAL CONDITIONS

- 1. If any land use for which a use permit has been granted and issued is not established within three years of the use permit's effective date, the use permit may become subject to revocation by the Town of Paradise.
- 2. Pay any applicable development impact fees prior to issuance of building permits for project construction in accordance with Paradise Municipal Code requirements.
- 3. Development on the property shall comply with the site development regulations outlined in Paradise Municipal Code (PMC) Section 17.20.400.

CONDITIONS TO BE MET PRIOR TO ISSUANCE OF BUILDING PERMIT(S)

Construction codes

- 4. Complete the requirements of the Town Building Official & Fire Marshal regarding submittal of construction plans, building permit application, and all applicable town adopted construction code requirements.
- 5. Meet the requirements of PMC Section 8.58.060 including the use of noncombustible materials within 5 feet of the proposed structure.

Grading and Drainage

- 6. If disturbing more than 50 cubic yards of soil outside of the building footprint, secure a grading permit and meet the requirements of the Engineering Division.
- 7. Submit Erosion and Sediment control plan for review by the Engineering Division.

Site Development

8. Submit a site plan to the Engineering Division for approval **prior to** building permit issuance (site plan must show all grading as required per Town Municipal Code Section 15.02.150.1 - Section J104.2, including, but not limited to: finished floor, finished grade, contours, slopes, limit of grading, cut/fill, grades, etc.). Show slopes and limits of grading near building (include flow direction arrows, slope percentage, what is existing, and delineate any cut/fill).

CONDITIONS TO BE MET PRIOR TO FINAL BUILDING INSPECTION AND CERTIFICATE OF OCCUPANCY

Utilities

- Meet the requirements of the Paradise Irrigation District (PID) regarding any required water meter upgrade and backflow prevention assembly, in accordance with the written comments from PID staff dated July 14, 2023, and on file with the Town Development Services Department.
- 10. Provide evidence that the Paradise Irrigation District water advisory has been lifted for the property.

Site Development:

Approved numbers or addresses shall be placed on the building above the doorway, or in such a position as to be visible from the street or road fronting the property.

5c. Senior Planner Amber DePaola presented the proposed conditional use permit application to expand an existing mobile home park.

Chair Costa opened the public hearing at 6:24 p.m.

There were no public comments.

Chair Costa closed the public hearing at 6:24 p.m.

MOTION by Morris, seconded by Costa, approved a request for a conditional use permit to grant an 8-space expansion of an existing mobile home park. The property is currently permitted by the State for 58 combined mobile home and RV sites on a +/-8.75-acre property with an adjoining 2.4-acre property to remain undeveloped. The properties are zoned Multi-Family (MF) and are located at 7726 Skyway and further identified as Assessor Parcel Nos. 051-164-060 & 016 and was approved subject to the General Conditions outlined below. Roll call vote was unanimous with Commissioner Reynolds absent and not voting.

Commission and the applicants were reminded that the project is subject to a seven-day appeal period and that no permits would be issued before that time.

GENERAL CONDITIONS

- 1. If any land use for which a use permit has been granted and issued is not established within three years of the use permit's effective date, the use permit may become subject to revocation by the Town of Paradise.
- 2. Meet the requirements of Paradise Municipal Code Section 8.58.060 *Defensible* space/hazardous fuel management which regulates combustibles within 5' from a

dwelling unit.

3. Any work within the Town right-of-way will require an encroachment permit through the Town of Paradise Engineering Division.

Sanitation

4. Submit a design for review of the repair or replacement of the septic system(s) to adequately serve 66 spaces.

CONDITIONS TO BE MET PRIOR TO HCD FINAL - FORM 514

- 5. Provide evidence of completion of the required septic system installation and provide a copy of the final as-built to the Town of Paradise Onsite Wastewater Division.
- 6. Provide evidence that the Paradise Irrigation District water advisory has been lifted for the property to the Town of Paradise Planning Division.
- 7. Install addresses for each Lot as required by Title 25 and provide a map with the final Lot layout and space addresses to the Town of Paradise Planning Division.
 - 5d. Community Development Director Susan Hartman presented the proposed rezone application and resolution.

Chair Costa opened the public hearing at 6:29 p.m.

There were no public comments.

Chair Costa closed the public hearing at 6:29 p.m.

MOTION by Costa, seconded by Morris, approved Planning Commission Resolution 2023-03 "A Resolution of the Paradise Planning Commission Recommending Town Council Adoption of a Partial Rezoning of Certain Real Property within the Town of Paradise", recommending Town Council approval of a rezone affecting a +/-1.22-acre portion of a +/-4.64 property from Rural Residential 2/3 acre minimum (RR 2/3) to Rural Residential ½ acre minimum (RR $\frac{1}{2}$) to accommodate a conditionally approved lot line adjustment. The project site is located at 5460 Filbert Ave, Paradise and further identified as Assessor Parcel No. 052-260-135. Roll call vote was unanimous with Commissioner Reynolds absent and not voting.

This project is subject to a five-day appeal period and no permits will be issued before that time.

6. OTHER BUSINESS - None

7. COMMITTEE ACTIVITIES - None

8. COMMISSION MEMBERS

8a. Community Development Director Susan Hartman shared that the Family Fun Center is negotiating a lease to rent the other half of the old Holiday Market space, opposite of True Value; Planning anticipates the Safety Element to come to Commission in either November or December; and that the Town was awarded a grant to assist with the sewer service overlay zoning district.

9. ADJOURNMENT

Lynn Costa, Chair	Melanie Elvis, Deputy Town Clerk
By:	Attest:
D	A 44 4.
Date Approved:	
Chair Costa adjourned the meeting at 6:33 p.r	n.





Planning Commission Agenda Summary Agenda Item: 6(a)

Date: September 19, 2023

ORIGINATED BY: Nick Bateman, Associate Planner

REVIEWED BY: Susan Hartman, Community Development Director

SUBJECT: Review of the Integrity Builders Conditional Use Permit

Application (PL22-00095).

COMMISSION ACTION REQUESTED:

 Adopt findings of approval and approve the Integrity Builders Conditional Use Permit Application (PL22-00095) to allow the reconstruction of a legal nonconforming single-family residence on a Community Commercial (CC) zoned property.

General information:

Applicant: Integrity Builders

6635 Clark Road Paradise, CA 95969

Location: 1440 Coldren Road, Paradise

Purpose: To rebuild a legal nonconforming single-family dwelling.

Present Zoning: "C-C" Community Commercial

General Plan

Designation: "T-C" Town Commercial

Existing Land Use: Vacant lot. The property previously held an identical residence that was

destroyed in the 2018 Camp Fire.

Surrounding Land Use: North: Three parcels, two share the CC zoning

designation. Another has a residential zoning. Both commercial parcels have commercial

structures

East: Skyway, a public street

South: A vacant parcel sharing the CC zoning designation West: A residentially zoned parcel with a residence under

construction.

Parcel Size: ±1.04 acres

CEQA Determination: Categorically Exempt – CEQA Section 15302, Class 2

Other: An appeal of the Planning Commission's decision can be made within

Background:

The permit applicant, Integrity Builders, requests Conditional Use Permit approval from the Town of Paradise to rebuild a single-family dwelling on property with a Community Commercial zoning. The property is currently vacant after the previously existing home burned in the 2018 Camp Fire. The previous residence was built in 1945, prior to the Town's incorporation. When the home was originally constructed, no planning entitlement was required. Upon subsequent adoption of the Town's zoning ordinance, single-family residences in the Community Commercial zone were not permitted, making the previously existing residence legal non-conforming.

The +/-1.04-acre parcel contains no structures but retains the septic infrastructure from the 2-bedroom home lost in the 2018 Camp Fire. The project site is in the Community Commercial zoning district, abbreviated as "C-C". Access to the site is provided by Coldren Road, a private road.

Surrounding land uses include several parcels sharing the community commercial (CC) zoning as well as parcels with the Rural Residential zoning with a 1-acre minimum. The property is bordered by two commercial properties, with existing commercial uses including a flooring warehouse and a new commercial warehouse. The project parcel is also bordered by two residential parcels to the north and west. One is being rebuilt. The property is bordered by Skyway to the east. Across Skyway is another property sharing the community Commercial (CC) zoning. A vacant commercial parcel is located south of the property. The neighborhood has a mix of residential and commercial uses.

Analysis:

The proposed development is considered a single-family land use, which is not permitted in the Community Commercial zoning district. The single-family residence is only able to be reestablished through planning commission approval of this conditional use permit application.

The project has received favorable responses from the commenting agencies and is proposed in a location that appears to be reasonable for a single-family dwelling due to its proximity to residential zoning and the pre-fire characteristics of the neighborhood.

Environmental Review:

This project can be found exempt from California Environmental Quality Act under Section 15302, Class 2, *Replacement or Reconstruction*. This project consists of the rebuilding of a single-family dwelling. This reconstruction is like for like, meaning no substantial changes to the pre-fire residence are proposed.

Recommendation:

Adopt the required findings for approval as provided by staff and approve the Integrity Builders Conditional Use Permit application (PL22-00095) to allow the construction of the proposed single-family residence.

Required Findings for Approval:

- a. Find that the proposed project is categorically exempt from the requirements of the California Environmental Quality Act (CEQA) pursuant to Section 15302 (Class 2) of the CEQA guidelines.
- b. Find that the project, **as conditioned**, is compatible with surrounding land uses and would not be detrimental to the health, safety, and general welfare of the residents of the Town of Paradise.
- c. Find that, **as conditioned**, approval of the Integrity Builders Conditional Use Permit can be found to be consistent with Title 17 of the Paradise Municipal Code and the goals and land use policies of the current 1994 Paradise General Plan.

GENERAL CONDITIONS

- 1. If any land use for which a use permit has been granted and issued is not established within three years of the use permit's effective date, the use permit may become subject to revocation by the Town of Paradise.
- 2. Pay any applicable development impact fees prior to issuance of building permits for project construction in accordance with Paradise Municipal Code requirements.
- 3. Development on the property shall comply with the site development regulations outlined in Paradise Municipal Code (PMC) Section 17.20.400.

CONDITIONS TO BE MET PRIOR TO ISSUANCE OF BUILDING PERMIT(S)

Construction codes

- 4. Complete the requirements of the Town Building Official & Fire Marshal regarding submittal of construction plans, building permit application, and all applicable town adopted construction code requirements.
- 5. Meet the requirements of PMC Section 8.58.060 including the use of noncombustible materials within 5 feet of the proposed structure.

Grading and Drainage

- 6. If disturbing more than 50 cubic yards of soil outside of the building footprint, secure a grading permit and meet the requirements of the Engineering Division.
- 7. Submit Erosion and Sediment control plan for review by the Engineering Division.

Site Development

8. Submit a site plan to the Engineering Division for approval **prior to** building permit issuance (site plan must show all grading as required per Town Municipal Code Section 15.02.150.1 - Section J104.2, including, but not limited to: finished floor, finished grade, contours, slopes, limit of grading, cut/fill, grades, etc.). Show slopes and limits of grading near building (include flow direction arrows, slope percentage, what is existing, and delineate any cut/fill).

9. All structures related to the residential development of this parcel shall abide by the minimum setbacks of the Rural Residential 1-acre minimum (RR-1) zoning designation.

CONDITIONS TO BE MET PRIOR TO FINAL BUILDING INSPECTION AND CERTIFICATE OF OCCUPANCY

Utilities


- 10. Meet the requirements of the Paradise Irrigation District (PID) regarding any required water meter upgrade and backflow prevention assembly, in accordance with the written comments from PID staff dated October 12, 2022, and on file with the Town Development Services Department.
- 11. Provide evidence that the Paradise Irrigation District water advisory has been lifted for the property.

Site Development:

12. Approved numbers or addresses shall be placed on the building above the doorway, or in such a position as to be visible from the street or road fronting the property.

LIST OF ATTACHMENTS FOR INTEGRITY BUILDERS CONDITIONAL USE PERMIT APPLICATION (PL22-00095)

- 1. Project site vicinity map
- 2. Notice sent to surrounding property owners for the public hearing
- 3. Mailing list of property owners notified of the public hearing
- 4. Summary of development review comments received
- 5. Notice of Exemption document for the Integrity Builders Conditional Use Permit project
- 6. Conditional use permit application submitted by Integrity Builders
- 7. Project floor plan and site plan



NOTICE OF PUBLIC HEARING PARADISE PLANNING COMMISSION

NOTICE IS HEREBY GIVEN by the Paradise Planning Commission that the public hearing originally scheduled for Tuesday, September 19, 2023, at 6:00 p.m. will now be held on **Monday, September 25, 2023, at 6:00 p.m.** in the Town Hall Council Chambers, 5555 Skyway, Paradise, California, regarding the following project:

a. Item to be determined to be exempt from environmental review.

Integrity Builders Conditional Use Permit Application (PL22-00095): Planning Commission consideration of a request for the reconstruction of a legal nonconforming single-family dwelling that was destroyed in the Camp Fire. The project site is a 1.04-acre property zoned Community Commercial (CC) and is located at 1440 Coldren Road, further identified with Assessor's Parcel No 050-060-060.

The project files are available for public inspection at the Development Services Department, Building Resiliency Center, 6295 Skyway, Paradise, CA 95969. If you challenge this project in court, you may be limited to raising only those issues you or someone else raised at the public hearing described in this notice, or in written correspondence delivered to the Town of Paradise Planning Director at, or prior to, the public hearing. For further information please contact the Community Development Department at (530) 872-6291, extension 423.

Susan Hartman Planning Director 5160

Paradise Irrigation District 6332 Clark Road Paradise, CA 95969

Paradise Board of Realtors 6161 Clark Road Ste. 2 Paradise, CA 95969

Paradise Cemetery District 980 Elliott Road Paradise, CA 95969

Paradise Unified School District 6696 Clark Road Paradise, CA 95969

Paradise Ridge Chamber of Commerce 6161 Clark Road Ste. 1 Paradise, CA 95969

Butte Environmental Council

313 Walnut St., Ste. 140 Chico, CA 95928

Paradise Recreation & Park Dist. 6626 Skyway Paradise, CA 95969

Pacific Gas & Electric Laird Oelrichs, Land Agent 350 Salem St. Chico, CA 95928

Butte Co. Air Quality Mgmt. Dist. 629 Entler Ave., Suite 15 Chico, CA 95928

Butte Co. Air Quality Mgmt. Dist. 629 Entler Ave., Suite 15 Chico, CA 95928

Étiquettes d'adresse Easy Peel

050-060-098-000 HEKMAN CHRISTOPHER & LASHAWNA 6833 QUAIL WAY PARADISE, CA 95969 050-060-095-000 MANGRUM ROBERT A 12207 S STONERIDGE CIR PARADISE, CA 95969

050-060-083-000 JESSEN TERESA MARIE 1516 BORA BORA DR WEST JORDAN, UT 84084

050-060-069-000 COLYER REVOCABLE INTER VIVOS TRUST C/O COLYER ARTHUR S & JOAN MARIE TRUSTEES 1839 STARK LN PARADISE CA 95969 050-060-042-000 RRA RECONSTRUCTION & RECOVERY ADVISORS INC P.O. BOX 858 GLENDORA, CA 91740

050-060-033-000 PUTNAM FAMILY TRUST C/O PUTNAM LUKE & HANNAH TRUSTEES 275 KAY AVE RED BLUFF, CA 96080 050-060-026-000 ZHILKO VASILIY & LILIYA 7873 MICHIGAN DR CITRUS HEIGHTS, CA 95610

050-060-012-000 CRONIN JAMES M & MONTE N P O BOX 1381 COTTONWOOD, CA 96022 050-060-097-000
CLARKSON TRUST
C/O CLARKSON VINCENT & KRISTINA
CO-TRUSTEES
67 TUSCAN DR
PARADISE, CA 95969
050-060-093-000
KNIFONG REVOCABLE INTER VIVOS
TRUST& KNIFONG LARRY W &
LAURA A TRUSTEES
3200 FAWNRIDGE CT
PARADISE, CA 95969
050-060-082-000
GOODWIN WILLIAM F & GODINEZ
DEANNA

050-060-060-000 BROW KENNETH 1440 COLDREN RD PARADISE CA 95969

1819 FOXSWALLOW CIRCLE,

PLEASANTON, CA 94566

050-060-040-000 ADAMSON FRED & TAMI 5524 VIRGINIA RD MARYSVILLE, CA 95901

050-060-029-000 MCGRATH KATHLEEN MAE REVOCABLE LIVING TRUST C/O MCGRATH KATHLEEN, TRUSTEE 6922 QUAIL WAY PARADISE, CA 95969 050-060-025-000 PRINZ RICHARD P & VERONICA L 1410 COLDREN PARADISE, CA 95969

Colaren wp

050-060-096-000 MANGRUM ROBERT A 12207 S STONERIDGE CIR PARADISE, CA 95969

050-060-086-000 ALJASSANI AMEEN 5587 KEONCREST CIR APT 1, SACRAMENTO, CA 95841

050-060-074-000 WALKER JACQUELYN 6777 MOORE RD PARADISE, CA 95969

050-060-050-000 CARLILE EUEL R P O BOX 1558 PARADISE, CA 95967

050-060-036-000 TOWN OF PARADISE 5555 SKYWAY PARADISE, CA 95969

050-060-028-000 BRIEN ROBERT G 212 GURNSEY DR RED BLUFF, CA 96080

050-060-017-000 WILLIAMS JOHN R ETAL QUICK JAN M 459 SKYLINE BLVD OROVILLE, CA 95966







Town of Paradise Department Responses

PL22-00095	Integrity Builders Conditional Use Permit			
Commenting	Date	Comment		
Department	received			
Building	10/17/22	The below table refers to issuance and final of a building permit		
	' '	I = Required for Issuance F = Required for Project Final na = Not applicable		
		T. T. T. DUMBING		
		I F na BUILDING ☑ □ □ 3 sets of construction plans		
		Structural calculations (2 sets)		
		☑ ☐ Title 24 energy calculations (2 sets)		
		Truss calculations (2 sets)		
		Special Permit Zone certification letter (flood zone)		
		Fire sprinkler system plans (2 sets)		
		Hydrant fire flow (@ Station #81) Grant deed and legal description		
		Development Impact Fees		
		PUSD Impact Fees		
		PRPD Impact Fees		
		PID water service clearance		
		Butte County Environmental Health clearance		
		Construction & Demolition Recycling Plan		
		Plans on CD		
		Tony Lindsey, Building Official		
Engineering	10/12/22	The below table refers to issuance and final of a building permit		
	' '	I = Required for Issuance F = Required for Project Final na = Not applicable		
		1 - Required for issuance 1 - Required for Froject Final III a - Not applicable		
		Private Road Special Permit Zone does not apply to this site.		
		I F na ENGINEERING		
		Encroachment permit (must be licensed and bonded)		
		Grading permit		
		Crosion control plan Onsite civil improvement plan		
		Onsite civil improvement plan Engineered site plan Route Building Site Plan to Engineering		
		Stormwater Post Construction Plan (Regulated / Small)		
		Erosion & Sediment Control Plan		
		Lot merger application (\$645.46 deposit) Lot line adjustment application (\$1,129.55 deposit)		
		Covenant agreement (deferral of frontage improvements)		
		Dedication of right-of-way No Skyway dedication		
		Parking within street setback review (\$322.73)		
		Conditions prior to issuance		
		"Add finished floor elevation to the site plan (elevations available on Town of		
		Paradise GIC or at rebuildparadise.org)"		
		"Chausita anadian (alaman alauntiana and daniman) and its alam "		
		"Show site grading (slopes, elevations, and drainage) on site plan."		
		Ashley Stanley, Town Principal Engineer		







Fire	10/17/22	No comments received. Agency has capacity to serve project.
		Tony Lindsey, Fire Marshal
Onsite /	10/12/22	"No conditions"
Wastewater		
		Bob Larson, Town Onsite Official
Paradise	10/12/22	Conditions prior to permit final
Irrigation		"APN 050-060-060 was previously served through a 3/4-inch metered service
District		connection. Our records indicate that a service lateral serving the property has been replaced and a permanent backflow prevention device has been installed. Contact PID if the planned development or code upgrades prompt a any size upgrades to the meter, service, or backflow. Costs for any necessary upgrades are the responsibility of the property owner. It is recommended that the customer contacts PID early on in their process or once a building permit is issued for this property. Please contact the PID office at 530-877-4971 for questions or assistance in establishing water service."
		Brandon Mortimer, Paradise Irrigation District.

NOTICE OF EXEMPTION

File – [PL22-00095]; AP No. 050-060-060-000 FROM: Town of Paradise, Community Development Department, Planning Division, 5555 Skyway, Paradise CA 95969				
PROJECT TITLE:		Integrity Builders Conditional Use Permit		
PROJECT APPLICANT:		Integrity Builders		
PROJECT L	OCATION:	1440 Coldren Road, Paradise CA 95969		
PROJECT DESCRIPTION:		Proposed reconstruction of a legal nonconforming single-family dwelling located at 1440 Coldren Road, a parcel with the Community Commercial zoning designation. The residence was constructed prior to the commercial designation and was destroyed in the 2018 Camp Fire.		
APPROVING AGENCY		Town of Paradise		
PERSON OF CARRYIN	R AGENCY NG OUT PROJECT:	Applicant & Owner: Integrity Builders & Kenneth Brow		
EXEMPT STATUS:		☐General Rule Exemption (Section 15061) ☐Ministerial (Section 15268) ☐Emergency Project (Section 15269) ☑Categorical Exemption Section 15302; Class 2		
REASON FO	OR EXEMPTION:	Replacement or reconstruction		
CONTACT I	PERSON:	Susan Hartman, Planning Director (530) 872-6291		
SIGNATURE:		Planning Director Date: September 8, 2023		
		Date. Deptember 0, 2023		







TOWN OF PARADISE APPLICATION FOR CONDITIONAL USE PERMIT

[Project Number (to be filled by town staff): PL______

Applicant Integrity Builders	Email_integrity_remodeling@yahoo.com
Phone 530-872-3227 Mailing Address 6635 Clark Rd	
Applicant Interest in Property (Owner, Lessee, other)Contracto (If applicant is not the property owner, the owner's signature or owner-signed letter of the property owner.	or of authorization <i>must</i> accompany this application)
Owner Kenneth Brow	Phone 530-966-6056
Owner mailing address 1440 Coldren Rd., Paradise CA 95969	
Property Address 1440 Coldren Rd., Paradise CA 95969	
Engineer (Name, Address) Pasquini Engineering. 903 H Street, Suite 300, Ba	
Engineer Phone 661-328-9600	Emailpadmin@pasquiniengineering.com
AP Number(S) 050-060-060-000 Zone CC	
Detailed project description (Attach additional sheets if necessary) and was destroyed in 2018 Camp Fire.	
	*
App	roximate no. yards cut and fill N/A
Radial distance to nearest billboard N/A Sq. ft.	of proposed structure/project_1237
Percent increase in area of structures on site (i.e., a 250 Sq. Ft. ad	dition to a 1,000 sq. ft. building = 25%) 221
Distance to nearest fire hydrant Distan	nce from centerline 70'
Days of operation N/A Hours of operation N/A	Proposed no. of employees N/A
Residential Density Unknown Max. Occupancy 3	Max. height of proposed structure 20'-11"
Describe exterior design and finish (attach additional sheets if nece concrete proches.	essary) Wood construction with wood siding and
Method of sewage disposal_Septic Tank and Leach Field	
Is the proposed project site considered sensitive for archaeological	resources? Yes No_X_ (Please consult staff.)
(Note: If yes, please submit payment of fees to the Northeaster inventory search)	rn Information Center for an archaeological records
I HEREBY DECLARE UNDER PENALTY OF PERJURY THAT THE PLAN ARE TRUE, ACCURATE, COMPLETE, AND CORRECT TO	
Applicant's Signature	Date
Property Owner's Signature Keel Brown (If applicable)	Date 9/22/22
PLEASE ALLOW 6-8 WEEKS FOR PROCESSING; LONGER IF THE PRO	DJECT IS SUBJECT TO ENVIRONMENTAL REVIEW
Note: By signing this application form, the applicant is indicating that	at the project site is not included on any State or local

Town of Paradise Building Resiliency Center (BRC) 6295 Skyway Paradise Ca, 95969

list of hazardous waste sites compiled pursuant to California Government Code Section 65962.5, effective July 1, 1987.

*QA/QC=QUALITY CONTROL INSPECTION REQ'D IF QA/QC NOTED

THE CONTRACTOR SHALL RETAIN THE ENGINEER OF RECORD TO REVIEW & PROVIDE QUALITY CONTROL FOR ALL SHEAR TRANSFER SYSTEMS REQUIRING NAILING AT 4" O.C. OR LESS I.E. SHEARWALL "J,K" THIS PLAN. A REPORT SHALL BE SUBMITTED TO THE BUILDING OFFICIAL FOR REVIEW & APPROVAL PRIOR TO FRAMING INSPECTION APPROVAL.

IF QUALITY CONTROL IS NOT PROVIDED DURING THE COURSE OF CONSTRUCTION, AS REQUIRED IN THESE PLANS, THERE WILL BE A \$5000 BASE FEE PLUS TIME & MATERIALS AS REQUIRED FOR TESTING & INSPECTIONS.

NOTE:
EXTEND ALL SHEARWALL TO UPPER
ROOF DIAPHRAGM. CONNECT PER
DETAILS 11 & 12 SHEET D-2


TOP PLATE SPLICE:
4'-0" MIN. USE 16-16d COMM. NAILS
EACH SIDE OF BREAK OF UPPER PLATE
SEE DETAIL 8 SHEET D-3

CONTRACTOR TO VERIFY ALL SHEARWALL LENGTHS PRIOR TO CONSTRUCTION & VERIFY ALL DOOR & WINDOW LOCATIONS ACCORDINGLY. NOTIFY ENGINEER OF RECORD OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION

THE ELECTRICAL PANEL MAY NOT BE LOCATED WITHIN A SHEARWALL


SEE SHEARWALL SCHEDULE SHEET D-2

SEE 1/D-2 & 21/D-1 FOR HOLD DOWN DETAILS



DIMENSION/ SHEARWALL PLAN

SCALE: 1/4" = 1'-0"



INTEGRITY BUILDERS NEW RESIDENCE 1440 COLDREN RD.


THESE PLANS ARE NOT FOR CONSTRUCTION AND ARE TO BE CONSIDERED PRELIMINARY UNLESS A "WET STAMP & SIGNATURE" FROM BOTH THE ENGINEER OF RECORD AND A APPROVAL STAMP WITH A "WET STAMP & SIGNATURE" FROM THE LOCAL GOVERNING AGENCY ARE PRESENT.

DWG. BY	J.D.		
CHK'D BY			
DATE	3-10-22		
JOB NO.	9338		
FILE NO.	933822		
	· · · · · · · · · · · · · · · · · · ·		



SHEET 3

23



)ATTIC PLATFORM

SINGLE UNIT LOAD CALCS 1237_SQ FT @ 3 VA/SQ FT 2-20-A SMALL APPLIANCE CIRCUITS @ 1500 VA EACH _AUNDRY CIRCUIT 1500 V 4000 V RANGE 8000 \ DISHWASHER TOTAL GENERAL LOAD FIRST 10 kVA @ 100% REMAINDER @ 40% (11411 × 0.4) SUBTOTAL GENERAL LOAD 14565 AIR CONDITIONING **1237** SQ FT @ 7 VA/SQ FT (2800 VA/TON)/(400 SQ FT/ TON) = 7 VA/SQ FTCALCULATED LOAD FOR SERVICE 23224 VA / 240 V = 96.7797 A + 40 A (EV CHARGER) = 137 A < 200 A PROVIDED

GENERAL LOAD CALCS

ALL NON-LOCKING-TYPE 125-VOLT, 15-20 AMPERE RECEPTACLES SHALL BE LISTED TAMPER-RESISTANT RECEPTACLES

PROVIDE RAPID SHUTOFF ADJACENT TO THE ELECTRICAL BOX, WHERE THE ROOF SOLAR PANELS FEED IN CEC690.12 PROVIDE A PERMANENT PLAQUE OK DIRECTORY WITH THE FOLLOWING WORDING: "PHOTOVOLTAIC SYSTEM EQUIPPED WITH RAPID SHUTDOWN" THE PLAQUE OR DIRECTORY SHALL BE REFLECTIVE, WITH ALL LETTERS CAPITALIZED AND HAVING A MIN HEIGHT OF 9.5mm (3/8"), IN WHITE ON RED BACKGROUND CEC 690.56(C)

PROVIDE BATTERY BACKUO AT THE GARAGE DOOR RECEPTACLE IN THE GARAGE CEILING. AUTOMATIC GARAGE DOOR OPENERS, IF PROVIDED, SHALL BE LISTED & LABELED IN ACCORDANCE W/ UL325

PROVIDE VENTILATION FOR INDOOR EV CHARGING EQUIPMENT OR PROVIDE CHARGING EQUIPMENT LISTED FOR CHARGING ELECTRIC VEHICLES INDOORS WITHOUT VENTILATION & MARKED IN ACCORDANCE WITH 625.15(B)

ALL EXHAUST DUCTS SHALL TERMINATE AT LEAST 3' AWAY FROM ANY OPENING INTO THE BUILDING

OUTDOOR OUTLETS SHALL HAVE GFCI PROTECTION AND HAVE A WEATHERPROOF COVER

WHOLE BUILDING VENTILATION (WBV)

QFAN = REQUIRED VENTILATION (CFM)QFAN = 0.03(CONDITIONED FLOOR AREA) + 7.5(NUMBER OF BEDROOMS + 1) QFAN = 0.03(1237) + 7.5 (2+1)QFAN = 59.61 TOTAL CFM < 60 CFM

PROVIDE ONE FAN TO VENT THE ENTIRE HOUSE. MIN 60 CFM FAN TESTED AT A STATIC PRESSURE OF .25 WC AND RATED @ ONE SONE OR LESS VENT TO EXTERIOR AND PROVIDE NORMAL ON/OFF SWITCH LABELED "FAN IS TO BE LEFT ON TO ENSURE INDOOR AIR QUALITY"

FAN MUST BE ATTACHED TO A MIN 6" DUCT AND NO LONGER THAN 91'. SUBTRACT 15' OF ALLOWED LENGTH FOR EACH ELBOW.

ALL BATHROOM FANS

THIS FAN IS TO BE USED FOR LOCAL VENTILATION EXHAUST. MIN 50 CFM FAN TESTED AT A STATIC PRESSURE OF .25 WC AND RATED @ 3 SONES OR LESS REQUIRED TO BE INSTALLED. FAN MUST BE ATTACHED TO A MIN 4" DUCT AND NO LONGER THAN 56' OF FLEX DUCT. SUBTRACT 15' OF ALLOWED LENGTH FOR EACH ELBOW

ALL KITCHEN RANGE HOODS

THIS FAN IS TO BE USED FOR LOCAL VENTILATION EXHAUST. MIN 280 CFM FAN TESTED AT A STATIC PRESSURE OF .25 WC AND RATED @ 3 SONES OR LESS REQUIRED TO BE INSTALLED. FAN MUST BE ATTACHED TO A MIN 5" SMOOTH DUCT AND NO LONGER THAN 91'. SUBTRACT 15' OF ALLOWED LENGTH FOR EACH ELBOW

FOR ADDITIONAL NOTES SEE SHEET N-1

2. MIN NET CLEAR OPENING HT OF 24" & WIDTH OF 20" 3. MIN NET CLEAR OPENING OF 5.7 SQ FT NOTE: IN ORDER TO MEET THE MIN CLEAR OPENING OF 5.7 SQ FT, EITHER THE WIDTH OR HEIGHT, OR BOTH, MUST EXCEED THE MIN DIMENSION (SEE FIGURE BELOW). THE NET CLEAR OPENING DIMENSIONS REQ'D SHALL BE OBTAINED BY THE NORMAL OPERATION OF THE EMERGENCY ESCAPE & RESCUE OPENING FROM THE INSIDE.

20" MIN CLEAR 20" MIN CLEAR 20" MIN CLEAR

HORIZONTAL SLIDER

1. THE BOTTOM OF THE OPENING SHALL NOT BE MORE THAN 44" ABOVE THE FLOOR.

EGRESS WINDOWS

ALL EGRESS WINDOWS SHALL HAVE:

<u>VERTICAL SLIDER</u>

LEGEND

\$DM = DIMMER SWITCH OR MANUAL

 $\$_{V}$ = VACANCY SENSOR SWITCH

(CM) = CARBON MONOXIDE DETECTOR

SD = SMOKE DETECTOR

 \triangle = TELEPHONE JACK

 \triangle = CABLE T.V. JACK

GARAGE DISPOSAL

SH= SINGLE HUNG

(J)= JUNCTION BOX

CSMT= CASEMENT

HS= HORIZONTAL SLIDER

= EXHAUST FAN/ LIGHT

 \square = RECESSED SPOT LIGHT

MD = MOTION DETECTOR ACTIVATED

≠(v) = EV CHARGING VEHICLE SUPPLY

OR EQUAL AUTOMATED DEVICE

= MEDICINE CABINET

P.A.= PLUMBING ACCESS

—□¬= DISCONNECT

= FAN

-O- = OVERHEAD LIGHT

= CHANDELIER

 $\Psi = WATER$

H.B.= HOSE BIBB = EXHAUST FAN

 \dagger = GAS

ON OCCUPANCY SENSOR SWITCH

GAS/PROPANE WATER HEATERS SHALL INCLUDE THE FOLLOWING REQUIREMENTS: A. A DEDICATED 120V, 20-AMP ELECTRICAL RECEPTACLE, CONNECTED TO THE ELECTRICAL PANEL WITH A 120/240-VOLT 3 CONDUCTOR, 10 AWG COPPER BRANCH CIRCUIT, THAT IS WITHIN 3 FEET FROM THE WATER HEATER & ACCESSIBLE TO THE WATER HEATER W/ NO OBSTRUCTIONS: AND

> i. BOTH ENDS OF THE UNUSED CONDUCTOR SHALL BE LABELED W/ THE WORDS SPARE & BE ELECTRICALLY ISOLATED; AND ii. A RESERVED SINGLE POLE CIRCUIT BREAKER SPACE IN THE ELECTRICAL PANEL ADJACENT TO THE BRANCH CIRCUIT IN A ABV & LABELED W/ THE WORDS "FUTURE 240V USE"; AND

. A CATEGORY III OR IV VENT, OR A TYPE B VENT W/ STRAIGHT PIPE BETWEEN THE OUTSIDE TERMINATION & THE SPACE WHERE THE WATER HEATER IS INSTALLED; AND

C. A CONDENSATION DRAIN THAT IS NO MORE THAN 2" HIGHER THAN THE BASE OF THE INSTALLED WATER HEATER, AND ALLOWS NATURAL DRAINING WITHOUT PUMP ASSISTANCE; AND GAS SUPPLY LINE W/ A CAPACITY OF AT LEAST 200,000 BTU/HR

ALL RECESSED LIGHTS TO BE LED & MUST BE IC RATED, PIN BASED, LISTED AS AIR TIGHT, & SEALED W/ A GASKET. LIGHT BULBS SHALL BE JA8-2019-E CERTIFIED

ALL LIGHTING SHALL BE HIGH EFFICACY. SCREW BASED LUMINARIES MUST CONTAIN LAMPS LISTED AS JA8-2019 CERTIFIED. ALL HIGH EFFICACY LIGHTS MUST BE CERTIFIED TO THE ENERGY COMMISSION ACCORDING TO JA8

SHOWERS & SHOWER-TUBS SHALL BE PROVIDED W/ INDIVIDUAL CONTROL VALVES OF THE PRESSURE BALANCE, THERMOSTATIC, OR COMBINATION PRESSURE BALANCE/THERMOSTATIC MIXING VALVE TYPE THAT PROVIDES SCALD & THERMAL SHOCK PROTECTION

PROVIDE A CONSTRUCTION WASTE MANAGEMENT PLAN REDUCING WASTE AT LEAST 65% SEE SHEET CWM

FOR ADDITIONAL NOTES & GREEN CODE MANDATORY MEASURES SEE SHEETS N-1, N-2, RGC-1 & RGC-2

PER CRC SECTION R302.4.1.1 PENETRATIONS SHALL BE INSTALLED AS TESTED IN THE APPROVED FIRE RESISTANCE-RATED ASSEMBLY. SEE DETAILS & FIRE BARRIER SEALANT SPECS ON SHEET 3

PER CRC SECTION R302.4.1.1 PENETRATIONS IN FIRE RATED ASSEMBLY SHALL BE PROTECTED WITH APPROVED FIRE DAMPERS INSTALLED IN ACCORDANCE WITH THEIR LISTING

NEWLY CONSTRUCTED DWELLING UNITS ARE REQUIRED TO HAVE AGING-IN-PLACE AND FALL PREVENTION READY. REINFORCEMENT SHALL BE PROVIDED FOR FUTURE GRAB BARS IN AT LEAST 1 BATHROOM ON THE ENTRY LEVEL, PROVIDE AT LEAST 1 BATHROOM & 1 BEDROOM DOOR WITH A NET CLEAR OPENING OF NOT LESS THAN 32"

DOORBELL BUTTONS OR CONTROLS, WHEN INSTALLED, SHALL NOT EXCEED 48" ABV EXTERIOR FLOOR OR LANDING

ELECTRICAL RECEPTACLE OUTLETS, SWITCHES AND CONTROLS, INTENDED TO BE USED BY OCCUPANTS, SHALL BE LOCATED NO MORE THAN 48" FROM THE TOP OF THE OUTLET BOX AND NOT LESS THAN 15" FROM THE BOTTOM OF THE OUTLET BOX ABOVE THE FINISHED FLOOR

5050 HS

BATH

Y VENT DRYER

TO EXTERIOR

14'-0" MAX

504.4

FOR GARAGE

DOOR OPENER

16080 GARAGE DOOR

GARAGE

PER CMC SEC

5/8", TYPE "X"

& CEILINGS

GYP BD ALL WALLS -

W.I.C.

18" PLATFORM

4"ø BOLLARD

- REQUIREMENTS

ALL GARAGE

210.8(A)(2)

OUTLETS TO BE

GFCI PER CEC

PROVIDE AT LEAST ONE

120-VOLT, 20-AMP

DEDICATED BRANCH

CIRCUIT FOR GARAGE

NO OTHER INDOOR

OUTLETS

RECEPTACLE OUTLETS.

THIS CIRCUIT SHALL HAVE

PER CMC

2x6 MIN FLAT BLOCK'G FOR

REINFORCING

FOR FUTURE

GRAB BARS

(TYP.)

PUMP W/H-

EFFICIENCY

4.00

GFI€

36"x36"

MIN

LANDING

MIN 200

20-AMP

CIRCUIT TO

APPLIANCES

LAUNDRY FOR

AMP PANE

LED`

40 GAL HEAT

SHOWERHEAD SHALL BE ORIENTED SUCH

ADJUST THE CONTROL VALVES PRIOR TO

STEPPING INTO THE SHOWER SPRAY

THAT IT DOES NOT DISCHARGE DIRECTLY @

THE SHOWER ENTRANCE SO THE USER CAN

BEDROOM

IN DRY (B) CLIMATE ZONES, WATER-RESISTIVE BARRIERS SHALL BE 2 LAYERS OF 10-MINUTE GRADE D PAPER OR HAVE A WATER RESISTANCE EQUAL TO OR GREATER THAN 2 LAYERS OF WATER RESISTANT BARRIER COMPLYING WITH ASTM E2556, TYPE I OR WATER RESISTANCE BARRIER SHALL BE 60-MINUTE GRADE D PAPER OR HAVE A WATER RESISTANCE EQUAL TO OR GREATER THAN ONE LAYER OF A WATER RESISTIVE BARRIER COMPLYING WITH ASTM E2556, TYPE II

PER CEC SECTION 230.79 & 230.79(C), THE SERVICE PANEL SHALL HAVE A RATING NOT LESS THAN THE CALCULATED LOAD TO BE CARRIED, DETERMINED IN ACCORDANCE WITH PART III, IV, OR V OF ARTICLE 220 OF THE CEC AND MINIMUM BUSBAR RATING OF

EACH OCCUPANT SHALL HAVE READY ACCESS TO ALL OVERCURRENT DEVICES PROTECTING THE CONDUCTORS SUPPLYING THAT OCCUPANCY

OVERCURRENT DEVICES SHALL NOT BE LOCATED IN THE VICINITY OF EASILY IGNITABLE MATERIAL, SUCH AS CLOTHES CLOSETS

5050 HS

ROOM

9'-0" CEIL'G

REF_

26<u>68</u> TILE FLR'C

BEDROOM

9'-0" CEIL'G

CARPET FLR'G

PER CRC SECTION R312 @ OPENSIDED WALKING

SURFACES & LANDINGS THAT ARE LOCATED MORE

THAN 30" MEASURED VERTICALLY TO THE GRADE

RAILINGS TO BE SPACED SO THAT A 4"Ø SPHERE

CANNOT PASS THROUGH PER CBC R312.1.3 (TYP.)

OTHERS (VERIFY WITH OWNERS) INTERMEDIATE

BELOW AT ANY POINT WITHIN 36" HORIZ TO THE EDGE

OF THE OPEN SIDE PROVIDE 42" MIN. GUARD RAIL BY

PATIO

UNDER_

COUNTER

SHALL

BE GFCI

CM SD | ACCESS |

LANDINGS SHALL BE -Q-LED

LIVING

ROOM

10'-0"_CEIL'G

CARPET FER'G

-*-*4---*-*-----

PORCH

9'-0" CEIL'G

7 3/4" MAX HEIGHT

THREASHOLD (TYP.)

FROM TOP OF

RE'CT VENT '

FIREPLACE PER

CGB\$C 4.503.1

TYPE GAS

SEALED-COMBUSTION

DATE

ASQUINI GINEERING

O Q Z

THE ENGINEER OF RECORD

DWG. BY	J.D.		
CHK'D BY			
DATE	3-10-22		
JOB NO.	9338		
FILE NO.	933822		



FLOOR PLAN

1237 SQ. FT.

ALL KITCHEN OUTLETS

TO BE GFCI PER CEC

210.8(A)(6) OUTLETS

SHALL BE 4'-0" MAX

WITH NO POINT ALONG

THE WALL MORE THAN

SPLIT SYSTEM


2'-0" FROM AN

SINK)

OUTLET (EXCEPT @

SCALE: 1/4" = 1'-0'

THESE PLANS ARE NOT FOR CONSTRUCTION AND ARE TO BE CONSIDERED PRELIMINARY UNLESS A "WET STAMP & SIGNATURE" FROM BOTH AND A APPROVAL STAMP WITH A "WET STAMP & SIGNATURE" FROM THE LOCAL GOVERNING AGENCY ARE PRESENT.



ALL CONSTRUCTION SHALL COMPLY WITH THE ADOPTED ORDINANCES AND POLICIES OF THE GOVERNING AGENCY, AND THE LATEST ADOPTED EDITIONS THE FOLLOWING:

CALIFORNIA BUILDING CODE (CBC) CALIFORNIA RESIDENTIAL CODE (CRC) 2022 CALIFORNIA PLUMBING CODE (CPC) 2022 CALIFORNIA MECHANICAL CODE (CMC) 2022 CALIFORNIA ELECTRICAL CODE (CEC) CALIFORNIA ENERGY EFFICIENCY STANDARD (CEES) 2022 CALIFORNIA GREEN BUILDING STANDARDS (CALGREEN) 2022 BUTTE COUNTY CODE OF ORDINANCES

PROVIDE TEMPORARY SANITARY FACILITIES (CHEMICAL TOILET) FOR THE USE OF ALL EMPLOYED PERSONNEL ON THE PROJECT. FACILITY TO BE COMPLETELY PORTABLE.

ANY SURVEY MONUMENTS WITHIN THE AREA OF CONSTRUCTION SHALL BE PRESERVED OR RESET BY A REGISTERED CIVIL ENGINEER OR A LICENSED LAND SURVEYOR.

ALL EXTERIOR SECURITY AND PARKING LIGHTING SHALL BE HOODED, ARRANGED AND CONTROLLED SO AS NOT TO CAUSE A NUISANCE TO STREET TRAFFIC OR SURROUNDING LIVING ENVIRONMENT.

DRAINAGE ONTO ADJACENT PROPERTIES IS PROHIBITED. ON-SITE WATER RETENTION IS NOT ALLOWED UNLESS SPECIFICALLY REQUIRED BY THE APPROVING AUTHORITY.

OVERALL LOT DRAINAGE SHALL BE A MINIMUM OF 1/2% FROM THE REAR PROPERTY LINE TO FRONTAGE AT A PUBLIC STREET OR TO AN APPROVED DRAINAGE FACILITY.

PERIODICAL SPECIAL INSPECTION IS REQUIRED FOR WOOD SHEAR WALLS, SHEAR PANELS, AND DIAPHRAGMS, INCLUDING NAILING, BOLTING, ANCHORING, AND OTHER FASTENING TO COMPONENTS OF THE SEISMIC FORCE RESISTING SYSTEM. SPECIAL INSPECTION BY A DEPUTY INSPECTOR IS REQUIRED WHERE THE FASTENER SPACING OF THE SHEATHING IS 4" O.C. OR LESS

JOB CARD SHALL BE POSTED IN A CONSPICUOUS PLACE ON SITE AND READILY AVAILABLE FOR SIGNATURES.

PROVIDE A CONSTRUCTION SITE ADDRESS POSTED AT A HEIGHT OF 48" - 72". SUCH TEMPORARY SIGNS SHALL BE WEATHER RESISTANT ON MATERIAL APPROVED BY THE FIRE MARSHALL AND THE BUILDING OFFICIAL. ALL SIGHT SIGNS SHALL MEET THE MINIMUM APPROVED STANDARDS AND SHALL BE MAINTAINED TO THE SATISFACTION OF THE FIRE MARSHALL AND BUILDING OFFICIAL.

ALL CONSTRUCTION WORK ON THIS PROJECT IS SUBJECT TO INTERRUPTION IF THE ROAD SYSTEM BECOMES IMPASSABLE FOR FIRE APPARATUS DUE TO RAIN OR OTHER OBSTACLES.

CHANGES TO THE APPROVED PLANS DURING

CONSTRUCTION OTHER THAN;

1) CABINET CHANGES WHEN NOT BEING SUPPORTED ENTIRE BY THE ROOF STRUCTURE.

2) INTERIOR DOOR AND FIREPLACE RELOCATION SHOWN THE APPROVED PLAN, 3) A SINGLE NONBEARING WALL RELOCATION WHEN CREATING

ANOTHER ROOM, AND 4) INTERIOR NON-STRUCTURAL WALL FINISH SHALL CAUSE PLAN APPROVAL AND CONSTRUCTION TO BE SUSPENDED, A NEW PLAN CHECK (FOR A NEW PLAN SHOWING CHANGES) WILL BE

SUBMITTED FOR REVIEW AND APPROVAL THROUGH THE NORMAL PLAN CHECK PROCESS.

IF ADVERVSE SOIL CONDITIONS ARE ENCOUNTERED. A SOILS INVESTIGATION REPORT MAY BE REQUIRED

FACE GRAIN OF PLYWOOD SHALL BE PERPENDICULAR TO SUPPORTS.

PLYWOOD SPANS SHALL CONFORM WITH TABLE 2304.7. ALL DIAPHRAGM AND SHEAR WALL NAILING SHALL UTILIZE COMMON NAILS OR GALVANIZED BOX.

3/16" AND 7/16" WAFERBOARD, ORIENTED STRAND BOARD AND PARTICLEBOARD REQUIRE TONGUE-AND-GROOVE EDGES OR MUST BE SUPPORTED WITH BLOCKING OR EDGE CLIPS.

GREEN VINYL SINKERS DO NOT MEET THE NAILING REQUIRE- MENTS FOR MOST BOX AND COMMON NAIL CONNECTIONS.

IF THE PROJECT IS SUBJECT TO THE PROVISIONS OF THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES). A "NOTICE OF INTENT" (NOI) TO COMPLY WITH THE TERMS OF THE GENERAL PERMIT TO DISCHARGE STORM WATER ASSOCIATED WITH CONSTRUCTION ACTIVITY (WQ ORDER NO. 92-08-DWQ) MUST BE FILED WITH STATE WATER RESOURCES CONTROL BOARD IN SACRAMENTO BEFORE THE BEGINNING OF ANY CONSTRUCTION ACTIVITY. COMPLIANCE WITH THE GENERAL PERMIT REQUIRES THAT A STORM WATER POLLUTION PREVENTION PLAN (SWPPP) BE PREPARED. CONTINUOUSLY CARRIED OUT, AND ALWAYS BE AVAILABLE FOR PUBLIC INSPECTION DURING NORMAL CONSTRUCTION HOURS.

THE APPROVED NUMBERS OR ADDRESSES SHALL BE PROVIDED FOR NEW BUILDINGS IN SUCH A POSITION AS TO BE CLEARLY VISIBLE AND LEGIBLE FROM THE STREET OR ROADWAY FRONTING THE PROPERTY. LETTERS OR NUMBERS SHALL BE A MIN 4" IN HEIGHT AND STROKE OF MIN 0.5 INCH OR A CONTRASTING COLOR TO THE BACKGROUND ITSELF. CRC R319.1

SEE SHEETS N-1 & N-2 FOR ADDITIONAL GENERAL NOTES

DEFERRED SUBMITTAL

PRE MFG TRUSSES (BY OTHERS)

DEFERRED TRUSS SUBMITTAL SHALL CONFORM TO CBC 107.3.4. SUBMIT TRUSS CALCULATIONS AND DRAWINGS TO PASQUINI ENGINEERING FOR REVIEW TO ENSURE CONFORMANCE WITH ALL DESIGN CRITERIA. FORWARD THESE REVIEWED TRUSS CALCULATIONS WITH WET STAMP AND WET SIGNATURE TO THE GOVERNING BUILDING DEPARTMENT FOR APPROVAL PRIOR TO INSTALLATION

FIRESPRINKLERS (BY OTHERS)

PER CRC SECTION R313, AN AUTOMATIC FIRE SPRINKLER SYSTEM SHALL BE INSTALLED IN EVERY NEW ONE- & TWO-FAMILY DWELLING UNIT. PLEASE PROVIDE PROOF OF PERMIT FROM THE FIRE DEPARTMENT TO GOVERNING AGENCY

LANDSCAPE (BY OTHERS)

LANDSCAPE PLAN TO BE DEFERRED. MWELO LANDSCAPE TO BE SUBMITTED AT A LATER TIME

HVAC SIZING SHALL BE A DEFERRED SUBMITTAL

EROSION & SEDIMENT CONTROL CONSTRUCTION NOTES

ALL BMP'S SHALL BE IN ACCORDANCE WITH MODEL BMP'S FROM THE CALIFORNIA STORMWATER BMP HANDBOOK FOR CONSTRUCTION AT WWW.CABMPHANDBOOKS.COM

(C1) CONSTRUCT GRAVEL BAG EROSION CONTROL ALONG WESTERLY, EASTERLY, NORTHERLY AND SOUTHERLY EXTENTS OF CONSTRUCTION EXCEPT DRIVEWAY APPROACHES. THE GRAVEL BAGS SHOULD BE 24" WIDE AND 10" HIGH. MINIMUM PER DETAIL HEREON AND IN ACCORDANCE WITH BMP FACTS SHEET #SE-8.

(C2) INSTALL FILTER FABRIC INLET PROTECTION OVER INLETS IN ACCORDANCE WITH BMP SE-10, CALIFORNIA STORMWATER BMP HANDBOOK, CONSTRUCTION BOOK, JANUARY, 2003, WWW.CABMPHANDBOOKS.COM.

(C3) CONSTRUCT MATERIALS STORAGE AREA IN ACCORDANCE WITH BMP FACTS SHEET #WM-1

EC4 STABILIZED CONSTRUCTION ENTRY/EXIT POINT IN ACCORDANCE WITH BMP #TR-1 FROM CALIFORNIA STORMWATER CONSTRUCTION HANDBOOK, MINIMUM DIMENSION 25' LONG X 15' WIDE PART OF WHICH MAY BE CORRUGATED STEEL BARS.

€C5 CONSTRUCT CONCRETE WASH OUT AREA.

ONE EXTERIOR APPROVED AUDIBLE SPRINKLERS WATER FLOW ALARM DEVICE SHALL BE CONNECTED TO EVERY AUTOMATIC FIRESPRINKLER SYSTEM IN AN APPROVED LOCATION. SUCH DEVICE SHALL BE ACTIVATED BY WATER FLOW EQUIVALENT TO THE FLOW OF A SINGLE SPRINKLER OF THE SMALLEST ORIFICE SIZE INSTALLED IN THE SYSTEM (PMC 15.03.090)

STORMWATER AND EROSION **CONTROL NOTES:**

TOPOGRAPHY, SOIL TYPE, AND RAINFALL,

 IN CASE OF AN EMERGENCY, CONTACT QUALIFIED SWPPP PRACTITIONER 2. A STAND-BY CREW FOR EMERGENCY WORK SHALL BE AVAILABLE AT ALL TIMES DURING PERIODS OF IMMINENT RAINFALL (EXCEEDING 40 PERCENT PROBABILITY). NECESSARY MATERIAL SHALL BE AVAILABLE ONSITE AND STOCKPILED AT CONVENIENT LOCATIONS TO FACILITATE RAPID

DEPLOYMENT OF BMP'S WHEN RAIN IS IMMINENT. EROSION CONTROL DEVICES SHOWN ON THIS PLAN MAY BE REMOVED WHEN APPROVED BY THE PROJECT ENGINEER WHEN THEY ARE DEEMED TO BE NO LONGER NECESSARY.

4. ALL SILT AND DEBRIS SHALL BE REMOVED FROM ALL DEVICES WITHING 24 HOURS AFTER EACH RAIN EVENT. . EXCEPT AS OTHERWISE APPROVED BY THE RESIDENT ENGINEER, ALL REMOVEABLE PROTECTIVE DEVICES SHOWN SHALL BE IN PLACE AT THE END OF EACH WORK DAY OR ON WEEKENDS WHEN

THE 5-DAY RAIN PROBABILITY EXCEEDS 40 PERCENT 6. THE PLACEMENT OF ADDITIONAL DEVICES TO REDUCE EROSION DAMAGE WITHIN THE SITE IS LEFT TO THE DISCRETION OF THE CONTRACTOR AND RESIDENT ENGINEER. EROSION CONTROL DEVICES ARE TO BE MODIFIED AS NEEDED AS THE PROJECT PROGRESSES

AND PLANS OF THOSE CHANGES MUST BE INCORPORATED INTO THE SWPPP ERODED SEDIMENTS AND OTHER POLLUTANTS MUST BE RETAINED ONSITE AND MAY NOT BE TRANSPORTED FROM THE SITE VIA SHEETFLOW, SWALES, WIND OR DRAINAGE CONVEYANCES. 9. STOCKPILES OF SOIL AND OTHER CONSTRUCTION-RELATED MATERIALS MUST BE PROTECTED

FROM BEING TRANSPORTED FROM THE SITE BY THE FORCES OF WIND OR WATER. 10. HAZARDOUS MATERIALS MUST BE STORED IN ACCORDANCE WITH THEIR SPECIFIC LISTING AND ARE NOT TO CONTAMINATE THE SOIL AND SURFACE WATERS. ALL APPROVED STORAGE CONTAINERS ARE TO BE PROTECTED FROM THE WEATHER. SPILLS MUST BE CLEANED UP IMMEDIATELY AND DISPOSED OF IN A PROPER MANNER. SPILLS MAY NOT BE WASHED INTO DRAINAGE CONVEYANCES.

11. TRASH AND CONSTRUCTION-RELATED SOLID WASTES MUST BE DEPOSITED INTO A COVERED AIR TIGHT RECEPTACLE TO PREVENT CONTAMINATION OF RAINWATER AND DISPERSAL BY WIND. 12. RETAIN SEDIMENT ONSITE TO THE EXTENT PRACTICABLE WITH CONSIDERATION FOR LOCAL

13. SELECT, INSTALL, AND MAINTAIN CONTROL MEASURES ACCORDING TO THE MANUFACTURER OR DESIGNER'S SPECIFICATIONS. 14. DEVELOP CONTROLS TO LIMIT, TO THE EXTENT PRACTICABLE, OFF-SITE TRANSPORT OF LITTER,

CONSTRUCTION DEBRIS, AND CONSTRUCTION MATERIALS. 15. NO STOCKPILE NOR PORTA-POTY SHALL BE LOCATED WITHIN 50' OF ANY DRAINAGE

CONVEYANCE OR DRAIN INLET.

CAMP FIRE REBUILD PROJECT USING SOLAR PV EXCEPTION PER AB 178

RESIDENCE IS LOCATED IN THE TOWN OF PARADISE (LRA) AND CONSTRUCTION SHALL COMPLY W/ CRC SECTION R337.1.3

APN# 050-060-060

CONNECT TO EXISTING SEPTIC SYSTEM

PROVIDE BLDG PAD ADEQUATELY PREPARED FOR ITS INTENDED USE

ALL SETBACKS SHALL MEET CC&R, PLANNING & CODE REQUIREMENTS OWNER/CONTRACTOR TO VERIFY COMPLIANCE PRIOR TO CONSTRUCTION

SITE PLAN

SCALE: 1" = 30"

SCOPE OF WORK

CONSTRUCT NEW SINGLE FAMILY RESIDENCE (1 STORY HEIGHT = $\pm 20'-11"$)

TO THE GENERAL CONTRACTOR

NO PROPOSED GRADING-NO DISPLACED SOIL,

ANY MOVED SOIL SHALL

BE RETAINED ON SITE

THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE WORK AND COORDINATION OF ALL TRADES WITH GOVERNING AGENCIES. HE SHALL PROVIDE ALL MATERIALS AND LABOR SHOWN OR INFERRED ON THESE PLANS TO RENDER THE WORK COMPLETE.

ROAD EASEMEN

+2.00

5.00 MIN

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE VERIFICATION OF ALL DIMENSIONS, GRADES AND OTHER CONDITIONS. HE SHALL CORRELATE ALL SUCH ITEMS AT THE JOB SITE. ANY DISCREPANCIES SHALL BE REPORTED TO THE DESIGNER FOR CORRECTION AND/OR CLARIFICATION PRIOR TO BEGINNING ANY

THE CONTRACTOR SHALL PROVIDE ADEQUATE SHORING, BRACING, GUYS, ETC., TO HOLD THE WORK SECURELY IN PLACE AND TO SUSTAIN ALL IMPOSED LOADS THAT MAY OCCUR DURING ERECTION UNTIL SUBSEQUENT CONSTRUCTION IS ADEQUATE TO REPLACE TEMPORARY BRACING AND SUPPORTS.

THE CONTRACTOR SHALL ERECT AND MAINTAIN, AS REQUIRED BY EXISTING CONDITIONS AND PROGRESS OF THE WORK, ALL REASONABLE SAFEGUARDS FOR SAFETY AND PROTECTION INCLUDING POSTING DANGER SIGNS AND OTHER WARNINGS AGAINST HAZARDS, PROMULGATING SAFETY REGULATIONS AND NOTIFYING OWNERS AND USERS OF ADJACENT UTILITIES.

THESE CONSTRUCTION DRAWINGS SHOW SPECIFIC DETAILS OF CONSTRUCTION FOR ARCHITECTURAL STYLE AND STRUCTURAL INTEGRITY. WHERE SPECIFIC DETAILS ARE NOT SHOWN, CONSTRUCTION METHODS SHALL BE OF A SIMILAR NATURE.

CONTRACTOR IS RESPONSIBLE FOR THE CONSTRUCTION OF A WIND OR SEISMIC FORCE RESISTING SYSTEM/COMPONENT LISTED IN THE "STATEMENT OF SPECIAL INSPECTION" SHALL SUBMIT A WRITTEN STATEMENT OF RESPONSIBILITY TO THE LADBS INSPECTORS AND THE OWNER PRIOR TO COMMENCEMENT OF WORK ON SUCH SYSTEM OF COMPONENT PER SEC 1706.1

STRUCTURAL OBSERVATION SHALL BE PERFORMED ON THE FRAMING TO VERIFY THAT THE WORK IS IN SUBSTANTIAL CONFORMANCE OF THE PLAN. THIS WORK SHALL BE PERFORMED BY A REPRESENTATIVE OF PASQUINI ENGINEERING.

ENERGY CONSERVATION

SEE TITLE 24 FOR DUCT INSULLATION AND R-VALUE PROVIDE QII PER T-24

REQUIRED TO BE PROVIDED TO HERS VERIFICATION _ BUILDING DEPARTMENT PRIOR TO FINAL INSPECTION

SPECIAL INSPECTIONS

PROVIDE PHOTOVOLTAIC SYSTEM

(UNDER SEPARATE PERMIT)

W/ MIN CAPACITY OF 2.70 kWdc

(1) UNLESS EXEMPTED AS PER CBC 1803.1.1.1 ABOVE, A SOILS ENGINEER SHALL SUBMIT A REPORT TO THE BUILDING OFFICIAL STATING THAT THE BUILDING PAD GRADED SITE IS DETERMINED TO BE ADEQUATELY PREPARED FOR ITS INTENDED USE, PRIOR TO COMMENCEMENT OF CONSTRUCTION.

(2) PER 2022 CBC SECTION 1707 SPECIAL INSPECTIONS FOR SEISMIC RESISTANCE (3) CERTIFIED HOME ENERGY RATER UNDER THE SUPERVISION OF A CEC-APPROVED HERS PROVIDER USING CEC APPROVED TESTING AND/OR VERIFICATION METHODS TO VERIFY EER & REFRIGERANT CHARGE OR CID

(4) SPECIAL INSPECTION OF THE FRAMING MEMBERS WITH A MOISTURE METER IS REQUIRED PER SECTION 4.505.3 OF THE GREEN BUILDING STANDARDS CODE (R109.1.4.1 CRC)

SPECIAL FEATURES & HERS FEATURES

-INSULATION BELOW ROOF DECK -DUCT LEAKAGE TESTING -QUALITY INSULATION INSTALLATION (QII) -INDOOR AIR QUALITY VENTILATION -KITCHEN RANGE HOOD

-MIN AIRFLOW -VERIFIED REFRIGERANT CHARGE -FAN EFFICACY WATTS/ CFM

-VERIFIED HEAT PUMP RATED HEATING CAPACITY

CHEET INDEV

	X		
TS	TITLE SHEET (THIS SHEET)	W.U.I.	WILDLAND URBAN INTERFACE
		N-1	NOTES
1	ELEVATIONS	N-2	NOTES
2	ELECTRICAL	D-1	DETAILS
3	DIMENSION/ SHEARWALL	D-2	DETAILS
4	FOUNDATION & FLOOR FRAMING	D-3	DETAILS
5	ROOF PLAN	T24	REGISTERED T24
6	SECTIONS	MAN	RES MANDATORY MEASURES
		RGC-1	RES GREEN CODE
		RGC-2	RES GREEN CODE
		CWM	CONST. WASTE MANAGEMENT

BUILDING DATA

SINGLE FAMILY RESIDENCE BUILDING USE PORCH/PATIO: 249 SF BUILDING AREA ORIGINAL RESIDENCE: 1016 SF PROPOSED RESIDENCE: 1237 SF GARAGE: 439 SF

> <u>FLOOR</u> LIVE LOAD: 30# (FLAT-ROOF SNOW) LIVE LOAD: 40# DEAD LOAD: 19# DEAD LOAD: 10#

R-3 & U OCCUPANCY TYPE OF CONSTRUCTION

SEISMIC DESIGN CATEGORY SITE CLASS :

SPECTRAL RESPONSE COEFFICIENTS : SDS = 0.575, SD1 = NULL MAPPED SPECTRAL RESPONSE

Ss = 0.693, S1 = 0.289ACCELERATIONS : 110 MPH BASIC WIND SPEED WIND EXPOSURE CATEGORY

WIND IMPORTANCE FACTOR BEARING WALL SYSTEM (A15) BASIC SEISMIC-FORCE-RESISTING:

SEISMIC RESPONSE COEFICIENT:

4.4 RESPONSE MODIFICATION FACTOR: STATIC DESIGN, FLEXIBLE DIAPHRAGM ANALYSIS PROCEDURE USED:

p = 1.3REDUNDANCY FACTOR:

1500 PSI

RISK CATEGORY: SEISMIC IMPORTANCE FACTOR (I2):

DESIGN SOIL LOAD-BEARING

ASQUINI GINEERING DATE

O Q **□** 4 Z

THESE PLANS ARE NOT FOR CONSTRUCTION AND ARE TO BE CONSIDERED PRELIMINARY UNLESS A "WET STAMP & SIGNATURE" FROM BOTH THE ENGINEER OF RECORD AND A APPROVAL STAMP WITH A "WET STAMP & SIGNATURE" FROM THE LOCAL GOVERNING AGENCY ARE PRESENT.

