

BOARD OF COMMISSIONERS MEETING

117 South Main Street, Monticello, Utah 84535. Commission Chambers September 19, 2023 at 11:00 AM

AGENDA

The public will be able to view the meeting on San Juan County's Facebook live and Youtube channel

CALL TO ORDER

ROLL CALL

INVOCATION

PLEDGE OF ALLEGIANCE

CONFLICT OF INTEREST DISCLOSURE

PUBLIC COMMENT

Public comments will be accepted through the following Zoom Meeting: https://us02web.zoom.us/j/3125521102 One tap mobile +16699006833,,3125521102# US (San Jose)

There will be a three-minute time limit for each person wishing to comment. If you exceed that threeminute time limit the meeting controller will mute your line.

CONSENT AGENDA (Routine Matters) Mack McDonald, San Juan County Administrator

The Consent Agenda is a means of expediting the consideration of routine matters. If a Commissioner requests that items be removed from the consent agenda, those items are placed at the beginning of the regular agenda as a new business action item. Other than requests to remove items, a motion to approve the items on the consent agenda is not debatable.

- <u>1.</u> Approval of \$7,725.95 in Small Purchase Orders for Caterpillar Parts for the Road Department and Signage at the Landfill.
- 2. Approval of the Appointments of Johnna Garcia and Raquel Schultz to Fill Vacancies on the La Sal Recreation Board
- <u>3.</u> Approval of the September 1st Through the 15th 2023 Check Registers
- <u>4.</u> Approval of the September 5, 2023 Board of Commission Work Meeting Minutes

5. Approval of the September 5, 2023 Commission Meeting Minutes

RECOGNITIONS, PRESENTATIONS, AND INFORMATIONAL ITEMS

6. San Juan County Road Department Recognition

BUSINESS/ACTION

- 7. Consideration and Approval of the March and December 2018 Oil and Gas Lease Sales as a Consulting Party, Nick Sandberg, Public Lands Coordinator
- 8. March and December 2018 Oil and Gas Lease Sales Environmental Assessment, Nick Sandberg, Public Lands Coordinator
- 9. Consideration and Approval of a Proposal and Contract for Redd Mechanical Inc for Replacement of the Rooftop HVAC Unit Serving the Center Section of the County Administration Building. Sam Long, Facilities Maintenance Director.
- Consideration and Approval of the 2023 Emergency Management Performance Grant with the State of Utah Department of Public Safety Division of Emergency Management for \$36,400. Tammy Gallegos, Emergency Manager
- 11. Consideration and Approval of the Pack Creek Fire Hazard Mitigation Program Grant Contract: Amendment #1 for \$6,493.75 with Jones & DeMille Engineering. Mack McDonald, Chief Administrative Officer
- 12. Consideration and Ratification of the Social Services Block Grant Amendment #1 with the State of Utah Department of Health and Human Services for \$116,254. Mack McDonald, Chief Administrative Officer
- 13. Consideration and Approval of the Notice of Award and Intent to Negotiate a Contract with Tri-Hurst Construction for the Construction and Installation of RV Stalls at the County Fairgrounds. Mack McDonald, Chief Administrative Officer
- 14. Consideration and Approval of the Local Health Department Women Infant and Children Program Amendment #7 with the State of Utah Department of Health and Human Services for an Increase of #144,494. Grant Sunada, Public Health Director
- 15. Consideration and Approval of the Childhood Lead Poisoning Prevention and Surveillance Grant from the State of Utah Department of Health and Human Services for \$5,872. Grant Sunada, Public Health Director
- 16. Consideration and Approval of the Sexually Transmitted Diseases Intervention Services Contract Amendment #5 with the State of Utah Department of Health and Human Services for \$70,123.33. Grant Sunada, Public Health Director

COMMISSION REPORTS

COMMISSION REPORTS

17. A Closed Executive Session to Discuss Pending or Reasonably Imminent Litigation as Permitted Under UCA 52-4-205.

ADJOURNMENT

The Board of San Juan County Commissioners can call a closed meeting at any time during the Regular Session if necessary, for reasons permitted under UCA 52-4-205

All agenda items shall be considered as having potential Commission action components and may be completed by an electronic method **In compliance with the Americans with Disabilities Act, persons needing auxiliary communicative aids and services for this meeting should contact the San Juan County Clerk's Office: 117 South Main, Monticello or telephone 435-587-3223, giving reasonable notice**

San Juan County

117 So Main Street Monticello, UT 84535 Ph: 435-587-3225



Purchase From		Deliver To	Purchase Orde	r
Dale's Superstore	State Contracted	San Juan County Road Dept.	P. O. No#	
1881 Barber Road		885 E Center Street	Date	8/31/2023
Srasota, FL 34240		Monticello, UT 84535	Your Ref#	
Phone: 1-844-487-2787		Phone:	Our Ref#	
Attention To :		Attention To :	Credit Terms	Cash

Product ID	Description	Quantity	Unit Price	Amount
449-3090	Caterpillar C9 EGR Cooler	1	\$1,695.95	\$1,695.95
				\$0.00
			1 1	\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
			Sub Total	\$1,695.95
Approved:			Тах	Exemept
	-1-0.		Freight	
Department Head:	Code City		Invoice Total	\$1,695.95
County Admin:	Mark melonald.		Amount Paid	
			Balance Due	\$1,695.95

Terms and Conditions:

Monticello, UT 84535 United States 435-587-3230

Paypal Billing to:

malvarado@sanjuancounty.org

MY ORDER



Caterpillar DPF Replacement | 20R-0697, 20R-5621, 358-3661, D2002-SA | Caterpillar (https://dalessuperstore.com/i-23921390-caterpillar-dpf-replacement-20r-0697-20r-5621-358-3661-d2002-sa-caterpillar.html) (20R-0697) Reman and Exchange

Gasket(s) & Clamp(s) (+\$50.00)

(https://dalessuperstore.com/i-23921390-caterpillardpf-replacement-20r-0697-20r-5621-358-3661-d2002-sacaterpillar.html)

> Caterpillar C9 EGR Cooler | 449-3090, 435-5907 | Caterpillar C9 586C (https://dalessuperstore.com/i-23914982caterpillar-c9egr-cooler-449-3090435-5907-caterpillar-c9586c.html) (449-3090) **\$250 Core Charge (+\$250.00)**

Qty: 1 Price: \$1,695.95

(https://dalessuperstore. Jotal: \$1,695.95

23914982-caterpillar-

c9egr-cooler-449-

3090435-5907-

caterpillar-c9586c.html)


Shipping Method » FREE - Free Shipping

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing afforts.

\$2,614.95

Total with Shipping:

\$2,614.95



By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts.

BILLING & SHIPPING INFORMATION

SHIPPING ADDRESS

Kedric Musselman

885 east center street

Reject Ali

Accept All Cookles

San Juan County

117 So Main Street Monticello, UT 84535 Ph: 435-587-3225



Purchase From		Deliver To		Purchase Order		
San Juan Signs	State Contracted	San Juan County	Landfill	P. O. No#	23-0014	
736 E Main		S Hwy 191 Mile N	larker 35.5	Date	9/13/2023	
Farmington, NM 87401		Blanding, UT 845	11	Your Ref#	Landfill	
		(435) 678-3070		Our Ref#		
Attention To	Barbara	Attention To :	Jed/Mary	Credit Terms		

Product ID	Description	Quantity	Unit Price	Amount
Signs	4x8' Reflective Aluminum Signs	3	\$995.00	\$2,985.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
			1 1	\$0.00
				\$0.00
			Sub Total	\$2,985.00
Approved:			Тах	Exempt
	11/1		Freight	
Department Head:	- In Jut		Invoice Total	\$2,985.00
County Admin	Mack M. Somale	9	Amount Paid	
	11		Balance Due	\$2,985.00

Terms and Conditions:

736 E. Mai Farmington, NM 505-326-55	87401 I L					Invoice #	00002340
505-326-5513 Bill To	fax	1				Date	9/13/2023
San Juan County Land PO Box 9						Terms	Net 10 days
Monticello, Utah 845	35					Ordered By	Mary Nakai
						Work Order	86277
P.O.#	Job No.	Rep	Job Location				
	86277	BR				T	
Quantity		Description		Unit P	rice	Service Date	Amount
3	4' x 8' .080 ultra reflecti Landfill (w/directional a	ve background Sa arrows	in Juan County		995.00		2,985.00
					Sub	total	\$2,985.00
					Sale	es Tax (8.19%)	\$0.00
	Thank you for	r your business!			Tota	d	\$2,985.00
					Ba	ance Due	\$2,985.00

ail lin

all Ha

Item 1.

Item 1.



Ph: 435-587-3225



Balance Due

\$3,045.00

Purchase From		Deliver To	Purchase Orde	r
Dale's Superstore	State Contracted	San Juan County Road Dept.	P. O. No#	
1881 Barber Rd Ste 1		885 E Center	Date	9/12/2023
Sarasota, FL 34240		Monticello, UT 84535	Your Ref#	
Phone:844-487-2787		Phone:	Our Ref#	
Attention To :		Attention To :	Credit Terms	Cash

Product ID	Description	Quantity	Unit Price	Amount
20R-0697	Caterpillar DPF Replacement	1	\$3,045.00	\$3,045.00
	Unit 351			\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
				\$0.00
			0	\$0.00
				\$0.00
			Sub Total	\$3,045.00
Approved:			Tax	Exemept
	The Col		Freight	
Department Head	Loou cla	~	Invoice Total	\$3,045.00
County Admin:	Mack M. Concel	\mathcal{O}	Amount Paid	
-			 	

Terms and Conditions:



Caterpillar DPF Replacement | 20R-0697, 20R-5621, 358-3661, D2002-SA | Caterpillar

SKU 20R-0697 Quantity 1 Status New Final Price \$3.045.00

Caterpillar DPF Replacement | 20R-0697, 20R-5621, 358-3661, D2002-SA | Caterpillar

í.

Options

DPF / DOC / SCR Options (New + \$2126) Price: 2 126 00

DPF Canister Options (Clamps) 1 Single (\$50) Price: 50.00

https://mail.google.com/mail/u/0/?ik=ebc41bf7ea&view=pt&search=all&permthid=thread-f:1776855705277688679%7Cmsg-f:1776855705277688679&... 1/4



Re: La Sal Recreation Special Service District

1 message

La Sal Community Recreation Center <lasalreccenter@gmail.com> To: Johnna Garcia DPT <johnnagarciadpt@gmail.com> Cc: mmcdonald@sanjuancounty.org

As a current member of the recreation board, I definitely recommend Johnna to serve on the La Sal Recreation Special Service District Board.

Thank you, Kristl Johnson La Sal Recreation Special Service District

On Wed, Sep 6, 2023, 9:23 AM Johnna Garcia DPT <johnnagarciadpt@gmail.com> wrote:

Mack –

Good morning. My name is Johnna Garcia. I am interested in serving on the La Sal Recreation Special Service District. I am a new resident of La Sal, however my husband was raised here and my in-laws are life long La Sal residents. My Mother-in-Law spent many years serving on this board and was an integral part of the group that successfully lobbied to get the La Sal Community Center built years ago. We have 4 young children and I am very invested in participating in the community of La Sal and would like to do our part in ensuring that La Sal is providing the best possible opportunities for our kids and our community members.

I see that the La Sal Recreation Special Service District is an appointed board, and I would like to have my name considered for appointment to that board. Thank you for your help and consideration.

Respectfully,

Johnna Garcia



Tue, Sep 5, 2023 at 6:47 AM

Re: Board member position at La Sal recreation Center

1 message

La Sal Community Recreation Center <lasalreccenter@gmail.com> To: Raquel Schultz <angelraquel4@yahoo.com> Cc: mmcdonald@sanjuancounty.org

As a current member of the La Sal Recreation Special Service District Board, I highly recommend Raquel as a board member.

Thank you, Kristl Johnson La Sal Recreation Special Service District

On Mon, Sep 4, 2023, 10:59 PM Raquel Schultz <angelraquel4@yahoo.com> wrote:

Dear Mack McDonald,

This letter is regarding my interest in applying for the position of board member for the La Sal Recreation Board.

I have lived in La Sal for several years and would like to become an active community member. I recently heard that there is a need for active Board members.

I am currently working in hospitality, and I have a background of 24 years in Education. Several of which I was the head librarian for the school/Community library in Paradox Colorado.

I think my experience would be a benefit. I would like the chance to give back to my community by becoming a board member of the La Sal Community Recreation Center, and help out where I can.

Given the opportunity, I assure you that I will give my best and become an asset to La Sal Community.

Thank you for taking your time to review my application.

I am looking forward to hearing from you.

Sincerely, Raquel Schultz 1-435-459-9039 angelraquel4@yahoo.com PO Box 75 La Sal, UT 84530

Sent from my iPhone

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
6-Star Installation & Sales	126333	1514	09/11/2023	09/13/2023	3,153.00	SJC Sheriff	104211610 - Miscellaneous Supplies	
				-	\$3,153.00			
Amazon Capital Services Amazon Capital Services Amazon Capital Services Amazon Capital Services	126306 126306 126306 126306	139X-MLPV-CHM 16GK-G9G4-D4 16PM-HX4N-XW 16VY-PKMP-4JX	09/11/2023 09/11/2023 09/11/2023 09/11/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023	123.42 51.43		104256250 - Equipment Operation 104256250 - Equipment Operation 104256250 - Equipment Operation 104256250 - Equipment Operation	
Amazon Capital Services Amazon Capital Services Amazon Capital Services Amazon Capital Services	126306 126306 126306 126306	1H3V-476W-WXL 1LJP-1JJG-1VQV 1PGP-VXC1-WX 1RKN-QVNK-GW	09/11/2023 09/11/2023 09/11/2023 09/11/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023		SJC Road Dept SJC Road Dept SJC Road Dept	214414480 - Special Department Suppl 214412250 - Equipment Operation 214412250 - Equipment Operation 214412250 - Equipment Operation	
				-				
					\$852.27			
Bishop Lifting Bishop Lifting Bishop Lifting Bishop Lifting	126323 126323 126323 126323	GRA_PSI001100 GRA_PSI001100 GRA_PSI001105 GRA_PSI001105	09/12/2023 09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023	750.00 1,000.00 213.00 118.20 \$2,081.20	Road Road	214412250 - Equipment Operation 214412250 - Equipment Operation 214412250 - Equipment Operation 214412250 - Equipment Operation	
				-	\$2,081.20			
Black, Justin	126263	JB08242023	09/13/2023	09/13/2023	20.00	Meal Reimbursement	264350230 - Travel Expense	
				-	\$20.00			
Blanding City Blanding City Blanding City Blanding City Blanding City Blanding City Blanding City	126335 126335 126335 126335 126335 126335 126335 126335	20230831-16254 20230831-16260 20230905083430 20230906084639 20230908091030 20230908091030 BC202308250853	09/12/2023 09/11/2023 09/12/2023 09/12/2023 09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023	681.98 88.77 629.18 293.48 174.19	501640001 Blanding Library	214414270 - Utilities 214414270 - Utilities 104672270 - Utilities 264350270 - Utilities 104163270 - Utilities 724168270 - Utilities 255007.270 - Indirect Admin Utilities	
				-	\$3,418.36			
Blomquist Hale Consulting Group Inc	126305	SEP23-2543	09/13/2023	09/13/2023	784.80 \$784.80	Employee Assistance Coverage	104965140 - Other Employee Benefits	
Blue Mountain Foods	126262	119965	09/11/2023	09/13/2023	18.09	S.J.C. Jail Supplies	104230480 - Kitchen Food	
					\$18.09			
Bound Tree Medical LCC Bound Tree Medical LCC Bound Tree Medical LCC	126318 126318 126318	20230906084639 85014212 85021000	09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023	830.52 394.40 384.17 \$1,609.09		264350610 - Miscellaneous Supplies 264350610 - Miscellaneous Supplies 264350610 - Miscellaneous Supplies	
				-	\$1,609.09			
Bradford Tire	126271	73750	09/11/2023	09/13/2023		SJC Road Dept	214412251 - Gas, Oil and Grease	
Bradford, David P. Bradford, David P.	126280 126280	DB08242023 DB08282023	09/12/2023 09/12/2023	09/13/2023 09/13/2023 _ -	\$64.26 20.00 <u>111.02</u> \$131.02 \$131.02		264350230 - Travel Expense 264350230 - Travel Expense	
					ψ101.0Z			

9/15/2023 13

Item 3.

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
Bruckner's Truck & Equipment	126282	XA10802921201	09/12/2023	09/13/2023	143.09	SJC Road Dept	214412250 - Equipment Operation	
				-	\$143.09			
Bushore III, Bruce	126268	TB09082023	09/13/2023	09/13/2023	60.00	Fire Fighting	104220121 - Temporary Wages	
	120200	1000002020	00/10/2020			i no righting	To 1220121 Tomporary Magoo	
					\$60.00			
Canyonlands Copy Center	126336	38190	09/11/2023	09/13/2023	3,800.00	SJC Ec Dev	104850310 - Professional and Technica	
				-	\$3,800.00			
Carrshop	126321	1324	09/11/2023	09/13/2023	1,899.30	SJC Public Health	255012.250 - Local General Health Equ	
				-	\$1,899.30			
Century Equipment Co.	126296	DC06021	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Century Equipment Co.	126296	DC06022	09/12/2023	09/13/2023	-25.00		214412250 - Equipment Operation	
Century Equipment Co.	126296	DP96094	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Century Equipment Co.	126296	DP96122	09/12/2023	09/13/2023	138.84	SJC Road Dept	214412250 - Equipment Operation	
					\$344.33			
				-	\$344.33			
Cintas Corporation #108	126285	4165109221	09/12/2023	09/13/2023	42.87	SJC Road Dept	102229000 - Other Deductions Payable	
Cintas Corporation #108	126285	4165109221	09/12/2023	09/13/2023		SJC Road Dept	214414260 - Buildings and Grounds	
Cintas Corporation #108	126285	4166549614	09/12/2023	09/13/2023	42.87		102229000 - Other Deductions Payable	
Cintas Corporation #108	126285	4166549614	09/12/2023	09/13/2023	54.58	SJC Road Dept	214414260 - Buildings and Grounds	
				_	\$194.90			
					\$194.90			
Coast to Coast Solutions	126300	IVC0109202	07/06/2023	09/13/2023	542.73	SJC Sheriff - CSD84535	104210480 - Special Department Suppl	
				-	\$542.73			
Creswell, Lyn	126339	LC09062023	09/13/2023	09/13/2023	4.431.59	SVR District	104126617 - Administrative Law Judge	
- , ,					\$4,431.59			
Data Center	126329	60909	09/11/2023	09/13/2023		Postage Due	104143241 - Postage	
Jala Center	120329	00909	09/11/2023		,	Postage Due	104 14324 1 - F USlage	
					\$2,793.59			
Davis County Library	126266	212046143	09/12/2023	09/13/2023	34.00	Bluff Branch Library	724581920 - Grant Expenses	
				-	\$34.00			
Dentons Durham Jones Pinegar	126267	889986	09/12/2023	09/13/2023	57.50	SJC Admin	104156310 - Professional and Technica	
				-	\$57.50			
Dept of Health and Human Services	126284	23H5001094	09/11/2023	09/13/2023	190.53	SJC Ambulance	264350310 - Professional and Technica	
•					\$190.53			
Dominion Energy	126312	20230905083437	09/12/2023	09/13/2023	-	4922180000 835 E Central Office	104225270 - Utilities	
Dominion Energy	126312	20230905083437	09/12/2023	09/13/2023		0922180000 835 E Central Fair	104620270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		7624767442 881 E Center	104225270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		3153860000 264 S 100 E	104165270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		2922180000 835 E Central Book	104161270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		8743860000 96 W 100 S	264350270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		7643860000 80 N Main St	724167270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023		6353860000 297 S Main	104166270 - Utilities	
Dominion Energy	126312	20230906084717	09/12/2023	09/13/2023	23.92	6843860000	104161270 - Utilities	
					\$1,088.55			

14

Item 3.

Payee Name	Reference	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
DTS - State of Utah	126264	2402R249000003	09/11/2023	09/13/2023	22.52	SJC Attorney	104145482 - Law Library Supplies	
					\$22.52			
Emery Telcom	126297	20230906084839	09/12/2023	09/13/2023	144.86	3431000 SJC EMS	264350280 - Telephone	
Emery Telcom	126297	20230906084839	09/12/2023	09/13/2023	330.28		264350280 - Telephone	
-					\$475.14			
					\$475.14			
Empire Electric Assoc. Inc.	126343	20230831-16290	09/12/2023	09/13/2023	•	9579025 - 881 E Center St	214414270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230905083820	09/12/2023	09/13/2023		9579006 - PO Box 338	104225270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230905083828	09/12/2023	09/13/2023		9579005 - Hwy 491 Shop	104225270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579032 - 81 É Pinion St	104225270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579027 - 96 W 100 S	264350270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023	1,179.93		104574270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579029 - 264 S 100 E	104165270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023	60.78		104225270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579010 - Fire DP - Cedar Point	104225270 - Utilities	
Empire Electric Assoc. Inc.	126343 126343	20230908091030	09/12/2023 09/12/2023	09/13/2023 09/13/2023	811.06 1,556.37		724167270 - Utilities	
Empire Electric Assoc. Inc. Empire Electric Assoc. Inc.	126343	20230908091030 20230908091030	09/12/2023	09/13/2023		9579004 - TT7 S Main 9579019 - Fairgrounds Conces	104161270 - Utilities 104620270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579019 - Fairgrounds Conces	104620270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023		9579020 - 917 E Center Fairgrounds	104620270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023	66.37		104620270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023	239.70		104620270 - Utilities	
Empire Electric Assoc. Inc.	126343	20230908091030	09/12/2023	09/13/2023	390.84	9579020 - 917 E Center Fairgrounds	104620270 - Utilities	
					\$5,633.73	. C		
					\$5,633.73			
Fastenal Company	126303	COBAY75438	09/12/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Fastenal Company	126303	COBAY76503	09/12/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Fastenal Company	126303	COBAY76504	09/12/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Fastenal Company	126303	COBAY76610	09/12/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
					\$740.23			
					\$740.23			
	400000	0000057	00/40/0000	00/40/0000				
Four Corners Welding & Gas	126302 126302	CC382057 CC382264	09/12/2023 09/12/2023	09/13/2023 09/13/2023		SJC EMS SJC EMS	264350610 - Miscellaneous Supplies	
Four Corners Welding & Gas Four Corners Welding & Gas	126302	CC383205	09/12/2023	09/13/2023		SJC EMS SJC Road Dept	264350610 - Miscellaneous Supplies 214412250 - Equipment Operation	
Four Corners Welding & Gas	126302	CC383403	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Four Corners Welding & Gas	126302	GR00179019	09/12/2023	09/13/2023		SJC EMS	264350610 - Miscellaneous Supplies	
Four Corners Welding & Gas	126302	GR00179869	09/12/2023	09/13/2023		SJC Landfill	574424610 - Miscellaneous Supplies	
Four Corners Welding & Gas	126302	GR00179870	09/12/2023	09/13/2023	120.00		214412250 - Equipment Operation	
5					\$694.16			
					\$694.16			
Four States Tire & Service	126334	377381	09/11/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Four States Tire & Service	126334	377667	09/11/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Four States Tire & Service	126334	377669	09/11/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Four States Tire & Service	126334	377671	09/11/2023	09/13/2023	369.72	SJC Road	214412250 - Equipment Operation	
					\$3,311.00			
					\$3,311.00			
Frazier, Hannah	126311	HF082023	09/12/2023	09/13/2023		SJC Public Health	255400.310 - Cancer Screening Profes	
	120011		00,12/2020	00,10,2020	,		Loo loo lo cander Gordening Fibles	
					\$1,000.00			

9/15/2023 15

Item 3.

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
Frontier	126307	20203090508355	09/12/2023	09/13/2023		435-587-2797-030304-8	104225280 - Telephone	
Frontier Frontier	126307 126307	20230731054401 20230905083620	09/12/2023 09/12/2023	09/13/2023 09/13/2023	0.03 214.30		104225280 - Telephone 104225280 - Telephone	
Frontier	126307	20230905083620	09/12/2023	09/13/2023	272.93		104225280 - Telephone	
	120001	20200000000020	00,12,2020		\$854.38			
				-	\$854.38			
Happy Morgan Law	126344	20230908093551	09/12/2023	09/13/2023	5,877.75	Happy Morgan	104126310 - Professional and Technica	
				-	\$5,877.75			
Hoggard, Jeremy	126294	JH08282023	09/13/2023	09/13/2023	320.24	Crew app	264350330 - Employee Education	
				-	\$320.24			
Holland Equipment Company	126313	25903	09/11/2023	09/13/2023	1,115.60	SJC Road Dept	214412250 - Equipment Operation	
				-	\$1,115.60			
Honnen Equipment Co.	126314	125669	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Honnen Equipment Co.	126314	1492263	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Honnen Equipment Co. Honnen Equipment Co.	126314 126314	1499559 1503243	09/12/2023 09/12/2023	09/13/2023 09/13/2023		SJC Road Dept SJC Road Dept	214412250 - Equipment Operation 214412250 - Equipment Operation	
Honnen Equipment Co.	126314	1506470	09/12/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation 214412250 - Equipment Operation	
Homen Equipment 66.	120014	1000470	03/12/2020	00/10/2020 _	\$1,305.80			
				-	\$1,305.80			
Horrocks	126346	78235	09/11/2023	09/13/2023	11,176.00	Utah Broadband Plans	104850310 - Professional and Technica	
				-	\$11,176.00			
Interstate Billing Service	126310	20230615-140117	06/20/2023	09/13/2023	-41.67	SJC ROAD	214412250 - Equipment Operation	
Interstate Billing Service	126310	PSI-266210	09/13/2023	09/13/2023		SJC ROAD	214412250 - Equipment Operation	
Interstate Billing Service	126310	PSI-267079	09/13/2023	09/13/2023		SJC ROAD	214412250 - Equipment Operation	
Interstate Billing Service	126310	PSI-277017	09/13/2023	09/13/2023 _		SJC ROAD	214412250 - Equipment Operation	
				-	\$987.19			
Jackson Group Peterbilt	126345	232940GJ	09/11/2023	09/13/2023	\$987.19	SJC Road Dept	214412250 - Equipment Operation	
Jackson Group Peterbilt	126345	232940GJ 233194GJ	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
					\$6,948.97			
				-	\$6,948.97			
Jones & Demille Engineering	126342	131944	09/11/2023	09/13/2023	725.00		104193920 - Grants	
Jones & Demille Engineering	126342	131945	09/11/2023	09/13/2023	<u>4,668.54</u> \$5,393.54	2111-005.00	454255615 - Contracts	
				-	\$5,393.54 \$5,393.54			
K&H Integrated Print Solutions	126327	64737	09/11/2023	09/13/2023		SJC Elections	104173310 - Professional and Technica	
	.2002.	0.1.01	00/11/2020	-	\$2,648.71			
K. Andrew Fitzgerald	126332	KAF 082023	09/13/2023	09/13/2023		Crew app	264350330 - Employee Education	
in a dal on in Egorala	.20002		00,10,2020	-	\$3,093.75	0.0.1 dpp		
Kenworth Sales Company	126347	5P8016	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Kenworth Sales Company	126347	5P8136	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation	
Kenworth Sales Company	126347	5P8185	09/11/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	
Kenworth Sales Company	126347	5P8247	09/11/2023	09/13/2023		SJC Road	214412250 - Equipment Operation	

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
Kenworth Sales Company	126347	5P8251	09/11/2023	09/13/2023	6,430.88		214412250 - Equipment Operation	
Kenworth Sales Company	126347	5P8339	09/11/2023	09/13/2023	-5,166.76	SJC Road	214412250 - Equipment Operation	
				_	\$14,240.56			
					\$14,240.56			
Ketron, Tyler	126275	TK083123	09/13/2023	09/13/2023	82.00	TRAVEL REIMBURSEMENT	255007.230 - Indirect Admin Travel exp	
				_	\$82.00			
Kilgore Companies LLC	126350	1203925	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC	126350	1205564	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC	126350	1205569	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC	126350	1206418	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC	126350	1207279	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC	126350	1208225	09/12/2023	09/13/2023		SJC ROAD	214414410 - Road Supplies	
Kilgore Companies LLC Kilgore Companies LLC	126350 126350	1214288 1214289	09/12/2023 09/12/2023	09/13/2023 09/13/2023	4,705.74 1,261.26	SJC ROAD SJC ROAD	214414410 - Road Supplies 214414410 - Road Supplies	
Kilgore Companies LLC	120350	1214209	09/12/2023	09/13/2023	\$33,506.46	SJC ROAD	2 144 144 10 - Road Supplies	
				-	\$33,506.46			
Kimball Midwest	126290	101342339	09/12/2023	09/13/2023	. ,	SJC Road	214412250 - Equipment Operation	
				-	\$269.68			
Kunz PC	126341	KUNZ 09012023	09/13/2023	09/13/2023		SJC Atttorney	104156310 - Professional and Technica	
					\$5,216.50	· · · · · · · · · · · · · · · · · · ·		
Life-Assist Inc.	126340	1342075	09/12/2023	09/13/2023		SJC Emergency Svc.	264350610 - Miscellaneous Supplies	
Life-Assist Inc.	126340	1344230	09/12/2023	09/13/2023	1,753.86		264350610 - Miscellaneous Supplies	
Life-Assist Inc.	126340	1344423	09/12/2023	09/13/2023	270.50		264350610 - Miscellaneous Supplies	
Life-Assist Inc.	126340	1347952	09/12/2023	09/13/2023	764.58		264350610 - Miscellaneous Supplies	
Life-Assist Inc.	126340	1354394	09/12/2023	09/13/2023	325.52	SJC Emergency Svc.	264350610 - Miscellaneous Supplies	
				-	\$4,493.94			
				-	\$4,493.94			
Little America-Salt Lake	126281	2230124	09/12/2023	09/13/2023	131.82	Bruce Adams	104111230 - Travel Expense	
				-	\$131.82			
Main Street Drug and Boutique	126276	17201	09/11/2023	09/13/2023		SJC Sheriff	104230312 - Medical Expenses	
Main Street Drug and Boutique	126276	17256	09/11/2023	09/13/2023	47.97		104230312 - Medical Expenses	
Main Street Drug and Boutique	126276	17449	09/11/2023	09/13/2023	27.22	SJC Sheriff	104230312 - Medical Expenses	
				_	\$87.78			
				_	\$87.78			
Maxwell Products Inc.	126349	INV3188	09/12/2023	09/13/2023	27,656.25	SJC Road Dept	214414410 - Road Supplies	
				-	\$27,656.25			
McNeely, Jerry	126317	JM09012023	09/11/2023	09/13/2023	1,500.00	Jerry McNeely	104112310 - Professional and Technica	
				-	\$1,500.00			
Monticello Mercantile	126299	C286603	09/12/2023	09/13/2023	13.17		264350610 - Miscellaneous Supplies	
Monticello Mercantile	126299	C288398	09/12/2023	09/13/2023	30.47		264350610 - Miscellaneous Supplies	
Monticello Mercantile	126299	C290624	09/12/2023	09/13/2023	12.49		264350610 - Miscellaneous Supplies	
Monticello Mercantile	126299	C291989	09/12/2023	09/13/2023	41.99		104144240 - Office Expense	
Monticello Mercantile	126299	C292901	09/12/2023	09/13/2023	18.99		214412251 - Gas, Oil and Grease	
Monticello Mercantile	126299	C293405	09/12/2023	09/13/2023	35.40	SJC Road	214412260 - Buildings and Grounds	

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Activity Code
Monticello Mercantile	126299	C293707	09/12/2023	09/13/2023	10.49	SJC Road	214412250 - Equipment Operation
Monticello Mercantile	126299	C294461	09/12/2023	09/13/2023	310.10		104230350 - State Prisoner Expenses
Monticello Mercantile	126299	C294523	09/12/2023	09/13/2023		SJC Sheriff	104230250 - Equipment Operation
					\$513.08		
				-	\$513.08		
Mooneyhan, Elizabeth	126269	BM09082023	09/12/2023	09/13/2023	60.00	Fire Fighting	104220121 - Temporary Wages
				-	\$60.00		
Motor Parts Company	126330	556117	09/11/2023	09/13/2023	47.48	SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	556466	09/11/2023	09/13/2023	290.98	SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	556471	09/11/2023	09/13/2023	30.80	SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	556489	09/11/2023	09/13/2023	12.09		214412250 - Equipment Operation
Motor Parts Company	126330	556534	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	556548	09/11/2023	09/13/2023	61.60		214412250 - Equipment Operation
Motor Parts Company	126330	556553	09/11/2023	09/13/2023	15.12		214412250 - Equipment Operation
Motor Parts Company	126330	556754	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	556819	09/11/2023	09/13/2023	29.31		214412250 - Equipment Operation
Motor Parts Company	126330	556962	09/11/2023	09/13/2023	157.08		214414480 - Special Department Suppl
Motor Parts Company	126330	556979	09/11/2023	09/13/2023	127.00		214412250 - Equipment Operation
Motor Parts Company	126330	557097	09/11/2023	09/13/2023	41.49		214412250 - Equipment Operation
Motor Parts Company	126330	557105	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	557149	09/11/2023	09/13/2023	87.36		214412250 - Equipment Operation
Motor Parts Company	126330	557154	09/11/2023	09/13/2023	-18.00		214412250 - Equipment Operation
Motor Parts Company	126330	557200	09/11/2023	09/13/2023		SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	557216	09/11/2023	09/13/2023	28.38		214412250 - Equipment Operation
Motor Parts Company	126330	557286	09/11/2023	09/13/2023	9.12	SJC Road Dept	214412250 - Equipment Operation
Motor Parts Company	126330	557313	09/11/2023	09/13/2023	33.29		214412250 - Equipment Operation
Motor Parts Company	126330	557314	09/11/2023	09/13/2023	10.26		214412250 - Equipment Operation
Motor Parts Company	126330	843536	09/11/2023	09/13/2023	147.44		214412250 - Equipment Operation
Motor Parts Company	126330	844655	09/11/2023	09/13/2023	53.88		214412250 - Equipment Operation
Motor Parts Company	126330	844868	09/11/2023	09/13/2023	27.99		214412250 - Equipment Operation
Motor Parts Company	126330	844979	09/11/2023	09/13/2023	0.29		214412250 - Equipment Operation
Motor Parts Company	126330	845235	09/11/2023	09/13/2023	11.24		214412250 - Equipment Operation
Motor Parts Company	126330	845268	09/11/2023	09/13/2023	104.96		214412250 - Equipment Operation
Motor Parts Company	126330	845631	09/11/2023	09/13/2023	272.40		214412250 - Equipment Operation
Motor Parts Company	126330	845764	09/13/2023	09/13/2023	520.32		574424250 - Equipment Operation
Motor Parts Company	126330	846195	09/13/2023	09/13/2023		SJC Landfill	574424251 - Gas, Oil and Grease
Motor Parts Company	126330	846249	09/13/2023	09/13/2023	2.07		574424250 - Equipment Operation
Motor Parts Company	126330	884849	09/12/2023	09/13/2023	<u>17.99</u> \$2,802.44	SJC Weed	104256250 - Equipment Operation
				-	\$2,802.44		
MSFS of Utah	126298	20230905083413	09/12/2023	09/13/2023		SJC Aging	104682615 - Contracts
					\$495.00		
National Benefit Services LLC	126331	CP357160	09/12/2023	09/13/2023	-	Claims Paid Invoice	104965140 - Other Employee Benefits
					\$3,027.40		
Navajo Times Publishing Co.	126283	Sub23-25	09/13/2023	09/13/2023	90.00	Annual Subscription	724581210 - Subscriptions and Membe
Navajo Times Publishing Co.	126283	Sub23-26	09/13/2023	09/13/2023	90.00	MC Library Subscription	724581210 - Subscriptions and Membe
	120200		30,10,2020		\$180.00		
					\$100.00		
				-	\$180.00		
Navajo Tribal UtilityAuthority	126286	34001484409	09/12/2023	09/13/2023	208.99	60271007 - SJC Fire	104225270 - Utilities
				-	\$208.99		

Page 6

18

Item 3.

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Activ	
Nicholas & Company Nicholas & Company Nicholas & Company Nicholas & Company Nicholas & Company Nicholas & Company	126338 126338 126338 126338 126338 126338 126338	8467132 8467132 8467135 8467135 8467138 8467138	09/12/2023 09/12/2023 09/12/2023 09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023	974.11 363.18 363.19 657.11	SJC Aging SJC Aging SJC Aging SJC Aging SJC Aging SJC Aging	104677323 - Meals - Monticello 104678323 - Meals - Monticello 104678325 - Meals - Blanding 104677325 - Meals - Blanding 104677328 - Meals - La Sal 104678328 - Meals - La Sal	
	120330	0407130	09/12/2023		\$3,988.81		104070320 - Ivicais - La Sai	
ODP Business Solutions LLC ODP Business Solutions LLC ODP Business Solutions LLC	126291 126291 126291	324597108001 324604079001 324604081001	09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023	10.52	SJC Public Health SJC Public Health SJC Public Health	255007.240 - Indirect Admin Office exp 255007.240 - Indirect Admin Office exp 255007.240 - Indirect Admin Office exp	
ODP Business Solutions LLC ODP Business Solutions LLC	126291 126291	325541341001 327112586001	09/12/2023 09/12/2023	09/13/2023 09/13/2023	38.57	SJC Recorder SJC Sheriff	104144240 - Office Expense 104230250 - Equipment Operation	
				-	\$271.81			
OTIS	126277	F10000116240	09/11/2023	09/13/2023	100.00 \$100.00		104166310 - Professional and Technica	
Packard Wholesale Co. Packard Wholesale Co. Packard Wholesale Co. Packard Wholesale Co.	126304 126304 126304 126304	INV214451 INV214451 INV215176 INV215694	09/13/2023 09/13/2023 09/13/2023 09/13/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023	132.50 132.50 39.19	SJC Aging SJC Aging SJC Public Health SJC Sheriff's Office	104677325 - Meals - Blanding 104678325 - Meals - Blanding 255007.260 - Indirect Admin Buildings 104230350 - State Prisoner Expenses	
Page Steel	126320	119514	09/11/2023	09/13/2023	\$758.38 1.879.00	SJC Road	214412250 - Equipment Operation	
5				•	\$1.879.00			
Penguin Management Inc	126328	75407	09/11/2023	09/13/2023		SJC EMS	264350310 - Professional and Technica	
Redd's Ace Hardware Redd's Ace Hardware Redd's Ace Hardware Redd's Ace Hardware Redd's Ace Hardware Redd's Ace Hardware Redd's Ace Hardware	126293 126293 126293 126293 126293 126293 126293 126293	878690 879827 880659 881477 881724 882062 883382	09/11/2023 09/11/2023 09/11/2023 09/12/2023 09/12/2023 09/12/2023 09/12/2023	09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023 09/13/2023	89.99 16.99 49.98 9.98 54.98	SJC Library SJC Library SJC Ambulance SJC Ambulance SJC Ambulance SJC Fire SJC Landfill	724581620 - Special Programs 724581740 - Equipment Purchases 264350330 - Employee Education 264350260 - Buildings and Grounds 264350610 - Miscellaneous Supplies 104220260 - Buildings and Grounds 574424240 - Office Expense	
				-	\$307.92 \$307.92			
RelaDyne West LLC	126288	998976-IN	09/13/2023	09/13/2023		SJC Landfill	574424251 - Gas, Oil and Grease	
Richardson, Walt	126274	WR09082023	09/13/2023	09/13/2023	\$214.90 75.00	Fire Fighting	104220121 - Temporary Wages	
Ricks Glass Inc.	126308	21455	09/11/2023	09/13/2023	\$75.00 895.00	SJC Econ Dev	104193255 - Equipment Rental	
Rocky Mountain Power Rocky Mountain Power	126265 126265	20230907-17093 20230907-17103	09/12/2023 09/12/2023	09/13/2023 09/13/2023	\$895.00 18.16 14.07 \$32.23	59405396-0029 SJC Road 59271696-0048 SJC Road	214414270 - Utilities 104225270 - Utilities	

Pag**\$32.23**

19

Item 3.

Payee Name	Reference Number	Invoice Number	Invoice Ledger Date	Payment Date	Amount	Description	Ledger Account	Activity Code
Rush Truck Centers of Utah Inc	126278	3033771286	09/12/2023	09/13/2023	100.11	SJC Road Dept	214412250 - Equipment Operation	
				-	\$100.11			
Sallee, Tyler	126287	TS09082023	09/13/2023	09/13/2023	-	FIRE CONTROL	104220121 - Temporary Wages	
	120201	1000002020	00/10/2020				104220121 - Temporary Wages	
					\$210.00			
San Juan Clinic	126272	9168834	09/11/2023	09/13/2023	72.00	TODD ADAIR 7219690	214414620 - Miscellaneous Services	
				-	\$72.00			
San Juan Hospital	126292	9165540	09/12/2023	09/13/2023	292.26	Young, Garrett	104230312 - Medical Expenses	
						3, -		
					\$292.26			
Simpleview LLC	126295	INV362048	09/13/2023	09/13/2023	333.33	SJC Econ Dev and Visitor Services	104193210 - Subscriptions and Membe	
				-	\$333.33			
SJC Inmate Account	126337	SJC TrusteePayr	09/13/2023	09/13/2023	3,953.64	Trustee Payroll	104230352 - Inmate Humanitarian Exp	
		_ /		-	\$3,953.64	-		
	100015	100011	00/11/00000	00/40/0000				
SJR Media SJR Media	126315 126315	163344 SJCCLERK0823	09/11/2023 09/13/2023	09/13/2023 09/13/2023	13.30 900.00	SJC Commission SJC Clerk	104142220 - Public Notices 104142310 - Professional and Technica	
SJR Media	126315	SJCECON0823	09/13/2023	09/13/2023	345.00		103825000 - Sponsorships	
SJR Media	126315	SJCHR0823	09/13/2023	09/13/2023	78.00	SJC Human Resources	104134220 - Public Notices	
					\$1,336.30			
				-	\$1,336.30			
Sorenson Advertising, dba Relic Age	126348	209266	09/11/2023	09/13/2023	18.000.00	SJC Economic Dev	104193490 - Advertising and Promotion	
					,		· · · · · · · · · · · · · · · · · · ·	
					\$18,000.00			
South Jordan Police Department	126324	23-07	09/11/2023	09/13/2023	2,250.00	SWAT School	104211230 - Travel Expense	
				_	\$2,250.00			
Southwest Colorado TV	126322	08-31	09/11/2023	09/13/2023	2,000.00	Contract Services	104574615 - Contracts	
				-	\$2,000.00			
Switter Avland DLLC	106006	2777	00/11/2022	00/42/2022		C IC Atterney	101156210 Drafagaianal and Tachnica	
Suitter Axland PLLC	126326	2111	09/11/2023	09/13/2023		SJC Attorney	104156310 - Professional and Technica	
					\$2,484.00			
Sysco Intermountain Food Svc.	126301	485635166	07/07/2023	09/13/2023	575.02	SJC SHERIFF	104230480 - Kitchen Food	
				-	\$575.02			
Verizon Wireless	126325	9939555953	09/12/2023	09/13/2023	-	265507612-00001	264350280 - Telephone	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023	52.88		255008.280 - Indirect Nursing Telephon	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023	52.88		255010.280 - Indirect Health Insp Telep	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023	52.88	742063425-00001 - Public Health	255193.280 - Home Visiting - PAT Tele	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023	52.88	742063425-00001 - Public Health	255281.280 - EED - Epidemiology Tele	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023	52.88		255310.280 - PHEP Preparedness Tele	
Verizon Wireless	126325	9940978604	09/12/2023	09/13/2023		742063425-00001 - Public Health	255012.280 - Local General Health Tel	
Verizon Wireless	126325	9941945709	09/12/2023	09/13/2023	52.88		104113280 - Telephone	
Verizon Wireless	126325	9941945710	09/12/2023	09/13/2023	265.80		104151280 - Telephone	
Verizon Wireless	126325	9941945719	09/12/2023	09/13/2023	114.04		104255280 - Telephone	
Verizon Wireless Verizon Wireless	126325	9941945723	09/12/2023	09/13/2023	145.77		214414280 - Telephone	
Verizon Wireless Verizon Wireless	126325 126325	9941955930 9941986571	09/12/2023 09/12/2023	09/13/2023 09/13/2023	200.34 25.04	665507629-00005	104225280 - Telephone 104146280 - Telephone	
Verizon Wireless	126325	9941986571	09/12/2023	09/13/2023		665507629-00005	104242280 - Telephone	
	120020	0041000011	55/12/2020	00/10/2020	20.04			

9/15/2023

	Reference	Invoice	Invoice	Pavment				Activity
Payee Name	Number	Number	Ledger Date	Date	Amount	Description	Ledger Account	Code
Verizon Wireless	126325	9941996761	09/12/2023	09/13/2023	53.68	765507047-00001	104112280 - Telephone	
Verizon Wireless	126325	9941996761	09/12/2023	09/13/2023	179.55	765507047-00001	104111280 - Telephone	
Verizon Wireless	126325	9941996762	09/12/2023	09/13/2023	79.93	765507047-00003	104147280 - Telephone	
Verizon Wireless	126325	9941996778	09/12/2023	09/13/2023	35.25	765508819-00001	104679280 - Telephone	
Verizon Wireless	126325	9941996778	09/12/2023	09/13/2023	35.25	765508819-00001	104682280 - Telephone	
Verizon Wireless	126325	9941996778	09/12/2023	09/13/2023	35.25	765508819-00001	104684280 - Telephone	
Verizon Wireless	126325	9941996778	09/12/2023	09/13/2023	52.88	765508819-00001	104675280 - Telephone	
					\$2,341.89			
				-	\$2,341.89			
Walk-N-Roll	126309	2098	09/11/2023	09/13/2023	950.04	SJC Road	214412250 - Equipment Operation	
				-	\$950.04			
Walker, LaMar	126273	LW09082023	09/13/2023	09/13/2023	75.00	SVR District	104220121 - Temporary Wages	
				-	\$75.00			
Walker, Tel	126316	TW09082023	09/13/2023	09/13/2023	1,365.00	Fire Fighting	104220121 - Temporary Wages	
					\$1,365.00			
Waste Management of Colorado	126289	0419741-4889-6	09/11/2023	09/13/2023	89.65	16-83977-53000 SJC Road Dept	214414270 - Utilities	
Waste Management of Colorado	126289	0419840-4889-6	09/11/2023	09/13/2023	179.54	19-36095-03000 SJC Public Health	255007.270 - Indirect Admin Utilities	
					\$269.19			
				-	\$269.19			
Watts Steam Store Utah Inc	126319	7109408	09/12/2023	09/13/2023	-	SJC Road Dept	104220615 - Contracts	
Watts Steam Store Utah Inc	126319	7109408	09/12/2023	09/13/2023	934.55		214412250 - Equipment Operation	
	120010	1100100	00/12/2020		\$1,869.10			
				-	. ,			
					\$1,869.10			
Wheeler Machinery Company	126351	MS0000043319	09/13/2023	09/13/2023	60,810.00	SJC Road Dept	214414740 - Equipment Purchases	
Wheeler Machinery Company	126351	PS001557984	09/13/2023	09/13/2023	1,801.24	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001558142	09/13/2023	09/13/2023	1,493.66	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001558712	09/13/2023	09/13/2023	27.04	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001558792	09/13/2023	09/13/2023	33.62	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001559430	09/13/2023	09/13/2023	56.52	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001559555	09/13/2023	09/13/2023	350.72	SJC Road Dept	214412250 - Equipment Operation	
Wheeler Machinery Company	126351	PS001559556	09/13/2023	09/13/2023	91.33	SJC Road Dept	214412250 - Equipment Operation	
					\$64,664.13			
				-	\$64,664.13			
Young, Lois	126270	LY008	09/13/2023	09/13/2023	60.26	Expense Voucher	255007.230 - Indirect Admin Travel exp	
				-	\$60.26			
Zhonnie, Sylvia	126279	SZ003	09/13/2023	09/13/2023	107.42	Expense reimbursement	255007.230 - Indirect Admin Travel exp	
				-	\$107.42			
				:	\$288,266.55			

9/15/2023

21

Item 3.



BOARD OF COMMISSIONERS WORK SESSION MEETING

117 South Main Street, Monticello, Utah 84535. Commission Chambers September 05, 2023 at 9:00 AM

MINUTES

The public will be able to view the meeting on San Juan County's Facebook live and Youtube channel orthroughZoomathttps://us02web.zoom.us/j/82171709527 Onetapmobile+16699006833,,82171709527# US (San Jose)US (San Jose)IS (San Jose)IS (San Jose)

Public Participation is not anticipated during Work Session Meetings

Audio: https://www.utah.gov/pmn/files/1018019.MP3

Video: https://www.youtube.com/watch?v=9FKbiR85olg

CALL TO ORDER

Time Stamp 0:00:12 (audio & video)

Commission Chair Adams called the meeting to order at 9:02 a.m.

ROLL CALL

Time Stamp 0:00:26 (audio & video)

PRESENT

Commission Chair Bruce Adams Commission Vice-Chair Silvia Stubbs Commissioner Jaime Harvey

STAFF

Mack McDonald – County Administrative Officer (CAO) Lyman W. Duncan – County Clerk/Auditor Mitch Maughan, County Deputy Attorney

AUDIENCE/OTHERS

Nancy Kimmerle Donna Jensen

CONTINUED

Heather Raisor Lynn Cresswell Bart Kunz-Virtual

AGENDA ITEMS

1. San Juan County Historic Commission Updates

Time Stamp 0:00:44 (audio & video)

Nancy Kimmerle, President for the San Juan County Historical Commission, spoke first about the work being performed by the Historical Commission.

Heather Raisor, Secretary, stated that the group has uploaded numerous photos to the Historical Commission's website link. The photos were given to them by the many community members. Many of these photos were of unidentified residents and have been found and identified!

In addition, the Historical Commission, are gathering information regarding the first settlers in Blanding and where in town they lived during the 1905-1910 years. The Historic Commission is also gathering photos and information for all of the previous commissioners from the beginning.

Donna Jensen, Vice-President, spoke of the group's efforts in gathering stories and photos from the neighboring Native American communities.

In conclusion, Nancy spoke of their effort in identifying historic locations within the county, and asked for all county residents to help in identifying more locations.

2. 1. Mitchell Maughan, The new enhanced and effective County subdivision plat approval process.

2. Lyn Creswell. County land use code amendment to clarify that short-term rentals have been and continue to be prohibited uses in the SVR and A-1 districts.

3. Lyn Creswell. Possible increased sanctions for property owner violations of County code requirements.

4. Lyn Creswell. A recommended alternative for neighboring property owners to inform the County about nuisance or zoning code violations in their community.

Time Stamp 0:22:15 (audio & video)

Lyn Creswell, County Administrative Law Judge (ALJ) spoke about developing an enforcement plan for the county-wide overnight rentals. Lyn, Mitch Maughan, and Bart Kunz have met several times and developed processes that will benefit the enforcement of the overnight rental market within the county. Landmark Design prepared a Spanish Valley Area

Plan in 2019. Lyn stated that the Area Plan is a living ordinance and can be amended by the commissioners as needed, including commercial, residential, overnight rental properties, and the size of the different zones.

The proposed overnight rental enforcement code allows for a fine of up to \$200 per night. If the owner is receiving more rental money than the fine per citation, they might continue running the overnight rentals. The county can go to court and seek an injunction against the property rental owner. Governments cannot use short-term rental listing sites in an effort to find the properties. A citizen complaint form will be placed upon the county website in several locations. The International Fire Code might be an option for the county to utilize in the enforcement process.

Bart Kunz, attorney, spoke about the enforcement of the various nuisance claims through the District Court by asking for an injunction.

Mitch Maughan, Deputy County Attorney spoke about the subdivision approval process. The process includes property within the Spanish Valley Overnight Rental ordinance and the rest of the A-1 property in the county. The newly developed checklist will help developers understand what is expected from them through the county zoning process.

ADJOURNMENT

Time Stamp 1:21:35 (audio & video)

Meeting concluded without an adjournment or vote.

The Board of San Juan County Commissioners can call a closed meeting at any time during the Regular Session if necessary, for reasons permitted under UCA 52-4-205

All agenda items shall be considered as having potential Commission action components and may be completed by an electronic method **In compliance with the Americans with Disabilities Act, persons needing auxiliary communicative aids and services for this meeting should contact the San Juan County Clerk's Office: 117 South Main, Monticello or telephone 435-587-3223, giving reasonable notice**

APPROVED:

San Juan County Board of County Commissioners

ATTEST:

San Juan County Clerk/Auditor

24

DATE:

DATE:

inty Dourd of County

Ι



BOARD OF COMMISSIONERS MEETING

117 South Main Street, Monticello, Utah 84535. Commission Chambers September 05, 2023 at 11:00 AM

MINUTES

The public will be able to view the meeting on San Juan County's Facebook live and Youtube channel

Audio: https://www.utah.gov/pmn/files/1018019.MP3

Video: https://www.youtube.com/watch?v=0PrkoNriFNk

CALL TO ORDER

Time Stamp 0:00:03 (audio & video)

Commission Chair Adams called the meeting to order at 10:59 a.m.

ROLL CALL

Time Stamp 0:00:22 (audio & video)

PRESENT Commission Chair Bruce Adams Commission Vice-Chair Silvia Stubbs Commissioner Jaime Harvey

STAFF

Mack McDonald, Administrative Officer (CAO) Lyman W. Duncan, Clerk/Auditor Mitch Maughan, Deputy Attorney

INVOCATION

Time Stamp 0:00:45 (audio & video)

Joel Mellon, resident of Elk Meadows, offered the invocation

PLEDGE OF ALLEGIANCE

Item 5.

Time Stamp 0:01:35 (audio & video)

Commission Chair Adams led the attendees in the Pledge of Allegiance.

CONFLICT OF INTEREST DECLARATION

Time Stamp 0:02:08 (audio & video)

Mack McDonald, CAO, presented the Conflict of Interest Statement for the Commissioners to declare each public meeting. Each Commissioner declared they were free of any conflicts of interest.

1. Declaration of Conflict of Interests: In Accordance with Utah Code Ann. 67-16-9 Conflict of Interests Prohibited. No Public Officer or Public Employee Shall Have Personal Investments in any Business Entity which will Create a Substantial Conflict Between His [/Her] Private Interests and His [/Her] Public Duties.

PUBLIC COMMENT

Public comments will be accepted through the following Zoom Meeting https://us02web.zoom.us/j/3125521102 One tap mobile +16699006833,,3125521102# US (San Jose)

There will be a three-minute time limit for each person wishing to comment. If you exceed that threeminute time limit the meeting controller will mute your line.

Time Stamp 0:03:35 (audio & video)

Joel Mellon, resident of Elk Meadows, spoke of the loud music coming from a neighbor in Elk Meadows. The Chief Deputy and another officer responded to the complaint, which was resolved eventually. Joe asked for a nuisance ordinance to be enacted by the Commission.

Stuart Smith, resident of Elk Meadows, supported the prospective noise ordinance and the nuisance issues related to it.

Brian Torgersen, representative of SITLA, spoke about the Bluff land disconnect and asked for the county to take a neutral position.

Jim Sayers, resident of Bluff, is a member of the Town of Bluff's Council. He asked for the Commission to support in keeping the Bluff property intact.

Greg Culbreath, resident of Elk meadows, thanked the Commissioners for their support of the Overnight Rental Enforcement plan. He is concerned about several Elk Meadow properties turning into overnight properties and the resulting nuisances that might accompany overnight rentals.

CONSENT AGENDA (Routine Matters) Mack McDonald, San Juan County Administrator

The Consent Agenda is a means of expediting the consideration of routine matters. If a Commissioner requests that items be removed from the consent agenda, those items are placed at the beginning of the regular agenda as a new business action item. Other than requests to remove items, a motion to approve the items on the consent agenda is not debatable.

Time Stamp 0:22:50 (audio & video)

Mack presented the Consent Agenda for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

- 2. Approval of the August 8, 2023 Commission Work Session Minutes
- 3. Approval of the August 8, 2023 Commission Meeting Minutes
- 4. Approval of the August 4 to August 31, 2023 Check Registers
- 5. Approval of the \$19,070 Purchase Order for a Solar Charge Controller for the Cal Black Airport Solar Power System

RECOGNITIONS, PRESENTATIONS, AND INFORMATIONAL ITEMS

6. Presentation and Approval of the 2022 Fiscal Year Audit Report by Larson and Company, PC. Jon Haderlie, CPA, Partner

Time Stamp 0:24:24 (audit & video)

Jon Haderlie, Audit Partner for Larson & Co. presented the 2022 Audit Report and its findings. The audit was found to be an unmodified or a "clean" opinion. Jon felt that that some counties struggled because of Covid-19, and that other government entities were better prepared. Larson & Co. are required to assess the "going concern" value for the county, which he felt was healthy, because of our low debt and strong cash position.

The Single Audit report was performed on any county grant programs that receive more than \$750,000 per year, and the county received an unmodified or "clean" opinion.

Jon spoke about the potential audit risks such as revenue recognition, cash disbursements, and potential bias, estimates, and management's ability to override controls. The auditor did not find any realized risks in the audit.

The only finding was related to the budget overages in the Sheriff's and Assessor's offices, of which statements' were prepared and sent to the State Auditor's Office.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

7. Presentation of the San Juan County Local Broadband Plan. Mack McDonald, Chief Administrative Officer

Time Stamp 0:50:22 (audio & video)

Mack presented the Broadband Plan results for the Commission to review and approve. The County received \$50,000 to receive a plan for the future implementations into the frontier parts of the county. The hope is for future federal funds to be allocated to the state and county, because of the written plans identifying the local needs.

BUSINESS/ACTION

8. Consideration and Approval of the Appointment of Dr. Melissa Rigg to the San Juan County Planning Commission to Represent the Town of Bluff. Mack McDonald, Chief Administrative Officer

Time Stamp 1:06:09 (audio & video)

Mack presented the requirement to remain on the Planning Commission, which is 50% inperson attendance. The previous member is to be removed from the Planning Commission per the motion. Melissa Rigg, resident of Bluff was presented for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

9. CONSIDERATION AND APPROVAL OF RESOLUTION 2023-08, A RESOLUTION STATING THE SUPPORT OF SAN JUAN COUNTY FOR THE ESTABLISHED MUNICIPAL BOUNDARIES OF THE TOWN OF BLUFF. AND IN CONNECTION THEREWITH STATING OPPOSITION TO THE CURRENT MUNICIPAL DISCONNECTION PETITION NOW PENDING BEFORE THE BLUFF TOWN COUNCIL. Mack McDonald, Chief Administrative Officer

Time Stamp 1:11:04 (audio & video)

Mack presented the resolution regarding the town of Bluff's request for the Commission to support the denial of the Bluff property disconnect.

Motion made by Commissioner Harvey. Motion died for lack of a second motion.

10. Consideration and Approval of the La Sal Transfer Station Power Installation. Jed Tate, Landfill Operations Manager

Time Stamp 1:31:47 (audio & video)

Jed Tate, Landfill Manager, presented the contract for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

11. Consideration and Approval of the Aneth Transfer Station Participation and Purchase of Transfer Bins. Jed Tate, Landfill Operations Manager

Time Stamp 1:33:35 (audio & video)

Jed Tate, Landfill Manager, presented the Participation Agreement with the Aneth Transfer Station, and to purchase new Transfer Bins for the Commission to review and approve.

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

12. Consideration and Approval of the Life Cycle Replacement Purchase and Contract of the San Juan County Sheriff's Office Patrol Axon Tasers. Sheriff Lehi Lacey/Sergeant Black

Time Stamp 1:36:25 (audio & video)

Chas Black, County Sheriff, presented the proposal to purchase new Tasers, for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

13. Consideration and Approval of Three Candidates for Possible Appointment to the Grand County Water Conservancy District (GCWCD). Mack McDonald, Chief Administrative Officer

Time Stamp 1:39:33 (audio & video)

Mack presented the names of three (3) individuals to be nominated for the Grand County Water Conservancy. The individuals are: Kevin Clyde, Lynn Jackson, and Ken Heifenbein.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs 14. Consideration and Approval of a Alcohol Local Consent for Min E's Market - La Sal Junction & Hwy 191, Lyman Duncan

Time Stamp 1:46:17 (audio & video)

Lyman Duncan presented the Local Consent Form for E's Market Extension to Hwy 191 fir the Commission to review and approve. Several questions were asked about the building, layout of the coolers, and the location.

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

15. Consideration and Approval of the San Juan County - Minimum Performance Standards SFY22 Amendment #2 With the State of Utah Department of Health and Human Services. Grant Sunada, Public Health Director

Time Stamp 1:47:27 (audio & video)

Grant Sunada, Public Health Director, presented the state contract for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

16. Consideration and Approval of San Juan County Health Department Community and Clinical Interventions Contract with the State of Utah Department of Health and Human Services for \$23,528.90. Grant Sunada, Public Health Director

Time Stamp 1:51:37 (audio & video)

Grant Sunada, Public Health Director, presented the federal contract for the Commission to review and approve.

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

17. CONSIDERATION AND ADOPTION OF RESOLUTION 2023-09, A RESOLUTION APPROVING THE FORM OF THE LEASE/PURCHASE AGREEMENT WITH ZIONS BANCORPORATION, N.A., SALT LAKE CITY, UTAH AND AUTHORIZING THE EXECUTION AND DELIVERY THEREOF. Mack McDonald, Chief Administrative Officer

Time Stamp 1:53:08 (audio & video)

Mack presented the Zions Lease/Purchase Agreement for the Commission to review and approve.

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

18. Consideration and Approval of the Notice of Award and Intent to Negotiate a Contract with Points Consulting LLC for a Housing and Community Needs Assessment for San Juan County for a Total Not To Exceed \$84,300. Mack McDonald, Chief Administrative Officer

Time Stamp 1: 53:54 (audio & video)

Mack presented the contract for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

PUBLIC HEARING

19. CONSIDERATION AND APPROVAL OF RESOLUTION 2023-10. A RESOLUTION PURSUANT TO SECTION 17-36-26 U.C.A.1953 AS AMENDED APPROVING THE ADDITIONAL BUDGET APPROPRIATION REQUESTS AND/OR MID-YEAR ADJUSTMENTS FUNDED BY NEW REVENUES, GRANT FUNDING AND/OR MONTIES UNSPENT IN THE PRIOR YEAR (FUND BALANCE). Mack McDonald, Chief Administrative Officer

Time Stamp 1:55:15 (audio & video)

Motion to enter into a Public Hearing for the Mid-Year Budget Adjustments:

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

Mack presented the 2023 Mid-Year Budget Adjustments for the Commission to review and approve.

Public Comment: None Offered

Motion to leave Public Hearing:

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

Motion to approve Resolution 2023-10 – Mid-Year Budget Adjustments.

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

BOARD OF EQUALIZATION

20. Consideration and Approval of the BOE Hearing Recommendations. Rick Meyer, Assessor and Randy Rarick, Deputy Assessor

Time Stamp 2:05:10 (audio & video)

Motion to enter into the Board of Equalization (BOE)

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

Rick Meyer, County Assessor, presented the 2023 Board of Equalization Hearing adjustments for the Commission to review and approve.

Motion made by Commissioner Stubbs, Seconded by Commissioner Harvey. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

Motion to come out of the Board of Equalization (BOE)

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

COUNTY ADMINISTRATOR REPORT

None Offered

COMMISSION REPORTS

Time Stamp 2:08:46 (audio & video)

Commission Chair Adams spoke of the offer from the BLM to invite San Juan County as a cooperating agency. He asked Mack to draft a letter to the BLM stating there was not a need for Grand County to be a cooperating agency. In addition, he asked Mack to draft a letter letting Grand County that San Juan County can manage the cooperating agency role without their help.

ADJOURNMENT

Time Stamp 2:10:37 (audio & video)

Motion made by Commissioner Harvey, Seconded by Commissioner Stubbs. Voting Yea: Commission Vice-Chair Adams, Commissioner Harvey, Commissioner Stubbs

The Board of San Juan County Commissioners can call a closed meeting at any time during the Regular Session if necessary, for reasons permitted under UCA 52-4-205

All agenda items shall be considered as having potential Commission action components and may be completed by an electronic method **In compliance with the Americans with Disabilities Act, persons needing auxiliary communicative aids and services for this meeting should contact the San Juan County Clerk's Office: 117 South Main, Monticello or telephone 435-587-3223, giving reasonable notice**

DATE:

APPROVED: San Juan County Board of County Commissioners

ATTEST:

San Juan County Clerk/Auditor

DATE:	



COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	March and December 2018 Oil and Gas Lease Sales, Nick Sandberg, Public Lands Coordinator
RECOMMENDATION:	Concur with Section 106 Finding of No Adverse Effect

SUMMARY


BLM's initial Section 106 review of the proposed lease sales was contested. In the settlement of this lawsuit, BLM agreed to conduct a new Section 106 analysis which they have now completed. This analysis included 29 proposed leases (49,919 acres) in areas southeast of Blanding and north of Monticello (see attached maps). In this new analysis they have concluded that reasonably foreseeable development can occur on all proposed lease parcels with no adverse effect to historic properties within the leases or within a 0.5 mile area of potential effect. As a Consulting Party, San Juan County concurs with this analysis and Finding of No Adverse Effect.


HISTORY/PAST ACTION

San Juan County was a Consulting Party in the initial Section 106 analysis and is a Consulting Party in the current analysis.

FISCAL IMPACT

None.







SAN JUAN COUNTY COMMISSION

Bruce Adams Silvia Stubbs Jamie Harvey Mack McDonald Chairman Vice-Chair Commissioner Administrator Item 7.

September 19, 2023

Tylia Varilek Leasing Team Archaeologist Utah State Office Bureau of Land Management 440 West 200 South, Suite 500 Salt Lake City, Utah 84101-1345

Re: New March and December 2018 Oil and Gas Lease Sale Section 106 Review

Dear Ms. Varilek:

As a Consulting Party, San Juan County has reviewed the new Draft Cultural Resources Report for the March and December 2018 Competitive Oil and Gas Lease Sales. We find that BLM has made an intensive effort to research existing records of cultural resource inventories in the Area of Potential Effect (0.5 miles around each proposed lease) and has made a good faith effort to identify the potential effects of leasing on historic properties

We concur with the determination that reasonably foreseeable development can occur on all proposed lease parcels in the proposed sales without adverse effect to historic properties.

Thank you for this opportunity to comment and participate in this process.

Sincerely,

Bruce Adams Chairman



COMMISSION STAFF REPORT

MEETING DATE:September 19, 2023ITEM TITLE, PRESENTER:March and December 2018 Oil and Gas Lease Sales, Nick Sandberg,
Public Lands CoordinatorRECOMMENDATION:Sign letter of comment

SUMMARY

In accordance with a settlement agreement resulting from litigation of BLM's 2018 environmental assessment (EA) of the March and December 2018 Oil and Gas Lease Sales, BLM has reassessed and revised its EA which is currently open for a 30 day comment period. The letter before you states general comments and voices support for leasing of the parcels with appropriate stipulations to avoid or mitigate potential environmental impacts. This would be consistent with the County Resource Management Plan and County Energy Zone policy.

HISTORY/PAST ACTION

Energy and mineral development have been major contributors to the county economy in the past and the County has encouraged and supported such activity.

FISCAL IMPACT

Leasing and subsequent development of energy resources would contribute to the county economy.



SAN JUAN COUNTY COMMISSION

Bruce Adams Silvia Stubbs Jamie Harvey Mack McDonald

Chairman Vice-Chair Commissioner Administrator Item 8.

September 19, 2023

Angela Wadman, Branch Chief, Fluid Minerals Utah State Office Bureau of Land Management 440 W 200 S, Suite 500 Salt Lake City, Utah 84101

Re: Environmental Assessment March and December 2018 Oil and Gas Lease Sales

Dear Ms. Wadman:

We have reviewed the subject environmental assessment and find it a comprehensive and inclusive analysis of the potential effects that could result from leasing certain parcels in the March and December 2018 Oil and Gas Lease Sales.

All of the proposed lease parcels are in San Juan County's Energy Zone established by law March 23, 2015, (House Bill 393). The intent of this legislation was to emphasize to the land managing agencies the importance to the State and affected counties of expeditiously processing energy and mineral lease proposals and granting applications to drill, extract and otherwise develop energy and mineral resources. San Juan County's energy zone encompasses areas of high potential for mineral and energy development.

As correctly stated in the environmental assessment, San Juan County's Resource Management Plan energy policy and desired outcome is that 1) energy resource exploration and development is a strong, consistent industry that is supported when impacts are mitigated and natural and cultural resources are protected and 2) efficient and responsible exploration and development of energy resources is maximized in the San Juan Energy Zone.

In the past, energy and mineral development have been major contributors to the economy of San Juan County. The County is supportive of issuing the subject leases with appropriate mitigating stipulations designed for responsible development and avoidance or mitigation of potential environmental impacts.

Thank you for this opportunity to comment.

Sincerely,

Bruce Adams Chairman



COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Consideration and Approval of a Proposal and Contract for Redd Mechanical Inc for replacement of the Rooftop HVAC Unit serving the center section of the County Administration Building. Sam Long, Facilities Maintenance Director.
RECOMMENDATION:	Accept the proposal and approve the contract

SUMMARY

The HVAC Rooftop Unit serving the center section of the Administration Building has failed and requires replacement.

HISTORY/PAST ACTION

None

FISCAL IMPACT

\$34,319.90 from the Capital Projects Fund

STANDARD SERVICE PROVIDER CONTRACT

This standard service provider contract is between San Juan County, a political subdivision of the State of Utah, and the following person or entity (the "Service Provider"):

Service Provider:	Redd Mechanical Inc	Contact Phone Number:	435-678-2500
Contact Person:	Javan Shumway	Contact Email Address:	javan@reddmechanical.com
Address:	1012 S 300 W Blanding, UT 84511	Type of Service:	HVAC, Plumbing Contractor

San Juan County desires to obtain the services of a professional and competent service provider to provide the contractual services under this contract.

The Service Provider, who has represented to San Juan County that it is a competent and experienced service provider, desires to provide the contractual services under this contract.

The parties therefore agree as follows:

- 1. Scope of Services. The Service Provider agrees as follows:
 - A. Replacement of 7.5 ton roof top unit. Remove of existing roof top unit. Remove existing curb. Install new curb and new roof top unit. Demo existing air handler that is directly below curb. Tie supply from new roof top unit to existing duct. Add return air plenum and two return air grilles. Add one 8" run from existing duct to existing office. Run natural gas line to new roof top unit. Startup and testing of new unit.

2. Compensation.

- A. Upon the Service Provider's completion of its duties under section 1 of this contract, San Juan County will pay the Service Provider \$34,319.90.
- B. San Juan County shall mail its payment to the Service Provider within 30 days after the Service Provider completes its duties under section 1 of this contract, unless the parties agree, in writing, to alternative payment arrangements.
- C. Service Provider shall disclose its tax identification or Social Security number to San Juan County before a check or payment will be made by San Juan County to Service Provider.
- D. If this contract is terminated early, San Juan County will pay the Service Provider for the duties completed under section 1 of this contract through the date of early termination.
- E. The Service Provider is responsible for any taxes, contributions, assessments, or fees, which arise from payments made by San Juan County to the Service Provider.
- F. The Service Provider is responsible for paying all subcontractors, material providers, jobbers, or any other person who or entity that provides materials, services, equipment, utilities or otherwise at the request of Service Provider and in connection with or relating to this contract.
- **3.** Effectiveness, Date, and Termination. This contract will become effective when all parties have signed it. The date of this agreement will be the date this agreement is signed by the last party to sign it (as indicated by the date associated with that party's signature). This contract will terminate on December 31, 2024 at 11:59 p.m.

4. Early Termination.

- A. San Juan County may terminate this contract if annual appropriations, as part of San Juan County's annual public budgeting process, are not made or are insufficient to pay the Service Provider. This termination will be effective at the time that San Juan County's notice is effective under section 8.
- B. San Juan County may terminate this contract due to its dissatisfaction with the Service Provider's services, which termination will be effective at midnight on the fifth day after San Juan County's notice is effective under section 8.
- C. San Juan County may terminate this contract for any reason, which termination will be effective at midnight on the 30th day after San Juan County's notice is effective under section 8.
- D. San Juan County may terminate this contact, which termination will be effective at the time San Juan County's notice is effective under section 8, if:
 - (1) The Service Provider engages in or permits any unlawful or disruptive conduct or any activity not permitted by law, regulation, ordinance, this contract, and/or the policies of San Juan County; and
 - (2) The Service Provider fails to immediately cease such conduct or activity after notification by law enforcement, San Juan County, or otherwise.

E. Either party may terminate this contract after a material breach of this contract by the other party, which term *ltem 9.* will be effective after the notice is effective under section 8.

5. Warranties.

- A. The Service Provider warrants to San Juan County that:
 - (1) All materials and equipment furnished under this contract shall be:
 - (a) New;
 - (b) Under manufacturer's warranty;
 - (c) Of reasonable quality; and
 - (d) Free from faults and defects; and
 - (2) All services performed under this contract shall:
 - (a) Be of reasonable quality;
 - (b) Conform with reasonable professional standards; and
 - (c) Conform to codes, regulations, and laws.
 - (d) Materials, Plans, Artwork, Drawings, Brochures, Maps, and Documents produced under this contract will be owned by San Juan County upon completion. San Juan County may use these items in future projects or opportunities as the County needs arise without written consent or authorization from any other party.
- B. Service Provider shall correct or replace any materials or equipment that do not satisfy subsections 5.A.(1)(a)-(d) within 30 days after San Juan County's notice is effective under section 8.
- C. Service Provider shall correct any services performed that do not satisfy subsections 5.A.(2)(a)-(c) within 30 days after San Juan County's notice is effective under section 8.
- D. The parties acknowledge that the warranties set forth in Title 70A, Chapter 2, Part 3, Utah Code Annotated, apply to this contract.
- E. The Service Provider shall assign and deliver to San Juan County all manufacturers' warranties relating to the materials and equipment furnished under this contract as soon as reasonably possible, but in no event later than 10 days after this contract terminates.
- 6. Insurance. The Service Provider shall maintain for the duration of this contract and for six years after the termination of this contract, the following types of insurance:
 - A. A valid occurrence form commercial general liability insurance policy, which covers contractual liability and contractual agreements, with minimum limits as follows:
 - (1) Each occurrence \$1,000,000.00;
 - (2) Damage to Rented Premises \$300,000.00;
 - (3) Medical Exp. (Any one person) \$5,000.00;
 - (4) Personal and Adv. Injury \$2,000,000.00;
 - (5) General aggregate \$2,000,000.00; and
 - (6) Products Comp/Op aggregate \$2,000,000.00;
 - B. A valid automobile liability insurance policy that satisfies the minimum amounts required by Utah law; and
 - C. A valid Workers Compensation and Employers' Liability insurance policy with minimum limits as required by Utah law. If any proprietor, partner, executive, officer, member, or other person is excluded from the Workers Compensation and Employers' Liability insurance policy, the Service Provider shall provide San Juan County with the applicable state issued waiver.

For the duration of this contract and for six years after the termination of this contract, San Juan County may request the Service Provider to provide San Juan County with certificates or other records that demonstrate that the Service Provider is in compliance with the insurance requirements set forth in this section (the "Certificates/Records"). If the Service Provider fails to provide San Juan County with the requested Certificates/Records within three business days of San Juan County's request, San Juan County may immediately terminate this contract. If the Service Provider fails to have the insurances required by this contract, San Juan County may immediately terminate this contract.

7. Indemnification. With respect to any judicial, administrative, or arbitration action, suit, claim, investigation, or proceeding ("Proceeding") against San Juan County, San Juan County's officers, employees, agents, consultants, advisors, and other representatives, and each of their heirs, executors, successors, and assignees ("San Juan County Indemnitees") that arises out of this contract or the acts or omissions of Service Provider (each, a "Claim"), Service Provider shall, for the duration of this contract and for a period of six years after the termination of this contract, indemnify those San Juan County Indemnitees against any amount awarded in, or paid in settlement of any Proceeding, including interest ("Loss") and any out-of-pocket expense incurred in defending a Proceeding or in any related investigation or negotiation, including court filing fees, court costs, arbitration fees, witness fees, and attorneys' and other professionals' fees and disbursements

("Litigation Expense") (Loss and Litigation Expense means "Indemnifiable Losses") arising out of that Proceeding, *Item 9.* to the extent that San Juan County negligently or intentionally caused those Indemnifiable Losses.

8. Notices. All notices must be in writing and must be delivered personally, by a nationally recognized overnight courier, or by United States mail, postage prepaid and addressed to the parties at their respective addresses set forth below, and the same shall be effective upon receipt if delivered personally, on the next business day if sent by overnight courier, or three business days after deposit in the United States mail, if mailed. The initial addresses of the parties shall be:

San Juan County		Service Provider
San Juan County	With a copy to:	Redd Mechanical Inc
Attn: Mack McDonald	San Juan County	Attn: Javan Shumway
PO Box 9	Attn: Attorney's Office	1012 S 300 W
Monticello, UT 84535	PO Box 9	Blanding, UT 84511
	Monticello, UT 84535	

- **9. Independent Contractor**. The Service Provider shall perform this contract as an independent contractor. The Service Provider acknowledges that it and its representatives are not employees of San Juan County, and, thus, have no right to and shall not be provided with any San Juan County benefits.
- **10.** Conflict of Terms. In the event of any conflict between the terms of this contract and any documents referenced in this contract or incorporated into this contract by reference, including exhibits or attachments to this contract, this contract shall control.
- **11.** Assignment Restricted. Except with the prior written consent of the other party, each party shall not transfer, including by merger (whether that party is the surviving or disappearing entity), consolidation, dissolution, or operation of law:
 - A. Any discretion granted under this contract;
 - B. Any right to satisfy a condition under this contract;
 - C. Any remedy under this contract; or
 - D. Any obligation imposed under this contract.

Any purported transfer in violation of this section will be void.

- **12.** Waiver. No waiver of satisfaction of a condition or nonperformance of an obligation under this contract will be effective unless it is in writing and signed by the party granting the waiver.
- **13. Entire Contract; Amendment**. This contract, including all attachments, if any, constitutes the entire understanding between the parties with respect to the subject matter in this contract. Unless otherwise set forth in this contract, this contract supersedes all other agreements, whether written or oral, between the parties with respect to the subject matter in this contract. No amendment to this contract will be effective unless it is in writing and signed by both parties.
- 14. Governing Law; Exclusive Jurisdiction. Utah law governs any Proceeding brought by one party against the other party arising out of this contract. If either party brings any Proceedings against the other party arising out of this contract, that party may bring that Proceeding only in a state court located in San Juan County, Utah (for claims that may only be resolved through the federal courts, only in a federal court located in Salt Lake City, Utah), and each party hereby submits to the exclusive jurisdiction of such courts for purposes of any such proceeding.
- **15.** Severability. The parties acknowledge that if a dispute between the parties arises out of this contract or the subject matter of this contract, the parties desire the court to interpret this contract as follows:
 - A. With respect to any provision that it holds to be unenforceable, by modifying that provision to the minimum extent necessary to make it enforceable or, if that modification is not permitted by law, by disregarding that provision; and
 - B. If an unenforceable provision is modified or disregarded in accordance with this section, by holding that the rest of the contract will remain in effect as written.
- **16.** Counterparts, Digital Signatures, and Electronically Transmitted Signatures. If the parties sign this contract in counterparts, each will be deemed an original but all counterparts together will constitute one contract. If the parties digitally sign this contract or electronically transmit signatures by email, such signatures will have the same force and effect as original signatures.

Each party is signing this contract on the date below the party's signature.

SAN JUAN COUNTY	REDD MECHANICAL LLC
	By:
By:	Print Name:
Bruce Adams, Chair San Juan County Board of County Commissioners	Title:
Date:	Date:
	Date
ATTEST:	
Lyman Duncan	
San Juan County Clerk/Auditor	
Date:	

44



MECHANICAL 1012 South 300 West, Blanding, UT, 84511 * 435-678-2500

REDD

Attn: Sam Long Phone: 801-891-5513 Email: samlong@sanjuancounty.org Company: San Juan County Address: San Juan County, 117 S Main, 117 S Main, Monticello, UT, 84535 Date: Aug 3, 2023 Re: San Juan County Admin Roof Top Unit Replacement File Number: 110 Property: San Juan County Address: 117 S Main, Monticello, UT, 84535

As requested, we are pleased to offer our proposal for the above referenced project as follows:

SCOPE OF WORK

1. Replacement of 7.5 Ton Roof Top

Remove existing roof top unit. Remove existing curb. Install new curb and new roof top unit. Demo existing air handler that is directly below curb. Tie supply from new roof top unit to existing duct. Add return air plenum and two return air grilles. Add one 8" run from existing duct to existing office. Run natural gas line to new roof top unit. Startup and testing of new unit.

Total

Not Included in our Scope of Work:

- This does not include any obligation, performance or bid bonding.
- Roof repair around new curb
- The furnishing or installation of any electrical power 120 volt or above
- Any sheet rock repair of areas that may be affected by above scopes
- Further, any other equipment or devices that are existing or that are to be reused as allowed by specification or agreement shall not be our
 responsibility, nor shall we be required to repair, replace, warranty, or guarantee its suitability for use.

Thank you for allowing us to proceed by authorizing the work in the space provided below.

Sincerely, Javan Shumway President

ACCEPTANCE OF PROPOSAL

This proposal represents the entire agreement between the parties. There are no representations, promises or other understandings unless expressly included herein.

Page 5 of 4

\$34,319.90

\$34,319.90





COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
SUBMITTED BY:	Tammy Gallegos, Emergency Manager
TITLE:	Consideration and Approval of the 2023 Emergency Management Performance Grant
RECOMMENDATION:	Approval

SUMMARY

.

Every year we apply for this grant, it is what helps maintain the Emergency Management Program in San Juan County. This is a renewal of the grant for the year 2023-2024.

HISTORY/PAST ACTION

Renewal of Grant

FISCAL IMPACT

\$34,600 Grant Funding

Award DocumentUtah Department of Public Safety (DPS) Division of Emergency Management (DEM) Funding Entity: Federal Emergency Management Agency (FEMA) Federal Award Identification Number (FAIN): EMD-2023-EP-00002 Federal Award Date: 09/01/2023				
1a. Agreement No. DEM-EMPG-2022-047	2. Amendment No. N/A3. UEI No. YKMUM1NJE9A94. Type of Acti Award		4. Type of Action Award	
6. Recipient Name San Juan County		7. Name of Recipient Emergency Management Contact Tammy Gallegos	8. Contact Information tgallegos@sanjuanc ounty.org	9. Name of DEM EMPG Coordinator Tracy Bodily EMPG@utah.gov
10. Effective Date of This Action 07/01/2023	11. Assistance Arrangement 12. Period of Performance Cost Reimbursement From: 07/01/2023 To: 06/30/2024 To: 06/30/2024			
13. Description of Action Indicate funding obligation of award relating to EMPG Performance Standards				
Program Name	CFDA No. Prior Award Amount Awarded Cur		Current Total Award	
Emergency Management Performance Grant	97.042	\$0.00	+\$34,600.00	\$34,600.00
	•	Acceptance and Certifi	cation	
		nd emergency managem uirements set forth in th		t they have read,
Recipient Signatory Official/Authorized Official*			Date:	
Printed Name and Title				
DEM Signatory Official			Date:	
Printed Name and Title Kris Hamlet, Director				
*A signatory is someone wh the authority to enter into a		erefore creating a legal obligat our jurisdiction.	tion. The person who signs t	his document needs to have



STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Consideration and Approval of the Pack Creek Fire Hazard Mitigation Program Grant Contract: Amendment #1 for \$6,493.75 with Jones & DeMille Engineering. Mack McDonald, Chief Administrative Officer
RECOMMENDATION:	Consideration and Approval

SUMMARY

Jones & DeMille was awarded the design contract for the design of flood mitigation debris basins along Pack Creek. They have been working to complete the designs for that project which is a grant funded project in Spanish Valley. In their original design, they anticipated Geotechnical Services for \$21,648. With the design including two separate debris basins with overflow outlets, it is requiring that the Geotech bore more holes than originally anticipated and includes additional Geotechnical assistance. This change added to the original costs for design. This increased costs by \$6,493.75 for a total of \$26,141.75

HISTORY/PAST ACTION

In January of 2022, the San Juan County Board of Commissioners approved the contract with Jones & DeMille for a total of \$89,670 for Design Services.

FISCAL IMPACT

An additional \$6,493.75 for a total of \$96,163.75 in design fees and an adjustment to the contract.

<u>AMENDMENT NO. 1 TO THE STANDARD SERVICE PROVIDER CONTRACT BETWEEN SAN JUAN</u> COUNTY AND JONES & DEMILLE ENGINEERING.

This Amendment No. 1 to the Standard Service Agreement (this "Amendment No. 1") is made and entered into by and between San Juan County, a body corporate and politic and legal subdivision of the state of Utah ("County"), and Jones & DeMille Engineering, Inc. ("Contractor"). County and Contractor may be collectively referred to as the "Parties" herein.

RECITALS

This Amendment No. 1 is made and entered into by and between the Parties based, in part, upon the following recitals:

- A. The Parties previously entered into a *Standard Service Provider Contract*, dated January 18, 2022, which is labeled the Standard Service Provider Contract between San Juan County, Utah and Jones & DeMille Engineering, Inc. (the "Agreement"); and
- B. The Parties, through this Amendment No. 1, desire to modify certain terms and/or provisions of the Agreement.

Now, based upon the foregoing, and in consideration of the terms set forth in this Amendment No. 1, the Parties do hereby agree as follows:

- 2. **Compensation. Paragraph A.** Upon the Service Provider's completion of its duties under section 1 of this contract, San Juan County will pay the Service Provider Ninety-Six Thousand, One Hundred Sixty-Three and 75/100 Dollars (\$96,163.75).
- 3. Effectiveness, Date, and Termination. This contract will be extended for another 6 (six) months and will terminate on March 30, 2024 at 11:59 p.m.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment No. 1 to be signed by their duly authorized representatives on the dates indicated below.

SAN JUAN COUNTY	JONES & DeMILLE ENGINEERING, INC	
By: Bruce Adams, Chair Board of San Juan County Commissioners	By: Printed Name:	
Date:	Title:	
ATTEST:	Date:	
Lyman Duncan, San Juan County		
Clerk/Auditor Date:		
Duto		



August 17, 2023

Mack McDonald Chief Administrative Officer P.O. Box 9 117 South Main Street #221 Monticello, Utah 84535

RE: <u>San Juan County – Pack Creek Fire HMGP: Amendment 1</u>

Dear Mack:

The FEMA approved design consists of two dam structures where one was originally assumed. As such, it has become necessary to increase the geotechnical borings for design of the embankments and borrow pit material testing.

The additional scope of work and associated schedule and fees are as follows:

SCOPE OF WORK

Preconstruction Engineering Services

The proposed scope of work for preconstruction engineering services is as follows:

- 1. Geotechnical investigation for second debris basin
- 2. Provide 3 additional borings along second dam/embankment.
- 3. Test materials from a second borrow area for suitability.

Assumptions and Limitations:

- 1. SJC will provide equipment and an operator to provide access to boring locations and to dig test pits for borrow areas.
- 2. Unexpected delays and additional drill rig mobilizations would be billed in addition to the listed fees.
- 3. JDE will mark test locations for SJC to provide access for the drill rig.

SCHEDULE

It is anticipated that the field investigation will occur within 3-5 weeks after the execution of this amendment.

1535 South 100 West Richfield, UT 84701 435.896.8266

775 West 1200 North Suite 200A Springville, UT 84663 801.692.0219 50 South Main, Suite 4 Manti, UT 84642 435.835.4540

1664 South Dixie Drive Building G St. George, UT 84770 435.986.3622 38 West 100 North Vernal, UT 84078 435.781.1988

7 South Main Street Suite 107/109 Tooele, UT 84074 435.268.8089 1675 South Highway 10 Price, UT 84501 435.637.8266

696 North Main Street PO Box 577 Monticello, UT 84535 435.587.9100 520 West Highway 40 Roosevelt, UT 84066 435.722.8267

545 East Cheyenne Drive Suite C Evanston, WY 82930 51 307.288.2005

FEES

Original Contract Fee	\$ 21,648.00
SJC excavation of test pits (credit)	\$ (2,000.00)
Additional geotechnical services for second debris basin	\$ 6,493.75
Revised Total Geotechnical Fee	\$ 26,141.75

CLOSURE

Please review this scope and fee and let us know if there are any questions or concerns.

Sincerely,

JONES & DeMILLE ENGINEERING, INC.

T

Scoot Flannery, PE Director



STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Consideration and Ratification of the Social Services Block Grant Amendment #1. Mack McDonald, Chief Administrative Officer
RECOMMENDATION:	Consideration and Approval

SUMMARY

The Social Services Block Grand is a Federal Funded Grant through the State of Utah Department of Health and Human Services that are directed towards Social Services such as prevention of abuse, neglect, rehabilitation, self-reliance, etc. according to the Omnibus Reconciliation Act of 1991. Qualifying use of these funds includes child care for children or adults, protective services for children or adults, special services to persons with disabilities, adoption, counseling, case management, family planning, health-related, transportation, foster care for children or adults, substance abuse, legal, housing, home-delivered meals, congregate meals, independent/transitional living, special services for youth, employment services or any other social services needed by the County.

HISTORY/PAST ACTION

Each year these Grant Funds are provided to San Juan County and monitored expenditures through the Department of Health and Human Services. In August of 2022, the Board of Commissioner's approved the updated contract with the State of Utah.

FISCAL IMPACT

+\$116,254.00 with a match requirement of \$14,532

STATE OF UTAH DEPARTMENT OF HEALTH AND HUMAN SERVICES GRANT AGREEMENT AMENDMENT

Log # 43534 Grant # A03665	Amendment # 1	RGA# 90975
----------------------------	---------------	-------------------

Vendor# 06866H Commodity Code: 99999

TO BE ATTACHED TO AND MADE A PART OF the above numbered grant agreement by and between the **State** of Utah Department of Health and Human Services, Division of Finance & Administration and San Juan County.

PURPOSE OF AMENDMENT: To add additional funds and to replace the amendment section language.

THE PARTIES AGREE TO AMEND THE GRANT AS FOLLOWS:

1. To update the grant amount as follows:

 \$58,127.00
 Unspent FY23 funds

 \$58,127.00
 FY24 funds

 \$116,254.00
 Funds available to spend in FY24

- 2. To update the Match Amount in Article 1.7 to the following (FY24): \$14,532.00
- To replace Article 1.15 with the following: Amendments. To be effective, amendments to this agreement must be in writing and signed by the parties except for the following for which written notification from DHHS will constitute an amendment to the agreement without the Grantee's signature: 1) changes in the total agreement amount; and 2) changes to financial reporting requirements.

EFFECTIVE DATE OF AMENDMENT: 07/01/2023

All other conditions and terms in the original contract and previous amendments remain the same.

The parties sign and cause this amendment to be executed. This amendment is not fully executed until the State of Utah Approving Authorities have signed this amendment.

SAN JUAN COUNTY

Mack McDonalo By: Mack

Name: Mack McDonald

Date

Title: Chief Administrative Officer

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Tray Ale Bv: =

Tracy S. Gruber

Date

Executive Director

STATE OF UTAH APPROVING AUTHORITIES

STATE DIVISION OF FINANCE

RECEIVED AND PROCESSED By: BY DIVISION OF FINANCE

Date





STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Consideration and Approval of the Notice of Award and Intent to Negotiate a Contract with Tri-Hurst Construction for the Construction and Installation of RV Stalls at the County Fairgrounds. Mack McDonald, Chief Administrative Officer
RECOMMENDATION:	Consideration and Approval

SUMMARY

Based on the response to the Request for Bids, Tri-Hurst Construction is the apparent most responsive and responsible bid. The Board of San Juan County Commissioners has authorized the award of a future negotiated contract based upon the proposal fee of \$244,863. The original bid for construction came in at a cost of \$353,348.00, County Staff met with the Contractor and Jones & DeMille and explored opportunities to reduce the costs by reducing the total amount of RV Stalls as well as the ability of the Road Department's assistance with the dirt work and trenching reducing labor cost.

San Juan County began the design of the RV Stalls back in 12/17/2021 with Jones & DeMille Engineering by contracting for Preliminary Engineering of the RV Stalls and Parking Lot Lighting.

HISTORY/PAST ACTION

FISCAL IMPACT

\$244,863 of ARPA Funds for Infrastructure and Animal Emergency Preparedness.



SAN JUAN COUNTY COMMISS

Bruce Adams Silvia Stubbs Jamie Harvey Mack McDonald Chair Vice-Chair Commissioner Administrator

September 19, 2023

Via United States Mail

Tri-Hurst Construction 377 West 300 South Blanding, Utah 84511

Re: Notice of Award and Intent to Negotiate a Contract (San Juan County Fairgrounds RV Stalls)

You are hereby notified that the Board of San Juan County Commissioners has found that your response to the May 8, 2023 Request for Bids, issued for the contracted services to perform the construction and installation of RV hookups and the County Fairgrounds for San Juan County.

Based on the response to the Request for Bids, Tri-Hurst Construction, is the apparent most responsive and responsible bid. The Board of San Juan County Commissioners has authorized the award of a future negotiated contract based upon the proposal fee of \$244,863.

San Juan County will prepare a contract regarding this subject matter for your review and signature. Upon approval of the contract by the Board of San Juan County Commissioners you will be notified when to begin providing these services for San Juan County.

SAN JUAN COUNTY

Bruce Adams, Chair San Juan County Commission

ATTEST:

Lyman Duncan San Juan County Clerk/Auditor

ACCEPTANCE OF NOTICE

Receipt this day of the *Notice of Award* authorized by the Board of San Juan County Commissioners upon your bid to perform appraisal services as outlined in the Request Bids issued by Jones & DeMille Engineering on May 8, 2023, is hereby accepted and acknowledged.

Tri-Hurst Engineering Contractor

By:		
•		

Title:_____

Date:_____




September 12, 2023

Mack McDonald County Administrator San Juan County 117 South Main St. #221 Monticello, UT 84535

Dear Mr. McDonald:

Jones and DeMille Engineering (JDE) received responses to the SJC -Fairgrounds RV Stalls project from Tri-Hurst construction. The following paragraph outlines the basis of this recommendation: A bid by Tri-Hurst Construction was submitted within the confines of the pre-established bid deadlines. This was the only responsive bid received. The total bid price, as indicated in the bid tabulation below, was \$353,348.00. The bid price was not within the budget for the project. Therefore, JDE worked with Tri-Hurst construction, the County Road Department, and the County Administrator to determine scope items to be adjusted and/or cut from the project to bring the project within the established budget. A revised cost proposal was requested and received from Tri-Hurst which outlines scope items to be adjusted and/or cut with associated price of \$244,863.00 (Revised cost proposal included as attachment to this document).



58


The Total Bid Price submitted by Tri-Hurst Construction is the lowest price received by Jones and DeMille Engineering. It is recommended that the proposal be awarded as outlined in the revised cost proposal provided by Tri-Hurst.

If you have any questions or concerns about Jones and DeMille Engineering's proposal, please feel free to contact me by phone, or email.

Sincerely,

JONES & DeMILLE ENGINEERING, INC.

Scoot Flannery, PE Director



Item 13.

PROPOSAL



Tri-Hurst Construction

PROPOSAL SUBMITTED TO		PHONE	DATE		
San Juan County/Jones and DeMille Engin	eering – Javen Ivins	435-587-9100	7 September 2023		
STREET		EMAIL	EMAIL		
		javen.i@jonesanddemille.com			
CITY, STATE and ZIP CODE		JOB NAME			
		SJC Fairgrounds RV Stalls			
ENGINEER	DATE OF PLANS	JOB LOCATION			
Jones and DeMille Engineering	May 11, 2023	SJC Fairgrounds, Monticello, UT			
We hereby submit specifications and estim	ates for:				
Work per referenced plans with th	e following clarification	IS'			

Work per referenced plans with the following clarifications:


- Stalls 19-22 (the group of four furthest north and separated from the remainder) are excluded
 a. Sewer and water will be stubbed outside the footprint of built stalls for future expansion
 - b. Conduit will be stubbed to proposed locations for future expansion
- 2. Earthwork for gravel parking sections is excluded
- 3. Trenching for electrical primary will be by others
- 4. Location of tie-in to main power line will be adjusted from plans to fit a constructable solution

We Propose hereby to furnish material and labor--complete in accordance with above specifications, for sum of: Two Hundred Forty-four Thousand Eight Hundred Sixty-three Dollars (\$244,863)

Payment terms are net 30 days of invoicing. Contractor shall be entitled to 18% annual interest after payment deadline and is entitled to attorney fees and collection expenses to collect any unpaid balances.

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strides, accidents or delays beyond our control. Owner to carry fire, tornado, flood and other necessary insurance. Our workers are fully covered by Workman's Compensation Insurance.

Authorized	Note: This proposal may be withdrawn by us
Signature	If not accepted within 30 days
Acceptance of Proposal-This bid may be accepted in any of the following manners: (1) Signature on the Proposal; (2) client requests and/or allows contractor to perform work; (3) client pays contractor deposit for the work.	Signature: Date of Acceptance:




INDEX TO SHEETS						
SHEET NO.	SHEET TITLE					
C-001	TITLE					
C-002	LEGEND & NOTES					
C-100	EXISTING CONDITIONS					
C-101	SITE PLAN					
C-301	UTILITY PLAN					
C-501 TO C-502	DETAILS					

NOTE: SEE SHEET E001 FOR INDEX TO ELECTRICAL DRAWINGS.

SAN JUAN COUNTY FAIRGROUNDS RV STALLS MONTICELLO, UTAH 2023



VICINITY MAP



Jones & DeMille Engineering, Inc. CIVIL & STRUCTURAL ENGINEERING - SURVEYING GIS - ENVIRONMENTAL - MATERIALS TESTING - shaping the quality of life -1.800.748.5275 www.jonesanddemille.com Item 13.

PROJECT NO.	SHEET NO.
2204-024	C-001
SUBMITTAL:	BID SET

PROJECT LOCATION

APPROVAL

RECOMMENDED FOR APPROVAL:
DANNY L FLANNERY NO. 7034559-2202 STATE OF UTAH DATE
APPROVED:
CLIENT DATE

:\jd\proj\2204-024\dwg\c-001 title and legend

		LEGEND		GENERAL NOTES 1. REQUEST ACCEPTANCE FROM ENGINEER PRIOR TO MAKING MODIFICATIONS TO DRAWINGS, SPECIFICATIONS, OR CONSTRUCTION SCHEDULE, 2. PERFORM CONSTRUCTION IN ACCORDANCE WITH INTERNATIONAL BUILDING CODE (IBC), INTERNATIONAL FLUMBING CODE (IPC), INTERNATIONAL FIRE CODE (IFC), AND/OR OWNER STANDARDS AND SPECIFICATIONS.
EXISTING F	FEATURES	MISC. FEATURES	PROPOSED FEATURES	(FC), AND/OF UTIMERS I AND/AND/S AND SPECIFICATIONS. 3. IN CASE OF CONFLICT BETWEEN CODES, REFERENCE STANDARDS, STATE RULES, DRAWINGS AND SPECIFICATIONS, ADHERE TO MOST STRINGENT REQUIREMENTS. 4. EXISTING UTILITIES ARE SHOWN IN APPROXIMATE LOCATIONS ONLY AND ARE BASED ON UTILITY MAPS AND FIELD SURVEY.
	SANITARY SEWER LINE			5. LOCATE AND PROTECT EXISTING UTILITIES AND ANY OBSTRUCTIONS DURING COURSE OF CONSTRUCTION. NOTIFY BLUE STAKES (811) AT LEAST 48 HOURS IN ADVANCE OF ANY CONSTRUCTION ACTIVITIES ON SITE. RESTORE UTILITIES DAMAGED DURING CONSTRUCTION TO CONDITION EQUAL TO OR BETTER THAN EXISTING CONDITION PRIOR TO CONSTRUCTION.
	SANITARY SEWER LINE SANITARY SEWER MANHOLE	SUBDIVISION BOUNDARY LINE LOT LINES	SANITARY SEWER LINE	6. NOTIFY ENGINEER OR PROJECT REPRESENTATIVE OF ANY CONFLICTS BETWEEN EXISTING FEATURES AND NEW CONSTRUCTION. 7. UNLESS DETAILED, SPECIFIED OR INDICATED OTHERWISE, CONSTRUCTION SHALL BE AS INDICATED IN APPLICABLE TYPICAL DETAILS AND GENERAL NOTES. 8. CONTRACTOR IS RESPONSIBLE FOR ALL ASPECTS OF SAFETY INCLUDING, BUT NOT LIMITED TO, EXCAVATION, TRENCHING, SHORING, TRAFFIC CONTROL AND
				 CONTRACTOR IS RESPONSIBLE FOR ALL ASPECTS OF SAFETY INCLUDING, BUT NOT LIMITED TO, EXCAVATION, TRENCHING, SHORING, TRAFFIC CONTROL AND SECURITY. MEET UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY AND U.S. EPA REQUIREMENTS, RULES, AND REQULATIONS. OBTAIN REQUIRED APPROVALS AND PERMITS AND PAY REQUIRED FEES PRIOR TO BEGINNING CONSTRUCTION.
be	CULINARY WATER VALVE BURIED POWER LINE		CULINARY WATER LINE CULINARY WATER VALVE	10. OBTAIN REQUIRED APPROVALS AND PERMITS AND PAY REQUIRED FEES PRIOR TO BEGINNING CONSTRUCTION. 11. PROVIDE WRITTEN NOTIFICATION INCLUDING CONTACT INFORMATION. TO RESIDENTS AND BUSINESSES IMPACTED BY CONSTRUCTION. PROVIDE NOTICE MIMIMUM OF 48 HOURS IN ADVANCE OF WORK BEING PERFORMED. MANTAIN DRIVEWAY ACCESS TO RESIDENCES AND BUSINESSES AT ALL TIMES UNLESS PARKING ARRANGEMENTS HAVE BEEN MADE WITH RESIDENTS AND BUSINESSES WHILE WORK IS COMPLETED ADJACENT TO OR ON THEIR PROPERTIES.
e			BURIED POWER LINE	12. WORK WITH INDIVIDUAL PROPERTY OWNERS OR BUSINESS FOR ACCESS AND PERMISSION TO CONNECT TO UTILITY SERVICE AT PROPERTIES. 13. OBTAIN RIGHT OF INGRESS AND EGRESS SHOULD WORK OR PERSONNEL VENTURE ONTO PRIVATE PROPERTY WHICH IS NOT INCLUDED IN OWNER ACQUIRED RIGHTS-OF-WAY AND EASEMENTS.
btel tel	BURIED TELEPHONE LINE OVERHEAD TELEPHONE LINE	PROPOSED RIGHT-OF-WAY LINE		14, OBTAIN COUNTY PERMIT BEFORE BEGINNING CONSTRUCTION FOR WORK LOCATED WITHIN 30 FEET OF GOVERNMENT SURVEY MONUMENT OR PUBLIC LAND SURVEY GOVERNMENT CORNER.
bctv	BURIED CABLE TV LINE	QUARTER SECTION LINE	BURIED TELEPHONE LINE	
ctv fo	OVERHEAD CABLE TV LINE FIBER OPTIC LINE	······································	BURIED CABLE TV LINE	
gas	NATURAL GAS LINE	PROPERTY LINE	OVERHEAD CABLE TV LINE FIBER OPTIC LINE	SURVEY NOTES 1. SUBJECT SITE WAS FIELD SURVEYED AUGUST 2022 BY JONES AND DEMILLE ENGINEERING, 2. ANY COORDINATES, IF SHOWN, ARE LOCAL COORDINATES UNLESS OTHERWISE INDICATED.
ir sd	IRRIGATION LINE STORM DRAIN			3. DISTANCES REFLECT GROUND MEASUREMENTS.
_ x x x x x x x	- X — FENCE LINE (BARBED OR STOCKTIGHT)			 NOTIFY OWNER, AT LEAST TWO BUSINESS DAYS PRIOR TO BEGINNING CONSTRUCTION. SCHEDULE AND ATTEND PRE-CONSTRUCTION MEETING PRIOR TO STARTING CONSTRUCTION ACTIVITIES. SCHEDULE MEETING THROUGH OWNER OR OWNER'S REPRESENTATIVE.
	→ FENCE LINE (CHAIN LINK)			 PROVIDE CONSTRUCTION SCHEDULE TO ENGINEER AND OWNER. FIELD VERIFY EXISTING CONDITIONS, QUANTITIES, LENGTHS, VOLUMES, AND AREAS INDICATED ARE APPROXIMATE AND ARE PROVIDED TO ASSIST CONTRACTOR, VERIFY QUANTITIES AND DETERMINE MEASUREMENTS, AS NECESSARY.
	CONCRETE SURFACING			5. VERIFY DIMENSIONS BEFORE STARTING WORK AND IMMEDIATELY NO THE DEGREER OF ANY DISCREPANCIES. 6. OBTAIN APPROVAL FROM OWNER PRIOT TO CONSTRUCTION FOR USE OF STAGING AREAS (IF ANY) NOT SHOWN ON DRAWINGS, COORDINATE WITH OWNER TO IDENTIFY POTENTIAL USEABLE STAGING AREAS. RESTORE STAGING AREA TO PRECONSTRUCTION CONDITION.
		ABBREVIATIONS		DENTIFY FOLLENTING GENERAL EXAMPLES AND REPLACE OF RECONSTRUCTION CONDITION. 7. PROTECT EXISTING IMPROVEMENTS DURING CONSTRUCTION ON REPLACE OR RESTORE IMPROVEMENTS DAMAGED AS RESULT OF CONSTRUCTION ACTIVITY. RESTORE IMPROVEMENTS TO AS-GOODAS OR BETTER THAN CONDITION THAT EXISTED PRIOR TO CONSTRUCTION. REPAIR IRRIGATION/SPRINKLERS WITHIN 24 HOURS FOLLOWING PLACEMENT OF IMPROVEMENTS.
	EDGE OF ASPHALT SURFACING	TBC TOP BACK OF CURB EPP POWER POLE	EDGE OF ASPHALT EDGE OF CONCRETE	8. PROPERLY BACKFILL, COMPACT, AND RESTORE PAVEMENT WITHIN STREET RIGHT-OF-WAY. 9. DISPOSE WASTE OFF SITE AT LANDFILL OR OTHER LEGAL DISPOSAL FACILITY.
	EDGE OF GRAVEL SURFACING EDGE OF DIRT SURFACING	FLG FLOW LINE OF GUTTER SMH SEWER MANHOLE	FIRE HYDRANT	10. REMOVE SURFLUS EXCAVATION FROM STEE. USE TOPSIOL OR OTHER NATIVE MATERIAL IN LANDSCAPE OR NATIVE GRADING. STOCKPILE TOPSIOL SEPARATELY FROM OTHER EXCAVATED MATERIALS, PLACE TOPSIOL, IN LANDSCAPED AREAS IN 4 INCHES THICK MINIMUM AND GRADE TO DRAIN, 11. PERFORM CONSTRUCTION QUALITY CONTROL TESTING, INCLUDING SOILS, BACKFILL CONCRETE, UTILITIES, ETC. 12. DEPENDING MATERIALS TESTING, AND SIMMIT CODIES OF TEST DESILI TO THE MANDRO DAVIDED AS DEPOLIDED DED SEPCIEICATIONS, COORDINATE
<u>6</u>	FIRE HYDRANT	LOC LIP OF CURB CMH COMMUNICATION MANHOLE TSW TOP OF SIDEWALK R/W RIGHT-OF-WAY	Image: Culinary water meter Image: Image: Culinary water meter Image: Ima	12. PERFORM MATERIALS TESTING AND SUBMIT COPIES OF TEST RESULTS TO ENGINEER AND/OR OWNER AS REQUIRED PER SPECIFICATIONS, COORDINATE TESTING WITH INSPECTORS AND/OR ENGINEER, PERFORM DENSITY TESTING ON TERENCI BACKFILL, GRANULAB BORROW, AND UNTREATED BASE COURSE PLACEMENT FOR ROADWAY AND PRIOR TO ANY CONCRETE PLACEMENT WHERE NECESSARY. SEE SPECIFICATIONS FOR TESTING FREQUENCY. 13. PROVIDE SITE DUST CONTROL AND SUPPRESSION FOR DURATION OF PROJECT, INCLUDING WEEKENDS.
M ŵ	WATER METER GAS METER	TOC TOP OF CONCRETE T.C.E. TEMPORARY	O DELINEATOR POST	14. PROVIDE AND MAINTAIN ANY AND ALL TEMPORARY UTILITIES DURING CONSTRUCTION. 15. PROVIDE PAVEMENT MARKINGS, STRIPING AND SIGNAGE PER THE REQUIREMENTS OF THE LATEST EDITION OF THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
		EOAEDGE OF ASPHALTCONSTRUCTION EASEMENTTOATOP OF ASPHALTP.U.E.PUBLIC UTILITY EASEMENT		EROSION CONTROL NOTES 1. PERFORM CONSTRUCTION WORK IN ACCORDANCE WITH UTAH POLLUTION DISCHARGE ELIMINATION SYSTEM (UPDES) REGULATIONS.
ا ۲۰	STRUCTURE	TOG TOP OF GRATE	EPP POWER POLE MAILBOX	 DURING CONSTRUCTION, PREVENT AND CONTROL EROSION DUE TO WIND AND WATER. PROVIDE ADDITIONAL EROSION CONTROL MEASURES WHEN UNFORESEEN PROBLEMS OCCUR, ADJUST EROSION CONTROL MEASURES (SILT FENCES, STRAW BALES, ETC) (AS NECESSARY DUE TO GRADE CHANGES DURING CONSTRUCTION. OWNER MAY REQUIRE ADDITIONAL CONTROL DEVICES UPON INSPECTION OF
G W. (EPP)	POWER POLE & GUY WIRE	FLC FLOW LINE OF CULVERT STA STATION SW SIDEWALK L/LT LEFT		BALES, ETC.) AS NECESSARY DUE TO GRADE CHANGES DURING CONSTRUCTION. OWNER MAY REQUIRE ADDITIONAL CONTROL DEVICES UPON INSPECTION OF PROPOSED FACILITIES. 4. KEEP STREETS CLEAN AND FREE FROM SOIL AND DEBRIS DURING CONSTRUCTION. 5. PROTECT STORM DRAIN FACILITIES ON SITE AND ADJACENT TO SITE FROM SITE RUNOFF. INSTALL INLET PROTECTION DEVICES IMMEDIATELY UPON INDIVIDUAL
No.	TREE	FG FINISHED GROUND R/RT RIGHT	CONCRETE SURFACING	 PROTECT STORM DRAIN FACILITIES ON SITE AND ADJACENT TO SITE FROM SITE RUNOFF. INSTALL INLET PROTECTION DEVICES IMMEDIATELY UPON INDIVIDUAL INLETS BECOMING FUNCTIONAL. DISPOSE OF WASH WATER (CONCRETE TRUCKS, VEHICLE CLEANING, ETC.) IN MANNER THAT PREVENTS CONTACT WITH STORM WATER DISCHARGES FROM SITE.
	DELINEATOR POST		ASPHALT SURFACING	 STABILIZE CONSTRUCTION AREAS AT END OF EACH WORKING DAY. INCLUDE BACKFILLING OF TRENCHES FOR UTILITY CONSTRUCTION AND PLACEMENT OF PAVING FOR ROAD CONSTRUCTION. MAINTAIN MEASURES CONTAINED IN SWPPP IN FULLY FUNCTIONAL CONDITION UNTIL FINAL STABILIZATION OF SITE. CHECK EROSION AND SEDIMENTATION CONTROL MEASURES BY QUALIFIED PERSON AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS OF END OF RAINALL EVENT. COMPLETE
				CON NOU MEASURES BY CURLIFIED PENSION AT LEAST OWCE VENT SEVEN CALENDAR DATS AND WITHIN 24 HOURS OF END OF RAINFALL EVENT. COMPLETE ANY NEEDED CLEANING AND REPAIRS WITHIN TIME FRAMES SPECIFIED IN SWPPP AND/OR UPDES GENERAL PERMIT. 9. REMOVE INLET PROTECTION DEVICES AFTER N.O.T. AND FINAL ACCEPTANCE BY OWNER.
	TELEPHONE PEDESTAL MAILBOX		TOP OF CUT LIMITS	
(WMH)	WATER MANHOLE			SANITARY SEWER NOTES 1. MAINTAIN 10 FOOT HORIZONTAL SEPARATION BETWEEN CULINARY WATER LINES AND SANITARY SEWER LINES. 2. WHERE CULINARY WATER LINE CROSSES OVER TOP OF SANITARY SEWER LINE, MAINTAIN VERTICAL SEPARATION OF 18 INCHES BETWEEN WATER LINE AND
$\bigcirc \longrightarrow \bigstar$	LIGHT POLE			2. MILER EVALUATION INFORMATION CANNOT BE ACHIEVED OVER SEWER LINE, OBTINATION DE ADMINISTRATION OF INFORMER AND OWNER FOR SEWER LINE, IF IS INCHES VERTICAL SEPARATION CANNOT BE ACHIEVED OVER SEWER LINE, OBTINA ACCEPTANCE FROM ENGINEER AND OWNER FOR PROPOSED APPROACH. 3. USE NON-SHRINK GROUT WHEREVER GROUT IS REQUIRED FOR SANITARY SEWER FACILITIES.
				4, REMOVE SILT AND DEBRIS FROM MANHOLES AND PIPE, MAINTAIN MANHOLES AND PIPES IN CLEAN CONDITION UNTIL FINAL ACCEPTANCE BY OWNER,

15 | 16

13 |

1


14

(E		-2202	
STAMP:	STATE OF		11/2023
			CR_DATE UPDATED: 5/11/2023 -ir2800.ctb PLOTTED: 5/11/2023
		KEWAKKS	DWG CREATED: CR_DATE PEN TBL: _1stndrd-ir2800.ctb
		V. BY ORIGINAL SUBMISSION FOR AUTHORIZATION REVISIONS	DWG NAME: C-001 TITLE AND LEGEND SHT SET: ####
	L	NU. DALE REV. BY ORIC	scale: NONE
	Jones & DeMille Engineering, Inc.	1.800.748.5275 www.jonesanddemille.com	
			2204-024
UAN COUNTY	GROUNDS RV PARK	LEGEND & NOTES	PROJECT NUMBER:
SAN JUA	SJC FAIRGRO	LEG	BID SET
			SUBMITTAL:
S/			
	10. C	- 1 M M	/ 1










66





ADDREV	/IATIONS	GENERAL NOTES
 # QUANTITY OR COUNT #G 1-GANG, 2-GANG, ETC. #P 1-POLE, 2-POLE, ETC. A AMPS OR AMPERES AC ALTERNATING CURRENT ADA AMERICANS WITH DISABILITIES ACT ADJ ADJUSTABLE AIC AMPERE INTERRUPTING CAPACITY 	MB MAIN BREAKER MC METAL CLAD CABLE MCA MINIMUM CIRCUIT AMPACITY MCB MAIN CIRCUIT BREAKER MCM SEE KCMIL MDP MAIN DISTRIBUTION PANEL MECH MECHANICAL CONTRACTOR MET METER MIN MINIMUM MFG MANUFACTURING	1. THE ELECTRICAL SYSTEMS DEFINED BY THESE PLANS AND SPECIFICATIONS ARE TO BE CONSTRUCTED AS COMPLETE AND OPERABLE SYSTEMS AND SHALL BE BID WITH THIS INTENT. THE CONTRACTOR SHALL VISIT THE SITE, READ ALL THE RELEVANT DOCUMENTS AND BECOME FAMILIAR WITH THE TYPE OF CONSTRUCTION AND WORK TO BE ACCOMPLISHED. SHOULD ANY ERROR, OMISSION OR CONFLICT EXIST IN EITHER THE PLANS OR SPECIFICATIONS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IN WRITING BEFORE SUBMITTING HIS BID PRICE SO A CHANGE CAN BE ISSUED IN A PRE-BID ADDENDUM. OTHERWISE, THE CONTRACTOR AND/OR EQUIPMENT SUPPLIER SHALL SUPPLY THE PROPER MATERIALS AND LABOR TO INSTALL COMPLETE AND OPERABLE SYSTEMS AT THEIR OWN EXPENSE. WHEN EACH ELECTRICAL SYSTEM IS COMPLETE, THE CONTRACTOR SHALL TEST AND CONFIRM IT'S PROPER OPERATION. ANY INCOMPLETE SYSTEM SHALL BE MADE COMPLETE AND OPERABLE.
AFC AVAILABLE FAULT CURRENT AFF ABOVE FINISHED FLOOR AFG ABOVE FINISHED GRADE AHJ AUTHORITY HAVING JURISDICTION	MFR MANUFACTURER MLO MAIN LUGS ONLY MNT MOUNT MOCP MAXIMUM OVERCURRENT PROTECTION MTR MOTOR	2. THE ARCHITECTURAL AND MECHANICAL PLANS ARE CONSIDERED A PART OF THE ELECTRICAL DOCUMENTS SO FAR AS THEY APPLY. THE ELECTRICAL CONTRACTOR SHALL REFER TO AND COORDINATE WITH THEM. NO EXTRA COST SHALL BE ALLOWED FOR FAILURE TO COORDINATE THE CONTRACT DOCUMENTS WITH OTHER TRADES AND/OR IF EQUIPMENT DIMENSIONS ARE GREATER THAN SPECIFIED AND/OR DIMENSIONED ON THE PLANS.
AIC AMPERE INTERRUPTING CAPACITY AL ALUMINUM MATERIAL	MILL MILLWORK n NUMBER OF SETS N NEW	3. NO ADDITIONS TO THE CONTRACTOR BID WILL BE ALLOWED FOR CHANGES MADE NECESSARY BY INTERFERENCE WITH OTHER WORK.
ALT ALTERNATE AMP AMPS OR AMPERES ANSI AMERICAN NATIONAL STANDARDS INSTITUTE	NA NOT AVAILABLE/APPLICABLE NAC NOTIFICATION APPLICANCE CIRCUIT NEC NATIONAL ELECTRICAL CODE	4. THE ELECTRICAL CONTRACTOR SHALL PROVIDE EQUIPMENT, MATERIALS AND LABOR FOR THE CONNECTIONS OF ALL EQUIPMENT SHOWN ON THE PLANS - ARCHITECTURAL, MECHANICAL, ETC.
ARCH ARCHITECT AU AUTOMATIC AUX AUXILIARY AWG AMERICAN WIRE GAUGE	NEW NATIONAL ELECTRICAL CODE (NFPA 70) NEMA NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION NFPA NATIONAL FIRE PROTECTION	5. THIS PROJECT IS TO BE INSTALLED IN STRICT ACCORDANCE WITH LOCAL AND STATE CODES AND THE NEC. IF AT ANY TIME DURING CONSTRUCTION, OR AFTER, SOMETHING IS FOUND TO BE INSTALLED IN VIOLATION OF THE CODES LISTED ABOVE, IT SHALL BE CORRECTED AT THE CONTRACTORS EXPENSE.
BAT BATTERY BC BARE COPPER BFC BELOW FINISHED CLG BFG BELOW FINISHED GRADE	ASSOCIATION NG NEUTRAL-GROUND BOND NIC NOT IN CONTRACT/SCOPE NTS NOT TO SCALE	6. THE ELECTRICAL CONTRACTOR SHALL INSTALL A SEPARATE EQUIPMENT GROUNDING CONDUCTOR IN EACH CONDUIT RUN. CONDUIT SHALL NOT BE USED AS AN EQUIPMENT GROUNDING CONDUCTOR. THE ELECTRICAL CONTRACTOR SHALL GROUND THE ELECTRICAL SYSTEM IN ACCORDANCE WITH LOCAL AND NATIONAL CODES.
BR BRANCH C CONDUIT CA CONSTRUCTION ADMIN CAB CABLE OR CABINET	OAE OR APPROVED EQUIVALENT OH OVERHEAD P POLE PB PUSH-BUTTON	7. ELECTRICAL CONTRACTOR SHALL CONFIRM MINIMUM CODE (NEC) WORKING CLEARANCE BEFORE INSTALLING ANY ELECTRICAL PANELS OR CABINETS AND SHALL MOVE THE PANELS AT HIS EXPENSE IF REJECTED BY AN INSPECTOR. IF CLEARANCE IS NOT POSSIBLE, THE DESIGNER SHALL BE NOTIFIED IMMEDIATELY IN WRITING.
CAT# CATEGORY# CB CIRCUIT BREAKER CBA COLOR BY ARCHITECT cd CANDELA	PC PHOTOCELL PF POWER FACTOR PH PHASE PLUMB PLUMBING CONTRACTOR	8. THE CONTRACTOR SHALL ALLOW THE MOVEMENT, BEFORE ROUGH-IN, OF ANY ELECTRICAL PANEL, DEVICE, LIGHT FIXTURE, ETC. A DISTANCE OF 10 FEET WITHOUT REQUIRING ADDITIONAL COST TO THE PROJECT.
CKT CIRCUIT CLG CEILING CND CONDUCTOR CNTRL CONTROL, CONTROLLER	PN PART NO. OR MODEL NO. PNL PANEL OR PANELBOARD POC POINT OF CONNECTION PP POWER PACK	9. TO ASSURE ALL DEVICES ARE RIGIDLY SET, THE ELECTRICAL CONTRACTOR SHALL SECURE ALL DEVICE BOXES WITH BRACKETS, HANGERS, ETC. DESIGNED FOR THE APPLICATION. ANY DEVICE BOXES NOT SECURED WILL BE MADE SECURE AT THE CONTRACTORS EXPENSE.
CO CONDUIT ONLY CRD CARD READER CU COPPER MATERIAL CWA COORDINATE W/ARCHITECT	PTR PRIOR TO ROUGH-IN PVC POLYVINYL CHLORIDE PWR POWER QC QUALITY CONTROL	10. BEFORE ANY ELECTRICAL CONDUIT, BOXES, ETC. ARE COVERED (FLOOR, CEILINGS, WALLS, ETC.), THEY SHALL BE APPROVED BY THE INSPECTING OFFICER (INSPECTOR). THE UNCOVERING AND REPLACEMENT OF ELECTRICAL WORK FOR THE INSPECTION PURPOSES WILL BE AT THE COST OF THE ELECTRICAL CONTRACTOR.
CWO COORDINATE W/OWNER DC DIRECT CURRENT DD DUCT SMOKE DETECTOR DED DEDICATED DISC DISCONNECT SWITCH DIST DISTANCE	QTY QUANTITY RCPT RECEPTACLE REQ REQUIRED, REQUIREMENT RM ROOM RM ROOF MOUNTED RMC RIGID METALLIC CONDUIT	11. DURING CONSTRUCTION, THE ELECTRICAL CONTRACTOR SHALL REMOVE, REROUTE, AND/OR RELOCATE ANY EXISTING ELECTRICAL EQUIPMENT THAT CONFLICTS WITH THE REMODEL OR ADDITION. ALL SYSTEMS SHALL BE OPERABLE AT THE COMPLETION OF THE PROJECT. THE OWNER RESERVES FIRST RIGHT OF REFUSAL ON ALL ELECTRICAL EQUIPMENT WHICH IS NOT TO BE REUSED. EQUIPMENT WHICH IS NOT REUSED OR RECLAIMED BY THE OWNER BECOMES THE PROPERTY OF THE ELECTRICAL CONTRACTOR AND SHALL BE REMOVED FROM THE
DWG DRAWING E EXISTING TO REMAIN EA EACH OR PER EACH EC ELECTRICAL CONTRACTOR EM EMERGENCY/EGRESS	RNC RIGID NON-METALLIC CONDUIT Rx RECEIVER SBJ SYSTEM BONDING JUMPER SCA SHORT CIRCUIT AMPERES SCBA COLOR BY ARCHITECT	PREMISES. 12. THE ELECTRICAL CONTRACTOR SHALL MAINTAIN ELECTRICAL CONTINUITY TO REMAINING EQUIPMENT WHEN ANY EXISTING ELECTRICAL EQUIPMENT IS REMOVED.
EMT ELECTRIC METALLIC TUBING EN EXISTING TO BE REPLACED WITH NEW ENG ENGINEER, ENGINEERING	SD SMOKE DAMPER SDN STUB-DOWN SE SERVICE ENTRANCE SF SQUARE FOOT/FEET	Sheet List Table
EQ EQUIPMENT ER EXISTING TO BE RELOCATED EST ESTIMATE OR ESTIMATED	SLC SIGNALING LINE CKT LOOP SM SURFACE MOUNT SMF SINGLE-MODE FIBER	Sheet Number Sheet Title
EX EXISTING TO BE REMOVED FA FIRE ALARM FACP FIRE ALARM CONTROL PANEL FC FOOT CANDLE	SP SLAVE PACK SPK SPEAKER SPD SURGE PROTECTIVE DEVICE SPEC SPECIFICATIONS	E001 ELECTRICAL SYMBOLS AND NOTES ES101 ELECTRICAL SITE PLAN
FL FLOOR FLA FULL LOAD AMPERES FM FLUSH MOUNT	SS SELECTOR SWITCH SSW SAFETY SWITCH STD STANDARD	E501 ELECTRICAL DIAGRAMS E502 ELECTRICAL DIAGRAMS
FMC FLEXIBLE METALLIC CONDUIT FT FOOT OR FEET GC GENERAL CONTRACTOR	SW SWITCH SYS SYSTEM TB TERMINAL BLOCK	E601 ONE-LINE AND CALCULATIONS E602 ELECTRICAL SCHEDULES
GC GENERAL CONTRACTOR GFCI GROUND FAULT CURRENT INTERRUPTER GND GROUND	TC TIME CLOCK TEMP TEMPERATURE TSP TWISTED SHIELDED PAIR	E701 ELECTRICAL SPECIFICATIONS E702 ELECTRICAL SPECIFICATIONS
HEQ HEAD-END EQUIPMENT HP HORSEPOWER Hz HERTZ (FREQUENCY)	TTB TELEPHONE TERMINAL BOARD TV TELEVISION TYP TYPICAL	
IAW IN ACCÒRDANCE WITH IBC INTERNATIONAL BUILDING CODE IECC INTERNATIONAL ENERGY CONSERVATION CODE	UBC UNIFORM BUILDING CODE UC UNDER CABINET UFC UPSTREAM FAULT CURRENT UFER CONCRETE ENCASED	
IFC INTERNATIONAL FIRE CODE IG ISOLATED GROUND IN INCH IW INPUT WATTS	ELECTRODE UG UNDERGROUND UL UNDERWRITERS LABORATORY UNO UNLESS NOTED OTHERWISE	
JB JUNCTION BOX KCMIL 1000 CIRCULAR MILS (MCM) KV KILO-VOLTS KVA KILO-VOLT-AMPERES	USB UNIVERSAL SERIAL BUS INPUT UTIL UTILITY COMPANY UTP UNSHIELDED TWISTED PAIR	
KW KILO-WATTS KWh KILO-WATT HOURS LED LIGHT EMITTING DIODE LF LINEAR FOOT	V VOLTS VA VOLT-AMPERES VAC AC VOLTAGE VDC DC VOLTAGE	
LFMC LIQUID-TIGHT FLEXIBLE METAL CONDUIT LFNC LIQUID-TIGHT FLEXIBLE NON-METAL CONDUIT	VFD VARIABLE FREQUENCY DRIVE VIF VERIFY IN FIELD W WATTS OR WIRE WAP WIRELESS ACCESS POINT	
LMN LUMEN LTG LIGHTING LV LOW VOLTAGE	WAP WIRELESS ACCESS POINT WM WALL MOUNTED WP WEATHERPROOF/NEMA 3R WPC WITH PULL CORD	
MAN MANUAL	XFER TRANSFER	

SCALE

				_					
COORDINATION SYMBOL SCHEDULE					LIGHTING SYMBOL SCHEDULE				
SYMBOL	DESCRIPTION	MOUNTING	COMMENTS	SYMBO	L DESCRIPTION	MOUNTING	COMMENTS		
$\left\langle \begin{array}{c} XX \\ X \end{array} \right\rangle$	MECHANICAL/PLUMBING EQUIPMENT CALLOUT			•	LINEAR LIGHT FIXTURE. SEE LUMINAIRE SCHEDULE	CEILING	(1)(2)(3)(16)		
X XX.X	DIAGRAM CALLOUT				EMERGENCY LINEAR LIGHT FIXTURE	CEILING	(1)(2)(3)(16)		
				ן בייב ן	LINEAR LIGHT FIXTURE	WALL	(1)(2)(3)(16)		
SYMBOL	ELECTRICAL LINETYPE SC DESCRIPTION		COMMENTS		LIGHT FIXTURE. SEE LUMINAIRE SCHEDULE	CEILING	(1)(3)		
	CONDUIT RUN CONCEALED IN WALL OR ABOVE CEILING				EMERGENCY LIGHT FIXTURE. SEE LUMINAIRE SCHEDULE	CEILING	(1)(3)		
	CONDUIT RUN CONCEALED IN FLOOR OR BELOW GROUND			н©	EMERGENCY LIGHT FIXTURE. SEE LUMINAIRE SCHEDULE	AS NOTED	(1)(2)		
	SURFACE RACEWAY/WIREMOLD			⊗	EXIT SIGN. SEE LUMINAIRE SCHEDULE	CEILING	(1)(4)(5)		
	LOW VOLTAGE CONDUIT RUN			Ю	EXIT SIGN, ON WALL. SEE LUMINAIRE SCHEDULE	AS NOTED	(1)(2)(4)(5)		
	VOLTS DIRECT CURRENT			Ð	DUAL TECH VACANCY SENSOR	CEILING	(7)		
	DEMOLITION			\$ ^T	SINGLE POLE TIMER SWITCH	+4'-0"	(17)		
× × ×	DEMOLITION			\$	LOW VOLTAGE SWITCH. SEE RELAY PANEL	+4'-0"	(17)		
	EXISTING TO REMAIN			₽	DUAL TECH VACANCY SWITH	+4'-0"	(17)		
	HOME RUN TO PANEL				ASTRONOMIC TIME CLOCK, SURFACE	+6'-6" A.F.F.			

SYMBOL	DESCRIPTION	MOUNTING	COMMENTS
	CONDUIT RUN CONCEALED IN WALL OR ABOVE CEILING		
	CONDUIT RUN CONCEALED IN FLOOR OR BELOW GROUND		
	SURFACE RACEWAY/WIREMOLD		
	LOW VOLTAGE CONDUIT RUN		
	VOLTS DIRECT CURRENT		
	DEMOLITION		
* * *	DEMOLITION		
	EXISTING TO REMAIN		
	HOME RUN TO PANEL		
	CONDUIT STUB		
s	CONDUIT BREAK/CONTINUATION		
•	CONDUIT STUB DOWN		
o	CONDUIT STUB UP		

· · · · ·							
	CONDUIT BREAK/CONTINUATION			SYMBOL	DESCRIPTION	MOUNTING	COMMENTS
•	CONDUIT STUB DOWN			(S)(D)(Q)	(S)SIMPLEX (D)DUPLEX (Q)QUADPLEX OR DOUBLE DUPLEX		Γ
				ΦΦ	CONVENIENCE OUTLET, STANDARD	+18"	
0	CONDUIT STUB UP			♥ ♥ ♥	CONVENIENCE OUTLET, GFCI	+18"	
	SCHEMATIC SYMBOL SCH	HEDUL	L E	��♥	CONVENIENCE OUTLET, CUSTOM MOUNTED. SEE ARCHITECTURAL INTERIOR ELEVATIONS	AS NOTED	(6)
SYMBOL	DESCRIPTION	MOUNTING	COMMENTS	♥ ₦ ₱	CONVENIENCE OUTLET, CUSTOM MOUNTED GFCI. SEE ARCHITECTURAL INTERIOR ELEVATIONS	AS NOTED	(6)
	ONE-LINE DIAGRAM FUSE			₽ ^{wp}	CONVENIENCE OUTLET IN WEATHERPROOF ENCLOSURE	+18"	
100A) 3P)	ONE-LINE DIAGRAM CIRCUIT BREAKER			\$ TH	MANUAL MOTOR WITH THERMAL OVERLOAD		
E	ONE-LINE DIAGRAM METER BASE			E	FUSED DISCONNECT SWITCH IN WEATHERPROOF ENCLOSURE	AS NOTED	(13)(14)
<u> </u>	ONE-LINE DIAGRAM GROUND ROD			6	MOTOR		
 				7			
	ONE-LINE DIAGRAM TRANSFORMER				MANUAL TRANSFER SWITCH	AS NOTED	(13)(14)
250A-4	ONE-LINE DIAGRAM CONDUCTOR CALLOUT			\bigcirc	UTILITY POWER POLE	POLE	
230A-4				▼	UTILITY PEDESTAL	PEDESTAL	
	SYMBOL NOTES				UTILITY METER	SEE PLANS	
	LUMINAIRE SCHEDULE FOR FIXTURE TYPES AND DESCRIPTION LUMINAIRE SCHEDULE FOR MOUNTING REQUIREMENTS				TRANSFORMER	SEE PLANS	
(4) CON (5) DIRE	E LIGHT FIXTURE FROM ADJACENT J-BOX INECT NEAREST UN-SWITCHED HOT CONDUCTOR TO EMERGENCY BALLAST ECTIONAL ARROWS INDICATE REQUIRED CHEVRONS				MAIN DISTRIBUTION PANEL 'MDP'	SEE PLANS	
(7) USE	DRDINATE MOUNTING HEIGHT WITH ARCHITECTURAL INTERIOR ELEVATIONS E WITH POWER PACK N SYMBOL IS INCHES BETWEEN RECEPTACLE ALONG WIREWAY. SEE DRAWING	GS			PANEL BOARD, SURFACE	+6'-6" A.F.F.	(15)

(8) "X" IN SYMBOL IS INCHES BETWEEN RECEPTACLE ALONG WIREWAY. SEE DRAWINGS
(9) PROVIDE UL LISTED DEVICE COMPATIBLE WITH THE FIRE ALARM PANEL/SYSTEM
(10) MATCH THE VOLTAGE OF THE RELAY WITH THAT OF THE CONTROLLING CIRCUIT
(11) USE A 4"X4" BOX WITH A MUD RING TO MATCH THE DEVICE AND INSTALLATION.

(12) PROVIDE MUD RING AND/OR BOX COVER APPROPRIATE FOR DEVICE/FIXTURE SERVED


(13) USE HEAVY DUTY DEVICE FOR 480 VOLT (14) SIZE TO THE EQUIPMENT BEING CONTROLLED

(15) FIRE ALARM PANELS:

FACP: FIRE ALARM CONTROL PANEL NAC: NOTIFICATION APPLIANCE CIRCUIT PANEL

ANNUN: GRAPHIC ANNUNCIATOR PANEL
 SES: SMOKE EVACUATION SYSTEM PANEL
 (16) LIGHT FIXTURES ARE SCALED WITHIN THE DRAWINGS BASED ON ACTUAL DIMENSIONS
 (17) COORDINATE MOUNTING HEIGHT WITH ARCHITECTURAL INTERIOR ELEVATIONS AND ELECTRICAL PLANS

POWER SYMBOL SCHEDULE





 230 North 1680 East, Building V

 St. George, Utah 84790

 O: (435) 674-4800

 F: (435) 674-2708

 www.vbfa.com

 VBFA Project #: 22501

For Questions Contact: J. KORHORN


Item 13.


SAN JUAN COUNTY

SHEET NO. E001



11







69

SAN JUAN


SHEET NO. ES101





1 2	3	4	.	5		
		PA	NELBOA	RD SCH	IEDULE	<u> </u>
	PED-1,7,10,13,16,20		MOUNTING	FEED	MAINS	DIMS.
	U5200-XL-75	VOLTAGE <u>120/240</u> PHASE 1 WIRES 3	FLUSH	ТОР	125 AMP X LUGS	9-1/8" W 5-9/16" D
	SEE DRAWINGS	AIC 10K AMPS	X SURF.	ТОР Х ВОТТОМ		
		BRKR WIRE		BINED PHASES	CIRCUIT WIRE	BRKR
	NO. 1 RECEPTACLE	- 2 50 6	6000 6000	B	LOAD SIZE	AMP P 20 1 -
	3 - 5 RECEPTACLE 7	 - 1 30 10	6000 0	6000	- - 12000	
	9 CODES:		12000 VA 18000	12000	12000	6 = EXISTING BR
	CODES: 1 = SEE ONE-LINE DIAGRAM OR E FOR OCPD, CONDUCTOR, GROUN		VA 18000 DIV 14400 AMPS 120	18000 14400 120	AV. AMPS	6 = EXISTING BRI 7 = AFCI BREAKE 9 = EXISTING BRI
	2 = SHUNT-TRIP BREAKER	3 = PROVIDE NEW BREAKI 5 = PROVIDE LOCK-OFF DI	ER FOR EXISTING LO		I	10 = PROVIDE NE 11 = UTILIZE EXIS
				THIS P		AKERS, ETC. SHA
		ΡΔ	NELBOA	RD SCH	EDULF	
	PED-2,4,6,8,11,14,17,21 PANEL	VOLTAGE 120/240	MOUNTING	FEED	MAINS 125 AMP	DIMS. 9-1/8" W
	U5200-XL-75	VOLTAGE <u>120/240</u> PHASE 1 WIRES 3	FLUSH	ТОР	X LUGS	
	SEE DRAWINGS	AIC 10K AMPS	X SURF.	ТОР Х ВОТТОМ		
		CODE BRKR WIRE		BINED PHASES	CIRCUIT WIRE	BRKR
	1 RECEPTACLE	- 2 50 6	6000 6000	B	LOAD SIZE	AMP P CODE 20 1 -
	3 - 5 RECEPTACLE 7	- 1 30 10	6000 0	6000	-	
	7 9 CODES:		6000	6000	6000 6000	
	CODES: 1 = SEE ONE-LINE DIAGRAM OR E		VA 12000 DIV 10800	12000 10800	AV. AMPS	6 = EXISTING BR 7 = AFCI BREAKE
		3 = PROVIDE NEW BREAK		90 AD	J	9 = EXISTING BR 10 = PROVIDE NI
	4 = GFCI BREAKER	5 = PROVIDE LOCK-OFF DI	EVICE	THIS P		11 = UTILIZE EXIS AKERS, ETC. SH/
		PΔ	NELBOA	RD SCH		
	PED-3,5,9,12,15,18,19,22		MOUNTING	FEED	MAINS	DIMS.
	U5200-XL-75	VOLTAGE <u>120/240</u>	FLUOU	TOP	125 AMP	9-1/8" W
	SEE DRAWINGS	PHASE <u>1</u> WIRES <u>3</u>	FLUSH	ТОР	X LUGS	
	LOCATION CIR CIRCUIT DESCRIPTION			X BOTTOM	CIRCUIT WIRE	BRKR
	1 RECEPTACLE	CODE P AMP SIZE - 2 50 6	6000 6000	В	LOAD SIZE 12	AMP P 20 1 -
	3 - 5 RECEPTACLE	 - 1 30 10	6000 0	6000	-	
	CODES: 1 = SEE ONE-LINE DIAGRAM OR E		VA 6000 DIV 6000		AV. AMPS	6 = EXISTING BF 7 = AFCI BREAK
		3 = PROVIDE NEW BREAK		50 AD	I	9 = EXISTING BF 10 = PROVIDE N
	4 = GFCI BREAKER	5 = PROVIDE LOCK-OFF D	EVICE	THIS P	ANEL, LUGS, BRE	11 = UTILIZE EXI AKERS, ETC. SH
		EEENEr				
		FEEDEF	EEDER CONDUCTOR			
	FEEDER 125A-3	AMP n QTY 120 1 3	DESC. A-B-N	SIZE MA #1/O A	T. QTY	SIZE MAT. #4 AL
	125A-3+ 125A-3++	135 1 3 155 1 3	A-B-N A-B-N	#2/O A #3/O A	_ 1	#4 AL #4 AL
	125A-3+++ 400A-3	230 1 3 410 2 3	A-B-N A-B-N	300 A 250 A	_ 1	#2 AL #1 AL
		THHN/THWN/THWN-2 FOR 4				
	- A	GROUND CONDUCTOR SHA ALL CONDUITS SHALL BE S	IZED IN ACCORDANC	E WITH NEC CHAPT	ER 9, TABLE 1.	
	C	NHERE CONDUIT TYPES AF DEMONSTRATE CONDUIT F				CHEDULE, THE CO
	KEYED NOTE 1 F	S: REFER TO NEC 310.15(B)(16) FOR THE AMPACITY	OF 75 DEGREE C F	RATED CU OR AL	
		NG ELECT				DING E
	GROUNDI G.E. SIZE BASED ON NEC TA					C TABLE 250.66 [
	G.E. SIZE BASED ON NEC TA CONDUCTOR FOR ALTERNA	•				C TABLE 250.66 [0 RNATING-CURRE
	MAIN SERVICE SIZE [A]: LOCATION OF NEUTRAL TO (GROUND BOND:	400 MDP2		ERVICE SIZE [A]: ON OF NEUTRAL	. TO GROUND BC
	MAIN SERVICE FEEDER SIZE CONDUCTOR [NO. SETS - SIZ	:	400A-3 2 - 250 KCMIL AL	MAIN S	ERVICE FEEDER	SIZE:
	CALCULATED AL EQUIVALEN EQUIVALENT CU MAIN FEEDI	IT CMIL:	500000 400-3	CALCU	LATED AL EQUIV	ALENT CMIL:
	CONDUCTOR [NO. SETS - SIZ CALCULATED CU EQUIVALEN	ZE CU]:	400-5 1 - 500 KCMIL CU 500000	CONDU	ICTOR [NO. SETS LATED CU EQUIV	- SIZE CU]:
	GROUNDING ELECTRODE SI	ZE:	#1/O AWG CU	GROUN	IDING ELECTROE	DE SIZE:
	G.E. CONDUCTOR MATERIAL G.E. CONDUCTOR INSTALLA		PER NEC 250.62 PER NEC 250.64		NDUCTOR MATE	
	L					
				(#	> KE	YED N
				1.		E 40 PVC CONDUI
					CONDUCTORS F	FOR AREA LIGHTIN
				2.		E 40 PVC CONDUIT FOR RECEPTACLE
-LINE AND CALCULATIONS						

SCALE



Item 13.

		MINAIRE SCHEDULE					
TYPE	DESCRIPTION	MANUFACTURER: CATALOG NUMBER	VOLTS		MPS	MOUNTING	VA
A1	DUAL POLE MOUNTED AREA LUMINAIRES AND TYPE IV OPTICS MOUNTED ON 20' SSS POLE AND RECEPTACLE AT 18" WITH BI-LEVEL MOTION/AMBIENT SENSOR	LITHONIA RSX1 LED P4 40K R4MVOLT SPA NLTAIR2 PIRHN SCBA OR APPROVED EQUIVALENT	120	QTY 1	MODEL 266 W LED	POLE	266 V
2. R 2. R 3. P	REFER TO LUMINAIRE DESCRIPTION FOR FIXTURE REQUIREMENTS. MANUFACTURER'S ON THIS SCHEDULE WITH ALL MOUNTING HARDWARE AND EQUIPMENT FOR A COMPLE REFER TO THE ARCHITECTURAL REFLECTED CEILING DRAWINGS FOR EXACT FIXTURE ENGINEER WITH ANY DISCREPANCIES PRIOR TO BID. FIXTURES SHALL MATCH ARCHIT PROVIDE ALL FIXTURE SUPPORT AND SEISMIC BRACING TO SECURE FIXTURE TO STRU	ETE INSTALLATION. LOCATIONS AND CEILING TYPES. VERIFY EXACT CEILING TYPES AND BRING TO ECTURAL CEILING TYPES.) THE ATTENTION OF T	THE ARCHITEC	T AND THE ELECT	RICAL	
4. F B 5. S S F	SHOWN ON THE DETAILS. PRIOR APPROVAL SHALL BE REQUIRED FOR ALL MANUFACTURER'S WHO ARE NOT LIS BID. PRIOR APPROVALS RECEIVED AFTER THIS TIME CUT-OFF SHALL NOT BE REVIEWE SUBMITTALS FOR PRIOR APPROVAL SHALL BE EQUIVALENT TO THE SPECIFIED FIXTUR SUBMITTALS AS LISTED IN THE SPECIFICATION. ALL INFORMATION THAT DOES NOT AP	ED OR APPROVED. RES AND REVIEWED AND SIGNED BY THE PRINCIPLE OF THE ORGANIZATION TH/ PLY TO THE FIXTURE BEING SUBMITTED SHALL BE CROSSED OUT. THE ELECTR	AT IS SUBMITTING FOR	APPROVAL. P L BE THE FINA	PROVIDE COMPLE	TE FIXTURE N IF THE	
C 7. A	TIXTURES THAT HAVE BEEN REVIEWED AND APPROVED AS EQUIVALENT TO THE SPEC CONTRACTOR SHALL BASE THEIR BID ON THE APPROVED LISTED FIXTURES. A VERBAL ANY ADDITIONAL TIME REQUIRED TO VERIFY IF SUBMITTED FIXTURE MEETS ALL PHOT FROM THE AGENCY SUBMITTING FOR APPROVAL INDICATING EQUIVALENCY.	APPROVAL WILL NOT BE GIVEN OR APPROVED BY VBFA AT ANY TIME.				-	

 COLOR TEMPERATURE FOR ALL LAMPING SHALL BE 3500K FOR INTERIOR LIGHTING AND 4000K FOR EXTERIOR LIGHTING UNLESS NOTED OTHERWISE IN THIS SCHEDULE. 9. PROVIDE FACES AND CHEVRONS AS SHOWN ON THE DRAWINGS

	V	/0	L7	Ά	GE	D	R)P	- 2	24(0/1	1	
WIRE	SIZE	#1:	2 AWG	CU	#10 AWG CU			#8 AWG CU			#6 AWG CU		
٥	С	60	75	90	60	75	90	60	75	90	60	75	90
А	kVA	20	25	30	30	35	40	40	50	55	55	65	75
5	1.20	383	364	347	609	579	552	968	921	878	1539	1465	1397
7.5	1.80	255	242	231	406	386	368	645	614	585	1026	976	931
10	2.40	191	182	173	304	289	276	484	460	439	769	732	698
12.5	3.00	153	145	139	243	231	221	387	368	351	615	586	558
15	3.60	127	121	115	203	193	184	322	307	292	513	488	465
17.5	4.20	-	104	99	174	165	157	276	263	251	439	418	399
20	4.80	-	91	86	152	144	138	242	230	219	384	366	349
22.5	5.40	-	-	77	135	128	122	215	204	195	342	325	310
25	6.00	-	-	-	-	115	110	193	184	175	307	293	279
27.5	6.60	-	-	-	-	105	100	176	167	159	279	266	254
30	7.20	-	-	-	-	-	92	161	153	146	256	244	232
32.5	7.80	-	-	-	-	-	-	-	141	135	236	225	214
35	8.40	-	-	-	-	-	-	-	131	125	219	209	199
37.5	9.00	-	-	-	-	-	-	-	122	117	205	195	186
40	9.60	-	-	-	-	-	-	-	115	109	192	183	174
42.5	10.20	-	-	-	-	-	-	-	-	103	181	172	164
45	10.80	-	-	-	-	-	-	-	-	-	-	162	155
47.5	11.40	-	-	-	-	-	-	-	-	-	-	154	147
50	12.00	-	-	-	-	-	-	-	-	-	-	146	139
52.5	12.60	-	-	-	-	-	-	-	-	-	-	-	133
55	13.20	-	-	-	-	-	-	-	-	-	-	-	127
57.5	13.80	-	-	-	-	-	-	-	-	-	-	-	121
60	14.40	-	-	-	-	-	-	-	-	-	-	-	116

	١	/0	L7	Ά(GE	D	R)P	- 1	12(0/1	1	
WIRE	E SIZE	#1	2 AWG	CU	#1	0 AWG	CU	#8 AWG CU			#6 AWG CU		
0	°C	60	75	90	60	75	90	60	75	90	60	75	90
А	kVA	20	25	30	30	35	40	40	50	55	55	65	75
5	0.60	191	182	173	304	289	276	484	460	439	769	732	698
7.5	0.90	127	121	115	203	193	184	322	307	292	513	488	465
10	1.20	95	91	86	152	144	138	242	230	219	384	366	349
12.5	1.50	76	72	69	121	115	110	193	184	175	307	293	279
15	1.80	63	60	57	101	96	92	161	153	146	256	244	232
17.5	2.10	-	52	49	87	82	78	138	131	125	219	209	199
20	2.40	-	45	43	76	72	69	121	115	109	192	183	174
22.5	2.70	-	-	38	67	64	61	107	102	97	171	162	155
25	3.00	-	-	-	-	57	55	96	92	87	153	146	139
27.5	3.30	-	-	-	-	52	50	88	83	79	139	133	127
30	3.60	-	-	-	-	-	46	80	76	73	128	122	116
32.5	3.90	-	-	-	-	-	-	-	70	67	118	112	107
35	4.20	-	-	-	-	-	-	-	65	62	109	104	99
37.5	4.50	-	-	-	-	-	-	-	61	58	102	97	93
40	4.80	-	-	-	-	-	-	-	57	54	96	91	87
42.5	5.10	-	-	-	-	-	-	-	-	51	90	86	82
45	5.40	-	-	-	-	-	-	-	-	-	-	81	77
47.5	5.70	-	-	-	-	-	-	-	-	-	-	77	73
50	6.00	-	-	-	-	-	-	-	-	-	-	73	69
52.5	6.30	-	-	-	-	-	-	-	-	-	-	-	66
55	6.60	-	-	-	-	-	-	-	-	-	-	-	63
57.5	6.90	-	-	-	-	-	-	-	-	-	-	-	60
60	7.20	-	-	-	-	-	-	-	-	-	-	-	58

VOLTAGE DROP NOTES

3 PH VD CALCULATION USED: 1.732 x K x Q x I x [D / ECM] 1 PH VD CALCULATION USED: 2 x K x Q x I x [D / ECM] THE PURPOSE OF THESE TABLES IS TO DISPLAY THE MAXIMUM ALLOWABLE 1-WAY DISTANCES IN FEET FOR BRANCH CIRCUITS [AT DESIGN LOAD] THAT MAINTAIN A TARGET MAXIMUM OF 3 PERCENT VOLTAGE DROP. WHERE FEEDER CIRCUIT VOLTAGE DROP [AT DESIGN LOAD] EXCEEDS 2 PERCENT, THESE TABLES CANNOT BE USED. THE COMBINED FEEDER PLUS BRANCH VOLTAGE DROP MUST NOT EXCEED 5 PERCENT PER ASHRAE 90.1, SECTION 8.4.1 [ADDENDUM C] AND IECC C405.9. K FACTORS USED: 60°C = 12.275, 75°C = 12.9, 90°C = 13.525 CALCULATION USED TO ADJUST K FACTORS FOR 60°C AND 90°C CONDUCTORS: K2 = 12.9 x [1 + 0.00323 x [T2 - 75]]

E 60 2	ELECTF	RICAL SCHED	ULES						
SCALE									
	1		2	I	3	1	4	5	6

1

_	210	

1	2()/'	1

VOLTAGE DROP CALCS VOLTAGE DROP [VD] NOTES: SINGLE PHASE CALCS: MINIMUM PANEL LOADING:

PANEL MDP2 DISTANCE FROM UTIL XFMR: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:

PANEL PED-10 DISTANCE FROM MDP: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:

- PANEL PED-11 DISTANCE FROM PED-10: CONDUCTOR [NO. SETS - SIZE]. EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-12 DISTANCE FROM PED-11: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-15 DISTANCE FROM PED-14: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-14 DISTANCE FROM PED-13: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-13 DISTANCE FROM MDP: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-18 DISTANCE FROM PED-17: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-16 DISTANCE FROM MDP: CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD: VOLTAGE DROP %:
- PANEL PED-17 DISTANCE FROM : CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:

VOLTAGE DROP %:

THE PURPOSE OF THIS TABLE IS TO SERVE AS A GUIDE TO ENSURE FEEDER VOLTAGE DROP [AT DESIGN LOAD] BE HELD TO A LEVEL AT OR BELOW 2 PERCENT IN AN ATTEMPT TO KEEP THE OVERALL FEEDER + BRANCH VOLTAGE DROP [AT DESIGN LOAD] TO A LEVEL AT OR BELOW 5 PERCENT COMPLIANT WITH ASHRAE 90.1 [2013], SECTION 8.4.1 [ADDENDUM C].

2 x K x Q x I x [D / ECM] 80% 30 FT

NEC TABLES 8 AND 9

2 - 250 AL 320 A [240 V] 0.340%

20 FT 1 - #1/O AL 120 A [240 V] 0.402%

40 FT 1 - #1/O AL 100 A [240 V] 0.670%

40 FT 1 - #1/O AL 100 A [240 V] 0.670%

100 FT 1 - #1/O AL 100 A [240 V] 1.674%

40 FT 1 - #1/O AL 100 A [240 V] 0.670%

90 FT 1 - #1/O AL 120 A [240 V] 1.808%

40 FT 1 - #1/O AL 100 A [240 V] 0.670%

260 FT 1 - 300 AL 120 A [240 V] 1.845%

40 FT 1 - #1/O AL 100 A [240 V] 0.670%

FAULT CURRENT CALCS FAULT AVAILABLE AT XFMR: 15625 A RMS SYMM ESTIMATED SERVICE XFMR SIZE: 75 kVA ESTIMATED SERVICE XFMR %Z: 2.0% ESTIMATED SERVICE XFMR PF: 100% METHOD: CALCULATED MOTOR CONTRIBUTION [6 x FLA]: 0 A 120/240V, 1Ph SERVICE VOLTAGE: PANEL MDP2 MIN DISTANCE FROM UTIL XFMR: 30 FT CONDUIT TYPE: NON-CONDUCTIVE

CONDUCTOR [NO. SETS - SIZE]:

MIN DISTANCE FROM MDP:

MIN DISTANCE FROM PED-10:

MIN DISTANCE FROM PED-11:

CONDUCTOR [NO. SETS - SIZE]:

MIN DISTANCE FROM PED-14:

CONDUCTOR [NO. SETS - SIZE]:

MIN DISTANCE FROM PED-13:

CONDUCTOR [NO. SETS - SIZE]:

CONDUCTOR [NO. SETS - SIZE]:

MIN DISTANCE FROM PED-17:

CONDUCTOR [NO. SETS - SIZE]:

CONDUCTOR [NO. SETS - SIZE]:

CONDUCTOR [NO. SETS - SIZE]:

MIN DISTANCE FROM MDP:

MIN DISTANCE FROM MDP:

CONDUCTOR [NO. SETS - SIZE]:

FAULT AVAILABLE:

CONDUIT TYPE:

CONDUIT TYPE:

FAULT AVAILABLE:

MIN DISTANCE FROM :

CONDUIT TYPE:

FAULT AVAILABLE:

FAULT AVAILABLE:

PANEL PED-10

PANEL PED-11

PANEL PED-12

PANEL PED-15

PANEL PED-14

PANEL PED-13

PANEL PED-18

PANEL PED-16

PANEL PED-17

13565 Amps 20 FT NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL

2 - 250 AL

40 FT NON-CONDUCTIVE 1 - #1/O AL

9778 Amps

40 FT NON-CONDUCTIVE 1 - #1/O AL 4619 Amps

100 FT NON-CONDUCTIVE 1 - #1/O AL

40 FT NON-CONDUCTIVE 1 - #1/O AL 3856 Amps

90 FT NON-CONDUCTIVE 1 - #1/O AL 4945 Amps

40 FT


1 - #1/O AL 3002 Amps 260 FT NON-CONDUCTIVE

NON-CONDUCTIVE

1 - 300 AL 4568 Amps 40 FT

NON-CONDUCTIVE 1 - #1/O AL 3623 Amps

NOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ON AN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMER IMPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED FEEDER MATERIAL AND ESTIMATED DISTANCES BETWEEN EQUIPMENT AS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELD MARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTOR SHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHIN THIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES. IF DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO ADJUST THE CALCULATIONS.



2487 Amps

PANEL PED-4 DISTANCE F CONDUCTO EQUIPMENT VOLTAGE D PANEL PED-6



WATER: SEWER: CABLE TV: PHONE:

11

12

12 13	
VOLTAGE DROP	P CALCS
VOLTAGE DROP [VD] NOTES: SINGLE PHASE CALCS: MINIMUM PANEL LOADING:	NEC TABLES 8 AND 9 2 x K x Q x I x [D / ECM] 80%
PANEL MDP1	
DISTANCE FROM UTIL XFMR: CONDUCTOR [NO. SETS - SIZE]:	30 FT 2 - 250 AL
	320 A [240 V]
VOLTAGE DROP %: PANEL PED-1	0.341%
DISTANCE FROM MDP1: CONDUCTOR [NO. SETS - SIZE]:	220 FT
EQUIPMENT LOAD:	1 - 300 AL 120 A [240 V]
VOLTAGE DROP %:	1.561%
PANEL PED-2 DISTANCE FROM PED-1:	40 FT
CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:	1 - #1/O AL 100 A [240 V]
VOLTAGE DROP %:	0.670%
PANEL PED-3 DISTANCE FROM PED-2:	40 FT
CONDUCTOR [NO. SETS - SIZE]:	1 - #1/O AL
EQUIPMENT LOAD: VOLTAGE DROP %:	100 A [240 V] 0.670%
PANEL PED-7	76 67
DISTANCE FROM MDP1: CONDUCTOR [NO. SETS - SIZE]:	75 FT 1 - #1/O AL
EQUIPMENT LOAD: VOLTAGE DROP %:	120 A [240 V] 1.507%
PANEL PED-8	1.007 /0
DISTANCE FROM PED-7: CONDUCTOR [NO. SETS - SIZE]:	40 FT 1 - #1/O AL
EQUIPMENT LOAD:	100 A [240 V]
VOLTAGE DROP %: PANEL PED-9	0.670%
DISTANCE FROM PED-8:	40 FT
CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:	1 - #1/O AL 100 A [240 V]
VOLTAGE DROP %:	0.670%
PANEL PED-5 DISTANCE FROM PED-4:	40 FT
CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:	1 - #1/O AL 100 A [240 V]
VOLTAGE DROP %:	0.670%
PANEL PED-4 DISTANCE FROM MDP1:	110 FT
CONDUCTOR [NO. SETS - SIZE]:	1 - #1/O AL 100 A [240 V]
EQUIPMENT LOAD: VOLTAGE DROP %:	1.841%
PANEL PED-6	
DISTANCE FROM MDP1: CONDUCTOR [NO. SETS - SIZE]:	45 FT 1 - #1/O AL
EQUIPMENT LOAD: VOLTAGE DROP %:	100 A [240 V] 0.753%
PANEL PED-19	
DISTANCE FROM PED-6: CONDUCTOR [NO. SETS - SIZE]:	40 FT 1 - #1/O AL
EQUIPMENT LOAD: VOLTAGE DROP %:	100 A [240 V] 0.670%
PANEL PED-20	0.070 %
DISTANCE FROM MDP1: CONDUCTOR [NO. SETS - SIZE]:	110 FT 1 - #2/O AL
EQUIPMENT LOAD:	120 A [240 V]
VOLTAGE DROP %: PANEL PED-21	1.763%
DISTANCE FROM PED-20:	40 FT
CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:	1 - #1/O AL 100 A [240 V]
VOLTAGE DROP %:	0.670%
PANEL PED-22 DISTANCE FROM PED-21:	40 FT
CONDUCTOR [NO. SETS - SIZE]: EQUIPMENT LOAD:	1 - #1/O AL 100 A [240 V]
VOLTAGE DROP %:	0.670%
THE PURPOSE OF THIS TABLE IS TO SERVE ENSURE FEEDER VOLTAGE DROP (AT DESIG	
TO A LEVEL AT OR BELOW 2 PERCENT IN AN	ATTEMPT TO KEEP
THE OVERALL FEEDER + BRANCH VOLTAGE LOAD] TO A LEVEL AT OR BELOW 5 PERCEN	-
ASHRAE 90.1 [2013], SECTION 8.4.1 [ADDEND	

14

FAULT AVAILABLE AT XFMR: 15625 A FMS SYMM SIMINATED SERVICE XFMR S/2: 2.0% SIMINATED SERVICE XFMR S/2: 2.0% SIMINATED SERVICE XFMR S/2: 2.0% SIMINATED SERVICE XFMR S/2: 0.4 SIMINATED SERVICE XFMR S/2: 0.4 SIMINATED SERVICE XFMR S/2: 100% CALCULATED 0.4 SIMINATED SERVICE XFMR S/2: 100% CALCULATED 0.4 SIMINATED SERVICE XFMR S/2: 13655 Amps MALL AVAILABLE: 30 FT CONDUCTOR INO. SETS - SIZE): 1.300 AL FAULT AVAILABLE: 3842 Amps MALL PCD-1 MON-CONDUCTOR MIN DISTANCE FROM PED-1: 00 FT CONDUCTOR INO. SETS - SIZE): 1.410 AL FAULT AVAILABLE: 3842 Amps MALE PED-3 MON-CONDUCTIVE MIN DISTANCE FROM PED-2: 0 FT CONDUCTOR INO. SETS - SIZE): 1.410 AL FAULT AVAILABLE: 3217 Amps MALE PED-3 MON-CONDUCTIVE MIN DISTANCE FROM PED-2: MO FT CONDUTT TYPE:		15		16
STIMATED SERVICE XFMR SIZE: 75 KVA STIMATED SERVICE XFMR SIZE: 20% STIMATED SERVICE XFMR PP: 100% METHOD: 0.A STIMATED SERVICE VALTAGE: 120/240V, 1Ph MIN DISTANCE FROM UTIL XFMR: 30 FT CONDUTTYPE: NON-CONDUCTIVE CONDUTTR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 342 Amps YMEL PED-3 MON-CONDUCTIVE MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3217 Amps YMEL PED-3 MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3390 Amps YMEL	FAUL	T CURRI	ENT CAL	CS
AETHOD: OA KOTOR CONTRIBUTION (6 x FLA): 0 A KANEL MOP1 JUN240V, 1Ph MANEL MOP1 MIN DISTANCE FROM UTIL XFMR; 30 FT CONDUCTOR [NO, SETS - SIZE]: 2, 250 AL FAULT AVAILABLE: 13565 Amps MIN DISTANCE FROM MDP1: 20 FT CONDUCTOR [NO, SETS - SIZE]: 1, 30 AL FAULT AVAILABLE: 5087 Amps VAMEL PED-1 NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1, 310 AL FAULT AVAILABLE: 5087 Amps VAMEL PED-2 NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1, 410 AL FAULT AVAILABLE: 3217 Amps VAMEL PED-3 MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1, 410 AL FAULT AVAILABLE: 3217 Amps VAMEL PED-3 MIN DISTANCE FROM PED-7: 40 FT MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1, 4110 AL FAULT AVAILABLE: 3233 Amps VAMEL PED-4 MIN DISTANCE FROM PED-4: 40 FT MIN DISTANCE FROM PED-4: 40 FT	STIMATED SER	VICE XFMR SIZE: VICE XFMR %Z:	75 kVA 2.0%	S SYMM
MAREL MOP1 MIN DISTANCE FROM UTIL XFMR: 30 FT CONDUCTOR [NO, SETS - SIZE]: 2 - 260 AL FAULT AVAILABLE: 13585 Amps MAREL PED-1 MIN DISTANCE FROM MDP1: 220 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 300 AL FAULT AVAILABLE: 5087 Amps MIN DISTANCE FROM MDP1: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3047 Amps MIN DISTANCE FROM PED-1: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3042 Amps MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3127 Amps MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3217 Amps MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 5531 Amps MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 5531 Amps MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 4203 Amps MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 4203 Amps MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 4203 Amps MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 4203 Amps MIN DISTANCE FROM PED-4: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3390 Amps MAREL PED-5 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 4333 Amps MAREL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 7248 Amps MAREL PED-6 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 7248 Amps MAREL PED-6 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3900 Amps MAREL PED-20 MIN DISTANCE FROM MDP1: 10 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3900 Amps MAREL PED-21 MIN DISTANCE FROM PED-22: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 4100 AL FAULT AVAILABLE: 3900 Amps MAR	/IETHOD: /IOTOR CONTRII	BUTION [6 x FLA]:	CALCULATE 0 A	
CONDUCTOR [NO, SETS - SIZE]: 2 - 260 AL FAULT AVAILABLE: 13565 Amps ANREL PED-1 MIN DISTANCE FROM MDP1: 200 FT CONDUCTOR [NO, SETS - SIZE]: 1 - 300 AL FAULT AVAILABLE: 5087 Amps ANREL PED-2 MIN DISTANCE FROM PED-1: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3942 Amps ANREL PED-3 MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3217 Amps ANREL PED-3 MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3217 Amps ANREL PED-3 MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3531 Amps ANREL PED-3 MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3531 Amps ANREL PED-8 MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3531 Amps ANREL PED-9 MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3309 Amps ANREL PED-9 MIN DISTANCE FROM PED-8: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3390 Amps ANREL PED-9 MIN DISTANCE FROM PED-4: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3390 Amps ANREL PED-6 MIN DISTANCE FROM MPED-4: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3374 Amps ANREL PED-6 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3333 Amps ANREL PED-6 MIN DISTANCE FROM MDP1: 10 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 7248 Amps ANREL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps ANREL PED-19 MIN DISTANCE FROM MDP1: 45 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 7248 Amps AMREL PED-20 MIN DISTANCE FROM MDP1: 10 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps AMREL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO, SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps AMREL PED-22 MIN DISTAN	ANEL MDP1			
MIN DISTANCE FROM MDP1: 220 FT CONDUCTOR INO. SETS - SIZE]: 1 300 AL FAULT AVAILABLE: 5087 Amps MIN DISTANCE FROM PED-1: 40 FT CONDUCTOR INO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3942 Amps MIN DISTANCE FROM PED-2: 40 FT CONDUCTOR INO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3217 Amps MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR INO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3217 Amps MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3217 Amps VANEL PED-3 MIN DISTANCE FROM PED-7: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3390 Amps VANEL PED-3 MIN DISTANCE FROM PED-4: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1. + #1/0 AL FAULT AVAILABLE: 3390 Amps <	CONDUIT TY CONDUCTO	′PE: R [NO. SETS - SIZE]:	2 - 250 AL	JCTIVE
FAULT AVAILABLE: 5087 Amps YANEL PED-2 MIN DISTANCE FROM PED-1: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3942 Amps YANEL PED-3 MIN DISTANCE FROM PED-2: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUTT RIVD. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3217 Amps YANEL PED-3 MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5531 Amps YANEL PED-3 MIN DISTANCE FROM PED-7: 40 FT CONDUTT NPE: NON-CONDUCTIVE CONDUTT NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3300 Amps YANEL PED-3 MIN DISTANCE FROM PED-4: 40 FT CONDUTT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3300 Amps YANEL PED-3 MIN DISTANCE FROM MDP1: 10 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3300 Amps YANEL PED-5 MON-CONDUCTIVE CONDUTT TYPE: NON-CONDUCTIVE	MIN DISTAN CONDUIT TY	PE:	NON-CONDU	JCTIVE
CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#11/0 AL 3942 Amps ANEL PED-3 MIN DISTANCE FROM PED-2: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3217 Amps ANEL PED-7 MIN DISTANCE FROM MDP1: 75 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 5531 Amps ANEL PED-8 MIN DISTANCE FROM PED-7: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 4203 Amps ANEL PED-8 MIN DISTANCE FROM PED-9: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3390 Amps ANEL PED-9 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3390 Amps ANEL PED-5 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3474 Amps ANEL PED-5 MIN DISTANCE FROM MDP1: 10 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3474 Amps ANEL PED-5 MIN DISTANCE FROM MDP1: 10 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 7248 Amps ANEL PED-4 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 7248 Amps ANEL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 7248 Amps ANEL PED-19 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 7248 Amps ANEL PED-21 MIN DISTANCE FROM MDP1: 10 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3900 Amps ANEL PED-22 MIN DISTANCE FROM MDP1: 10 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3900 Amps ANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1.#1/0 AL FAULT AVAILABLE: 3900 Amps ANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT	FAULT AVAIL			
MIN DISTANCE FROM PED-2:40 FTCONDUIT TYPE:NON-CONDUCTIVECONDUIT TYPE:3217 AmpsPANEL PED-7NON-CONDUCTIVEMIN DISTANCE FROM MDP1:75 FTCONDUIT TYPE:NON-CONDUCTIVECONDUIT TYPE:NON-CONDUCTIV	CONDUIT TY CONDUCTO	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #1/O AL	JCTIVE
CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3217 Amps ANEL PED-7 MIN DISTANCE FROM MDP1: 75 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5531 Amps WANEL PED-8 MIN DISTANCE FROM PED-7: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 4203 Amps ANEL PED-9 MIN DISTANCE FROM PED-8: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3390 Amps ANEL PED-9 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3390 Amps ANEL PED-5 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3474 Amps ANEL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 4333 Amps ANEL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps ANEL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps ANEL PED-19 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps ANEL PED-19 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps ANEL PED-20 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps ANEL PED-21 MIN DISTANCE FROM MDP1: 10 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps ANEL PED-22 MIN DISTANCE FROM MED-20: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps ANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO, SETS - SI	PANEL PED-3 MIN DISTANO	CE FROM PED-2:		JCTIVE
MIN DISTANCE FROM MDP1: 75 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5531 Amps VANEL PED-3 MIN DISTANCE FROM PED-7: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 4203 Amps VANEL PED-9 MIN DISTANCE FROM PED-8: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3390 Amps VANEL PED-9 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3333 Amps VANEL PED-6 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps VANEL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps VANEL PED-6 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps VANEL PED-19 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps VANEL PED-21 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5018 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - S	CONDUCTOR FAULT AVAIL	R [NO. SETS - SIZE]	1 - #1/O AL	
MIN DISTANCE FROM PED-7:40 FTCONDUIT TYPE:NON-CONDUCTIVEFAULT AVAILABLE:4203 AmpsYANEL PED-9MIN DISTANCE FROM PED-8:40 FTCONDUIT TYPE:NON-CONDUCTIVECONDUIT TY	MIN DISTANO CONDUIT TY CONDUCTO	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #1/O AL	JCTIVE
ANEL PED-9 MIN DISTANCE FROM PED-8: 40 FT CONDUIT TYPE: NON-CONDUCTIVE FAULT AVAILABLE: 3390 Amps VANEL PED-5 MIN DISTANCE FROM PED-4: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3474 Amps VANEL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 4333 Amps VANEL PED-4 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 7248 Amps VANEL PED-6 MIN DISTANCE FROM MDP1: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 7248 Amps VANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps VANEL PED-19 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5018 Amps VANEL PED-20 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5018 Amps VANEL PED-21 MIN DISTANCE FROM PED-20: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE:	MIN DISTANC CONDUIT TY CONDUCTOR	′PE: R [NO. SETS - SIZE]:	NON-CONDI 1 - #1/O AL	JCTIVE
ANEL PED-5 MIN DISTANCE FROM PED-4: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3474 Amps PANEL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 4333 Amps PANEL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 7248 Amps PANEL PED-6 MIN DISTANCE FROM PED-6: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps PANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps PANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps PANEL PED-19 MIN DISTANCE FROM MDP1: 110 FT CONDUT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5126 Amps PANEL PED-20 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 5018 Amps PANEL PED-21 MIN DISTANCE FROM PED-20: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps PANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3900 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3900 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3900 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3900 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3900 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAILABLE: 3000 Amps PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/0 AL FAULT AVAI	PANEL PED-9 MIN DISTANO CONDUIT TY	CE FROM PED-8: 'PE:	40 FT NON-CONDI 1 - #1/O AL	JCTIVE
CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3474 Amps ANEL PED-4 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 4333 Amps ANEL PED-6 MIN DISTANCE FROM MDP1: 45 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps ANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 7248 Amps ANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps YANEL PED-20 MIN DISTANCE FROM MDP1: 110 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #2/O AL FAULT AVAILABLE: 5018 Amps YANEL PED-20 MIN DISTANCE FROM PED-20: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #2/O AL FAULT AVAILABLE: 5018 Amps YANEL PED-21 MIN DISTANCE FROM PED-20: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps VANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3000 Amps VANEL PED-21 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 5 - MON-CONDUCTIVE	ANEL PED-5 MIN DISTANO	CE FROM PED-4:	40 FT	ICTIVE
MIN DISTANCE FROM MDP1:110 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:4333 AmpsPANEL PED-6MIN DISTANCE FROM MDP1:45 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:YON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:7248 AmpsPANEL PED-19MIN DISTANCE FROM PED-6:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:5126 AmpsPANEL PED-20MIN DISTANCE FROM MDP1:110 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-20MIN DISTANCE FROM MDP1:110 FTCONDUCTOR [NO. SETS - SIZE]:1 - #2/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-21MIN DISTANCE FROM PED-20:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-21MIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22MIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:<	CONDUCTO	R [NO. SETS - SIZE]:	1 - #1/O AL	501172
MIN DISTANCE FROM MDP1:45 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:7248 AmpsPANEL PED-19MIN DISTANCE FROM PED-6:40 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:5126 AmpsPANEL PED-20MIN DISTANCE FROM MDP1:110 FTCONDUCTOR [NO. SETS - SIZE]:1 - #2/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-21NON-CONDUCTIVEMIN DISTANCE FROM PED-20:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-21NON-CONDUCTIVEMIN DISTANCE FROM PED-20:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22MIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsVANEL FED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsVANEL FED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsVANEL FED-22NO	MIN DISTANO CONDUIT TY CONDUCTO	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #1/O AL	JCTIVE
YANEL PED-19 MIN DISTANCE FROM PED-6: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 5126 Amps YANEL PED-20 MIN DISTANCE FROM MDP1: 110 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #2/O AL FAULT AVAILABLE: 5018 Amps YANEL PED-21 MIN DISTANCE FROM PED-20: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #2/O AL FAULT AVAILABLE: 5018 Amps YANEL PED-21 MIN DISTANCE FROM PED-20: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps YANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT	MIN DISTANC CONDUIT TY CONDUCTOR	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #1/O AL	JCTIVE
FAULT AVAILABLE:5126 AmpsPANEL PED-20Into Stance FROM MDP1:110 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #2/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-21Into DISTANCE FROM PED-20:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22Into DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVECONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVEMIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsVOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ONAN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMERMPEDENCE, ESTIMATED DISTANCES BETWEEN EQUIPMENTAS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELDMARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTORSHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHINTHIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES.F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALLMOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	PANEL PED-19 MIN DISTANO CONDUIT TY	CE FROM PED-6: 'PE:	40 FT NON-CONDI	JCTIVE
MIN DISTANCE FROM MDP1:110 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #2/O ALFAULT AVAILABLE:5018 AmpsPANEL PED-21MIN DISTANCE FROM PED-20:40 FTMIN DISTANCE FROM PED-20:40 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22MIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsVOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ONNN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMERMPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED TRANSFORMERMPEDENCE, ESTIMATED DISTANCES BETWEEN EQUIPMENTAS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELDMARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTORSHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHINTHIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES.F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALLIOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	FAULT AVAIL			
MIN DISTANCE FROM PED-20:40 FTCONDUIT TYPE:NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22MIN DISTANCE FROM PED-21:40 FTCONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsPANEL PED-22NON-CONDUCTIVECONDUCTOR [NO. SETS - SIZE]:1 - #1/O ALFAULT AVAILABLE:3900 AmpsNOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ON AN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMERMPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED TRANSFORMERMPEDENCE, ESTIMATED DISTANCES BETWEEN EQUIPMENT AS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELD MARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTORSHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHIN THIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES. F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALL HOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	CONDUIT TY CONDUCTO	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #2/O AL	JCTIVE
PANEL PED-22 MIN DISTANCE FROM PED-21: 40 FT CONDUIT TYPE: NON-CONDUCTIVE CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps NOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ON AN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMER MPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED FEEDER MATERIAL AND ESTIMATED DISTANCES BETWEEN EQUIPMENT AS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELD MARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTOR SHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHIN THIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES. F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	MIN DISTANO CONDUIT TY CONDUCTOR	′PE: R [NO. SETS - SIZE]:	NON-CONDU 1 - #1/O AL	JCTIVE
CONDUCTOR [NO. SETS - SIZE]: 1 - #1/O AL FAULT AVAILABLE: 3900 Amps NOTE: THESE FAULT CURRENT CALCULATIONS ARE BASED ON AN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMER MPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED TRANSFORMER MATERIAL AND ESTIMATED DISTANCES BETWEEN EQUIPMENT AS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELD MARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTOR SHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHIN THIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES. F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALL IOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	PANEL PED-22 MIN DISTANO	CE FROM PED-21:	40 FT	
AN ESTIMATED TRANSFORMER SIZE, ESTIMATED TRANSFORMER MPEDENCE, ESTIMATED FEEDER SIZE, ESTIMATED FEEDER MATERIAL AND ESTIMATED DISTANCES BETWEEN EQUIPMENT AS INDICATED HEREIN. PRIOR TO EQUIPMENT BEING FIELD MARKED AS REQUIRED BY NEC 110.24[A], THE CONTRACTOR SHALL ENSURE THAT THE ESTIMATED VALUES IDENTIFIED WITHIN THIS TABLE MATCH THE ACTUAL VALUES AND DISTANCES. F DISCREPANCIES ARE FOUND, THE CONTRACTOR SHALL IOTIFY THE ENGINEER OF RECORD IN WRITING IN ORDER TO	CONDUCTO	R [NO. SETS - SIZE]:	1 - #1/O AL	JCTIVE
	AN ESTIMATED ⁻ MPEDENCE, ES MATERIAL AND E AS INDICATED H MARKED AS REC SHALL ENSURE ⁻ THIS TABLE MAT F DISCREPANCI IOTIFY THE ENC	TRANSFORMER SIZE, E TIMATED FEEDER SIZE ESTIMATED DISTANCES IEREIN. PRIOR TO EQU QUIRED BY NEC 110.24 THAT THE ESTIMATED TCH THE ACTUAL VALU ES ARE FOUND, THE C GINEER OF RECORD IN	ESTIMATED TRANSFO , ESTIMATED FEEDE S BETWEEN EQUIPMI IPMENT BEING FIELE [A], THE CONTRACTO VALUES IDENTIFIED IES AND DISTANCES. CONTRACTOR SHALL	DRMER R ENT D R WITHIN



Item 13.

NOTE: PROVIDE ACCESSIBLE LOCATIONS FOR ALL GROUNDING ELECTRODES TO ALLOW FOR INSPECTION PER NEC 250.24 (A)(1)

CLEARANCES TO OTHER UNDERGROUND UTILITIES

- 5 FT. HORIZONTAL 5 FT. HORIZONTAL
- NATURAL GAS: 10 FT. HORIZONTAL 1 FT. HORIZONTAL. 6" VERTICAL ABOVE SECONDARY 1 FT. HORIZONTAL. 6" VERTICAL ABOVE SECONDARY

230 North 1680 East, Building V

St. George, Utah 84790 O: (435) 674-4800

F: (435) 674-2708

For Questions Contact: J. KORHORN

VBFA www.vbfa.com VBFA Project #: 22501

SHEET NO. E602

	PART 1 – GENERAL CONTINUED FROM SHEET E	
	 A. DESCRIPTION 1. FURNISH ALL LABOR, MATERIALS, EQUIPMENT AND TRANSPORTATION AS REQUIRED TO PROPERLY INSTALL A COMPLETE AND OPERABLE ELECTRICAL SYSTEM. 	I. SUBMITTALS 1. PROVIDE SHOP DRAWINGS AND MANUFACTURER'S LITERATURE OF MATERIALS AND EQUIPMENT A REQUIRED IN THE GENERAL CONDITIONS, AS DIRECTED BY THE OWNER'S REPRESENTATIVE AND LISTED BELOW:
	 B. RULES AND REGULATIONS 1. ALL WORK AND MATERIALS SHALL BE INSTALLED AS SHOWN AND HEREIN SPECIFIED. 	2. CATALOG CUTS
	2. THE LATEST EDITIONS OF THE FOLLOWING SPECIFICATIONS, STANDARDS, AND AMENDMENTS,	A.) CONDUIT AND FITTINGS. 1.) RIGID METAL
	AS ADOPTED BY THE AUTHORITY HAVING JURISDICTION, SHALL FORM A PART OF THIS SPECIFICATION THE SAME AS IF HEREIN WRITTEN OUT IN FULL (ALL MATERIALS AND INSTALLATIONS SHALL CONFORM TO THE APPLICABLE REQUIREMENTS THEREOF:	2.) INTERMEDIATE METAL 3.) ELECTRICAL METALLIC TUBING
	A.) NFPA (NATIONAL FIRE PROTECTION ASSOCIATION), PUBLICATION NUMBER 70, "NATIONAL, ELECTRICAL CODE"; PUB. NO. 72E, "AUTOMATIC FIRE DETECTORS".	4.) FLEXIBLE METALLIC 5.) LIQUID TIGHT FLEXIBLE METALLIC
	B.) UL (UNDERWRITERS LABORATORIES, INC.). C.) NEMA (NATIONAL ELECTRICAL MANUFACTURER'S ASSOCIATION).	6.) FITTINGS (EACH TYPE) B.) WIRE AND CABLE
	D.) UBC (UNIFORM BUILDING CODE) AND STANDARD BUILDING CODE. E.) IBC (INTERNATIONAL BUILDING CODE).	C.) SWITCHES 1.) SNAP 2.) LOCATOR
	F.) IFC (INTERNATIONAL FIRE CODE). G.) IECC (INTERNATIONAL ENERGY CONSERVATION CODE).	3.) PILOT 4.) DIMMER
	H.) IEC (INTERNATIONAL ELECTRICAL CODE). I.) STATE AND LOCAL BUILDING AUTHORITY AND CODES.	5.) OCCUPANCY/VACANCY D.) RECEPTACLE OUTLETS
	C. PERMITS AND INSPECTIONS UNLESS OTHERWISE SPECIFIED, THE CONTRACTOR SHALL APPLY, PAY FOR	1.) GENERAL PURPOSE 2.) GROUND FAULT CIRCUIT INTERRUPTION
	AND SCHEDULE ALL APPLICABLE PERMITS, FEES AND INSPECTIONS REQUIRED BY ANY AND ALL PUBLIC AUTHORITIES HAVING JURISDICTION AND REQUIRING INSPECTION.	3.) SWITCHED 4.) USB
	1. EC SHALL INCLUDE ALL UTILITY COMPANY CHARGES IN THE BASE BID.	E.) TRIM AND COVER PLATES (EACH TYPE AND STYLE) F.) PANEL BOARDS
	D. WORKMANSHIP AND MATERIAL 1. WORKMANSHIP SHALL BE OF THE BEST QUALITY AND NONE BUT COMPETENT PERSONNEL SKILLED	G.) CIRCUIT BREAKERS (EACH SIZE AND TYPE) H.) SAFETY SWITCHES
	IN THEIR TRADE SHALL BE EMPLOYED. THE CONTRACTOR SHALL FURNISH THE SERVICES OF AN EXPERIENCED SUPERINTENDENT, WHO WILL BE IN CHARGE OF THE EXECUTION OF WORK, UNTIL COMPLETED AND ACCEPTED.	I.) FUSES (EACH SIZE AND TYPE) J.) LIGHTING FIXTURES
	2. UNLESS OTHERWISE HEREIN AFTER SPECIFIED, ALL MATERIALS AND EQUIPMENT UNDER THIS	K.) NAMEPLATES L.) PHOTOELECTRIC SWITCHES
	DIVISION OF THE SPECIFICATIONS SHALL BE NEW, OF BEST GRADE AND AS LISTED IN PRINTED CATALOGS OF THE MANUFACTURER. EACH ARTICLE OF IT'S KIND SHALL BE THE STANDARD	3. SHOP DRAWINGS A.) PANEL BOARDS
	PRODUCT OF A SINGLE MANUFACTURER. 3. THE OWNER'S REPRESENTATIVE SHALL HAVE THE RIGHT TO ACCEPT OR REJECT MATERIAL	B.) LIGHTING FIXTURES
	EQUIPMENT AND/OR WORKMANSHIP AND DETERMINE WHEN THEY HAVE COMPLIED WITH THE REQUIREMENTS HEREIN SPECIFIED.	THE ABOVE IS A STANDARD SUBMITTAL REQUIREMENT LIST. ELECTRICAL CONTRACTOR SHALL SUBMIT APPLICABLE ITEMS FOR REVIEW. MATERIAL NOT SUBMITTED AND APPROVED BY THE ARCHITECT OR OWNER'S REPRESENTATIVE SHALL BE SUBJECT TO REMOVAL AND REPLACEMENT AT THE CONTRACTOR COST IE DIPECTED BY THE ARCHITECT OR THE OWNER'S REPRESENTATIVE
	4. ALL MANUFACTURED MATERIALS SHALL BE CLEARLY MARKED OR STAMPED WITH THE MANUFACTURER'S NAME AND RATING.	COST IF DIRECTED BY THE ARCHITECT OR THE OWNER'S REPRESENTATIVE.
	5. REFERENCE TO STANDARDS ARE INTENDED TO BE THE LATEST REVISION OF THE STANDARD SPECIFIED, OR THAT ACCEPTED BY THE AUTHORITY HAVING JURISDICTION.	PART 2 – MATERIALS A. GENERAL
	E. MANUFACTURER'S RECOMMENDATIONS	1. MATERIALS AND EQUIPMENT SHALL BE STANDARD CATALOGED PRODUCTS OF MANUFACTURER: REGULARLY ENGAGED IN THE MANUFACTURE OF THE PRODUCT. UL LISTED, AND SHALL BE TH
	 EQUIPMENT INSTALLED UNDER THIS DIVISION OF THE SPECIFICATIONS SHALL BE INSTALLED ACCORDING TO THE MANUFACTURER'S RECOMMENDATIONS, UNLESS OTHERWISE SHOWN ON THE DRAWINGS OR HEREIN SPECIFIED. 	LATEST STANDARD DESIGN THAT CONFORMS TO SPECIFIED MATERIALS AND EQUIPMENT.
	F. GUARANTEE	 B. RACEWAY 1. ELECTRICAL METALLIC TUBING (EMT) SHALL BE USED IN INTERIOR DRY LOCATIONS.
	1. ALL MATERIALS AND EQUIPMENT PROVIDED AND INSTALLED UNDER THIS SECTION SHALL BE GUARANTEED FOR A MINIMUM OF ONE YEAR. SHOULD ANY TROUBLE OR MALFUNCTIONS DEVELOP	2. GALVANIZED FLEXIBLE STEEL OR LIQUID TIGHT STEEL CONDUIT SHALL BE USED FOR CONNEC
	DURING THIS PERIOD DUE TO DEFECTIVE MATERIALS OR FAULTY WORKMANSHIP, THE CONTRACTOR WILL BE HELD LIABLE AND SHALL FURNISH LABOR, MATERIALS AND EQUIPMENT NECESSARY TO	TO MECHANICAL EQUIPMENT AND TRANSFORMERS OR AS INDICATED. LIQUID TIGHT CONDUIT S BE USED IN EXTERIOR OR DAMP LOCATIONS.
	CORRECT THE TROUBLE OR MALFUNCTION WITHOUT ADDITIONAL COST TO THE OWNER. ALL DEFECTIVE MATERIAL OR INFERIOR WORKMANSHIP NOTICED DURING THE TIME OF INSTALLATION SHALL BE CORRECTED IMMEDIATELY TO THE ENTIRE SATISFACTION OF THE ARCHITECT AND	3. SCHEDULE 40 PVC (WITH PVC COATED OR VINYL TAPE DOUBLE WRAPPED RIGID STEEL ELBOW AND RISES) SHALL BE USED FOR RUNS THAT ARE IN CONTACT WITH THE EARTH.
	OWNER, AT NO ADDITIONAL COST.	4. 3/4" CONDUIT SHALL BE THE MINIMUM SIZE CONDUIT.
	 G. OPERATION AND MAINTENANCE MANUALS 1. WITHIN 90 DAYS AFTER THE DATE OF SYSTEM ACCEPTANCE, RECORD DRAWINGS OF THE ACTUAL INSTALLATION SHALL BE PROVIDED TO THE BUILDING OWNER. RECORD DRAWINGS SHALL INCLUDE, 	5. OUTDOOR AND WET OR DAMP LOCATIONS: PROVIDE RIGID STEEL CONDUIT. PROVIDE CAST ME OR PVC OUTLET, JUNCTION, AND PULL BOXES.
	INSTALLATION SHALL BE PROVIDED TO THE BUILDING OWNER. RECORD DRAWINGS SHALL INCLUDE, AS A MINIMUM, THE LOCATION, LUMINAIRE IDENTIFIER, CONTROL AND CIRCUITING FOR EACH PIECE OF LIGHTING EQUIPMENT.	6. PROVIDE SEAL-OFFS IN ALL CONDUITS THAT ENTER THE FREEZERS AND COOLERS.
	2. OPERATION AND MAINTENANCE MANUALS SHALL BE PROVIDED TO THE BUILDING OWNER OR THE DESIGNATED REPRESENTATIVE OF THE BUILDING OWNER WITHIN 90 DAYS AFTER THE DATE OF	C. FITTINGS
	SYSTEM ACCEPTANCE. THESE MANUALS SHALL INCLUDE, A MINIMUM, THE FOLLOWING: a. SUBMITTAL DATA INDICATING ALL SELECTED OPTIONS FOR EACH PIECE OF LIGHTING	1. ALL FITTINGS SHALL BE STEEL/MALLEABLE IRON WITH INSULATING BUSHINGS.
	EQUIPMENT AND LIGHTING CONTROLS. b. OPERATION AND MAINTENANCE MANUALS FOR EACH PIECE OF LIGHTING EQUIPMENT AND	 D. OUTLETS AND JUNCTION BOXES 1. BOXES IN INTERIOR DRY LOCATION SHALL BE GALVANIZED ONE-PIECE PRESSED STEEL, KNOCK(
	LIGHTING CONTROLS WITH ROUTINE MAINTENANCE CLEARLY IDENTIFIED INCLUDING, AS A MINIMUM, A RECOMMENDED RELAMPING PROGRAM AND A SCHEDULE FOR INSPECTING AND RECALIBRATING ALL LIGHTING CONTROLS.	TYPE, NOT LESS THAN 4 INCHES SQUARE AND 2 1/8" DEEP; APPLETON, RACO, OR EQUAL.
	c. A COMPLETE NARRATIVE OF HOW EACH LIGHTING CONTROL SYSTEM IS INTENDED TO	2. BOXES SHALL BE EQUIPPED WITH PLASTER RINGS, EXTENSION RINGS, AND FIXTURE STUDS AS REQUIRED.
	OPERATE INCLUDING RECOMMENDED SETTINGS. H. DEFINITIONS	3. BOXES FOR FLOOR OUTLETS SHALL BE OF THE CAST-METAL THREADED-CONDUIT-ENTRANCE, WATERPROOF TYPE WITH MEANS FOR ADJUSTING COVER PLATE TO FINISHED FLOOR LEVEL. BO
	1. FURNISH: TO SUPPLY AND DELIVER, UNLOAD, INSPECT FOR DAMAGE.	SHALL BE SUCH AS HUBBELL B2503 OR EQUAL. THE COVER SHALL BE HUBBELL S3925, S303 EQUAL TO MATCH THE FLOOR TYPE OR AS SHOWN ON THE PLANS.
	2. INSTALL: TO UNPACK, ASSEMBLE, ERECT, APPLY, PLACE, FINISH, CURE, PROTECT, CLEAN, AND MAKE READY FOR USE.	4. PROVIDE FLUSH MOUNTING OUTLET BOX IN FINISHED AREAS.
	3. PROVIDE: TO FURNISH AND INSTALL.	5. BOXES FOR STRUCTURED CABLING (DATA & PHONE) IN INTERIOR DRY LOCATIONS SHALL BE GALVANIZED ONE–PIECE PRESSED STEEL, KNOCKOUT TYPE 4 11/16" x 2 1/8"; RAYCO OR EQ
		6. ALL BOXES IN FINISHED SPACES SHALL BE PROVIDED WITH MUD RINGS AS REQUIRED FOR THE
		DEVICE AND WALL MATERIAL. a. CONTROLLED DUPLEX CONVENIENCE RECEPTACLES, 125 VOLT, 20 AMP:
		DESCRIPTION: PROVIDE PERMANENTLY MARKED RECEPTACLE WITH THE POWER SYMBOL AND THE WO "CONTROLLED". MARKING IDENTIFIES WHICH RECEPTACLES ARE TURNED OFF BY AUTOMATIC CONTRO
		WHEN THE SPACE IS VACANT.
		E. CONDUCTORS 1. ALL CONDUCTORS SHALL BE SOFT DRAWN, ANNEALED COPPER IN RACEWAY SIZED AS SHOWN
		THE PLANS. ALL CONDUCTORS TO BE MINIMUM #12 AWG U.N.O. #8 AWG AND LARGER SHAL STRANDED OR AS INDICATED ON THE DRAWINGS.
		2. CONDUCTORS SHALL BE COPPER, THHN OR THWN-2 COLOR CODED IN ACCORDANCE WITH PA SECTION C. 1. OF THESE SPECIFICATIONS.
		F. WIRING CONNECTIONS
		1. MAKE ALL ELECTRICAL CONNECTIONS.
		2. MAKE CONNECTION TO DEVICES USING "PIG-TAILS". DO NOT USE A DEVICE AS A CONNECTION A SPLICE UNIT.
		3. DO NOT PLACE STRANDED CONDUCTORS DIRECTLY UNDER SCREWS. INSTALL CRIMP-ON, INSUL FORK TERMINALS FOR CONDUCTOR TERMINATIONS, OR INSTALL SOLID CONDUCTORS.
ELECTRICAL SPECIFICATIONS		


13

14

15

- - OR

- - BE



Item 13.

_		1	1	2	1	3	1	4	1	5	1
М											
IVI											
L											
_											
К											
_											
J											
_											
н											
_											
G											
_											
F											
'											
E											
D											
_											
С											
_											
В											
_											
А											
ļ	E740/2	ELECTRICA		TIONS							
	SCALE	1	1	2	1	3		4		5	1
		I .	·	<u>~</u>	I	0	ı	т	•	0	•

CONTINUED FROM SHEET E701 PART

13

14

15

16

 ALL MATERIALS SHALL BE INSTALLED IN A PROFESSIONAL MANNER INDICATIVE OF THE TRADE, SIALART OF CAULY FOR THE DUSIDE WALLS OR REOF SHALL BE SEALED WITH APPROPRIATE SEALENT OF CAULY FOR THE PARTICULAR SURFACE INVOLVED. RACEWAYS RACEWAYS SHALL BUT NONCEALL DULIESS OTHERWISE INDICATED EXPOSED RACEWAY RUNS SHALL NOT RUN CLOSER THAN 6 INCHES TO ANY WATER PIPE OR HEATER FLUWE. RACEWAYS SHALL BE REARD AFTER THERADING AND AFTER CUTING AND BE MADE TO BUTT IN THE CENTER OF THE COUPLING. HILL USE OF HEATER FLUWE. RACEWAYS SHALL BE RESALLED AS A COMPLETE SYSTEM, CONTINUOUS FROM OUTLET TO OUTLET, CABINET, BOX OR FITTINGS, AND SHALL BE MECHANICALLY COMMECTED SO THAT ADEQUATE ELECTRICAL CONTINUIT FROM ONE TO ANOTHER IS OBTIARED. CONDUCTS SHALL BASED FOR SUPPORTED BY RACIO, DESIGNED FOR SUPPORTED ONDUT. THAL BE MECHANICALLY CONDUCTORS. FOUNDE 1/8[®] PARSE B PLASE 240/120 PHASE B NEUTRAL WHITE GROUND GREEN ALL CONDUCTORS SHALL BE INSTALLED IN CONDUIT AND COLOR CODED AS FOLLOWS: PHASE B NEUTRAL WHITE GROUND GREEN MAKE JOINTS, SPLICES, TAPS AND CONNECTORS IN CONDUCTORS WITH SOLDERLESS CONNECTORS. MAKE JOINTS, SPLICES, TAPS AND CONNECTORS IN CONDUCTORS WITH SOLDERLESS CONNECTORS. MAKE JOINTS, SPLICES, TAPS AND CONNECTORS IN CONDUCTORS WITH SOLDERLESS CONNECTORS. MIRING FOR FIRE ALARM SHALL BE TWISTED AM/OR SHIELDED SIZE AS RECOMMENDED BY THE MANUFACTURER OF THE EQUIPHENT AND TO ENSURE PROPER VOLTAGE AT THE DEVICE (AVOID VOLTAGE DROP OF WORE THACEWAYS SHALL HAVE A MAMMIM OF TWO 80 DEGREE BENDS DETMENT HERMINATIONS ON BOXES. GOUNDING MARES STALL BE PROVED BONDICTOR IN ALL RACEWAYS, DO NOT USE THE RACEWAY FOR SOURDOR OF WORE STALL BE READING CONDUCTOR IN ALL RACEWAYS, DO NOT USE THE RACEWAY FOR ORDUNDING MAKES STALL HAVE A MAMMIM OF TWO 80 DEGREE BENDS DETMENT HERMINATIONS ON BOXES. 			ECUTION		SJONA	LENQ	
			ALL MATERIALS SHALL BE INSTALLED IN A PROFESSIONAL MANNER INDICATIVE OF THE TRADE. ALL PENETRATIONS OF THE OUTSIDE WALLS OR ROOF SHALL BE SEALED WITH APPROPRIATE	Kd K	ANNESYE CORHOI #1306080 Q →23	3RIAN RN, JR 1-2202 3-23	
	В.		RACEWAYS SHALL RUN CONCEALED UNLESS OTHERWISE INDICATED. EXPOSED RACEWAY RUNS SHALL BE PARALLEL WITH SUPPORTING WALLS, BEAMS, AND CEILINGS AND WITH EACH OTHER AND	TAMP:			<u>5</u>
Conception and the second source of the		2.	RACEWAY ENDS SHALL BE REAMED AFTER THREADING AND AFTER CUTTING AND BE MADE TO	ις Ο			/2023 /2023
Convertings 1. March and the North and Convertings with solutions of the Research and the Solutions of the Research and the Research and the Solutions of the Research and the Resear		3.	RACEWAYS SHALL BE INSTALLED AS A COMPLETE SYSTEM, CONTINUOUS FROM OUTLET TO OUTLET, CABINET, BOX OR FITTINGS, AND SHALL BE MECHANICALLY CONNECTED SO THAT ADEQUATE ELECTRICAL CONTINUITY FROM ONE TO ANOTHER IS OBTAINED. CONDUITS SHALL BE SUPPORTED WITH ONE OR TWO HOLE STAMPED STEEL OR MALLEABLE IRON STRAPS (SUCH AS MANUFACTURED BY RACO) DESIGNED FOR SUPPORTING CONDUIT. THE SIZE OF STRAP SHALL MATCH THE SIZE OF THE CONDUIT. NAILS, PERFORATED STRAP, OR PLUMBERS TAPE SHALL NOT BE USED FOR				01/05/23 UPDATED: andard.ctb PLOTTED:
Convertings 1. March and the North and Convertings with solutions of the Research and the Solutions of the Research and the Research and the Solutions of the Research and the Resear		4.	PROVIDE 1/8" POLY PULL CORD IN RACEWAYS WITHOUT CONDUCTORS.				3 CREATEI I TBL: cac
A LICOMPLETE SALE IN REPAIR OF NOTION AND COLORS AND AND COLORS COLORS AS FOLLOWS MARK B 1 ME AND ME AND ME AND ME AND ME AND AND COLORS AN A SCREWER SCHEEP SCHEP SCHEP SCHEEP SCHEEP SCHEP SCHEP S	C.					MARKS	PEN
EVIDENCE OF CONDUCTORS, THEEMONE REACTIONS SHALL HAVE A MANIKAW O' NO' 90 BEDREE ERUIS ELEVENE REARMAND ON BOOKS. CRAMEND 1. PER GEOLODING, MARCH REQUIDENT OF IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER CONDUCTION IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO DE REARDER TO THE WORK OF THIS DWSIDN, HAVE BEEN FROMMED AND THE THEM AND ON CONFERENCE OF CONTINUE, TAKEN ALL PARENTS, DO LINE THE PARENTS, DO LIN		1.	PHASE 240/120 PHASE A BLACK PHASE B RED NEUTRAL WHITE			NOIL	ш.
EVIDENCE OF CONDUCTORS, THEEMONE REACTIONS SHALL HAVE A MANIKAW O' NO' 90 BEDREE ERUIS ELEVENE REARMAND ON BOOKS. CRAMEND 1. PER GEOLODING, MARCH REQUIDENT OF IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER CONDUCTION IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO DE REARDER TO THE WORK OF THIS DWSIDN, HAVE BEEN FROMMED AND THE THEM AND ON CONFERENCE OF CONTINUE, TAKEN ALL PARENTS, DO LINE THE PARENTS, DO LIN		2.	MAKE JOINTS, SPLICES, TAPS AND CONNECTORS IN CONDUCTORS WITH SOLDERLESS CONNECTORS.			R AUTHOR REVIS	J7-E701 JUAN COUN
EVIDENCE OF CONDUCTORS, THEEMONE REACTIONS SHALL HAVE A MANIKAW O' NO' 90 BEDREE ERUIS ELEVENE REARMAND ON BOOKS. CRAMEND 1. PER GEOLODING, MARCH REQUIDENT OF IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER CONDUCTION IN ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO BE REARDER TO DE MARCH STREEM DE POINTE ALL PARENTS, DO LINE THE PARENTY GENERGES TO DE REARDER TO THE WORK OF THIS DWSIDN, HAVE BEEN FROMMED AND THE THEM AND ON CONFERENCE OF CONTINUE, TAKEN ALL PARENTS, DO LINE THE PARENTS, DO LIN		3.	MANUFACTURER OF THE EQUIPMENT AND TO ENSURE PROPER VOLTAGE AT THE DEVICE (AVOID			L SUBMISSION FO	VG NAME: 22501-(IT SET: 22501 SAN
BOUNDER LA LANGE DE LANGE).		PULL BOXES SHALL BE PROVIDED WHERE INDICATED OR WHERE NECESSARY TO FACILITATE THE PULLING OF CONDUCTORS. TELEPHONE RACEWAYS SHALL HAVE A MAXIMUM OF TWO 90 DEGREE			ATE DESIGN REV.BY ORIGINA	
Control of the c	•	GROUN				D. NO.	
BOUNDER CONTROL SAN UTION CONTROL SAN UTION CONTROL SAN UTION CONTROL SAN UTION CONTROL SAN CONTROL SAN CONTROL CONTROL CONTROL CONTROL		1.	INSTALL A CODE SIZED GROUNDING CONDUCTOR IN ALL RACEWAYS. DO NOT USE THE RACEWAY FOR GROUNDING. MAKE GOOD CONTACT AT ALL PANEL BOARDS, OUTLET BOXES, AND JUNCTION OR PULL BOXES TO THE RACEWAY SYSTEM. USE APPROVED BONDING MATERIALS.		nc.		
IT BUTCHESS AND CONSECUTION TO THE WORK OF THE SUBJECT NAME BEEN PROVIDED AND THE PROVIDED	.	Bondi			ig, l	STING m	
EVENTS Source List Prove Induction Source List Prove Organitation Source Contend Source Distribution Source Distribution Source Distread Prove Distribution Source Distrite Prove Organition		1.	BOND ALL PIPING (GAS WATER, ETC) AS REQUIRED BY THE NEC. CONFIRM SYSTEMS TO BE USED WITH MC.		л С	_S TES nille.co	
EVENTS Source List Prove Induction Source List Prove Organitation Source Contend Source Distribution Source Distribution Source Distread Prove Distribution Source Distrite Prove Organition	; .		DEMONSTRATE THAT ALL COMPONENTS OF THE WORK OF THIS DIVISION HAVE BEEN PROVIDED AND		Jine-	rERIAI andder	
EVENTS Source List Prove Induction Source List Prove Organitation Source Contend Source Distribution Source Distribution Source Distread Prove Distribution Source Distrite Prove Organition		2.	THAT THEY OPERATE IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.			- MA7	
END CONCOUND AND MILECULE VALUE TO AND SHALL NOT BE DIRECTLY INVOLVED IN THE THE DESIGN OF CONSTRUCTION OF THE PROJECT AND SHALL PROVIDE DOCUMENTATION CONTENN. END END END END END END END END			EACH LIGHTING AND APPLIANCE PANEL WITH MAINS DISCONNECTED FROM FEEDERS, BRANCHES CONNECTED, WALL SWITCHES CLOSED AND FIXTURES PERMANENTLY CONNECTED AND COMPLETE WITH LAMPS. TEST EACH INDIVIDUAL POWER CIRCUIT WITH THE POWER EQUIPMENT CONNECTED FOR PROPER OPERATION.		Aille Bal Eng	AENTAL 5 www	
END CONCOUND NOW MILE DATE NOT THE PROJECT AND SHALL NOT BE DRECTLY INVOLVED IN CRITERIA. END END END END END END END END		3.	PROVIDE DETAILED DOCUMENTATION OF EACH TEST PERFORMED TO THE SATISFACTION OF THE OWNER'S REPRESENTATIVE. WITH THE NAMES AND THE SIGNATURES OF QUALIFIED INDIVIDUALS			/IRONN 48.527	
END		CERT	INDIVIDUAL(S) RESPONSIBLE FOR THE FUNCTIONAL TESTING SHALL NOT BE DIRECTLY INVOLVED IN R THE DESIGN OR CONSTRUCTION OF THE PROJECT AND SHALL PROVIDE DOCUMENTATION IFYING THAT THE INSTALLED LIGHTING CONTROLS MEET OR EXCEED ALL DOCUMENTED PERFORMANCE		S TI S	GIS - EN 1.800.7	
230 North 1880 East, Building V St, George, Ulah 84790 0: (435) 674-2708 WW. Vbfa.com VBFA Project #: 22501 For Questions Contect: <u>I KORHORN</u> SAN JUAN COUNTY SHEET NO. E702		UNITE					
230 North 1880 East, Building V St, George, Ulah 84790 0: (435) 674-2708 WW. Vbfa.com VBFA Project #: 22501 For Questions Contect: <u>I KORHORN</u> SAN JUAN COUNTY SHEET NO. E702							
230 North 1880 East, Building V St, George, Ulah 84790 0: (435) 674-2708 WW. Vbfa.com VBFA Project #: 22501 For Questions Contect: <u>I KORHORN</u> SAN JUAN COUNTY SHEET NO. E702							
230 North 1880 East, Building V St, George, Ulah 84790 0: (435) 674-2708 WW. Vbfa.com VBFA Project #: 22501 For Questions Contect: <u>I KORHORN</u> SAN JUAN COUNTY SHEET NO. E702							4
230 North 1880 East, Building V St, George, Ulah 84790 0: (435) 674-2708 WW. Vbfa.com VBFA Project #: 22501 For Questions Contect: <u>I KORHORN</u> SAN JUAN COUNTY SHEET NO. E702							04-02
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-42708 WWW.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702					LS L		22
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-42708 WWW.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702				≻	TAL		3ER:
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-42708 www.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702						CATI	
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-42708 www.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702						CIFIC	OJECT
230 North 1680 East, Building V St. George, Utah 84790 O. (435) 674-4800 F: (435) 674-2708 WWW.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702						SPE(PR
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-2708 WWW.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702					ROL	AL	
230 North 1680 East, Building V St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-2708 www.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702				N,	IRG	TRIC	
St. George, Utah 84790 St. George, Utah 84790 O: (435) 674-4800 F: (435) 674-2708 Www.vbfa.com VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702				S			
O: (435) 674-4800 F: (435) 674-2708 VBFA VWW.vbfa.com VBFA Project #: 22501 VBFA Project #: 22501 For Questions Contact: J. KORHORN SAN JUAN COUNTY SHEET NO. E702					SJC	Ш	
SAN JUAN COUNTY SHEET NO. E702			O: (435) 674-4800 F: (435) 674-2708				TTAL:
SAN JUAN COUNTY SHEET NO. E702							SUBMI
SHEET NO. E702				S			
				SHEET			>
	Γ		13 14 15 16		NU.		

Item 13.



COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Approval of Local Health Dept WIC Program - San Juan Amendment 7 by Grant Sunada, Public Health Director
RECOMMENDATION:	Approval

SUMMARY

The purpose of this Contract is to support San Juan Public Health's delivery of the Women Infant and Children (WIC) Program, which serves recent mothers, expectant mothers, and children under 5 years old who are low income (see attached income guidelines). The purpose of this funding is to provide nutrition education to all adult participants, to parents or guardians of child participants and, when applicable, to child participants in order to conform to the state and local Nutrition Education Plans and to USDA Regulations.

Current federal funding levels are a reflection of WIC enrollment numbers two years prior. Supplementing with current local funding will enable us to use innovative approaches to increase enrollment and qualify for additional federal funding in two years.

HISTORY/PAST ACTION

Approval.

FISCAL IMPACT

New total funding is \$14,4494 (compared to \$122,895) for the current fiscal year, October 1, 2023 to September 30, 2024. The federally reimbursable funding includes \$141,453 for WIC operational activities (i.e., Nutrition Service Administration that includes breastfeeding promotion, nutrition education, administration, client services, technology services) and \$3,041 for Peer Counseling in the current fiscal year.



UTAH DEPARTMENT OF HEALTH & HUMAN SERVICES CONTRACT AMENDMENT

PO Box 144003, Salt Lake City, Utah 84114 288 North 1460 West, Salt Lake City, Utah 84116

2026713 Department Log Number 202700369

State Contract Number

- 1. CONTRACT NAME: The name of this contract is Local Health Dept WIC Program San Juan Amendment 7.
- 2. CONTRACTING PARTIES: This contract amendment is between the Utah Department of Health & Human Services (DEPARTMENT) and San Juan County (CONTRACTOR).

PAYMENT ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511 MAILING ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511

Vendor ID: 06866HL Commodity Code: 99999

- 3. PURPOSE OF CONTRACT AMENDMENT: The purpose of this amendment is to add NSA and Peer Counseling funding for FFY24
- 4. CHANGES TO CONTRACT:

The contract amount is being changed. The original amount was \$519,240. The funding amount will be increased by \$144,494 in federal funds. New total funding is \$663,734.
 Attachment A, effective 10/1/2023, is replacing Attachment A, which was effective 6/1/2023.

UEI: WCVABP2FEVA2

Indirect Cost Rate: 0%

Add

7.00			
Federal Program Name:	Women Infants and	Award Number:	6UT700709
	Children		
Name of Federal	USDA-Food and	Federal Award	246UT709W1003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WOMEN INFANTS AND	Federal Award Date:	10/1/2023
	CHILDREN		
Assistance Listing	10.557	Funding Amount:	\$14145
Number:			

Add

Federal Program Name:	Women Infants and	Award Number:	6UT700709

	Children		
Name of Federal	USDA-Food and	Federal Award	246UT709W1003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WOMEN INFANTS AND	Federal Award Date:	10/1/2023
	CHILDREN		
Assistance Listing	10.557	Funding Amount:	\$35363
Number:			

Add

		1	
Federal Program Name:	Women Infants and	Award Number:	6UT700709
	Children		
Name of Federal	USDA-Food and	Federal Award	246UT709W1003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WOMEN INFANTS AND	Federal Award Date:	10/1/2023
	CHILDREN		
Assistance Listing	10.557	Funding Amount:	\$56582
Number:			

Add

Auu			
Federal Program Name:	Women Infants and	Award Number:	6UT700709
	Children		
Name of Federal	USDA-Food and	Federal Award	246UT709W1003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WOMEN INFANTS AND	Federal Award Date:	10/1/2023
	CHILDREN		
Assistance Listing	10.557	Funding Amount:	\$3536
Number:			

Add

Federal Program Name:	Women Infants and	Award Number:	6UT700709
	Children		
Name of Federal	USDA-Food and	Federal Award	246UT709W1003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WOMEN INFANTS AND	Federal Award Date:	10/1/2023
	CHILDREN		
Assistance Listing	10.557	Funding Amount:	\$31827
Number:			

Add

Federal Program Name:	Women Infants and	Award Number:	6UT700809
	Children		
Name of Federal	USDA-Food and	Federal Award	236UT809W5003
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WIC BREASTFEEDING	Federal Award Date:	2/27/2023

	PEER COUNSELING		
Assistance Listing	10.557	Funding Amount:	\$2364
Number:			

		1	
Federal Program Name:	Women Infants and	Award Number:	6UT700777
	Children		
Name of Federal	USDA-Food and	Federal Award	236UT777W5005
Awarding Agency:	Nutrition Service	Identification Number:	
Assistance Listing:	WIC BFPC BONUS	Federal Award Date:	8/7/2023
	PAYMENT		
Assistance Listing	10.578	Funding Amount:	\$677
Number:			

All other conditions and terms in the original contract and previous amendments remain the same.

- 5. EFFECTIVE DATE OF AMENDMENT: This amendment is effective 10/01/2023.
- 6. DOCUMENTS INCORPORATED INTO THIS CONTRACT BY REFERENCE BUT NOT ATTACHED:
 - A. All other governmental laws, regulations, or actions applicable to services provided herein.
 - B. All Assurances and all responses to bids as provided by the CONTRACTOR.
- 7. This contract, its attachments, and all documents incorporated by reference constitute the entire agreement between the parties and supersedes all prior written or oral agreements between the parties relating to the subject matter of this contract.

Intentionally Left Blank

79

Item 14.

Contract with Utah Department of Health & Human Services and San Juan County, **Log #** 2026713

IN WITNESS WHEREOF, the parties enter into this agreement.

CONTRACTOR

STATE

Ву: _____

Date

Bruce Adams County Commission Chair By: ______ Tracy S. Gruber Executive Director, Department of Health & Human Services

Date

ATTACHMENT A

WIC Program Special Provisions

For San Juan County Health Department

I. DEFINITIONS

- A. 'CONTRACTOR' means Local Health Department named above.
- B. 'DEPARTMENT' means the Utah Department of Health and Human Services, Office of Maternal and Child Health, Women, Infant, and Children Program.
- C. 'EBT' means Electronic Benefit Transfer.
- D. 'FCS' means Food and Consumer Services.
- E. 'FNS' means Food and Nutrition Service.
- F. 'PC' means Peer Counseling.
- G. 'LHD' means Local Health Department.
- H. 'P&P' means Utah Department of Health WIC Program Policy and Procedures.
- I. 'NSA' means the Nutrition Service Administration.
- J. 'eWIC' means electronic WIC
- K. 'WIC' means Women, Infants, and Children.
- L. 'USDA means United States Department of Agriculture.

II. FUNDING AND PAYMENTS

- A. Nutrition Service Administration (NSA) The DEPARTMENT shall reimburse the CONTRACTOR up <u>\$141,453 for Federal Fiscal Year 2024</u> for WIC operational activities as submitted on the monthly expense report by the CONTRACTOR directly related to the program.
 - 1. This agreement will be amended to add NSA funding each fiscal year.
 - a. Year 1: FFY 2020 (10/1/2019 09/30/2020) in the amount of \$\$130,145;
 - b. Year 2: FFY 2021 (10/1/2020 09/30/2021) in the amount of \$125,631;
 - c. Year 3: FFY 2022 (10/1/2021 09/30/2022) in the amount of \$126,538;
 - d. Year 4: FFY 2023 (10/1/2022 09/30/2023) in the amount of \$122,895; and
 - e. Year 5: FFY 2024 (10/1/2023 09/30/2024) in the amount of \$141,453.
- B. Peer Counseling (PC) The DEPARTMENT shall reimburse the CONTRACTOR up to \$3,041 for Federal Fiscal Year 2024 for Peer Counseling (PC) activities as submitted on the monthly expense report. NSA funding can be used to supplement the Peer Counseling budget.
 - 1. This agreement will be amended to add PC funding each fiscal year.
 - a. Year 1: FFY 2020 (10/1/2019 09/30/2020) in the amount of \$2,672;
 - b. Year 2: FFY 2021 (10/1/2020 09/30/2021) in the amount of \$3,489;
 - c. Year 3: FFY 2022 (10/1/2021 09/30/2022) in the amount of \$3,822;
 - d. Year 4: FFY 2023 (10/1/2022 09/30/2023) in the amount of \$3,464; and

- d. Year 5: FFY 2024 (10/1/2023 09/30/2024) in the amount of \$3,041.
- C. The CONTRACTOR shall report the costs under Sections II.A. and II.B, (above). to the DEPARTMENT based on the following categories:
 - 1. Breastfeeding Promotion NSA
 - 2. Nutrition Education NSA
 - 3. Administration NSA
 - 4. Client Services NSA
 - 5. Technology Services NSA
 - 6. Peer Counseling PC
- D. The CONTRACTOR shall spend at least one-sixth (17%) of the reimbursement amount under Section II.A. on Nutrition Education.
- E. WIC Food Benefits issued to eWIC cards provided under the WIC Program are considered Federal Financial Assistance that must be reported in the LHD Single Audit Report. The Food Benefit Redeemed Amount for the calendar year will be made available the following January by the DEPARTMENT.

III. PROVISIONS INCORPORATED INTO THIS AGREEMENT BY REFERENCE, BUT NOT ATTACHED:

- B. Utah Department of Health WIC Program Policy and Procedures (P&P) manual (Utah WIC State Plan Section II), current version as amended annually.
- C. All other governmental laws, rules, regulations, or actions applicable to services provided herein.
- IV. PROVISIONS INCORPORATED INTO THIS AGREEMENT ATTACHMENT B
 - B. The Civil Rights Assurance language has been added as Attachment B.
 - C. The entirety of Attachment B, Civil Rights Assurance language, found in Attachment B must be amended into all WIC contracts executed by the CONTRACTOR with sub-recipients for all goods and services every time WIC federal funds are used.
- V. SERVICES
 - B. The CONTRACTOR shall furnish services as specified herein to residents of the area served by the CONTRACTOR. These services shall be provided in the CONTRACTOR'S facilities, by the CONTRACTOR'S employees and by others designated by the CONTRACTOR to carry out the provisions of this agreement.
 - C. The CONTRACTOR shall comply with the regulations and guidelines set forth in the Federal code (§42 U.S.C. 1786), and shall abide by the fiscal and operational policy requirements prescribed by the DEPARTMENT and the U.S. Department of Agriculture (USDA).
 - D. The CONTRACTOR shall provide nutrition education to all adult participants, to parents or guardians of child participants and, when applicable, to child participants in order to conform to the DEPARTMENT'S and the CONTRACTOR'S Nutrition Education Plans and to USDA Regulations.

- E. The CONTRACTOR shall adhere to the Nutrition Education Plan submitted by the CONTRACTOR each January and approved by the DEPARTMENT. That document provides a plan for improving the program quality and for meeting State performance objectives for the WIC program.
- F. The CONTRACTOR must maintain competent professional staff, facilities and equipment, as defined by Utah WIC policy, needed to perform the measurements and tests necessary for determining the eligibility of persons for WIC participation.
- G. The CONTRACTOR shall utilize the WIC food delivery system approved by the DEPARTMENT for making WIC food benefits available to participants.
- H. The CONTRACTOR shall provide WIC food benefits to all categories of eligible participants: infants, children, and pregnant, postpartum and breastfeeding women.
- I. The CONTRACTOR shall exchange participant information with surrounding health agencies and with agencies with overlapping WIC services areas in accordance with Food and Nutrition Services (FNS) Instruction 800-1 (confidentiality) to prevent dual participation.
- J. The CONTRACTOR shall operate the WIC Program in accordance with the provisions of the DEPARTMENT'S current WIC Program Policies and Procedures Manual, as amended.
- K. The CONTRACTOR shall ensure the CONTRACTOR'S WIC Director/Coordinator or designee attends all meetings of the Utah Association of WIC Administrators and all WIC Director Meetings hosted by the state. The CONTRACTOR shall ensure that WIC management and frontline staff participate in all training required by the DEPARTMENT.
- L. The CONTRACTOR shall securely store, maintain and convey all serialized inventory equipment, eWIC cards and other disposables as required in the DEPARTMENT'S WIC Policy and Procedures Manual.
- M. The CONTRACTOR shall immediately conduct an initial investigation and follow-up of suspected fraudulent acts committed by WIC Program participants or staff detected either by the CONTRACTOR or by the DEPARTMENT, and notify the DEPARTMENT immediately in every case when fraud is discovered or is confirmed to have occurred.
- N. The CONTRACTOR shall serve only participants who reside within the geographical area served by the CONTRACTOR. If CONTRACTOR serves specialty clients, it shall serve only those clients who reside within the geographical area served by the CONTRACTOR and shall serve only the special population(s) approved by the State WIC office. An exception(s) to this provision requires prior written approval by the State WIC Director, which will be reviewed on a case by case basis.
- O. The CONTRACTOR agrees to participate in bi-annual management evaluations as described in the Utah WIC Policy and Procedures Manual; including but not limited to: completion of Self Evaluations, allowing state staff to conduct site visits at clinics, responding to findings in management evaluation reports, and completion of action plans in order to close findings within agreed upon time frames.
- P. The CONTRACTOR agrees to conduct outreach as required in the Utah WIC Policy and Procedures Manual in order to notify the public of available services and promote program participation.

VI. NON-DISCRIMINATION

B. The CONTRACTOR shall comply with all provisions required by the implementing regulations of the USDA, Department of Justice Enforcement Guidelines at 28 CFR 50.3, and FNS directives and guidelines (available at https://www.fns.usda.gov/civil-rights/usda-nondiscrimination-statement-other-fns-programs). No person shall on the grounds of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by USDA be excluded from participation in, be denied benefits

of, or otherwise be subjected to discrimination under any program or activity for which the CONTRACTOR receives Federal financial assistance from USDA. CONTRACTOR hereby gives assurance that the CONTRACTOR will immediately take measures necessary to effectuate all non-discrimination requirements.

C. The CONTRACTOR shall compile data, maintain records and submit reports as required to permit effective enforcement of the nondiscrimination laws and permit authorized USDA

personnel during normal working hours to review such records, books and accounts as needed to ascertain compliance with the nondiscrimination laws. If any violations of these provisions are discovered, the DEPARTMENT or the USDA Food and Nutrition Service shall have the right to seek judicial enforcement of these provisions. These provisions are binding on the CONTRACTOR, its successors, transferees, and assignees, as long as they receive assistance or retain possession of any assistance from the DEPARTMENT.

D. The CONTRACTOR shall update all locally administered subrecipient contracts with the civil rights assurance language found in Attachment B of this contract. Any time federal dollars are used to procure goods and services, the Civil Rights language must be applied into said contracts.

VII. COMPUTER EQUIPMENT AND SUPPLIES:

- B. The DEPARTMENT agrees to provide serially numbered food instruments also known as electronic benefit transfer (EBT) electronic WIC (eWIC), chip and pin smart cards, to the CONTRACTOR.
- C. The CONTRACTOR owns the computers in operation at all local WIC clinics within the CONTRACTOR's jurisdiction. Computers and equipment that must be maintained and/or purchased by the CONTRACTOR includes, but may not be limited to: Personal Computers, Laptop Computers, LCD Screens/Monitors, Computer Mice, LCD Projectors, Report Printers and all other equipment required to maintain business operations.
- D. The CONTRACTOR shall replace any computer equipment that is broken, obsolete/outdated, lost, stolen, or damaged.
- E. The DEPARTMENT shall provide card acceptor devices to the CONTRACTOR for purposes of placing food benefits on electronic WIC smart cards.
- F. The CONTRACTOR shall supply its WIC Program with the computers purchased with Technology Services funding from this Contract. Computers and equipment for other CONTRACTOR programs may not be purchased using funding from this Contract.
- G. At the time of computer replacement, the CONTRACTOR shall consider replacing desktop type computers with laptop computers to allow WIC to be administered wherever necessary due to pandemic or other natural, terror, or biological disasters.
- VIII. NSA FUNDS MODIFICATION:
 - B. The total amount of NSA Funds under this Contract, as outlined in Section II.A., is subject to quarterly adjustments as required by State or Federal requirements and practices. Unused funds may lapse and revert back to the DEPARTMENT or USDA for reallocation.
- IX. TRAINING AND CERTIFICATION:
 - B. The DEPARTMENT agrees to provide workshops and other training for CONTRACTOR'S employees regarding nutrition, medical certification, eWIC benefit issuance and maintenance, and fiscal/administrative, and operational aspects of WIC.

- C. The CONTRACTOR shall ensure that all employees of the CONTRACTOR involved in the WIC Program have an opportunity to attend DEPARTMENT-sponsored seminars and/or training meetings.
- X. REQUIRED DEPARTMENT APPROVALS:
 - B. The CONTRACTOR must obtain written approval from the DEPARTMENT to purchase capital equipment items. Capital Equipment items are defined as items or a group of like items with a cost of \$5,000.00 or more and a useful life of at least one year. Examples are building signage, building upgrades/modifications and vehicles. Computers and computer equipment do not require DEPARTMENT approval to purchase.
 - C. The CONTRACTOR shall pay for all in-state and out-of-state travel of WIC staff. The CONTRACTOR must obtain written approval from the DEPARTMENT for out-of-state travel.

XI. INTERGENERATIONAL POVERTY EFFORTS

B. In an effort to support families who are experiencing intergenerational poverty and who desire to break the cycle for themselves and their children, the DEPARTMENT will reach out directly to families who self-identify or who have signed formal releases of consent to have their information shared with local health departments and other state agencies to be informed of resources and programs available that will promote positive health outcomes for themselves and their children.

XII. CONTRACT OUTCOMES

- B. As outlined in Section II. above, CONTRACTOR shall expend the monies received through this contract amendment.
- C. The additional funding provided to the CONTRACTOR through this amendment will enhance delivery of all Programmatic SERVICES identified in Section V. above.
- D. The purpose of this grant amendment is to safeguard the health of low-income women, infants, and children up to age 5 who are at nutritional risk by providing nutritious foods to supplement diets, information on healthy eating, and referrals to health care.

E. Metrics:

- 1. Percent of participants with food benefits.
- 2. Month-to-month caseload status.

ltem 14.



COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Approval of Childhood Lead Poisoning Prevention and Surveillance Grant by Grant Sunada, Public Health Director
RECOMMENDATION:	Approve

SUMMARY

This Childhood Lead Poisoning Prevention and Surveillance Grant funds the training of staff on childhood lead poisoning risk factors and sharing of educational resources on the effects of lead exposure in children (<6 years of age), including the availability of free screening and testing.

HISTORY/PAST ACTION

Approval

FISCAL IMPACT

Total Funding is \$5,872.00 in reimbursable federal funding.



UTAH DEPARTMENT OF HEALTH & HUMAN SERVICES CONTRACT AMENDMENT

PO Box 144003, Salt Lake City, Utah 84114 288 North 1460 West, Salt Lake City, Utah 84116

2224406 Department Log Number 222700398

State Contract Number

- 1. CONTRACT NAME: The name of this contract is San Juan County Childhood Lead Poisoning Prevention and Surveillance 2021 Amendment 2.
- 2. CONTRACTING PARTIES: This contract amendment is between the Utah Department of Health & Human Services (DEPARTMENT) and San Juan County (CONTRACTOR).

PAYMENT ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511 MAILING ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511

Vendor ID: 06866HL Commodity Code: 99999

- 3. PURPOSE OF CONTRACT AMENDMENT: The purpose of this amendment is to update funding in exchange for continued services.
- 4. CHANGES TO CONTRACT:

The contract amount is being changed. The original amount was \$14,308.00. The funding amount will be increased by \$5,872.00 in federal funds. New total funding is \$20,180.00.
 Attachment A, effective October 1, 2023, is replacing Attachment A which was effective October 1, 2022. The document title has not changed. Two definitions were added to Article 2. Titles of Articles 3, 4, 5, 6, 7, and 8 have changed.

UEI: WCVABP2FEVA2

Indirect Cost Rate: 0%

Auu			
Federal Program Name:	Childhood Lead	Award Number:	5 NUE2EH001421-03-00
	Poisoning Prevention		
	and Surveillance of		
	Blood Lead Levels		
	inChildren		
Name of Federal	CDC Office of Financial	Federal Award	NUE2EH001421
Awarding Agency:	Resources	Identification Number:	
Assistance Listing:	CHILDHOOD LEAD	Federal Award Date:	8/4/2023
	POISONING		
	PREVENTION		

Add

PROJECTS_STATE AND LOCAL CHILDHOOD LEAD POISONING PREVENTION AND SURVEILLANCE OF BLOOD LEAD LEVELS		
IN CHILDREN		
93.197	Funding Amount:	\$5872.00
	LOCAL CHILDHOOD LEAD POISONING PREVENTION AND SURVEILLANCE OF BLOOD LEAD LEVELS IN CHILDREN	LOCAL CHILDHOOD LEAD POISONING PREVENTION AND SURVEILLANCE OF BLOOD LEAD LEVELS IN CHILDREN

All other conditions and terms in the original contract and previous amendments remain the same.

- 5. EFFECTIVE DATE OF AMENDMENT: This amendment is effective 10/01/2023.
- 6. DOCUMENTS INCORPORATED INTO THIS CONTRACT BY REFERENCE BUT NOT ATTACHED:
 - A. All other governmental laws, regulations, or actions applicable to services provided herein.
 - B. All Assurances and all responses to bids as provided by the CONTRACTOR.
- 7. This contract, its attachments, and all documents incorporated by reference constitute the entire agreement between the parties and supersedes all prior written or oral agreements between the parties relating to the subject matter of this contract.

Intentionally Left Blank

Contract with Utah Department of Health & Human Services and San Juan County, **Log #** 2224406

IN WITNESS WHEREOF, the parties enter into this agreement.

CONTRACTOR

STATE

Ву: _____

Date

Bruce Adams County Commission Chair Date

Attachment A: Scope of Work San Juan County - Childhood Lead Poisoning Prevention and Surveillance 2021 Amendment 2 Effective Date: October 1, 2023

Article 1

GENERAL PURPOSE

Purpose. The general purpose of this contract is to provide childhood lead poisoning prevention and surveillance.

Article 2

DEFINITIONS

Definitions: In this contract, the following definitions apply:

"Child Lead Risk Survey" means the Child Lead Risk Survey and the Home & Environment Assessment.

"**Department**" means Utah Department of Health and Human Services, Childhood Lead Poisoning Prevention Program.

"Subrecipient" means Contractor and San Juan County.

Article 3

PROGRAM CONTACT

Program Contact. The day-to-day operations and dispute contact is Mark Jones, markejones@utah.gov, 801 538-6045.

SERVICE REQUIREMENTS

- 4.1 **Notification**. The Subrecipient shall notify the Department when elevated blood levels are identified in the Subrecipient's jurisdiction as described in Utah Administrative Code, Rule R386-703. Injury Reporting Rule.
- 4.2 **Child Lead Risk Survey**. The Subrecipient shall complete the Child Lead Risk Survey and contact the parent or guardian when elevated child blood lead levels are identified and assess take-home lead exposure of adults living within the household including pregnant or lactating women.
- 4.3 **Education**. The Subrecipient shall provide educational resources on the effects of lead exposure in children and the availability of free screening and testing.
- 4.4 **Environmental Investigation**. The Subrecipient shall request an environmental investigation from the Utah Department of Environmental Quality when a child's blood lead level on two or more consecutive tests fall within the range of 15.0 to 19.9 μg/dL, or when a single test shows a blood lead level at 20.0 μg/dL or higher.
- 4.5 **Training**. The Subrecipient may request reimbursement as in this contract for one staff member to obtain training and certification as a Lead Based Paint Inspector, Risk Assessor, or Lead Safety for Renovation, Repair and Painting, as administered by the Utah Department of Environmental Quality.
 - 4.6 **Reporting.** The Subrecipient shall submit a report using the Department's <u>Annual Report Template</u> no later than October 31 of each year (https://docs.google.com/spreadsheets/d/1ainTskM2lIGQQWTQgbpSq9_24X5 ccNSH/edit?usp=sharing&ouid=107857288374780016322&rtpof=true&sd=tr ue).

Article 5

FUNDING

5.1 Total funding is \$20,180.00.

- (1) \$7,154.00 for the period October 1, 2021 to September 30, 2022.
- (2) \$7,154.00 for the period October 1, 2022 to September 29, 2023.
- (3) \$5,872.00 for the period October 1, 2023 to September 29, 2024.
- 5.2 This is a Cost Reimbursement contract. The Department agrees to reimburse the Subrecipient up to the maximum amount of the contract for expenditures made by the Subrecipient directly related to the performance of this contract.

Cost Reimbursement - TrainingDescriptionAmountLodging\$600.00Mileage\$0.44 each mile up to \$299.00Per Diem\$50.00 each day up to \$200.00Registration and Certification\$525.00Total\$1,624.00Article 6

INVOICING

Invoicing. In addition to the General Provisions of the Contract, the Subrecipient shall:

(1) submit a copy of the certificate of training when submitting an invoice applying for reimbursement for training expenses as provided by this contract; and

(2) submit include one column for each funding source in the Monthly Expenditure Report:

- (a) environmental lead; and
- (b) environmental lead Training.

Article 7

OUTCOMES

- 8.1 **Outcomes:** The desired outcome of this contract is to improve blood lead testing and reporting rates for children < 6 years of age that are at risk for lead exposure, improve the use of surveillance system data to obtain missing data on demographic and follow-up information, and improve the rates of children <6 years of age with elevated blood lead levels linked to recommended services.
- 8.2 **Performance Measure:** Trends in elevated blood levels in children in Utah, exposure pathways, and what education or resources are being provided.
- 8.3 **Reporting:** The Subrecipient shall submit an annual report.

AMENDMENTS AND TERMINATION

Article 8

Amendments and Termination. If the Contract is not amended to add funds, the Contract shall terminate as of September 29, 2024.



COMMISSION STAFF REPORT

MEETING DATE:	September 19, 2023
ITEM TITLE, PRESENTER:	Consideration and Approval of San Juan County Health Department - STD Disease Intervention Services - 2019 Amendment 5 by Grant Sunada, Public Health Director
RECOMMENDATION:	Approve

SUMMARY

The general purpose of this contract is to provide Disease Intervention Services and Sexually Transmitted Disease Testing to individuals within San Juan County.

These services aim to reduce and control the spread of sexually transmitted diseases (STDs) through (1) prompt and confidential investigations and (2) expanding and training the Disease Intervention Specialist (DIS) workforce (e.g., cross-training in COVID-19, HIV, STDs, and other infectious diseases; Conduct disease investigations including, case investigation, contact tracing, linkage to treatment, referrals, case management, and outbreak response).

HISTORY/PAST ACTION

Approval

FISCAL IMPACT

The funding amount is \$70,123.33 in federally reimbursed funding for activities between January 1, 2024 to December 31, 2023.

- \$4,000.00 for STD Prevention Disease Intervention Services for the period January 1, 2023 to December 31, 2023.
- \$430.00 for DIS Workforce for the period January 1, 2023 to January 31, 2024.
- \$25,000.00 for Training and Workforce Assessments for the period January 1, 2023 to January 31, 2024.
- \$27,820.00 for DIS Workforce for the period February 1, 2023 to December 31, 2023.
- \$12,498.33 for DIS Expanded Authority for the period April 1, 2023 to January 31, 2024.
- \$375.00 for STD Prevention Disease Intervention Services for the period of July 19, 2023 to January 31, 2024.



UTAH DEPARTMENT OF HEALTH & HUMAN SERVICES CONTRACT AMENDMENT

PO Box 144003, Salt Lake City, Utah 84114 288 North 1460 West, Salt Lake City, Utah 84116

1901709 Department Log Number 192700666

State Contract Number

- 1. CONTRACT NAME: The name of this contract is San Juan County Health Department STD Disease Intervention Services 2019 Amendment 5.
- 2. CONTRACTING PARTIES: This contract amendment is between the Utah Department of Health & Human Services (DEPARTMENT) and San Juan County (CONTRACTOR).

PAYMENT ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511 MAILING ADDRESS San Juan County 735 S 200 W, Ste 2 Blanding UT, 84511

Vendor ID: 06866HL Commodity Code: 99999

- 3. PURPOSE OF CONTRACT AMENDMENT: The purpose of this amendment is to increase the contract amount and replace Attachment "A" in exchange for continued services.
- 4. CHANGES TO CONTRACT:

1. The contract amount is being changed. The original amount was \$151,983.00. The funding amount will be increased by \$12,873.33 in federal funds. New total funding is \$164,856.33. 2. Attachment "A" effective, April 1, 2023, replaces Attachment "A" which was effective January 2023. Article "III" Funding, Section A, is changed, and Subsections 7., 8., and 9., are changed, Subsections 11., and 12., are added, and F. 2. b. and c., are added. Article "V" Responsibilities of Subrecipient, Sections A.1., a., b., e., f., g., are changed, Subsections 2., 5., and 6., are changed and section E., is added. Article "VII" Amendments and Termination is changed and Article "VIII" Outcomes is added.

UEI: WCVABP2FEVA2

Indirect Cost Rate: 0%

7.00			
Federal Program Name:	Preventive Health	Award Number:	5 NH25PS005169-04-02
	Services Sexually		
	Transmitted Diseases		
	Control Grants		
Name of Federal	US Department of	Federal Award	NH25PS005169
Awarding Agency:	Health and Human	Identification Number:	
	Services		

Add

Add

Number:

Preventive Health	Award Number:	6 NH25PS005169-05-02
Services Sexually		
Transmitted Diseases		
Control Grants		
US Department of	Federal Award	NH25PS005169
Health and Human	Identification Number:	
Services		
STRENGTHENING STD	Federal Award Date:	7/19/2023
PREVENTION AND		
CONTROL FOR		
HEALTH		
DEPARTMENTS (STD		
PCHD)		
93.977	Funding Amount:	\$375.00
	Services Sexually Transmitted Diseases Control Grants US Department of Health and Human Services STRENGTHENING STD PREVENTION AND CONTROL FOR HEALTH DEPARTMENTS (STD PCHD)	Services Sexually Transmitted Diseases Control GrantsFederal AwardUS Department of Health and Human ServicesFederal AwardIdentification Number:Identification Number:STRENGTHENING STD PREVENTION AND CONTROL FOR HEALTH DEPARTMENTS (STD PCHD)Federal Award Date:

All other conditions and terms in the original contract and previous amendments remain the same.

- 5. EFFECTIVE DATE OF AMENDMENT: This amendment is effective 04/01/2023.
- 6. DOCUMENTS INCORPORATED INTO THIS CONTRACT BY REFERENCE BUT NOT ATTACHED:
 - A. All other governmental laws, regulations, or actions applicable to services provided herein.
 - B. All Assurances and all responses to bids as provided by the CONTRACTOR.
 - C. Utah Department of Health & Human Services General Provisions and Business Associate Agreement currently in effect until 6/30/2023.
- 7. This contract, its attachments, and all documents incorporated by reference constitute the entire agreement between the parties and supersedes all prior written or oral agreements between the parties relating to the subject matter of this contract.

Item 16.

Intentionally Left Blank

Contract with Utah Department of Health & Human Services and San Juan County, **Log #** 1901709

IN WITNESS WHEREOF, the parties enter into this agreement.

CONTRACTOR

STATE

Ву: _____

Date

Bruce Adams County Commission Chair Date

Attachment A: Special Provisions

San Juan Health Department - STD Disease Intervention Services - 2019 Amendment 5 Effective Date: April 1, 2023

I. GENERAL PURPOSE:

A. The general purpose of this contract is to provide Disease Intervention Services and Sexually Transmitted Disease Testing to individuals within the Subrecipient's jurisdiction.

II. DEFINITIONS:

- A. "CDC" means The Centers for Disease Control and Prevention.
- B. "DIS" means Disease Intervention Specialist.
- C. "Department" means Utah Department of Health and Human Services HEART (HIV/STD Elimination, Analysis, Response, and Treatment).
- D. "EPT" means Expedited Partner Therapy.
- E. "Education" means one on one discussion and distribution of educational materials if applicable.
- F. "PrEP" means Pre-exposure Prophylaxis.
- G. "QA" means Quality Assurance.
- H. "STD" means Sexually Transmitted Disease.
- I. "Subrecipient" means Contractor and San Juan Health Department.
- J. "UT-NEDSS" means the Utah electronic disease surveillance system.
- K. "UPHL" means the Utah Public Health Laboratory.
- L. "Partner services" means eliciting sexual partner information and contacting partners for risk-reduction education, testing, and treatment.

III. FUNDING:

- A. New total funding is \$164,856.33.
 - 1. \$4,000.00 for the period January 1, 2019 to December 31, 2019.
 - 2. \$5,000.00 for the period January 1, 2020 to December 31, 2020.
 - a. \$1,000.00 for STD Prevention Disease Intervention Services.
 - b. \$4,000.00 for Early Intervention Services Disease Intervention Services.
 - 3. \$4,000.00 for the period January 1, 2021 to December 31, 2021.
 - a. \$2,000.00 for STD Prevention Disease Intervention Services.
 - b. \$2,000.00 for Early Intervention Services Disease Intervention Services.
 - 4. \$25,911.00 for DIS Workforce for the period January 1, 2022 to December 31, 2022.
 - 5. \$4,000.00 for STD Prevention Disease Intervention Services for the period January 1, 2022 to December 31, 2022.

- 6. \$51,822.00 for DIS Workforce for the period March 1, 2022 to December 31, 2022.
- 7. \$4,000.00 for STD Prevention Disease Intervention Services for the period January 1, 2023 to December 31, 2023.
- 8. \$430.00 for DIS Workforce for the period January 1, 2023 to January 31, 2024.
- 9. \$25,000.00 for Training and Workforce Assessments for the period January 1, 2023 to January 31, 2024.
- 10. \$27,820.00 for DIS Workforce for the period February 1, 2023 to December 31, 2023.
- 11. \$12,498.33 for DIS Expanded Authority for the period April 1, 2023 to January 31, 2024.
- 12. \$375.00 for STD Prevention Disease Intervention Services for the period of July 19, 2023 to January 31, 2024.
- B. The DEPARTMENT agrees to reimburse the Subrecipient up to the maximum amount of the contract for expenditures made by the Subrecipient directly related to the program.
- C. The Federal funds provided under this agreement are from the Federal Program and award as recorded on page 1 of the contract.
- D. Pass-through Agency: Utah Department of Health and Human Services.
- E. Number assigned by the Pass-through Agency: State Contract Number, as recorded on Page 1 of the Contract.
- F. In addition to the General Provision of the Contract, the Subrecipient shall:
 - 1. submit June's invoice no later than July 15th of each year.
 - 2. include one column for each funding source in the Monthly Expenditure Report.
 - a. STD Prevention
 - b. STD DIS Workforce
 - c. DIS Expanded Authority/Training and Workforce Assessments

IV. DEPARTMENT CONTACT:

- A. The day to day operations and dispute contact is Nikki Baer, abaer@utah.gov, (801) 538-6174.
- V. RESPONSIBILITIES OF SUBRECIPIENT:
 - A. For Case Investigation and Partner Services, the Subrecipient shall:
 - 1. investigate STD cases within the Subrecipient's jurisdiction to reduce and control the spread of STDs by:
 - a. interviewing 70% of all early syphilis cases within 14 days of diagnosis;

- investigating 75% of all stages of syphilis among reproductiveage females within 30 days of diagnosis including obtaining pregnancy status, treatment, and stage confirmation;
- c. interviewing 65% of gonorrhea cases within 60 days of diagnosis;
- d. providing partner services to syphilis and gonorrhea cases during disease intervention specialist interviews;
- e. providing partner services to 75% of all stages of syphilis cases among pregnant women and women of reproductive age;
- f. providing partner services to 95% of early syphilis cases among men with female partners; and
- g. investigating 100% of congenital syphilis cases within 14 days of birth.
- 2. ensure treatment is provided to 75% of early syphilis, and gonorrhea cases within 14 days of diagnosis based on the treatment guidelines specified in this Contract.
- 3. treat all identifying information regarding STD-infected individuals as confidential information. Disclosure of STD-related information concerning any individual is prohibited without written, informed consent from the individual.
- 4. ensure all gonorrhea and early syphilis cases comply with the requirements of each disease specific Minimum Data Set as specified in this Contract.
 - a. incidences in UT-NEDSS identified in the quarterly QA summary report shall be resolved no later than four weeks after receiving the report.
- 5. provide PrEP education and referrals to 75% of all MSM who are diagnosed with early syphilis and/or gonorrhea and interviewed by the Subrecipient.
- 6. ensure 85% of all STD case investigations assigned to the Subrecipient's jurisdiction in UT-NEDSS receive a workflow status of 'Approved by LHD' within 60 days of diagnosis.
- 7. strengthen STD surveillance by routinizing enhanced investigation among a representative sample of individuals diagnosed with gonorrhea by: and
 - a. conducting provider investigations for all cases identified in the random sample to ascertain additional information such as signs/symptoms, and
 - b. attempting to obtain patient interviews with a random sample of gonorrhea cases to ascertain additional behavioral and demographic information. Disease Intervention Services.

- no less than four attempts at patient contact are required and outcomes of each contact attempt shall be fully documented.
- 8. attend annual contract monitoring meeting with the DEPARTMENT.
- B. For Increasing the Public Health Workforce, the Subrecipient shall:
 - 1. expand and train the DIS workforce:
 - a. personnel supported by DIS Supplemental funding shall:
 - 1. be cross-trained to respond to COVID-19, HIV, STDs, and other infectious diseases, and
 - 2. conduct disease investigations including, case investigation, contact tracing, linkage to treatment, referrals, case management, and outbreak response.
 - 2. DIS Supplemental funding shall be used for:
 - a. wages and benefits related to recruitment, hiring, training, and retaining DIS staff;
 - b. hiring priority should be given to front-line DIS and DIS supervisors with a secondary focus on roles that support the success of frontline DIS response and outbreak efforts, and
 - c. focus on diversity, health equity, and inclusion for hiring and training a diverse workforce across all levels who are representative of, and have language competence for, the local communities they serve.
 - 3. provide the following information on all personnel supported by this funding no later than 30 days after hire.
 - a. staff name;
 - b. staff position, title, and job description;
 - c. annual salary (including fringe benefit percentage if applicable), and
 - d. number of FTE's supported by these funds.
- C. Comply with the following standards, protocols, policies, procedures and guidelines or latest update:
 - The Centers for Disease Control and Prevention's Program Operations Guidelines for STD Prevention (https://www.cdc.gov/std/program/overview.pdf);
 - Sexually Transmitted Infections Treatment Guidelines (https://www.cdc.gov/std/treatment-guidelines/STI-Guidelines-2021.pdf);
 - Sexually Transmitted Infections Screening Guidelines (https://www.cdc.gov/std/treatment-guidelines/screeningrecommendations.htm);
 - 4. *Morbidity and Mortality Weekly Report* (MMWR) (https://www.cdc.gov/mmwr/index.html);

- Disease Investigation Plans and Minimum Data Sets Chlamydia (https://ptc.health.utah.gov/wpcontent/uploads/2020/03/Chlamydia-Disease-Plan-Final_021920-PDF.pdf); Gonorrhea (https://ptc.health.utah.gov/wpcontent/uploads/2020/03/Gonorrhea-Disease-Plan-Final_021920-PDF-1.pdf); and Syphilis (https://ptc.health.utah.gov/wpcontent/uploads/2020/03/Syphilis_Final_Rev_March-2018.pdf).
 Administrative Code Rule R386-702
- Administrative Code Rule R386-702 (https://adminrules.utah.gov/public/rule/R386-702/Current%20Rules?searchText=R386-702);
- 7. Utah Code 58-1-501.3 Health Professional Prescribing Exceptions for Expedited Partner Therapy for Sexually Transmitted Diseases (https://le.utah.gov/xcode/Title58/Chapter1/58-1-S501.3.html); and
- 8. Health Resources and Safety Administration 340B Regulations (https://www.hrsa.gov/opa/index.html).
- D. For the Training and Workforce Assessments, the Subrecipient shall:
 - 1. require public health nurses, DIS, and those who supervise these staff to complete 100% of surveys.
- E. For budgeting, the Subrecipient shall submit STD PCHD and DIS Workforce budget and grant reporting information by the requested deadline.

VI. THE DEPARTMENT MAY:

- A. provide program information/updates including epidemiological profiles, program statistics, information/publications on current issues, best practices, performance outcome measures, and CDC STD program messages.
- B. provide technical assistance on disease intervention techniques and clinical case management upon request.
- C. provide technical assistance and medical consultation for STDs upon request.
- D. provide item such as, but not limited to the following: CDC literature including treatment guidelines, condoms, and lube based upon availability upon request.
- E. reimburse the Subrecipient for STD medication. Reimbursement is dependent on available funding and is not guaranteed;
 - medications that qualify for reimbursement are: Amoxicillin, Azithromycin, Bicillin, Doxycycline, Gentamicin, Suprax/Cefixime, and Ceftriaxone/Rocephin.
- F. provide quarterly QA lists no later than 60 days after the end of each calendar quarter.
- G. provide PrEP educational materials and training upon request.

- H. provide myLAB Box[™] chlamydia/gonorrhea and/or HIV test kits in an amount and frequency determined by the DEPARTMENT. The SUBRECIPIENT may request test kits using the form provided by the DEPARTMENT.
 - 1. the Subrecipient shall:
 - a. provide test kits to clients at no cost;
 - b. not sell or give test kits to another entity;
 - c. not redistribute test kits to another entity without the DEPARTMENT's prior written approval;
 - d. maintain an inventory of all test kits received and distributed using the inventory sheet provided by the DEPARTMENT:
 - provide completed inventory sheet to the DEPARTMENT every 3 months starting on January 1 of each year and upon request; and
 - 2. Return any unused test kits to the DEPARTMENT no later than 30 days before the kits expire.
 - e. screen all clients using the screening tool provided by the DEPARTMENT to identify if the patient qualifies for free athome test kits and which kits they should receive:
 - 1. provide referrals to other testing options to clients who do not qualify for free test kits.
 - f. provide client technical assistance to complete online registration, sample collection, returning samples, and receiving results; and
 - g. provide other active referrals based on client risk and test results.
- VII. AMENDMENTS AND TERMINATION:
 - A. If the Contract is not amended to add funds, the Contract shall terminate as of January 31, 2024.

VIII. OUTCOMES:

The desired outcome is to reduce the rate of STD infections.

- A. Performance measures:
 - a. number of early syphilis cases interviewed within 14 days of diagnosis;
 - number of reproductive-age females with syphilis interviewed within 30 days of diagnosis;
 - c. number of gonorrhea cases interviewed within 60 days of diagnosis;
 - d. number of pregnant women with syphilis who were provided with partner services;
 - e. number of men with syphilis with female partners who were provided partner services;

- f. number of congenital syphilis cases investigated within 14 days of birth;
- g. number of early syphilis and gonorrhea cases treated within 14 days of diagnosis;
- h. number of MSM diagnosed with early syphilis and/or gonorrhea who were provided PrEP education; and
- i. number of STD case investigations that received a workflow status of 'Approved by LHD' within 60 days of diagnosis.
- B. Reporting: The Subrecipient shall submit data in UT-NEDSS.