

PUBLIC UTILITIES COMMITTEE MEETING

Thursday, September 22, 2022 at 5:00 PM

Committee Room - City Hall, 3rd Floor 1717 E. Park Street, Two Rivers, WI 54241

AGENDA

1. CALL TO ORDER

2. ROLL CALL Committee Members: Darla LeClair, Tim Petri, Jason Ring

3. REVIEW AND APPROVAL OF MINUTES

A. Minutes from the August 2, 2022 Public Utilities Committee Meeting

4. PUBLIC INPUT

5. OVERVIEW OF UTILITY RATES

- A. Recent PCAC's for Electric Utility
- B. Rate comparisons with other utilities
- C. Utility bill formatting
- D. Communications with Public on rates

6. WASTEWATER UTILITY: UPDATES AND ACTION

- A. Consider retaining a consultant to review and propose updates to sewer use ordinance and billing system
- B. Discussion regarding Definitions for "user(s)" and "unit(s)"

7. ELECTRIC AND TELECOMMUNICATIONS UTILITIES: DIRECTOR UPDATES AND ACTION IF APPLICABLE

MEUW district dinner, Two Rivers has been selected as the host community. October 11th at Lighthouse Inn, Brian Dellemann needs a response by September 30th. <u>https://www.meuw.org/districtdinners</u>

8. WATER UTILITY: DIRECTOR UPDATE, DISCUSSION AND ACTION AS NEEDED

- 9. STORM WATER UTILITY: UPDATES AND ACTION AS NEEDED 20th Street Treatment Pond Update
- 10. ANY OTHER ITEMS OR ISSUES TO COME BEFORE THE COMMITTEE, WITH DISCUSSION AND ACTION

17th Street Construction Update

11. SET DATE, TIME, LOCATION, AND AGENDA ITEMS FOR NEXT COMMITTEE MEETING Proposed for Tuesday, October 4, 2022, at 5:30 pm

12. ADJOURNMENT

Please note, upon reasonable notice, efforts will be made to accommodate the needs to disabled individuals through appropriate aids and services. For additional information or to request this service, please contact the Office of the City Manager by calling 793-5532.

It is possible that members of and possibly a quorum of governmental bodies of the municipality may be in attendance at the above stated meeting to gather information; no other action will be taken by any governmental body at the above-stated meeting other than the governmental body specifically referred to above in this notice.